

Name : MR.BIRMA RAM

Age / Gender : 35 Years / Male

Consulting Dr. :

Reg. Location

: Malad West (Main Centre)

Authenticity Check

E

Use a QR Code Scanner Application To Scan the Code

: 22-Mar-2023 / 08:36

:22-Mar-2023 / 00:30

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

Collected

Reported

CBC (Complete Blood Count), Blood				
<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>	
RBC PARAMETERS				
Haemoglobin	14.3	13.0-17.0 g/dL	Spectrophotometric	
RBC	4.96	4.5-5.5 mil/cmm	Elect. Impedance	
PCV	45.3	40-50 %	Calculated	
MCV	91.3	80-100 fl	Measured	
MCH	28.9	27-32 pg	Calculated	
MCHC	31.7	31.5-34.5 g/dL	Calculated	
RDW	13.7	11.6-14.0 %	Calculated	
WBC PARAMETERS				
WBC Total Count	6050	4000-10000 /cmm	Elect. Impedance	
WBC DIFFERENTIAL AND A	BSOLUTE COUNTS			
Lymphocytes	35.5	20-40 %		
Absolute Lymphocytes	2150	1000-3000 /cmm	Calculated	
Monocytes	6.8	2-10 %		
Absolute Monocytes	410	200-1000 /cmm	Calculated	
Neutrophils	53.0	40-80 %		
Absolute Neutrophils	3200	2000-7000 /cmm	Calculated	
Eosinophils	4.4	1-6 %		
Absolute Eosinophils	270	20-500 /cmm	Calculated	
Basophils	0.3	0.1-2 %		
Absolute Basophils	20	20-100 /cmm	Calculated	
Immature Leukocytes	-			

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

Platelet Count	156000	150000-400000 /cmm	Elect. Impedance
MPV	12.4	6-11 fl	Measured
PDW	25.8	11-18 %	Calculated

RBC MORPHOLOGY



Name : MR.BIRMA RAM

Age / Gender : 35 Years / Male

Consulting Dr. : -

Reg. Location

: Malad West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected : 22-Mar-2023 / 08:36

Reported :22-Mar-2023 / 10:56

Hypochromia -

Microcytosis -

Macrocytosis -

Anisocytosis -

Poikilocytosis -

Polychromasia -

Target Cells Basophilic Stippling -

Normoblasts -

Others Normocytic, Normochromic

WBC MORPHOLOGY -

PLATELET MORPHOLOGY -

COMMENT -

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR 20 2-15 mm at 1 hr. Sedimentation

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***







M fain
Dr.MILLU JAIN
M.D.(PATH)
Pathologist

Page 2 of 16



Name : MR.BIRMA RAM

Age / Gender : 35 Years / Male

Consulting Dr. :

•

Reg. Location : Malad West (Main Centre)

Authenticity Check

R

E

Use a QR Code Scanner Application To Scan the Code

Collected : 22-Mar-2023 / 08:36

Reported :22-Mar-2023 / 13:02

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	101.8	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	89.2	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	0.32	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.15	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.17	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.1	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.3	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.8	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.5	1 - 2	Calculated
SGOT (AST), Serum	24.6	5-40 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	40.1	5-45 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	21.8	3-60 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	90.5	40-130 U/L	Colorimetric
BLOOD UREA, Serum	15.1	12.8-42.8 mg/dl	Kinetic
BUN, Serum	7.1	6-20 mg/dl	Calculated
CREATININE, Serum	0.81	0.67-1.17 mg/dl	Enzymatic



CID :2308108915

Name : MR.BIRMA RAM

Age / Gender : 35 Years / Male

Consulting Dr.

Reg. Location

: Malad West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected :22-Mar-2023 / 11:30 Reported :22-Mar-2023 / 16:14

eGFR, Serum 115 >60 ml/min/1.73sqm Calculated

Note: eGFR estimation is calculated using MDRD (Modification of diet in renal disease study group) equation

URIC ACID, Serum 4.4 3.5-7.2 mg/dl

Enzymatic

Urine Sugar (Fasting) Absent Absent Urine Ketones (Fasting) Absent Absent

Urine Sugar (PP) Absent Absent Urine Ketones (PP) **Absent** Absent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***







Dr.ANUPA DIXIT

M.D.(PATH) Consultant Pathologist & Lab Director

Page 4 of 16



Name : MR.BIRMA RAM

Age / Gender : 35 Years / Male

Consulting Dr. : -

Reg. Location: Malad West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

: 22-Mar-2023 / 08:36

Reported :22-Mar-2023 / 13:28

Collected

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE GLYCOSYLATED HEMOGLOBIN (HbA1c)

PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>ME I HOD</u>
Glycosylated Hemoglobin (HbA1c), EDTA WB - CC	4.9	Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %	HPLC
Estimated Average Glucose (eAG), EDTA WB - CC	93.9	mg/dl	Calculated

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- · HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***







Dr.MILLU JAIN M.D.(PATH) Pathologist

Page 5 of 16



CID :2308108915

Name : MR.BIRMA RAM

Age / Gender : 35 Years / Male

Consulting Dr. : Malad West (Main Centre) Reg. Location

Authenticity Check

Use a OR Code Scanner Application To Scan the Code

:22-Mar-2023 / 08:36 :22-Mar-2023 / 16:09

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE **URINE EXAMINATION REPORT**

Collected

Reported

<u>PARAMETER</u>	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Yellow	Pale Yellow	-
Reaction (pH)	6.5	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.010	1.001-1.030	Chemical Indicator
Transparency	Clear	Clear	-
Volume (ml)	40	-	-
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION			
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	0-1		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	2-3	Less than 20/hpf	

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein:(1+ ~25 mg/dl, 2+ ~75 mg/dl, 3+ ~ 150 mg/dl, 4+ ~ 500 mg/dl)
- Glucose:(1+ ~ 50 mg/dl, 2+ ~100 mg/dl, 3+ ~300 mg/dl,4+ ~1000 mg/dl)
- Ketone: (1 + ~5 mg/dl, 2 + ~15 mg/dl, 3 + ~50 mg/dl, 4 + ~150 mg/dl)

Reference: Pack insert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West





Others



M. Jain **Dr.MILLU JAIN** M.D.(PATH) **Pathologist**

Page 6 of 16



Name : MR.BIRMA RAM

Age / Gender : 35 Years / Male

Consulting Dr. : -

Reg. Location : Malad West (Main Centre)

Authenticity Check

R

Use a QR Code Scanner Application To Scan the Code

Collected : Reported :

гропсса

*** End Of Report ***

Page 7 of 16



Name : MR.BIRMA RAM

Age / Gender : 35 Years / Male

Consulting Dr. : -

Reg. Location: Malad West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

: 22-Mar-2023 / 08:36

Reported :22-Mar-2023 / 10:53

Collected

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE BLOOD GROUPING & Rh TYPING

PARAMETER RESULTS

ABO GROUP 0

Rh TYPING POSITIVE

NOTE: Test performed by automated column agglutination technology (CAT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- · Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***







Dr.MILLU JAIN M.D.(PATH) Pathologist

Page 8 of 16



Name : MR.BIRMA RAM

Age / Gender : 35 Years / Male

Consulting Dr. :

Reg. Location: Malad West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

: 22-Mar-2023 / 08:36 : 22-Mar-2023 / 17:34 R

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE LIPID PROFILE

Collected

Reported

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	197.2	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	248.9	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	27.4	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	169.8	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/d High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated l
LDL CHOLESTEROL, Serum	134.8	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	35.0	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	7.2	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	4.9	0-3.5 Ratio	Calculated

Note: LDL test is performed by direct measurement.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***







M. Jain
Dr.MILLU JAIN
M.D.(PATH)
Pathologist

Page 9 of 16



Name : MR.BIRMA RAM

Age / Gender : 35 Years / Male

Consulting Dr. :

Reg. Location

: Malad West (Main Centre)

Authenticity Check

R

E

Use a QR Code Scanner Application To Scan the Code

: 22-Mar-2023 / 08:36

Reported :22-Mar-2023 / 11:54

Collected

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE THYROID FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Free T3, Serum	4.6	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	16.7	11.5-22.7 pmol/L	ECLIA
sensitiveTSH, Serum	3.63	0.35-5.5 microIU/ml	ECLIA



CID :2308108915

Name : MR.BIRMA RAM

:35 Years / Male Age / Gender

Consulting Dr. Collected :22-Mar-2023 / 08:36 :22-Mar-2023 / 11:54 Reg. Location



A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological
 - can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation: TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7% (with in subject variation)

Reflex Tests:Anti thyroid Antibodies, USG Thyroid ,TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

- 1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
- 2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4. Biological Variation: From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***







Dr.ANUPA DIXIT M.D.(PATH)

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Consultant Pathologist & Lab Director

Page 11 of 16



Name : MR.BIRMA RAM


Age / Gender : 35 Years / Male


Consulting Dr. :


Reg. Location : Malad West (Main Centre)




Use a QR Code Scanner Application To Scan the Code











WBC Total Count





Page 12 of 16



CID : 2308108915 Name : MR.BIRMA RAM

Age / Gender : 35 Years / Male


Consulting Dr. :


Reg. Location : Malad West (Main Centre)




Use a QR Code Scanner Application To Scan the Code








BLOOD UREA







22-Mar-2023

12-Mar-2022

CREATININE





Page 13 of 16



Name : MR.BIRMA RAM

Age / Gender : 35 Years / Male

Consulting Dr. :


Reg. Location : Malad West (Main Centre)





R


E


Use a QR Code Scanner Application To Scan the Code
















CID : 2308108915 Name : MR.BIRMA RAM

Age / Gender : 35 Years / Male

Consulting Dr. :


Reg. Location : Malad West (Main Centre)




R

E

Use a QR Code Scanner Application To Scan the Code








5 4 3 2 1


22-Mar-2023


12-Mar-2022

Free T3



Estimated Average Glucose (eAG)







Name : MR.BIRMA RAM

Age / Gender : 35 Years / Male

Consulting Dr. :

Reg. Location : Malad West (Main Centre)




Authenticity Check


Use a QR Code Scanner Application To Scan the Code

Scanner n the Code

R

sensitiveTSH





SUBURBAN DIAGNOCTICS (INDIA) PVT. LTD.

102-104, Bhoomi Castle.

Opp. Gorsgaon Sports Club.
Link Road, Malad (W), Mumbai - 400 064.



CID#

: 2308108915

Name

: MR.BIRMA RAM

Age / Gender : 35 Years/Male

Consulting Dr. :

Reg.Location

: Malad West (Main Centre)

Collected

: 22-Mar-2023 / 08:29

R

E

P

0

R

T

Reported

: 22-Mar-2023 / 17:58

PHYSICAL EXAMINATION REPORT

History and Complaints:

Dyslipidemia

EXAMINATION FINDINGS:

Height (cms):

184

Weight (kg):

77.1

Temp (0c):

afebrile

Skin:

NAD

Blood Pressure (mm/hg): 120/80

Nails:

NAD

Pulse:

56/mi

Lymph Node:

Not palpable

Systems

Cardiovascular: NAD

Respiratory:

NAD

Genitourinary: GI System:

NAD NAD

CNS:

NAD

IMPRESSION:

Impaired FBS

Dylp idami

ADVICE:

hafertite modifications. Needs & for dylipidemic

CHIEF COMPLAINTS:

1) Hypertension:

NO



Name : MR.BIRMA RAM

Age / Gender : 35 Years/Male

Consulting Dr. :

Reg.Location : Malad West (Main Centre)

Collected

: 22-Mar-2023 / 08:29

E

R

T

Reported

: 22-Mar-2023 / 17:58

2)	IHD	NO
3)	Arrhythmia	NO
4)	Diabetes Mellitus	NO
5)	Tuberculosis	NO
6)	Asthama	NO
7)	Pulmonary Disease	NO
8)	Thyroid/ Endocrine disorders	NO
9)	Nervous disorders	NO
10)	GI system	NO
11)	Genital urinary disorder	NO
	Rheumatic joint diseases or symptoms	
13)	Blood disease or disorder	NO
	Cancer/lump growth/cyst	NO
	Congenital disease	NO
	Surgeries	NO
	Musculoskeletal System	NO

PERSONAL HISTORY:

1)	Alcohol	NO
2)	Smoking	NO
3)	Diet	Vegetarian
	AND CONTROL OF THE CO	vegetarian

4) Medication

*** End Of Report ***

NO

Dr.Sonali Honrao MD physician Sr. Manager-Medical Services (Cardiology)

Reg. Date

Reported



Authenticity Check



Use a QR Code Scanner

: 22-Mar-2023

Application To Sean the Code

: 22-Mar-2023 / 13:24

: 2308108915 Name : Mr Birma Ram Age / Sex : 35 Years/Male

Ref. Dr

CID

Reg. Location

: Malad West Main Centre

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

Kindly correlate clinically.

Note: Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. X- ray is known to have interobserver variations. FThey only help in diagnosing the disease in correlation to clinical symptoms and other related tests urther / Follow-up imaging may be needed in some case for confirmation of findings. Please interpret accordingly.

-End of Report--

DR. Akash Chhari MBBS, MD. Radio-Diagnosis Mumbai MMC REG NO - 2011/08/2862

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023032208301447



Authenticity Check



Use a QR Code Scanner

R

E

Application To Scan the Cod®

: 22-Mar-2023 / 10:55

Reg. Date : 22-Mar-2023

Reported

CID

Name

: Mr Birma Ram Age / Sex : 35 Years/Male

Ref. Dr

Reg. Location

: Malad West Main Centre

: 2308108915

USG WHOLE ABDOMEN

LIVER:

The liver is normal in size (14.5 cm), shape and smooth margins. It shows bright parenchymal echo pattern. The intra hepatic biliary and portal radical appear normal. No evidence of any intra hepatic cystic or solid lesion seen. The main portal vein and CBD appears normal.

GALL BLADDER:

The gall bladder is partially distended and appears normal. No evidence of gall stones or mass lesions seen

PANCREAS:

The pancreas head and partial body is visualized and appears normal. No evidence of solid or cystic mass lesion. Rest of the pancreas is obscured due to bowel gas shadows.

KIDNEYS:

Both the kidneys are normal in size, shape and echotexture. No evidence of any calculus, hydronephrosis or mass lesion seen. Right kidney measures 11.6 x 5.2 cm. Left kidney measures 11.4 x 5.8 cm.

SPLEEN:

The spleen is normal in size (11.2 cm), and echotexture. No evidence of focal lesion is noted.

There is no evidence of any lymphadenopathy or ascites.

URINARY BLADDER:

The urinary bladder is partially distended and reveal no intraluminal abnormality.

PROSTATE:

The prostate is normal in size and volume is 22.0 cc.

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023032208301439

Page no 1 of 2



Authenticity Check



Use a QR Code Scanner

R

Е

Application To Scan the Cod®

: 22-Mar-2023 / 10:55

Reg. Date : 22-Mar-2023

Reported

CID

: 2308108915 Name : Mr Birma Ram Age / Sex

Ref. Dr

Reg. Location

: Malad West Main Centre

: 35 Years/Male

IMPRESSION:

Grade I fatty infiltration of liver.

Suggestion: Clinicopathological correlation.

Note: Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have inter-observer variations. Further / Follow-up imaging may be needed in some case for confirmation of findings. Patient has been explained in detail about the USG findings including its limitations and need for further imaging if clinically indicated. Please interpret accordingly. All the possible precaution have been taken under covid-19 pandemic.

-----End of Report----

Dr. Vivek Singh MD Radiodiagnosis

Reg No: 2013/03/0388

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023032208301439

Page no 2 of 2

PRECISE TESTING - HEALTHIER LIVING DIAGNOSTICS

SUBURBAN DIAGNOSTICS - MALAD WEST

Patient Name: BIRMA RAM

2308108915

Patient ID:

Date and Time: 22nd Mar 23 9:28 AM

19 days 35 1 years months Age

Heart Rate 56bpm Gender Male

Patient Vitals

74

7

aVR

120/80 mmHg 77 kg Weight

184 cm Height:

Pulse:

Spo2:

Resp:

VS

72

aVL

Ξ

Others:

Measurements

 9Λ

73

aVF

Ħ

422ms 96ms QRSD:

407ms

116ms

92° 70° 48° P-R-T:

James & REPORTED BY

tricog

specialist 2014-2005 Treas health. All Rights Re-

DR SONALI HONRAO MD (General Medicine) Physician 2001/04/1882

ECG Within Normal Limits: Sinus Bradycardia. Please correlate clinically.

25.0 mm/s 10.0 mm/mV

Disclaimer. A) Assabisis in this report is hased on ECO above and should be used as an adjunct to clinical battory, symptoms, and results of other invasive; and soon measure tests and mass be transpressed by a qualified

BURBAN DIAGNOSTICS

Station Telephone:

alad West

EXERCISE STRESS TEST REPORT

Patient Name: BIRMA, RAM

Patient ID: 230810915 Height: 184 cm Weight: 77 kg

Study Date: 22.03.2023

Test Type: --Protocol: BRUCE DOB: 03.02.1988 Age: 35yrs Gender: Male

Referring Physician: --

Attending Physician: DR SONALI HONRAO

Technician: --

Race: Asian

Medications:

Medical History:

Reason for Exercise Test:

Exercise Test Summary

Phase Name	Stage Name	Time in Stage	Speed (mph)	Grade (%)	HR (bpm)	BP (mmHg)	Comment
PRETEST	SUPINE	00:15	0.00	0.00	82 77	120/80	
	STANDING HYPERV.	00:13	0,00	0.00	79	120/00	
EXERCISE	WARM-UP STAGE I	00:18	1.00 1.70	10.00	83 93	126/80	
LABREIDE	STAGE 2 STAGE 3	03:00	2.50 3.40	12.00 14.00	118	140/80	
Autourny	STAGE 4	02:52	4.20	16.00	166 93	160/80	
RECOVERY		92.11	U.J.				

The patient exercised according to the BRUCE for 11:51 min:s, achieving a work level of Max. METS: 13.40. The resting heart rate of 85 bpm rose to a maximal heart rate of 166 bpm. This value represents 89 % of the maximal, age-predicted heart rate. The resting blood pressure of 120/80 mmHg, rose to a maximum blood pressure of 170/80 mmHg. The exercise test was stopped due to Target heart rate achieved.

Interpretation

Summary: Resting ECG: normal.

Functional Capacity: normal.

HR Response to Exercise: appropriate.

BP Response to Exercise: normal resting BP - appropriate response.

Chest Pain: none. Arrhythmias: none. ST Changes: none.

Overall impression: Normal stress test.

Conclusions

Good effort tolerance. No Significant ST- T changes as compared to baseline. No chest pain / arrythmia noted. Stress test is negative for inducible ischemia.

			ry Disease. Hence clinical correlation is mandatory.
		Sond? Tec	
Physician		Some Tan	minion
		lec	meian
	DE SON	LI HONRAO	SUBURBAN DIAGNOCTICS (INDIA) PVT. LTD.
	St. COID	MD PHYSICIAN	102-104, Bhoomi Castle,
	REG. NO.	2001/04/1882	Opp. Goregaon Sports Club,
			Link Road, Malad (W), Mumbai - 400 064.
			<u> </u>

