



Customer Service <customerservice@adityalabs.com>

Health Check up Booking Confirmed Request(bobE10008),Package Code-PKG10000248, Beneficiary Code-59414

1 message

Mediwheel <customercare@policywheel.com>

22 March 2022 at 19:2

To: "customerservice@adityalabs.com" <customerservice@adityalabs.com>

Cc: Mediwheel CC <customercare@mediwheel.in>, Mediwheel CC <mediwheelwellness@gmail.com>

**Mediwheel**
...Your wellness partner**011-41195959****Email:wellness@mediwheel.in****Hi Aditya Diagnostics And Research Laboratories,**Diagnostic/Hospital Location : **G-1,MIG 256-258,RD NO 4,CANRA BANK, City:Hyderabad**

We have received the confirmation for the following booking .


Beneficiary Name : PKG10000248**Beneficiary Name** : Chandrashekhar yergikar**Member Age** : 36**Member Gender** : Male**Member Relation** : Employee**Package Name** : Mediwheel Metro Full Body Health Checkup Male Below 40**Location** : PETHUMRI,Maharashtra-431807**Contact Details** : 9970269735**Booking Date** : 12-03-2022**Appointment Date** : 26-03-2022**Instructions to undergo Health Check:**

1. Please ensure you are on complete fasting for 10-To-12-Hours prior to check.
2. During fasting time do not take any kind of medication, alcohol, cigarettes, tobacco or any other liquids (except Water) in the morning.
3. Bring urine sample in a container if possible (containers are available at the Health Check centre).
4. Please bring all your medical prescriptions and previous health medical records with you.
5. Kindly inform the health check reception in case if you have a history of diabetes and cardiac problems.

For Women:

1. Pregnant Women or those suspecting are advised not to undergo any X-Ray test.
2. It is advisable not to undergo any Health Check during menstrual cycle.

We request you to facilitate the employee on priority.





ADITYA
DIAGNOSTICS
Research Laboratories
Results You Trust



Certificate No. TIC-4508
NABL Accredited Laboratory

K.P.H.B. COLONY : MIG 256-258, S.R. Towers, Road No. 4,
Hyderabad - 500072. Tel : +91-40-4350 0918
ERRAGADDA : Deccan Chambers, Above Punjab National Bank,
Hyderabad - 500018. Tel: +91-40-2381 7362
e-mail: customerservice@adityalabs.com | website: www.adrl.co

Name : MR. CHANDRASHEKARYERGIKAR
Age /Sex : 36 Y / M
Ref. By : BANK OF BARODA (MW)

Reg. No : O22-3117
Registration Date : 26-03-2022
Alt ID :

X-RAY CHEST PA VIEW

- Hilar regions are normal.
- Both C P angles are free.
- Domes of diaphragms are normal.
- Bony cage is normal
- Cardio thoracic ratio is normal.
- Lung - clear. No Evidence of any Signs of active Tuberculosis

IMPRESSION :

****NORMAL STUDY**

DR AZAM
Radiologist



Name : MR. CHANDRASHEKARYERGIKAR
Age /Sex : 36 Y /M
Ref. By : BANK OF BARODA (MW)

Reg. No : 022-3117
Registration Date : 26-03-2022
Alt ID :

Investigation

Result

Normal Ranges

HAEMOGRAM

Investigation

Result

Normal Range

Haemoglobin	13.6 gm%	Male : 14.0 - 18.0 gm % Female : 11.5 - 16.0 gm % Children : 12 - 14 gm%
R B C mil/cmm	4.6 mil/cmm	Male : 4.5 - 6.5 mil/cmm Female : 4.0 - 5.5 mil/cmm
Packed Cell volume (PCV)	41 %	Male : 40 - 54 % Female : 36 - 49 %
MCV	80 Cubic microns	76 - 96 Cubic microns
MCH	29 Picograms	27- 32 Picograms
MCHC	36 gm%	30 - 36 gm%
WBC (Total)	5,100 cells/cmm	4,000 - 11,000 cells/cmm

DIFFERENTIAL COUNT

Neutrophils (Polymorphs)	63 %	Adults : 40 - 75 % Children : 36- 50 %
Lymphocytes	33 %	Adults : 20 - 40 % Children : 36- 50 %
Eosinophils	02 %	1 - 6 %
Monocytes	02 %	2 - 10 %
Basophils	00 %	00 - 01 %
Platelet count	1,79,000 cells/cmm	1,50,000 - 4,00,000 cells/cmm
ESR 1st Hour	05 mm/hour	Male : 0 - 10 mm / hour Female : 0 - 14 mm / hour
Reticulocyte count	0.9 %	0.5 - 1.0 %

PERIPHERAL SMEAR EXAMINATION

RBC's Morphology	Normocytic / Normochromic
WBC	With in normal limits
Plateletes	Adequate
Abnormal Cells	Nil

Method : Automated Cellcounter&Microscopy

Dr Rajani Gupta, PhD
Chief Biochemist

Verified By

Dr K. Mahesh Kumar MD
Consultant Pathologist



Name : MR. CHANDRASHEKARYERGIKAR
Age /Sex : 36 Y / M
Ref. By : BANK OF BARODA (MW)

Reg. No : O22-3117
Registration Date : 26-03-2022
Alt ID :

Department of Biochemistry

Investigation

Result

Reference Range

Fasting Plasma Glucose *
Blood Sugar
Method GOD-POD

96 mg/dl

70 - 110 mg/dl

Post Prandial Glucose *
(Blood Sugar)
Method GOD-POD

121 mg/dl

70 - 160 mg/dl

*End of Report *

Dr Rajini G, PhD
Chief Biochemist

Dr K Mahesh Kumar, MD
Consultant Pathologist



Name : MR. CHANDRASHEKARYERGIKAR
Age /Sex : 36 Y / M
Ref. By : BANK OF BARODA (MW)

Reg. No : O22-3117
Registration Date : 26-03-2022
Alt ID :

Department of Biochemistry

Investigation	Result	Reference Range
Blood Urea * Method GLDH	19 mg/dl	10 - 50 mg/dl
Blood Urea Nitrogen * Calculated	8.8 mg/dl	6 - 25.5 mg/dl
Serum Creatinine * Method Enzymatic	0.7 mg/dl	Male : 0.7 - 1.3 mg/dl Female : 0.6 - 1.1 mg/dl New Born 1 - 4 days : 0.3 - 1.0 mg/dl Infant (upto 1year) : 0.2 - 0.4 mg/dl Children : 0.3 - 0.7 mg/dl
Serum Uric Acid * Method:Uricase POD	4.3 mg/dl	Male : 3.5 - 7.2 mg/dl Female : 2.6 - 6.0 mg/dl

*End of Report *

Dr Rajini G, PhD
Chief Biochemist

Dr K Mahesh Kumar, MD
Consultant Pathologist



Name : MR. CHANDRASHEKARYERGIKAR
Age /Sex : 36 Y / M
Ref. By : BANK OF BARODA (MW)

Reg. No : 022-3117
Registration Date : 26-03-2022
Alt ID :

Department of Biochemistry

Investigation

Result

Reference Range

Lipid Profile

Total Cholesterol * Method CHOD-POD	171 mg/dL	Normal : < 200 mg/dL Borderline High : 200 - 239 mg/dL High : > 240 mg/dL
Serum Triglycerides * Method GPO - POD	152 mg/dL	Normal : < 150 mg/dL Borderline High : 150 - 199 mg/dL High : 200 - 499 mg/dL Very High : =/> 500 mg/dL
H D L Cholesterol * Method Direct CHOD-PAD	37 mg/dL	Low : < 40 High : > 60
L D L Cholesterol * Method Calculated	104 mg/dL	Optimal : < 100 Near Optimal : 100 - 129 Borderline High : 130 - 159 High : 160 - 189 Very High : =/> 190
V L D L Cholesterol * Method Calculated	30 mg/dL	10 - 30 mg/dL
TC / HDL Cholesterol Ratio * Method Calculated	4.6 Ratio	3.0 - 5.0 Ratio
LDL / HDL Ratio * Method Calculated	2.8 Ratio	1.5 - 3.5 Ratio

*End of Report *

Dr Rajini G, PhD
Chief Biochemist

Dr K. Mahesh Kumar, MD
Consultant Pathologist



Name : MR. CHANDRASHEKARYERGIKAR
Age /Sex : 36 Y / M
Ref. By : BANK OF BARODA (MW)

Reg. No : 022-3117
Registration Date : 26-03-2022
Alt ID :

Department of Biochemistry

Investigation	Result	Reference Range
Liver Function Tests		
Total Bilirubin (Method: Walter &Gerarde)	1.25 mg/dl	0.3 - 1.2 mg/dl
Direct Bilirubin (Conjugated) (Method: Walter &Gerarde)	0.48 mg/dl	0.0 - 0.2 mg/dl
Indirect Bilirubin (Unconjugated)	0.77 mg/dl	
Alkaline Phosphatase (Method: GSCC)	55 U/L	Male : 53 - 128 U/L Female : 42 - 98 U/L Children : 54 - 369 U/L
SGPT (Method: IFCC)	13 IU/L	UP TO 55 IU/L
SGOT (Method: IFCC)	30 IU/L	UP TO 55 IU/L
Total Proteins (Method: Biuret)	6.8 gm/dl	6.0 - 8.3 gm/dl
Albumin (Method: BCG)	4.3 gm/dl	3.5 - 5.2 gm/dl
Globulin (Method: Calculated)	2.5 gm/dl	
A/G Ratio	1.72	
Gamma GT IFCC Method	39 U/L	Male : 10 - 50 U/L Female : 7 - 35 U/L
Lab Incharge		

*End of Report *

Dr Rajini G, PhD
Chief Biochemist

Dr K. Mahesh Kumar, MD
Consultant Pathologist



Name : MR. CHANDRASHEKARYERGIKAR
Age /Sex : 36 Y /M
Ref. By : BANK OF BARODA (MW)

Reg. No : O22-3117
Registration Date : 26-03-2022
Alt ID :

Department of Biochemistry

Investigation

Result

Reference Range

% HbA1c (Glycosylated Haemoglobin)
(Method: HPLC-NGSP Certified)

5.2 %

< 6.0 : Pre Diabetic
6-7 : Good Control
7-8 : Weak Control
> 8.0 : Poor Control

Intpretation :

HbA1c is an indicator of glycemic control. HbA1c represents average glycemia over the past six to eight weeks. Glycation of hemoglobin occurs over the entire 120 day life span of the red blood cell, but with in this 120 days. Recent glycemia has the largest influence on the HbA1c value. Clinical studies suggest that a patient in stable control will have 50% of their HbA1c formed in the month before sampling, 25% in the month before that, and the remaining 25% in months two to four.

Mean Plasma Glucose mg/dl = (HbA1c x 35.6) - 77.3)

Correlation between HbA1c and Mean Plasma Glucose (MPG) is not "perfect" but rather only .81 (1.0 would be a straight line, which has "perfect" correlation...) This means that to predict or estimate average glucose from Hb-A1c or vice-versa is not "perfect" but gives a good working ballpark estimate. Afternoon and evening results correlate more closely to HbA1c than morning results, perhaps because morning fasting glucose levels vary much more than daytime glucose levels, which are easier to predict and control.

*End of Report *

Dr Rajini G, PhD
Chief Biochemist

Dr K Mahesh Kumar, MD
Consultant Pathologist



ADITYA
DIAGNOSTICS
Research Laboratories
Results You Trust



Certificate No. MC-408
NABL Accredited Laboratory

K.P.H.B. COLONY : M/G 256-258, S.R. Towers, Road No. 4,

Hyderabad - 500072. Tel : +91-40-4350 0918

ERRAGADDA : Deccan Chambers, Above Punjab National Bank,

Hyderabad - 500018. Tel: +91-40-2381 7362

e-mail: customerservice@adityalabs.com | website: www.adityalabs.com

Name : MR. CHANDRASHEKARYERGIKAR
Age /Sex : 36 Y / M
Ref. By : BANK OF BARODA (MW)


Reg. No : 022-3117
Registration Date : 26-03-2022
Alt ID :

<u>Investigation</u>	<u>Result</u>	<u>Normal Ranges</u>
Trilodothyronine Total (TT3)	1.09 ng/mL	0.60 - 1.81 ng/mL
Thyroxine - Total (TT4)	9.81 mg/dL	3.5 - 12.6 mg/dL
Thyroid Stimulating Hormone(TSH) <i>Method: C.L.I.A</i>	2.49 μ IU/ml	0.35 - 5.50 μ IU/ml

Interpretation

Primary malfunction of the thyroid gland may result in excessive (hyper) or below normal (hypo) release of T3 or T4. In addition, as thyroid function is directly affected by TSH. Diagnostically, T3 concentration is more sensitive to certain thyroid conditions than T4. While T4 levels are a sensitive (and superior) indicator of hypothyroidism, T3 blood levels better define hyperthyroidism. Because T3 concentration in serum changes faster and more markedly than T4, the T3 level is also an excellent indicator of the ability of the thyroid to respond to both stimulatory and suppressive tests. Under conditions of strong thyroid stimulation, the T3 level offers a good.

It is especially useful in the differential diagnosis of primary (thyroid) from secondary (pituitary) and tertiary (hypothalamus) hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low.


Dr Rajani Gutta, PhD
Chief Biochemist


Verified By


Dr K Mahesh Kumar MD
Consultant Pathologist



Name : MR. CHANDRASHEKARYERGIKAR
Age /Sex : 36 Y / M
Ref. By : BANK OF BARODA (MW)

Reg. No : 022-3117
Registration Date : 26-03-2022
Alt ID :

Investigation

Result

Complete Urine Examination

Investigation

Result

PHYSICAL EXAMINATION

Colour : Pale Yellow
Appearance : Clear
Reaction : Acidic
Specific Gravity : 1.015

CHEMICAL EXAMINATION

Albumin : Nil
Glucose : Nil

MICROSCOPIC EXAMINATION

Pus Cells : 1 - 2 /HPF
Epithelial Cells : 1 - 2 /HPF
RBC : Nil /HPF
Crystals : Nil
Casts : Nil
Bacteria : Nil
Others : Nil

End of report

Dr K Mahesh Kumar, MD
Consultant Pathologist

Verified by

Dr Rajani Gutha
Chief Biochemist



Name : MR. CHANDRASHEKARYERGIKAR
Age /Sex : 36 Y / M
Ref. By : BANK OF BARODA (MW)

Reg. No : 022-3117
Registration Date : 26-03-2022
Alt ID :

Ultrasound Scan Abdomen

- Liver** Size (125 mm), Shape, contour and echotexture normal. No localized or diffused mass lesions are seen. Intrahepatic vascular system, Portal vein, C.B.D and biliary radicals are normal
- Gall Bladder** Size, shape and wall thickness are normal. No calculus or no mass lesions are seen.
- Spleen** Size : 100 mm, Shape and echotexture normal, No abnormal calcifications seen.
- Pancreas** Head, body and tail echotexture are normal. Pancreatic duct normal. No mass or cystic lesions seen. No calcifications are seen.
- Kidneys** Right kidney Measures : 95 x 39 mm
Left kidney Measures : 99 x 49 mm

Peri renal areas normal, Renal capsule normal, Cortical thickness, Cortical echopattern and corticomedullary differentiation are normal. Pelvicalyceal system normal. No calculus or no mass lesions are seen.
- Urinary Bladder** Partially distended, Normal wall thickness. No evidence of calculi. No focal lesions.
- Prostate** Echotexture normal. No calcification seen. Volume - 16 cc
- Others** Aorta and IVC are normal. No lymphadenopathy. No ascitis.
- Impression** * *NORMAL STUDY*

DR AZAM
Consultant Radiologist



