


308



7396676779

P. Manthru Naik

Mchoudary

M.S. CHOUDARY, MBBS, DLO, MCh
Registered No: 9747 (A.P. Med. Council,
MAGANTI CLINIC, ADARSH DIAGNOSTICS
D.No: 29-3-23, Flat No: 102
Sri Ranga Heights, Ground Floor
Kaleswara Rao Road, Governorpet
VIJAYAWADA-520 002. Ph: 6664679



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:-P.MANTHRU NAIK Age:-28/M

BLOOD EXAMINATION REPORT

FASTING BLOOD SUGAR(FBS):	78 mg%	(N.VALUE:60 – 100 mg%)
POST PRANDRLAL BLOOD SUGAR:	126 mg%	(N.VALUE:60-150 mg%)
S.CHOLESTEROL	: 180 mg%	(N.VALUE:130 – 250 mg%)
S.TRIGLY CERIDES	: 142 mg%	(N.VALUE:UP TO 175 mg%)
HDL	: 45.0 mg%	(N.VALUE:35 – 55 mg%)
V L D L	: 28.4 mg%	(N.VALUE: UP TO 30 mg%)
LDL	: 106.6	(N.VALUE:UP TO 150 mg%)
UREA	: 24 mg%	(N.VALUE:10 – 50 mg%)
BUN	: 13 mg%	(N.VALUE:08 – 20 mg%)
S.CREATININE	: 0.9 mg%	(N.VALUE:0.5 – 1.6 mg%)
S.PROTEINS	: 7.1 gms%	(N.VALUE:6.0 – 8.0 gms%)
ALBUMIN	: 4.3 gms%	(N.VALUE:3.5 – 5.6 gms%)
GLOBULIN	: 2.8 gms%	(N.VALUE:2.0 – 3.6 gms%)
A.G. RATIO	: 1.53	
S.URIC ACID	: 4.6 mg%	(N.VALUE:2.5 – 7.0 mg%)
S.BILIRUBIN	: 0.7 mg%	(N.VALUE: 0.2 – 1.2 mg%)
DIRECT BILIRUBIN	: 0.1 mg%	(N.VALUE:0.0 – 0.2 mg%)
INDIRECT BILIRUBIN	: 0.6 mg%	
S G O T	: 22.3 IU/ML	(N.VALUE:8 – 35 IU/ML)
S G P T	: 28.0 IU/ML	(N.VALUE:13 – 40 IU/ML)
S.ALKLINE PHOSPHATESE	: 7.9 KA UNITES	(N.VALUE:4 – 11 KA UNITES)
GGTP	: 12.2 IU/ML	(N.VALUE:4 – 24 IU/ML)
Hbs Ag	: NEGATIVE(-VE)	

Dated at Vijayawada on the 02ND day of October 2021

(Pathologist/Dr.Inchrge)

ADARSH DIAGNOSTICS
D.No: 29-3-23, Flat No: 102
Sri Ranga Heights, Ground Floor
Kaleswara Rao Road, Governorpet
VIJAYAWADA-520 002. Ph:6664639

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTHER RECORD,
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. ☎ (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:-P.MANTHRU NAIK Age:-28/M

BLOOD EXAMINATION REPORT

T3	:	164 ng/dl
(N.VALUE	:	70 - 204 ng/dl)
T4	:	7.5 ug/dl
(N.VALUE	:	5.5 -11.0ug/dl)
THYROID STIMULATING HORMONE TSH	:	3.24 uIU/ml
(N.VÁLUE	:	0.35-5.50 uIU/ml)

Dated at Vijayawada on the 02ND day of October 2021

(Pathologist/Dr.Incharge)

ADARSH DIAGNOSTICS
D.No: 29-3-23, Flat No: 102
Sri Ranga Heights, Ground Floor
Kaleswara Rao Road, Governorpet
VIJAYAWADA-520 002. Ph:6664639



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. ☎ (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:-P.MANTHRU NAIK Age:-28/M

BLOOD EXAMINATION REPORT

TEST	CBC	RESULT	NORMAL RANGE
HAEMOGLOBIN(HGB)	:	14.4 gm%	(12.0 – 16.0 g/100ml)
P C V (HAEMATOCRIT)	:	43.2 gm%	(36 - 48 %)
MCV	:	86.08 CU.MM	(76 - 92 CU MM)
MCH	:	28.10 MM.G	(27 - 32 MM G)
MCHC	:	32.4 %	(30 - 35 %)
RDW	:	NORMAL	
M P V	:	NORMAL	
INDICES	:	NORMAL	
T R B C	:	4.8 miil/cumm	(3.9 – 6.5miil/cumm)
PLATELET COUNT	:	2.4 lakhs/c.mm	(1.5 - 4.0 lakshs/c.mm)
T W B C	:	7,900 cells/cumm	(4,000-10,000cells/cumm)
DIFFERENTIAL COUNT			
NEUTROPHILS	:	64 %	(40 - 74 %)
LYMPHOCYTES	:	33 %	(20 - 45%)
EOSINOPHILS	:	03 %	(2 - 06 %)
MONOCYTES	:	----	(00 - 02 %)
BASOPHILS	:	----	(< 1%)
E S R	:	14 mm/ 1st hour	(02 - 12mm/1 st hour)
GROUP	:	“ B”	
RH TYPE	:	POSITIVE(+VE)	

Dated at Vijayawada on the 02ND day of October 2021

(Pathologist/Dr.Incharge)

ADARSH DIAGNOSTICS

D.No: 29-3-23, Flat No: 102
Sri Ranga Heights, Ground Floor
Kaleswara Rao Road, Governorpet
VIJAYAWADA-520 002. Ph:6664639

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTHER RECORD,
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. ☎ (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:-P.MANTHRU NAIK Age:-28/M

BLOOD EXAMINATION REPORT

GLYCOSYLATED HEMOGLOBIN TEST :HbA1c
(MEAN BLOOD GLUCOSE LEVEL FOR THE LAST 2 MONTHS)

RESULT	:	5.4 %
IMPRESSION	:	NON DIABETIC
INTERPRETATION OF TEST	:	
HbA1c		%OF GLUCOSE CONTROL
>10 %	:	POOR
9% - 10 %	:	FAIR
8% - 9%	:	GOOD
7% - 8%	:	CONTROL
6% - 7 %	:	NEAR NORMAL
<6	:	NON DIABETIC

Dated at Vijayawada on the 02ND day of October 2021

(Pathologist/DR.Incharge)

ADARSH DIAGNOSTICS
D.No: 29-3-23, Flat No: 102
Sri Ranga Heights, Ground Floor
Kaleswara Rao Road, Governorpet
VIJAYAWADA-520 002. Ph:6664639

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:-P.MANTHRU NAIK Age:-28/M

URINE EXAMINATION REPORT

MACROSCOPY

QUANTITY	:	8.5ML
APPEARANCE	:	CLEAR
COLOUR	:	PALE YELLOW
SP GRAVITY	:	1.018
REACTION	:	ACIDIC

CHEMICAL

BILE SALTS	:	NEGATIVE(-VE)
BILE PIGEMENTS	:	NEGATIVE(-VE)
UROBILINOGEN	:	NORMAL
ACETONE	:	NEGATIVE(-VE)
OCCULT BLOOD	:	NEGATIVE(-VE)
ALBUMIN	:	NIL
URINE SUGAR	:	NIL

MICRO

R B C	:	NIL
CAST	:	NIL
PUS CELLS	:	2-3/HPF
E P CELLS	:	NIL
CRYSTALS	:	NIL
BACTERIA	:	NIL

Dated at Vijayawada on the 02ND day of October 2021

MSG
(Pathologist/Dr.Incharge)
ADARSH DIAGNOSTICS
D.No: 29-3-23, Flat No: 102
Sri Ranga Heights, Ground Floor
Kaleswara Rao Road, Governorpet
VIJAYAWADA-520 002. Ph:6664639

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. ☎ (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:- P.MANTHRU NAIK Age:- 28/M

ECG REPORT

RATE	:	91 bpm
RHYTHM	:	SINUS
P	:	NORMAL
P R INTERVAL	:	153 ms
Q R S INTERVAL	:	74 ms
S T SEGEMENT	:	NORMAL
T WAVES	:	NORMAL
Q WAVES	:	NIL
HYPERTRPHY	:	NO
Q T	:	344 ms
Q R S AXIS	:	48 Deg
IMPRESSION	:	NORMAL ECG

Dated at Vijayawada on the 02nd day of OCT 2021

CONSULTANT CARDIOLOGIST
Dr. MAGANTI S.V.R.K.V. PRASAD
M.B.B.S;PGDHS;DC(CARDIOLOGY)
Regd. No:14414 (A.P.MED.COUNCIL)
CONSULTANT CARDIOLOGIST
MAGANTI CLINIC
VIJAYAWADA.

Born 04-Jun-93 28 Years

Male

Rate 91 . Sinus rhythm.....Normal P axis, V-rate 50- 99

PR 153
 QRSD 74
 QT 344
 QTc 424

--AXIS--

P 67

QRS 48


T 34

12 Lead; Standard Placement

- NORMAL ECG -

Requested by: BOB
Unconfirmed Diagnosis

P. Mantharu Naik



[Handwritten signature]

Dr. MAGANTI S.V.R.K.V. PRASAD
 M.B.B.S. D.D.S. DC(CARDIOLOGY)
 Regd. No: 14414 A.P. MED. COUNCIL)
 CONSULTANT CARDIOLOGIST
MAGANTI CLINIC
 VIJAYAWADA.

Device:

Speed: 25 mm/sec

Limb: 10 mm/mV

Chest: 10.0 mm/mV

F 60~ 0.15-100 Hz

PH100B CL

P2

PHILIPS

REORDER M3706A



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:- P.MANTHRU NAIK Age:- 28/M

X-RAY CHEST AP VIEW

CARDIAC SIZE IS NORMAL.

LUNG FIELDS ARE CLEAR

BOTH HILA ARE NORMAL

C.P ANGLES ARE CLEAR

NO BONY LESION

IMPRESSION: NORMAL STUDY

Dated at Vijayawada on the 02nd day of OCT 2021

CONSULTANT RADIOLOGIST/Dr.Incharge

DR. G. PRASADA RAO

MBBS, DMRD


Rg. No: 17266

Consulting Radiologist

P.MANTHRU NAIK 28/F,
05-01-01-021008

ADARSH DIAGNOSTICS-VIJ


01/01/2005 PHILIPS
02:19:22



P.MANTHRU NAIK 28/F,
05-01-01-021008

ADARSH DIAGNOSTICS-VIJ


01/01/2005 PHILIPS
02:19:03



P.MANTHRU NAIK 28/F,
05-01-01-021008

ADARSH DIAGNOSTICS-VIJ


01/01/2005 PHILIPS
02:18:55



P.MANTHRU NAIK 28/F,
05-01-01-021008

ADARSH DIAGNOSTICS-VIJ

01/01/2005 PHILIPS
02:18:42





ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:- P.MANTHRU NAIK Age:-28/M

2 - D ECHOCARDIOGRAPHY

AORTA	:	3.1 CM	LEFT ATRIUM: 3.6 CMS
LEFT VENTRICLE	:	5.2 X 3.0 CM	IVS. 1.2CM LVPW :1.4 CMS
			LVEF:62%
MITRAL VALVE	:	NORMAL	
AORTIC VALVE	:	NORMAL	
TRICUSPID VALVE	:	NORMAL	
PULMONARY VALVE	:	NORMAL	
RIGHT ATRIUM	:	NORMAL	
RIGHT VENTRICLE	:	NORMAL	
PULMONARY ARTERY	:	NORMAL	
PERICARDIUM	:	NORMAL	
IAS	:	INTACT	
IVS	:	INTACT	
OTHERS	:	NIL	
DOPPLER STUDY	:	MV :E<A /NO TR AJV:1.3M/SEC PJV:1.5M/SEC	
IMPRESSION	:	NO RWMA GOOD LV FUNCTION (EF :62%) NORMAL SIZED CHAMBERS.	

Dated at Vijayawada on the 02nd day of OCTOBER 2021

CONSULTANT CARDIOLOGIST
Dr. MAGANTI S.V.R.K.V. PRASAD
M.B.B.S.;PGDHS;DC(CARDIOLOGY)
Regd. No:14414 (A.P.MED.COUNCIL)
CONSULTANT CARDIOLOGIST
MAGANTI CLINIC

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY

P.MANTHRU NAIK 28/F,
05-01-01-021008

ADARSH DIAGNOSTICS-VIJ

01/01/2005 PHILIPS
02:17:19

HD




P.MANTHRU NAIK 28/F,
05-01-01-021008

ADARSH DIAGNOSTICS-VIJ

01/01/2005 PHILIPS
02:16:25

HD





ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

BOB

PATIENT NAME: P.MANTHRU NAIK

DATE:02/10 /2021

REF. Dr. :

AGE:28; SEX:M

ULTRASONOGRAM OF TOTAL ABDOMEN

LIVER : NORMAL IN SIZE WITH HOMOGENOUS PARENCHYMAL ECHOTEXTURE. NO MASS OR CYST IN LIVER.NO DILATATION OF INTRA HEPATIC BILIARY RADICLES.

GALL BLADDER : NORMAL. NO CALCULI. NO MASS LESION DISTENDED

PANCREAS : NORMAL. NO CALCULI. NO MASS LESION.

C B D : NORMAL. NO CALCULI.

PORTAL VEIN : NORMAL MEASURES 09 MM.

SPLEEN : NORMAL WITH HOMOGENOUS PARENCHYMAL ECHOTEXTURE MEASURED 98 MM.

DIAPHRAGM : BOTH DOMES MOVING WELL WITH RESPIRATION. NO SUB DIAPHRAGMATIC PATHOLOGY.

RIGHT KIDNEY : SIZE 9.6 X 3.9 CMS. NORMAL IN SIZE AND ECHOPATTERN, C.M.D MAINTAINED. P.C.S.NORMAL, NO CALCULI NO HYDRONEPHROSIS. URETER NOT DILATED.

LEFT KIDNEY : SIZE 9.5 X 4.0 CMS. NORMAL IN SIZE AND ECHOPATTERN.C.M.D.MAINTAINED. PCS NORMAL.NO CALCULI NO HYDRONEPHROSIS. URETER NOT DILATED.

URINARY BLADDER : NORMAL .NO CALCULI. NO MASS LESION.
PROSTATE : NORMAL IN SIZE AND ECHOTEXTURE .
OTHERS : NIL
IMPRESSION : NORMAL STUDY.
TO CORRELATE CLINICALLY.

ABC
Dr.INCHARGE

ADARSH DIAGNOSTICS

D.No: 29-3-23, Flat No: 102
Sri Ranga Heights, Ground Floor
Kaleswara Rao Road, Governorpet
VIJAYAWADA-520 002. Ph:6664639

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY