

PATIENT NAME : AJEETA

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138376

ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHI
NEW DELHI 110030
8800465156

ACCESSION NO : 0062WB000798

PATIENT ID : AJEEF05038862

CLIENT PATIENT ID:

ABHA NO :

AGE/SEX : 34 Years Female

DRAWN :

RECEIVED : 08/02/2023 09:36:17

REPORTED : 09/02/2023 15:53:25

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

XRAY-CHEST

>>>	BOTH THE LUNG FIELDS ARE CLEAR
>>>	BOTH THE COSTOPHRENIC AND CARIOPHRENIC ANGELS ARE CLEAR
>>>	BOTH THE HILA ARE NORMAL
>>>	CARDIAC AND AORTIC SHADOWS APPEAR NORMAL
>>>	BOTH THE DOMES OF THE DIAPHRAM ARE NORMAL
>>>	VISUALIZED BONY THORAX IS NORMAL
IMPRESSION	NO ABNORMALITY DETECTED

TMT OR ECHO

TMT OR ECHO **NEGATIVE**

ECG

ECG **WITHIN NORMAL LIMITS**

MEDICAL HISTORY

RELEVANT PRESENT HISTORY	NOT SIGNIFICANT
RELEVANT PAST HISTORY	NOT SIGNIFICANT
RELEVANT PERSONAL HISTORY	MARRIED, 02 CHILD, NON VEG.
MENSTRUAL HISTORY (FOR FEMALES)	NOT SIGNIFICANT
LMP (FOR FEMALES)	16/01/2023
OBSTETRIC HISTORY (FOR FEMALES)	P2A0L2- LSCS.
LCB (FOR FEMALES)	NA
RELEVANT FAMILY HISTORY	FATHER- DIABETES.
OCCUPATIONAL HISTORY	NURSING OFFICER.
HISTORY OF MEDICATIONS	NOT SIGNIFICANT

ANTHROPOMETRIC DATA & BMI

HEIGHT IN METERS	1.56	mts
WEIGHT IN KGS.	61.75	Kgs
BMI	25	kg/sqmts

BMI & Weight Status as follows:
 Below 18.5: Underweight
 18.5 - 24.9: Normal
 25.0 - 29.9: Overweight
 30.0 and Above: Obese

GENERAL EXAMINATION

Dr. Kamlesh I Prajapati
Consultant Pathologist



View Details



View Report

PERFORMED AT :

SRL Ltd
PLOT NO.160,POCKET D-11 SECTOR 8, ROHINI



Patient Ref. No. 775000002301020

PATIENT NAME : AJEETA

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138376

ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHI
NEW DELHI 110030
8800465156

ACCESSION NO : 0062WB000798

PATIENT ID : AJEEF05038862

CLIENT PATIENT ID:

ABHA NO :

AGE/SEX : 34 Years Female


DRAWN :

RECEIVED : 08/02/2023 09:36:17

REPORTED : 09/02/2023 15:53:25

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

MENTAL / EMOTIONAL STATE	NORMAL		
PHYSICAL ATTITUDE	NORMAL		
GENERAL APPEARANCE / NUTRITIONAL STATUS	HEALTHY		
BUILT / SKELETAL FRAMEWORK	AVERAGE		
FACIAL APPEARANCE	NORMAL		
SKIN	NORMAL		
UPPER LIMB	NORMAL		
LOWER LIMB	NORMAL		
NECK	NORMAL		
NECK LYMPHATICS / SALIVARY GLANDS	NOT ENLARGED OR TENDER		
THYROID GLAND	NOT ENLARGED		
CAROTID PULSATION	NORMAL		
BREAST (FOR FEMALES)	NORMAL		
TEMPERATURE	NORMAL		
PULSE	73/MIN REGULAR, ALL PERIPHERAL PULSES WELL FELT, NO CAROTID BRUIT		
RESPIRATORY RATE	NORMAL		
CARDIOVASCULAR SYSTEM			
BP	93/61 MM HG (SITTING)		mm/Hg
PERICARDIUM	NORMAL		
APEX BEAT	NORMAL		
HEART SOUNDS	S1, S2 HEARD NORMALLY		
MURMURS	ABSENT		
RESPIRATORY SYSTEM			
SIZE AND SHAPE OF CHEST	NORMAL		
MOVEMENTS OF CHEST	SYMMETRICAL		
BREATH SOUNDS INTENSITY	NORMAL		
BREATH SOUNDS QUALITY	VESICULAR (NORMAL)		
ADDED SOUNDS	ABSENT		
PER ABDOMEN			
APPEARANCE	NORMAL		
VENOUS PROMINENCE	ABSENT		



Dr. Kamlesh I Prajapati
Consultant Pathologist

Page 2 Of 21



View Details



View Report

PERFORMED AT :

SRL Ltd
PLOT NO.160,POCKET D-11 SECTOR 8, ROHINI

NEW DELHI, 110085
NEW DELHI, INDIA
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956



Patient Ref. No. 77500002301020

PATIENT NAME : AJEETA

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138376

ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHINEW DELHI 110030
8800465156ACCESSION NO : **0062WB000798**

PATIENT ID : AJEEF05038862

CLIENT PATIENT ID:

ABHA NO :

AGE/SEX : 34 Years Female

DRAWN :

RECEIVED : 08/02/2023 09:36:17

REPORTED : 09/02/2023 15:53:25

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

LIVER NOT PALPABLE

SPLEEN NOT PALPABLE

HERNIA ABSENT

ANY OTHER COMMENTS NIL

CENTRAL NERVOUS SYSTEM

HIGHER FUNCTIONS NORMAL

CRANIAL NERVES NORMAL

CEREBELLAR FUNCTIONS NORMAL

SENSORY SYSTEM NORMAL

MOTOR SYSTEM NORMAL

REFLEXES NORMAL

MUSCULOSKELETAL SYSTEM

SPINE NORMAL

JOINTS NORMAL

BASIC EYE EXAMINATION

CONJUNCTIVA NORMAL

EYELIDS NORMAL

EYE MOVEMENTS NORMAL

CORNEA NORMAL

DISTANT VISION RIGHT EYE WITHOUT
GLASSES 6/6DISTANT VISION LEFT EYE WITHOUT
GLASSES 6/6

NEAR VISION RIGHT EYE WITHOUT GLASSES N/6

NEAR VISION LEFT EYE WITHOUT GLASSES N/6

COLOUR VISION NORMAL

BASIC ENT EXAMINATION

EXTERNAL EAR CANAL NORMAL


TYMPANIC MEMBRANE NORMAL

NOSE NO ABNORMALITY DETECTED

SINUSES NORMAL

THROAT NORMAL

TONSILS NOT ENLARGED


Dr. Kamlesh I Prajapati
Consultant Pathologist

Page 3 Of 21



View Details



View Report

PERFORMED AT :SRL Ltd
PLOT NO.160,POCKET D-11 SECTOR 8, ROHININEW DELHI, 110085
NEW DELHI, INDIA
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956

Patient Ref. No. 77500002301020

PATIENT NAME : AJEETA

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138376

ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHINEW DELHI 110030
8800465156ACCESSION NO : **0062WB000798**

PATIENT ID : AJEEF05038862

CLIENT PATIENT ID:

ABHA NO :

AGE/SEX : 34 Years Female

DRAWN :

RECEIVED : 08/02/2023 09:36:17

REPORTED : 09/02/2023 15:53:25

Test Report Status **Final**

Results

Biological Reference Interval Units

BASIC DENTAL EXAMINATION

TEETH NORMAL

GUMS HEALTHY

ANY OTHER COMMENTS NIL

SUMMARY

RELEVANT HISTORY NOT SIGNIFICANT

RELEVANT GP EXAMINATION FINDINGS NOT SIGNIFICANT


RELEVANT LAB INVESTIGATIONS ESR - ABOVE NORMAL LIMITS

RELEVANT NON PATHOLOGY DIAGNOSTICS NO ABNORMALITIES DETECTED

REMARKS / RECOMMENDATIONS MONITOR ESR

FITNESS STATUS

FIT (WITH MEDICAL ADVICE) (AS PER REQUESTED PANEL OF TESTS)


Dr. Kamlesh I Prajapati
Consultant Pathologist

Page 4 Of 21



View Details



View Report

PERFORMED AT :SRL Ltd
PLOT NO.160,POCKET D-11 SECTOR 8, ROHININEW DELHI, 110085
NEW DELHI, INDIA
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956

Patient Ref. No. 775000002301020

PATIENT NAME : AJEETA		REF. DOCTOR : SELF	
CODE/NAME & ADDRESS : C000138376		ACCESSION NO : 0062WB000798	AGE/SEX : 34 Years Female
ACROFEMI HEALTHCARE LTD (MEDIWHEEL)		PATIENT ID : AJEEF05038862	DRAWN :
F-703, LADO SARAI, MEHRAULISOUTH WEST		CLIENT PATIENT ID:	RECEIVED : 08/02/2023 09:36:17
DELHI		ABHA NO :	REPORTED : 09/02/2023 15:53:25
NEW DELHI 110030			
8800465156			

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

ULTRASOUND ABDOMEN

ULTRASOUND ABDOMEN

ULTRASOUND WHOLE ABDOMEN

Liver is normal in size, outline and shows grade I fatty changes. No obvious focal parenchymal lesion/biliary dilatation is seen. Hepatic veins and portal venous radicals are normal.

Gall bladder is partially distended and appears grossly normal.

Common bile duct is not dilated. Portal vein is normal in course and caliber.

Pancreas

Pancreas is normal in size, outline and echotexture. No evidence of any focal lesion or calcification is seen.

Pancreatic duct is not dilated.

Spleen

Spleen is normal in size, outline and echotexture. No focal lesion/ calcification is seen.

Kidneys

Both kidneys are normal in size, outline and echotexture. Corticomedullary differentiation is well maintained.

Parenchymal thickness is normal. No mass lesion, calculus or hydronephrosis is seen.

No significant retroperitoneal lymphadenopathy/ascites is seen.

Urinary bladder is partially distended(explained) with normal outline.No mass lesion, calculus or diverticulum is noted in the urinary bladder.Urinary bladder wall thickness is normal.

Uterus is grossly normal.

No obvious adnexal pathology is seen.


POD is clear.

Correlate clinically

Interpretation(s)

MEDICAL

HISTORY.....
 THIS REPORT CARRIES THE SIGNATURE OF OUR LABORATORY DIRECTOR. THIS IS AN INVIOABLE FEATURE OF OUR LAB MANAGEMENT SOFTWARE. HOWEVER, ALL EXAMINATIONS AND INVESTIGATIONS HAVE BEEN CONDUCTED BY OUR PANEL OF DOCTORS.



Dr. Kamlesh I Prajapati
Consultant Pathologist



View Details



View Report

PERFORMED AT :

SRL Ltd
 PLOT NO.160,POCKET D-11 SECTOR 8, ROHINI



Patient Ref. No. 775000002301020

PATIENT NAME : AJEETA

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138376

ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHI
NEW DELHI 110030
8800465156

ACCESSION NO : 0062WB000798

PATIENT ID : AJEEF05038862

CLIENT PATIENT ID:

ABHA NO :

AGE/SEX : 34 Years Female

DRAWN :

RECEIVED : 08/02/2023 09:36:17

REPORTED : 09/02/2023 15:53:25

Test Report Status **Final**


Results

Biological Reference Interval Units

FITNESS STATUS-Conclusion on an individual's Fitness, which is commented upon mainly for Pre employment cases, is based on multi factorial findings and does not depend on any one single parameter. The final Fitness assigned to a candidate will depend on the Physician's findings and overall judgement on a case to case basis, details of the candidate's past and personal history; as well as the comprehensiveness of the diagnostic panel which has been requested for .These are then further correlated with details of the job under consideration to eventually fit the right man to the right job.

Basis the above, SRL classifies a candidate's Fitness Status into one of the following categories:

- Fit (As per requested panel of tests) - SRL Limited gives the individual a clean chit to join the organization, on the basis of the General Physical Examination and the specific test panel requested for.
- Fit (with medical advice) (As per requested panel of tests) - This indicates that although the candidate can be declared as FIT to join the job, minimal problems have been detected during the Pre- employment examination. Examples of conditions which could fall in this category could be cases of mild reversible medical abnormalities such as height weight disproportions, borderline raised Blood Pressure readings, mildly raised Blood sugar and Blood Lipid levels, Hematuria, etc. Most of these relate to sedentary lifestyles and come under the broad category of life style disorders. The idea is to caution an individual to bring about certain lifestyle changes as well as seek a Physician's consultation and counseling in order to bring back to normal the mildly deranged parameters. For all purposes the individual is FIT to join the job.
- Fitness on Hold (Temporary Unfit) (As per requested panel of tests) - Candidate's reports are kept on hold when either the diagnostic tests or the physical findings reveal the presence of a medical condition which warrants further tests, counseling and/or specialist opinion, on the basis of which a candidate can either be placed into Fit, Fit (With Medical Advice), or Unfit category. Conditions which may fall into this category could be high blood pressure, abnormal ECG, heart murmurs, abnormal vision, grossly elevated blood sugars, etc.
- Unfit (As per requested panel of tests) - An unfit report by SRL Limited clearly indicates that the individual is not suitable for the respective job profile e.g. total color blindness in color related jobs.



Dr. Kamlesh I Prajapati
Consultant Pathologist

Page 6 Of 21



View Details



View Report

PERFORMED AT :

SRL Ltd
PLOT NO.160,POCKET D-11 SECTOR 8, ROHINI

NEW DELHI, 110085
NEW DELHI, INDIA
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956



Patient Ref. No. 77500002301020

PATIENT NAME : AJEETA

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138376

ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHINEW DELHI 110030
8800465156

ACCESSION NO : 0062WB000798

PATIENT ID : AJEEF05038862

CLIENT PATIENT ID:

ABHA NO :

AGE/SEX : 34 Years Female

DRAWN :

RECEIVED : 08/02/2023 09:36:17

REPORTED : 09/02/2023 15:53:25

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

HAEMATOLOGY - CBC

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

BLOOD COUNTS, EDTA WHOLE BLOOD


HEMOGLOBIN (HB)	10.9 Low	12.0 - 15.0	g/dL
METHOD : SPECTROPHOTOMETRY			
RED BLOOD CELL (RBC) COUNT	3.85	3.8 - 4.8	mil/ μ L
METHOD : IMPEDANCE			
WHITE BLOOD CELL (WBC) COUNT	3.90 Low	4.0 - 10.0	thou/ μ L
METHOD : CELL COUNTER			
PLATELET COUNT	150	150 - 410	thou/ μ L
METHOD : CELL COUNTER+MICROSCOPY			

RBC AND PLATELET INDICES

HEMATOCRIT (PCV)	33.9 Low	36 - 46	%
METHOD : CELL COUNTER			
MEAN CORPUSCULAR VOLUME (MCV)	88.0	83 - 101	fL
METHOD : CELL COUNTER			
MEAN CORPUSCULAR HEMOGLOBIN (MCH)	28.4	27.0 - 32.0	pg
METHOD : CALCULATED PARAMETER			
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION (MCHC)	32.3	31.5 - 34.5	g/dL
METHOD : CALCULATED PARAMETER			
RED CELL DISTRIBUTION WIDTH (RDW)	12.8	11.6 - 14.0	%
METHOD : CELL COUNTER			
MENTZER INDEX	22.9		
METHOD : CALCULATED PARAMETER			
MEAN PLATELET VOLUME (MPV)	11.8 High	6.8 - 10.9	fL
METHOD : CALCULATED PARAMETER			

WBC DIFFERENTIAL COUNT

NEUTROPHILS	65	40 - 80	%
METHOD : IMPEDANCE / MICROSCOPY			
LYMPHOCYTES	31	20 - 40	%
METHOD : IMPEDANCE / MICROSCOPY			
MONOCYTES	2	2 - 10	%
METHOD : IMPEDANCE / MICROSCOPY			
EOSINOPHILS	2	1 - 6	%


Dr. Kamlesh I Prajapati
Consultant Pathologist

Page 7 Of 21



View Details



View Report

PERFORMED AT :

SRL Ltd
PLOT NO.160,POCKET D-11 SECTOR 8, ROHININEW DELHI, 110085
NEW DELHI, INDIA
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956

Patient Ref. No. 775000002301020

PATIENT NAME : AJEETA

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138376

ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHI
NEW DELHI 110030
8800465156

ACCESSION NO : 0062WB000798

PATIENT ID : AJEEF05038862

CLIENT PATIENT ID:

ABHA NO :

AGE/SEX : 34 Years Female

DRAWN :

RECEIVED : 08/02/2023 09:36:17

REPORTED : 09/02/2023 15:53:25

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

METHOD : IMPEDANCE / MICROSCOPY

BASOPHILS	0	0 - 2	%
-----------	---	-------	---

METHOD : MICROSCOPIC EXAMINATION

ABSOLUTE NEUTROPHIL COUNT	2.54	2.0 - 7.0	thou/ μ L
---------------------------	------	-----------	---------------

METHOD : CALCULATED PARAMETER

ABSOLUTE LYMPHOCYTE COUNT	1.21	1.0 - 3.0	thou/ μ L
---------------------------	------	-----------	---------------

METHOD : CALCULATED PARAMETER

ABSOLUTE MONOCYTE COUNT	0.08 Low	0.2 - 1.0	thou/ μ L
-------------------------	----------	-----------	---------------

METHOD : CALCULATED PARAMETER

ABSOLUTE EOSINOPHIL COUNT	0.08	0.02 - 0.50	thou/ μ L
---------------------------	------	-------------	---------------

METHOD : CALCULATED PARAMETER

ABSOLUTE BASOPHIL COUNT	0.00 Low	0.02 - 0.10	thou/ μ L
-------------------------	----------	-------------	---------------

METHOD : CALCULATED PARAMETER

NEUTROPHIL LYMPHOCYTE RATIO (NLR)	2.0		
-----------------------------------	-----	--	--

METHOD : CALCULATED PARAMETER

Interpretation(s)

BLOOD COUNTS, EDTA WHOLE BLOOD-The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology.


RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia (>13) from Beta thalassaemia trait

(<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.

WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease.

(Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients ; A.-P. Yang, et al.; International Immunopharmacology 84 (2020) 106504)

This ratio element is a calculated parameter and out of NABL scope.



Dr. Kamlesh I Prajapati
Consultant Pathologist

Page 8 Of 21



View Details



View Report

PERFORMED AT :

SRL Ltd
PLOT NO.160,POCKET D-11 SECTOR 8, ROHINI

NEW DELHI, 110085
NEW DELHI, INDIA
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956



Patient Ref. No. 775000002301020

PATIENT NAME : AJEETA

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138376

ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHINEW DELHI 110030
8800465156ACCESSION NO : **0062WB000798**

PATIENT ID : AJEEF05038862

CLIENT PATIENT ID:

ABHA NO :

AGE/SEX : 34 Years Female

DRAWN :

RECEIVED : 08/02/2023 09:36:17

REPORTED : 09/02/2023 15:53:25

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

HAEMATOLOGY

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE**ERYTHROCYTE SEDIMENTATION RATE (ESR),WHOLE BLOOD**E.S.R **25 High** 0 - 20 mm at 1 hr

METHOD : WESTERGREN METHOD

Interpretation(s)**ERYTHROCYTE SEDIMENTATION RATE (ESR),WHOLE BLOOD-TEST DESCRIPTION :-**

Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic; it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition. CRP is superior to ESR because it is more sensitive and reflects a more rapid change.

TEST INTERPRETATION

Increase in: Infections, Vasculitides, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy, Estrogen medication, Aging.

Finding a very accelerated ESR (**>100 mm/hour**) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias, Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis).

In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum.

Decreased in: Polycythemia vera, Sickle cell anemia


LIMITATIONS

False elevated ESR : Increased fibrinogen, Drugs(Vitamin A, Dextran etc), Hypercholesterolemia

False Decreased : Poikilocytosis,(SickleCells,spherocytes),Microcytosis, Low fibrinogen, Very high WBC counts, Drugs(Quinine, salicylates)

REFERENCE :

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition;2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin;3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis,10th edition.



Dr. Kamlesh I Prajapati
Consultant Pathologist

Page 9 Of 21



View Details



View Report

PERFORMED AT :

SRL Ltd
PLOT NO.160,POCKET D-11 SECTOR 8, ROHINI

NEW DELHI, 110085
NEW DELHI, INDIA
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956



Patient Ref. No. 775000002301020

PATIENT NAME : AJEETA

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138376

ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHI
NEW DELHI 110030
8800465156

ACCESSION NO : 0062WB000798

PATIENT ID : AJEEF05038862

CLIENT PATIENT ID:

ABHA NO :

AGE/SEX : 34 Years Female

DRAWN :

RECEIVED : 08/02/2023 09:36:17

REPORTED : 09/02/2023 15:53:25

Test Report Status **Final**

Results

Biological Reference Interval Units

IMMUNOHAEMATOLOGY

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD

ABO GROUP

TYPE A

METHOD : TUBE AGGLUTINATION

RH TYPE

POSITIVE

METHOD : TUBE AGGLUTINATION


Interpretation(s)

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-

Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same."

The test is performed by both forward as well as reverse grouping methods.



Dr. Kamlesh I Prajapati
Consultant Pathologist

Page 10 Of 21



View Details



View Report

PERFORMED AT :

SRL Ltd
PLOT NO.160,POCKET D-11 SECTOR 8, ROHINI

NEW DELHI, 110085
NEW DELHI, INDIA
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956



Patient Ref. No. 775000002301020

PATIENT NAME : AJEETA

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138376

ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHI
NEW DELHI 110030
8800465156

ACCESSION NO : 0062WB000798

PATIENT ID : AJEEF05038862

CLIENT PATIENT ID:

ABHA NO :

AGE/SEX : 34 Years Female

DRAWN :

RECEIVED : 08/02/2023 09:36:17

REPORTED : 09/02/2023 15:53:25

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

BIOCHEMISTRY

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

GLUCOSE FASTING,FLUORIDE PLASMA

FBS (FASTING BLOOD SUGAR)	90	74 - 99	mg/dL
---------------------------	----	---------	-------

METHOD : HEXOKINASE

GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD

HBA1C	5.4	Non-diabetic: < 5.7 Pre-diabetics: 5.7 - 6.4 Diabetics: > or = 6.5 Therapeutic goals: < 7.0 Action suggested : > 8.0 (ADA Guideline 2021)	%
-------	-----	--	---

METHOD : HPLC

ESTIMATED AVERAGE GLUCOSE(EAG)	108.3	< 116.0	mg/dL
--------------------------------	-------	---------	-------

GLUCOSE, POST-PRANDIAL, PLASMA

PPBS(POST PRANDIAL BLOOD SUGAR)	SAMPLE NOT RECEIVED	70 - 139	mg/dL
---------------------------------	---------------------	----------	-------

LIPID PROFILE, SERUM

CHOLESTEROL, TOTAL	112	Desirable: <200 BorderlineHigh : 200-239 High : > or = 240	mg/dL
--------------------	-----	--	-------

METHOD : CHOLESTEROL OXIDASE, ESTERASE,PEROXIDASE


TRIGLYCERIDES	26	Desirable: < 150 Borderline High: 150 - 199 High: 200 - 499 Very High : > or = 500	mg/dL
---------------	----	---	-------

METHOD : ENZYMATIC, END POINT

HDL CHOLESTEROL	74 High	< 40 Low > or = 60 High	mg/dL
-----------------	----------------	----------------------------	-------

METHOD : DIRECT MEASURE POLYMER-POLYANION

CHOLESTEROL LDL	33	Adult levels: Optimal < 100 Near optimal/above optimal: 100-129 Borderline high : 130-159 High : 160-189 Very high : = 190	mg/dL
-----------------	----	--	-------



Dr. Kamlesh I Prajapati
Consultant Pathologist



View Details



View Report

PERFORMED AT :

SRL Ltd
PLOT NO.160,POCKET D-11 SECTOR 8, ROHINI



Patient Ref. No. 775000002301020

PATIENT NAME : AJEETA

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138376

ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHI
NEW DELHI 110030
8800465156

ACCESSION NO : 0062WB000798

PATIENT ID : AJEEF05038862

CLIENT PATIENT ID:

ABHA NO :

AGE/SEX : 34 Years Female

DRAWN :

RECEIVED : 08/02/2023 09:36:17

REPORTED : 09/02/2023 15:53:25

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

NON HDL CHOLESTEROL	38	Desirable: Less than 130 Above Desirable: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very high: > or = 220	mg/dL
---------------------	----	--	-------

METHOD : CALCULATED

VERY LOW DENSITY LIPOPROTEIN	5.2		mg/dL
------------------------------	-----	--	-------

CHOL/HDL RATIO	1.5		
----------------	-----	--	--

LDL/HDL RATIO	0.4 Low	0.5 - 3.0 Desirable/Low Risk 3.1 - 6.0 Borderline/Moderate Risk >6.0 High Risk	
---------------	---------	--	--

Comments

SERUM TRIGLYCERIDE RESULT RECHECKED.
KINDLY CORRELATE CLINICALLY.

Interpretation(s)**LIVER FUNCTION PROFILE, SERUM**

BILIRUBIN, TOTAL	0.77	0.0 - 1.2	mg/dL
------------------	------	-----------	-------

METHOD : DIAZONIUM ION, BLANKED (ROCHE)

BILIRUBIN, DIRECT	0.34 High	0.0 - 0.2	mg/dL
-------------------	-----------	-----------	-------

METHOD : DIAZONIUM ION, BLANKED (ROCHE)

BILIRUBIN, INDIRECT	0.43	0.00 - 1.00	mg/dL
---------------------	------	-------------	-------

METHOD : CALCULATED PARAMETER

TOTAL PROTEIN	6.6	6.4 - 8.3	g/dL
---------------	-----	-----------	------

ALBUMIN	4.4	3.50 - 5.20	g/dL
---------	-----	-------------	------

METHOD : BROMOCRESOL PURPLE

GLOBULIN	2.2	2.0 - 4.1	g/dL
----------	-----	-----------	------

METHOD : CALCULATED PARAMETER

ALBUMIN/GLOBULIN RATIO	2.0	1.0 - 2.0	RATIO
------------------------	-----	-----------	-------


METHOD : CALCULATED PARAMETER

ASPARTATE AMINOTRANSFERASE (AST/SGOT)	24	15 - 37	U/L
---------------------------------------	----	---------	-----

METHOD : UV WITH P5P

ALANINE AMINOTRANSFERASE (ALT/SGPT)	26	UPTO 34	U/L
-------------------------------------	----	---------	-----

METHOD : UV WITH P5P-IFCC



Dr. Kamlesh I Prajapati
Consultant Pathologist

Page 12 Of 21



View Details



View Report

PERFORMED AT :

SRL Ltd
PLOT NO.160,POCKET D-11 SECTOR 8, ROHINI

NEW DELHI, 110085
NEW DELHI, INDIA
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956



Patient Ref. No. 775000002301020

PATIENT NAME : AJEETA

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138376

ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHI
NEW DELHI 110030
8800465156

ACCESSION NO : 0062WB000798

PATIENT ID : AJEEF05038862

CLIENT PATIENT ID:

ABHA NO :


AGE/SEX : 34 Years Female

DRAWN :

RECEIVED : 08/02/2023 09:36:17

REPORTED : 09/02/2023 15:53:25

Test Report Status	Final	Results	Biological Reference Interval	Units
ALKALINE PHOSPHATASE		105 High	35 - 104	U/L
METHOD : PNPP, AMP BUFFER-IFCC				
GAMMA GLUTAMYL TRANSFERASE (GGT)		13	5 - 36	U/L
METHOD : G-GLUTAMYL-CARBOXY-NITROANILIDE-IFCC				
LACTATE DEHYDROGENASE		161	135 - 214	U/L
METHOD : L TO P, IFCC				
BLOOD UREA NITROGEN (BUN), SERUM				
BLOOD UREA NITROGEN		10	6 - 20	mg/dL
METHOD : UREASE - UV				
CREATININE, SERUM				
CREATININE		0.45 Low	0.50 - 0.90	mg/dL
METHOD : ALKALINE PICRATE				
BUN/CREAT RATIO				
BUN/CREAT RATIO		22.22 High	5.0 - 15.0	
URIC ACID, SERUM				
URIC ACID		4.4	2.6 - 6.0	mg/dL
METHOD : URICASE, COLORIMETRIC				
TOTAL PROTEIN, SERUM				
TOTAL PROTEIN		6.6	6.4 - 8.3	g/dL
METHOD : BIURET				
ALBUMIN, SERUM				
ALBUMIN		4.4	3.5 - 5.2	g/dL
METHOD : BROMOCRESOL PURPLE (BCP) DYE-BINDING				
GLOBULIN				
GLOBULIN		2.2	2.0 - 4.1	g/dL
METHOD : CALCULATED PARAMETER				
ELECTROLYTES (NA/K/CL), SERUM				
SODIUM, SERUM		138	136- 145	mmol/L
METHOD : ISE INDIRECT				
POTASSIUM, SERUM		3.74	3.50- 5.10	mmol/L
METHOD : ISE INDIRECT				
CHLORIDE, SERUM		101	98 - 107	mmol/L
METHOD : ISE INDIRECT				

Interpretation(s)


Dr. Kamlesh I Prajapati
Consultant Pathologist

Page 13 Of 21



View Details



View Report

PERFORMED AT :

SRL Ltd
PLOT NO.160,POCKET D-11 SECTOR 8, ROHINI

NEW DELHI, 110085
NEW DELHI, INDIA
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956



Patient Ref. No. 775000002301020

PATIENT NAME : AJEETA

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138376

ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHINEW DELHI 110030
8800465156

ACCESSION NO : 0062WB000798

PATIENT ID : AJEEF05038862

CLIENT PATIENT ID:

ABHA NO :

AGE/SEX : 34 Years Female

DRAWN :

RECEIVED : 08/02/2023 09:36:17

REPORTED : 09/02/2023 15:53:25

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

Interpretation(s)**GLUCOSE FASTING, FLUORIDE PLASMA-TEST DESCRIPTION**

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and so that no glucose is excreted in the urine.

Increased in

Diabetes mellitus, Cushing's syndrome (10 - 15%), chronic pancreatitis (30%). Drugs: corticosteroids, phenytoin, estrogen, thiazides.

Decreased in

Pancreatic islet cell disease with increased insulin, insulinoma, adrenocortical insufficiency, hypopituitarism, diffuse liver disease, malignancy (adrenocortical, stomach, fibrosarcoma), infant of a diabetic mother, enzyme deficiency diseases (e.g., galactosemia), Drugs- insulin, ethanol, propranolol; sulfonylureas, tolbutamide, and other oral hypoglycemic agents.

NOTE: While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within individuals. Thus, glycosylated hemoglobin (HbA1c) levels are favored to monitor glycemic control.

High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glycosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.

GLYCOSYLATED HEMOGLOBIN (HBA1C), EDTA WHOLE BLOOD-Used For:

1. Evaluating the long-term control of blood glucose concentrations in diabetic patients.

2. Diagnosing diabetes.

3. Identifying patients at increased risk for diabetes (prediabetes).

The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patient's metabolic control has remained continuously within the target range.

1. eAG (Estimated average glucose) converts percentage HbA1c to mg/dl, to compare blood glucose levels.

2. eAG gives an evaluation of blood glucose levels for the last couple of months.

3. eAG is calculated as $eAG (mg/dl) = 28.7 * HbA1c - 46.7$

HbA1c Estimation can get affected due to :

I. Shortened Erythrocyte survival : Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss, hemolytic anemia) will falsely lower HbA1c test results. Fructosamine is recommended in these patients which indicates diabetes control over 15 days.

II. Vitamin C & E are reported to falsely lower test results. (possibly by inhibiting glycation of hemoglobin).

III. Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, uremia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates addiction are reported to interfere with some assay methods, falsely increasing results.

IV. Interference of hemoglobinopathies in HbA1c estimation is seen in

a. Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c.

b. Heterozygous state detected (D10 is corrected for HbS & HbC trait.)

c. HbF > 25% on alternate platform (Boronate affinity chromatography) is recommended for testing of HbA1c. Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy


GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glycosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc. Additional test HbA1c

LIVER FUNCTION PROFILE, SERUM-LIVER FUNCTION PROFILE

Bilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. Elevated levels result from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease. Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors & scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity. ALT test measures the amount of this enzyme in the blood. ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health. AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis, obstruction of bile ducts, cirrhosis.

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Paget's disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels are seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilson's disease. GGT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the



Dr. Kamlesh I Prajapati
Consultant Pathologist

Page 14 Of 21



View Details



View Report

PERFORMED AT :

SRL Ltd
PLOT NO.160,POCKET D-11 SECTOR 8, ROHINI

NEW DELHI, 110085
NEW DELHI, INDIA
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956



Patient Ref. No. 77500002301020

PATIENT NAME : AJEETA

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138376

ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHI
NEW DELHI 110030
8800465156

ACCESSION NO : 0062WB000798

PATIENT ID : AJEEF05038862

CLIENT PATIENT ID:

ABHA NO :

AGE/SEX : 34 Years Female

DRAWN :

RECEIVED : 08/02/2023 09:36:17

REPORTED : 09/02/2023 15:53:25

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc. Serum total protein, also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstrom's disease. Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc. Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc

BLOOD UREA NITROGEN (BUN), SERUM- Causes of Increased levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism)

Causes of decreased level include Liver disease, SIADH.

CREATININE, SERUM- Higher than normal level may be due to:

- Blockage in the urinary tract
- Kidney problems, such as kidney damage or failure, infection, or reduced blood flow
- Loss of body fluid (dehydration)
- Muscle problems, such as breakdown of muscle fibers
- Problems during pregnancy, such as seizures (eclampsia), or high blood pressure caused by pregnancy (preeclampsia)

Lower than normal level may be due to:

- Myasthenia Gravis
- Muscular dystrophy


URIC ACID, SERUM- Causes of Increased levels:- Dietary (High Protein Intake, Prolonged Fasting, Rapid weight loss), Gout, Lesch nyhan syndrome, Type 2 DM, Metabolic syndrome

Causes of decreased levels- Low Zinc intake, OCP, Multiple Sclerosis

TOTAL PROTEIN, SERUM- Serum total protein, also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin

Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstrom's disease
Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

ALBUMIN, SERUM- Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.



Dr. Kamlesh I Prajapati
Consultant Pathologist



View Details



View Report

PERFORMED AT :

SRL Ltd
PLOT NO.160,POCKET D-11 SECTOR 8, ROHINI



Patient Ref. No. 77500002301020

PATIENT NAME : AJEETA

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138376
 ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
 F-703, LADO SARAI, MEHRAULISOUTH WEST
 DELHI
 NEW DELHI 110030
 8800465156

ACCESSION NO : **0062WB000798**
PATIENT ID : AJEEF05038862
CLIENT PATIENT ID:
ABHA NO :

AGE/SEX : 34 Years Female
DRAWN :
RECEIVED : 08/02/2023 09:36:17
REPORTED : 09/02/2023 15:53:25

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

CLINICAL PATH - URINALYSIS

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

PHYSICAL EXAMINATION, URINE

COLOR PALE YELLOW
METHOD : MANUAL

APPEARANCE CLEAR
METHOD : MANUAL

CHEMICAL EXAMINATION, URINE

PH 6.0 4.7 - 7.5
METHOD : DIPSTICK

SPECIFIC GRAVITY 1.005 1.003 - 1.035
METHOD : DIPSTICK

PROTEIN NOT DETECTED NOT DETECTED
METHOD : DIPSTICK / MANUAL

GLUCOSE NOT DETECTED NOT DETECTED
METHOD : DIPSTICK / MANUAL

KETONES NOT DETECTED NOT DETECTED
METHOD : DIPSTICK / MANUAL

BLOOD NOT DETECTED NOT DETECTED
METHOD : DIPSTICK

BILIRUBIN NOT DETECTED NOT DETECTED
METHOD : DIPSTICK / MANUAL

UROBILINOGEN NORMAL NORMAL
METHOD : DIPSTICK / MANUAL

NITRITE NOT DETECTED NOT DETECTED
METHOD : DIPSTICK

LEUKOCYTE ESTERASE NOT DETECTED NOT DETECTED
METHOD : DIPSTICK

MICROSCOPIC EXAMINATION, URINE

RED BLOOD CELLS NOT DETECTED NOT DETECTED /HPF
METHOD : MICROSCOPIC EXAMINATION

PUS CELL (WBC'S) 1-2 0-5 /HPF
METHOD : MICROSCOPIC EXAMINATION

EPITHELIAL CELLS **10-15** 0-5 /HPF
METHOD : MICROSCOPY

Dr. Kamlesh I Prajapati
Consultant Pathologist



View Details



View Report

PERFORMED AT :

SRL Ltd
 PLOT NO.160,POCKET D-11 SECTOR 8, ROHINI



Patient Ref. No. 775000002301020

PATIENT NAME : AJEETA

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138376
 ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
 F-703, LADO SARAI, MEHRAULISOUTH WEST
 DELHI
 NEW DELHI 110030
 8800465156

ACCESSION NO : **0062WB000798**
PATIENT ID : AJEEF05038862
CLIENT PATIENT ID:
ABHA NO :

AGE/SEX : 34 Years Female
DRAWN :
RECEIVED : 08/02/2023 09:36:17
REPORTED : 09/02/2023 15:53:25

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

CASTS

NOT DETECTED

METHOD : MICROSCOPY

CRYSTALS

NOT DETECTED

METHOD : MICROSCOPY

BACTERIA

NOT DETECTED

NOT DETECTED

YEAST

NOT DETECTED

NOT DETECTED


METHOD : MICROSCOPY

REMARKS

NOTE:- MICROSCOPIC EXAMINATION OF URINE IS PERFORMED BY CENTRIFUGE URINARY SEDIMENT.

METHOD : MANUAL

Interpretation(s)



Dr. Kamlesh I Prajapati
Consultant Pathologist



View Details



View Report

PERFORMED AT :

SRL Ltd
 PLOT NO.160,POCKET D-11 SECTOR 8, ROHINI



Patient Ref. No. 775000002301020

PATIENT NAME : AJEETA

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138376

ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHINEW DELHI 110030
8800465156ACCESSION NO : **0062WB000798**

PATIENT ID : AJEEF05038862

CLIENT PATIENT ID:

ABHA NO :

AGE/SEX : 34 Years Female

DRAWN :

RECEIVED : 08/02/2023 09:36:17

REPORTED : 09/02/2023 15:53:25

Test Report Status **Final**

Results


Biological Reference Interval Units

CYTOLOGY

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE**PAPANICOLAOU SMEAR**

TEST METHOD

SAMPLE NOT RECEIVED


Dr. Kamlesh I Prajapati
Consultant Pathologist

Page 18 Of 21



View Details



View Report

PERFORMED AT :SRL Ltd
PLOT NO.160,POCKET D-11 SECTOR 8, ROHININEW DELHI, 110085
NEW DELHI, INDIA
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956

Patient Ref. No. 775000002301020

PATIENT NAME : AJEETA

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138376

ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHI
NEW DELHI 110030
8800465156

ACCESSION NO : 0062WB000798

PATIENT ID : AJEEF05038862

CLIENT PATIENT ID:

ABHA NO :

AGE/SEX : 34 Years Female

DRAWN :

RECEIVED : 08/02/2023 09:36:17

REPORTED : 09/02/2023 15:53:25

Test Report Status	Final	Results	Biological Reference Interval	Units
---------------------------	--------------	----------------	--------------------------------------	--------------

SPECIALISED CHEMISTRY - HORMONE

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

THYROID PANEL, SERUM

T3	98.61	Non-Pregnant Women 80.0 - 200.0 Pregnant Women 1st Trimester:105.0 - 230.0 2nd Trimester:129.0 - 262.0 3rd Trimester:135.0 - 262.0	ng/dL
T4	5.39	Non-Pregnant Women 5.10 - 14.10 Pregnant Women 1st Trimester: 7.33 - 14.80 2nd Trimester: 7.93 - 16.10 3rd Trimester: 6.95 - 15.70	µg/dL
TSH (ULTRASENSITIVE)	1.940	Non Pregnant Women 0.27 - 4.20 Pregnant Women 1st Trimester: 0.33 - 4.59 2nd Trimester: 0.35 - 4.10 3rd Trimester: 0.21 - 3.15	µIU/mL

Interpretation(s)

Triiodothyronine T3 , Thyroxine T4, and Thyroid Stimulating Hormone TSH are thyroid hormones which affect almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate.

Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH.

Excessive secretion of thyroxine in the body is hyperthyroidism, and deficient secretion is called hypothyroidism.

In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hyperthyroidism, TSH levels are low.

Below mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3. Measurement of the serum TT3 level is a more sensitive test for the diagnosis of hyperthyroidism, and measurement of TT4 is more useful in the diagnosis of hypothyroidism. Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the circulating hormone is free and biologically active. It is advisable to detect Free T3, FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.

Sr. No.	TSH	Total T4	FT4	Total T3	Possible Conditions
1	High	Low	Low	Low	(1) Primary Hypothyroidism (2) Chronic autoimmune Thyroiditis (3) Post Thyroidectomy (4) Post Radio-Iodine treatment

Dr. Kamlesh I Prajapati
Consultant Pathologist



View Details



View Report

PERFORMED AT :

SRL Ltd
PLOT NO.160,POCKET D-11 SECTOR 8, ROHINI



Patient Ref. No. 775000002301020

PATIENT NAME : AJEETA

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138376

ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHI
NEW DELHI 110030
8800465156

ACCESSION NO : 0062WB000798

PATIENT ID : AJEEF05038862

CLIENT PATIENT ID:

ABHA NO :

AGE/SEX : 34 Years Female

DRAWN :

RECEIVED : 08/02/2023 09:36:17

REPORTED : 09/02/2023 15:53:25

Test Report Status Final Results Biological Reference Interval Units


2	High	Normal	Normal	Normal	(1)Subclinical Hypothyroidism (2) Patient with insufficient thyroid hormone replacement therapy (3) In cases of Autoimmune/Hashimoto thyroiditis (4). Isolated increase in TSH levels can be due to Subclinical inflammation, drugs like amphetamines, Iodine containing drug and dopamine antagonist e.g. domperidone and other physiological reasons.
3	Normal/Low	Low	Low	Low	(1) Secondary and Tertiary Hypothyroidism
4	Low	High	High	High	(1) Primary Hyperthyroidism (Graves Disease) (2) Multinodular Goitre (3)Toxic Nodular Goitre (4) Thyroiditis (5) Over treatment of thyroid hormone (6) Drug effect e.g. Glucocorticoids, dopamine, T4 replacement therapy (7) First trimester of Pregnancy
5	Low	Normal	Normal	Normal	(1) Subclinical Hyperthyroidism
6	High	High	High	High	(1) TSH secreting pituitary adenoma (2) TRH secreting tumor
7	Low	Low	Low	Low	(1) Central Hypothyroidism (2) Euthyroid sick syndrome (3) Recent treatment for Hyperthyroidism
8	Normal/Low	Normal	Normal	High	(1) T3 thyrotoxicosis (2) Non-Thyroidal illness
9	Low	High	High	Normal	(1) T4 Ingestion (2) Thyroiditis (3) Interfering Anti TPO antibodies

REF: 1. TIETZ Fundamentals of Clinical chemistry 2.Guidlines of the American Thyroid association during pregnancy and Postpartum, 2011.

NOTE: It is advisable to detect Free T3,FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.TSH is not affected by variation in thyroid - binding protein. TSH has a diurnal rhythm, with peaks at 2:00 - 4:00 a.m. And troughs at 5:00 - 6:00 p.m. With ultradian variations.

****End Of Report****

Please visit www.srlworld.com for related Test Information for this accession



Dr. Kamlesh I Prajapati
Consultant Pathologist

Page 20 Of 21



View Details



View Report

PERFORMED AT :

SRL Ltd
PLOT NO.160,POCKET D-11 SECTOR 8, ROHINI



Patient Ref. No. 775000002301020

NEW DELHI, 110085
NEW DELHI, INDIA
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956

PATIENT NAME : AJEETA

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138376

ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHI
NEW DELHI 110030
8800465156

ACCESSION NO : **0062WB000798**

PATIENT ID : AJEEF05038862

CLIENT PATIENT ID:

ABHA NO :

AGE/SEX : 34 Years Female

DRAWN :

RECEIVED : 08/02/2023 09:36:17

REPORTED : 09/02/2023 15:53:25

Test Report Status **Final**

Results


Biological Reference Interval Units

CONDITIONS OF LABORATORY TESTING & REPORTING

1. It is presumed that the test sample belongs to the patient named or identified in the test requisition form.
2. All tests are performed and reported as per the turnaround time stated in the SRL Directory of Services.
3. Result delays could occur due to unforeseen circumstances such as non-availability of kits / equipment breakdown / natural calamities / technical downtime or any other unforeseen event.
4. A requested test might not be performed if:
 - i. Specimen received is insufficient or inappropriate
 - ii. Specimen quality is unsatisfactory
 - iii. Incorrect specimen type
 - iv. Discrepancy between identification on specimen container label and test requisition form
5. SRL confirms that all tests have been performed or assayed with highest quality standards, clinical safety & technical integrity.
6. Laboratory results should not be interpreted in isolation; it must be correlated with clinical information and be interpreted by registered medical practitioners only to determine final diagnosis.
7. Test results may vary based on time of collection, physiological condition of the patient, current medication or nutritional and dietary changes. Please consult your doctor or call us for any clarification.
8. Test results cannot be used for Medico legal purposes.
9. In case of queries please call customer care (91115 91115) within 48 hours of the report.

SRL Limited

Fortis Hospital, Sector 62, Phase VIII,
Mohali 160062



Dr. Kamlesh I Prajapati
Consultant Pathologist

Page 21 Of 21



View Details



View Report

PERFORMED AT :

SRL Ltd
PLOT NO.160,POCKET D-11 SECTOR 8, ROHINI

NEW DELHI, 110085
NEW DELHI, INDIA
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956



Patient Ref. No. 775000002301020