

Name : MR.PRAVIN GADIWALE

Age / Gender : 37 Years / Male

Consulting Dr. : -

Reg. Location : Lulla Nagar, Pune (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected

:13-Aug-2022 / 09:34

**Reported** :13-Aug-2022 / 13:22

## **AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE**

CBC (Complete Blood Count), Blood				
<u>PARAMETER</u>	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>	
RBC PARAMETERS				
Haemoglobin	17.9	13.0-17.0 g/dL	Spectrophotometric	
RBC	5.75	4.5-5.5 mil/cmm	Elect. Impedance	
PCV	52.6	40-50 %	Calculated	
MCV	92	80-100 fl	Calculated	
MCH	31.1	27-32 pg	Calculated	
MCHC	34.0	31.5-34.5 g/dL	Calculated	
RDW	13.3	11.6-14.0 %	Calculated	
WBC PARAMETERS				
WBC Total Count	8000	4000-10000 /cmm	Elect. Impedance	
WBC DIFFERENTIAL AND ABSOLUTE COUNTS				
Lymphocytes	34.8	20-40 %		
Absolute Lymphocytes	2784.0	1000-3000 /cmm	Calculated	
Monocytes	5.5	2-10 %		
Absolute Monocytes	440.0	200-1000 /cmm	Calculated	
Neutrophils	56.1	40-80 %		
Absolute Neutrophils	4488.0	2000-7000 /cmm	Calculated	
Eosinophils	3.6	1-6 %		
Absolute Eosinophils	288.0	20-500 /cmm	Calculated	
Basophils	0.0	0.1-2 %		
Absolute Basophils	0.0	20-100 /cmm	Calculated	
Immature Leukocytes				

WBC Differential Count by Absorbance & Impedance method/Microscopy.

#### **PLATELET PARAMETERS**

Page 1 of 11

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053



Name : MR.PRAVIN GADIWALE

Age / Gender : 37 Years / Male

Consulting Dr. : Reg. Location : Lulla Nagar, Pune (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

: 13-Aug-2022 / 09:34

**Reported** :13-Aug-2022 / 13:34

Collected

Platelet Count	289000	150000-400000 /cmm	Elect. Impedance
MPV	7.8	6-11 fl	Calculated
PDW	13.0	11-18 %	Calculated

#### **RBC MORPHOLOGY**

Hypochromia -

Microcytosis -

Macrocytosis -

Anisocytosis -

Poikilocytosis -

Polychromasia -Target Cells --

Basophilic Stippling -

Normoblasts -

Others Normocytic, Normochromic

WBC MORPHOLOGY -

PLATELET MORPHOLOGY -

COMMENT -

Specimen: EDTA Whole Blood

ESR, EDTA WB 05 2-15 mm at 1 hr. Westergren

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Pune Lab, Pune Swargate
\*\*\* End Of Report \*\*\*







Dr.GOURAV AGRAWAL DCP, DNB (Path) Pathologist

Page 2 of 11



Name : MR.PRAVIN GADIWALE

Age / Gender : 37 Years / Male

Consulting Dr. : -

**Reg. Location**: Lulla Nagar, Pune (Main Centre)



Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected : 13-Aug-2022 / 09:34

**Reported** :13-Aug-2022 / 12:51

# AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	87.8	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	112.9	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	1	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.27	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.73	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.5	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	5.0	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.5	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	2	1 - 2	Calculated
SGOT (AST), Serum	21.7	5-40 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	26.7	5-45 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	32.3	3-60 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	40.1	40-130 U/L	Colorimetric
BLOOD UREA, Serum	14.9	12.8-42.8 mg/dl	Kinetic

Page 3 of 11

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053



Name : MR.PRAVIN GADIWALE

Age / Gender : 37 Years / Male

Consulting Dr. : -

Reg. Location : Lulla Nagar, Pune (Main Centre)



Authenticity Check

Use a QR Code Scanner Application To Scan the Code

: 13-Aug-2022 / 12:50

**Reported** :13-Aug-2022 / 15:58

Collected

BUN, Serum	7.0	6-20 mg/dl	Calculated
CREATININE, Serum eGFR, Serum	1.16 75	0.67-1.17 mg/dl >60 ml/min/1.73sqm	Enzymatic Calculated
URIC ACID, Serum	6.9	3.5-7.2 mg/dl	Enzymatic
Urine Sugar (Fasting)	Absent	Absent	
Urine Ketones (Fasting)	Absent	Absent	
Urine Sugar (PP)	Absent	Absent	
Urine Ketones (PP)	Absent	Absent	
*Sample processed at SURUPRA	N DIACNOSTICS (INDIA) DVI	F ITD Dune Lab Dune Swargate	

Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Pune Lab, Pune Swargate

\*\*\* End Of Report \*\*\*







Dr.SHAMLA KULKARNI M.D.(PATH) Pathologist

Page 4 of 11

ADDRESS: 2" Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053



Name : MR.PRAVIN GADIWALE

Age / Gender : 37 Years / Male

Consulting Dr. : -

**PARAMETER** 

(HbA1c), EDTA WB - CC

(eAG), EDTA WB - CC

Reg. Location

: Lulla Nagar, Pune (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

**METHOD** 

**HPLC** 

Collected : 13-Aug-2022 / 09:34

**Reported** :13-Aug-2022 / 14:12

# **AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE**

GLYCOSYLATED HEMOGLOBIN (HbA1c)
RESULTS BIOLOGICAL REF RANGE

Glycosylated Hemoglobin 5.1 Non-Diabetic Level: < 5.7 %

Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %

Estimated Average Glucose 99.7 mg/dl Calculated

Page 5 of 11



Name : MR.PRAVIN GADIWALE

Age / Gender : 37 Years / Male

Consulting Dr. : - Collected :13-Aug-2022 / 09:34

Reg. Location : Lulla Nagar, Pune (Main Centre) Reported :13-Aug-2022 / 14:12

#### Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

#### Clinical Significance:

- · HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

#### Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- · Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

#### Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Pune Lab, Pune Swargate

\*\*\* End Of Report \*\*\*







Dr.GOURAV AGRAWAL DCP, DNB (Path) Pathologist

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Page 6 of 11

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053



CID : 2222522373

Name : MR.PRAVIN GADIWALE

Age / Gender : 37 Years / Male

Consulting Dr. Collected :13-Aug-2022 / 09:34

:13-Aug-2022 / 13:45 Reported : Lulla Nagar, Pune (Main Centre) Reg. Location

# Use a OR Code Scanner Application To Scan the Code

Authenticity Check

## **AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE URINE EXAMINATION REPORT**

<u>PARAMETER</u>	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Yellow	Pale Yellow	-
Reaction (pH)	Acidic (5.0)	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.005	1.001-1.030	Chemical Indicator
Transparency	Clear	Clear	-
Volume (ml)	40	-	-
<b>CHEMICAL EXAMINATION</b>			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION			
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	

Epithelial Cells / hpf 0-1

Casts Absent Absent Crystals **Absent Absent** Amorphous debris Absent Absent

Bacteria / hpf 3-4 Less than 20/hpf

<sup>\*</sup>Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Pune Lab, Pune Swargate \*\*\* End Of Report \*\*\*







**Dr.GOURAV AGRAWAL** DCP, DNB (Path) **Pathologist** 

Page 7 of 11

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053



Name : MR.PRAVIN GADIWALE

Age / Gender : 37 Years / Male

**Consulting Dr. :** - **Collected :** 13-Aug-2022 / 09:34

Reg. Location : Lulla Nagar, Pune (Main Centre) Reported :13-Aug-2022 / 13:28

# AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE BLOOD GROUPING & Rh TYPING

PARAMETER RESULTS

ABO GROUP A

Rh TYPING Positive

NOTE: Test performed by Semi- automated column agglutination technology (CAT)

Specimen: EDTA Whole Blood and/or serum

#### Clinical significance:

ABO system is most important of all blood group in transfusion medicine

#### Limitations:

- · ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

#### Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Pune Lab, Pune Swargate

\*\*\* End Of Report \*\*\*







Dr.GOURAV AGRAWAL DCP, DNB (Path) Pathologist

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Page 8 of 11

ADDRESS: 2<sup>nd</sup> Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053



Name : MR.PRAVIN GADIWALE

Age / Gender : 37 Years / Male

Consulting Dr. :-

Reg. Location : Lulla Nagar, Pune (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected

Reported

Application To Scan the Code

: 13-Aug-2022 / 09:34 : 13-Aug-2022 / 13:22

# AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE LIPID PROFILE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	178.5	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	118.2	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	45.2	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	133.3	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	109.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	24.3	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	4.0	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2.4	0-3.5 Ratio	Calculated

<sup>\*</sup>Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Pune Lab, Pune Swargate  $^{***}$  End Of Report  $^{***}$ 







Dr.GOURAV AGRAWAL DCP, DNB (Path) Pathologist

Page 9 of 11

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053



CID : 2222522373

Name : MR. PRAVIN GADIWALE

Age / Gender : 37 Years / Male

Consulting Dr.

: Lulla Nagar, Pune (Main Centre) Reg. Location



Authenticity Check

Use a OR Code Scanner Application To Scan the Code

**CMIA** 

Collected :13-Aug-2022 / 09:34 Reported :13-Aug-2022 / 14:12

## **AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE THYROID FUNCTION TESTS**

**BIOLOGICAL REF RANGE RESULTS PARAMETER METHOD** 

Free T3, Serum 5.2 2.6-5.7 pmol/L

15.3 Free T4, Serum 9-19 pmol/L **CMIA** 

Kindly note change in reference range and method w.e.f. 16/08/2019

Kindly note change in reference range and method w.e.f. 16/08/2019

sensitiveTSH, Serum 1.2 0.35-4.94 microIU/ml **CMIA** 

Kindly note change in reference range and method w.e.f. 16/08/2019. NOTE: 1) TSH values between 5.5 to 15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH. 2) TSH values may be transiently altered because of non thyroidal illness like severe infections, liver disease, renal & heart failure, severe burns, trauma & surgery etc.

Page 10 of 11



Name : MR.PRAVIN GADIWALE

Age / Gender : 37 Years / Male

Consulting Dr. : - Collected :13-Aug-2022 / 09:34

Reg. Location : Lulla Nagar, Pune (Main Centre) Reported :13-Aug-2022 / 14:12

#### Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

#### Clinical Significance:

- 1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors
- can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

**Diurnal Variation:**TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

#### Limitations:

- 1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
- 2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

#### Reference

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2. Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Pune Lab, Pune Swargate
\*\*\* End Of Report \*\*\*







Dr.SHAMLA KULKARNI M.D.(PATH) Pathologist

most in the

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Page 11 of 11

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053



CID#

: 2222522373

Name

: MR.PRAVIN GADIWALE

Age / Gender

: 37 Years/Male

Consulting Dr.

Reg.Location

: Lulla Nagar, Pune (Main Centre)

Collected

: 13-Aug-2022 / 09:30

R

E

Reported

: 16-Aug-2022 / 16:46

# PHYSICAL EXAMINATION REPORT

a) Diet: Veg

b)Addiction: No

**GENERAL EXAMINATION:** 

a) Height (cms):

b)Weight (kgs):

c)Lymph Nodes : Not Palpable

3) SYSTEMIC EXAMINATION

### A) RESPIRATORY SYSTEM

a) Lungs : Clear

b) Trachea: Central

c ) Air Entry : Equal

d) Rales: No

d) Others: NAD

## B) CARDIOVASCULAR SYSTEM ( CVS )

a) Heart Sounds: S1 S2 Normal

b) Murmurs: No

c) Pulse/min: 74

d ) B/P ( mm of Hg ): 130/90

e ) Miscellenous : NAD

PUNE LAB ADDRESS: Seraph Centre, Opp. BSNL Exchange, Shahu College Road, Off Pune-Satara Road, Behind Panchami Hotel, Pune - 411009

CENTRAL PROCESSING LAB: 2<sup>rd</sup> Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053



CID#

: 2222522373

Name

: MR.PRAVIN GADIWALE

Age / Gender

: 37 Years/Male

Consulting Dr. : -

Reg.Location : Lulla Nagar, Pune (Main Centre)

Collected

: 13-Aug-2022 / 09:30

R

E

O

Reported

: 16-Aug-2022 / 16:46

#### C) ABDOMEN

a) Liver : Not Palpable

b) Spleen: Not Palpable

c) Any other Swelling: No

#### D) NERVOUS SYSTEM

a) Ankle Reflex: Normal

b) Plantars : Flexor

**DOCTOR REMARKS:** 

Drink plenty at liquid

\*\*\* End Of Report \*\*\*

**Dr.Milind Shinde** MBBS, DNB, Consuling Physician, Diabetologist & Echocardiologist

PUNE LAB ADDRESS: Seraph Centre, Opp. BSNL Exchange, Shahu College Road, Off Pune-Satara Road, Behind Panchami Hotel, Pune - 411009

CENTRAL PROCESSING LAB: 2<sup>nd</sup> Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053



# SUBURBAN DIAGNOSTICS - LULLANAGAR, PUNE

Patient Name: PRAVIN GADIWALE

Date and Time: 13th Aug 22 12:07 PM

Patient ID: 2222522373

Age 36 years months days

Heart Rate 97bpm Gender Male Height: Weight: Others: Resp: Spo2: Pulse: Patient Vitals NA NA NA

aVR

**V1** 

V4

QRSD: QT: PR: QTc: Measurements P-R-T: 94ms 447ms 352ms 124ms 75° 67° 62°

Ш П 25.0 mm/s 10.0 mm/mV aVF V3 V6 REPORTED BY

П

aVL

V2

V5

Sinus Rhythm, Normal Axis, Nonspecific T wave Abnormality. Please correlate clinically.



Dr.Milind Shinde MBBS, DNB Medicine 2011/05/1544



CID

: 2222522373

Name

: Mr PRAVIN GADIWALE

Age / Sex

: Ø Years/Male

Ref. Dr

. 37

Reg. Location

: Lulla Nagar, Pune Main Centre

Reg. Date

Application To Scan the Code : 13-Aug-2022

Authenticity Check

<<QRCode>>

R

E

P

0

R

Reported

: 13-Aug-2022 / 10:33

Use a QR Code Scanner

# USG (ABDOMEN + PELVIS)

**LIVER**: The liver is normal in size, shape and smooth margins.

It shows raised parenchymal echo pattern s/o grade I fatty infiltration.

The intra hepatic biliary and portal radical appear normal.

No evidence of any intra hepatic cystic or solid lesion seen.

The main portal vein and CBD appears normal.

**GALL BLADDER**: The gall bladder is physiologically distended.

The visualized gall bladder appears normal. No evidence of pericholecystic fluid is seen.

PANCREAS: The pancreas is well visualised and appears normal.

No evidence of solid or cystic mass lesion is noted.

KIDNEYS: Right kidney measures 10.3 x 4.5 cm. Left kidney measures 10.0 x 4.7 cm.

Both the kidneys are normal in size, shape and echotexture.

No evidence of any calculus, hydronephrosis or mass lesion seen.

**SPLEEN**: The spleen is normal in size, shape and echotexture. No evidence of focal lesion is noted.

<u>URINARY BLADDER</u>: The urinary bladder is well distended. It shows thin walls and sharp mucosa. No evidence of calculus is noted. No mass or diverticulum is seen.

**PROSTATE**: The prostate is normal in size and echotexture.

Visualized small bowel loops appear non-dilated. Gaseous distension of large bowel loops. There is no evidence of any lymphadenopathy or ascitis.

Click here to view images <<ImageLink>>

PUNE LAB ADDRESS: Seraph Centre, Opp. BSNL Exchange, Shahu College Road, Off Pune-Satara Road, Behind Panchami Hotel, Pune - 41,1009

CENTRAL PROCESSING LAB: 2<sup>nd</sup> Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053



Authenticity Check <<QRCode>>

E

0

T

R

CID

: 2222522373

Name

: Mr PRAVIN GADIWALE

Age / Sex

: Ø Years/Male

Ref. Dr

Reg. Location

.37 : Lulla Nagar, Pune Main Centre Reg. Date Reported

Application To Scan the Code : 13-Aug-2022

: 13-Aug-2022 / 10:33

Use a QR Code Scanner

## **IMPRESSION**:

Grade I fatty liver.

Advice - Clinical and lab correlation.

.----End of Report-----

This report is prepared and physically checked by Dr Pallavi before dispatch.

Dr. PALLAVI RAWAL MBBS, MD Radiology Reg No 2013/04/1170

Click here to view images << ImageLink>>

PUNE LAB ADDRESS: Seraph Centre, Opp. BSNL Exchange, Shahu College Road, Off Pune-Satara Road, Behind Panchami Hotel, Pune - 413509

CENTRAL PROCESSING LAB: 2<sup>nd</sup> Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053



CID

: 2222522373

Name

: Mr PRAVIN GADIWALE

Age / Sex

36 Years/Male

Ref. Dr

Reg. Location

: Lulla Nagar, Pune Main Centre

Reg. Date Reported

Application To Scan the Code

: 13-Aug-2022

Authenticity Check <<QRCode>>

: 13-Aug-2022 / 11:54

Use a QR Code Scanner

# X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

# **IMPRESSION:**

No significant abnormality is detected. -----End of Report-----

This report is prepared and physically checked by Dr Pallavi before dispatch.

MBBS, MD Radiology Reg No 2013/04/1170

Click here to view images <<ImageLink>>

PUNE LAB ADDRESS: Seraph Centre, Opp. BSNL Exchange, Shahu College Road, Off Pune-Satara Road, Behind Panchami Flotel, Pune - 411009

CENTRAL PROCESSING LAB: 2<sup>nd</sup> Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053