ruranangani Healthcare Pvt. Ltd. Mini Sea Shore Road, Sector 10 -A, Vashi, Navi Mumbai - 400703

Board Line: 022 - 39199222 | Fax: 022 - 39199220 Emergency: 022 - 39199100 | Ambulance: 1255

For Appointment: 022 - 39199222 | Health Checkup: 022 - 39199300

www.fortishealthcare.com |

CIN: U85100MH2005PTC154823

GST IN: 27AABCH5894D1ZG | PAN NO: AABCH5894D





(A 12 Fortis Network Hospital)

OPD ·	Dental 12	Healt	th Check-up		
OPD -		SCA	remale	Age	43
Name	Mrs. Vandana Pandey	Sex	Female	A ~~	43
UHID	12837484	Date	25/11/202	23.	

O (E - Stains + - Calculus +

Drug allergy: H/O of Lynodism time (ys.

Dr. Tupti

Treatment

Ald- () Scaling (grade I (Cleaning)

To pay -

1) Scaling Grade I

Grade I = Re 2420

miranangani Heaithcare Pvt. Ltd.

Mini Sea Shore Road, Sector 10 -A, Vashi, Navi Mumbai - 400703 Board Line: 022 - 39199222 | Fax: 022 - 39199220 Emergency: 022 - 39199100 | Ambulance: 1255

For Appointment: 022 - 39199222 | Health Checkup: 022 - 39199300 www.fortishealthcare.com | CIN: U85100MH2005PTC154823

GST IN: 27AABCH5894D1ZG | PAN NO: AABCH5894D





(A 12 Fortis Network Hospital)

OPD Pap Smear	Health Check-up				
	DCA	Female	Age	43	
Name	Mrs. Vandana Pandey	Sex	Famala	A	12
N.T.		Date	te 25/11/2023		
UHID	12837484	Date	25/11/2023		

Drug allergy: Sys illness:







CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

REF. DOCTOR :

ACCESSION NO: 0022WK004809
PATIENT ID : FH.12837484

PATIENT ID : FH.12837484 CLIENT PATIENT ID: UID:12837484

ABHA NO

AGE/SEX :43 Years Female DRAWN :25/11/2023 10:31:00

RECEIVED : 25/11/2023 10:32:48 REPORTED :25/11/2023 16:16:01

CLINICAL INFORMATION:

UID:12837484 REQNO-1609848 CORP-OPD BILLNO-1501230PCR066691

BILLNO-1501230PCR066691

Test Report Status Final Results Biological Reference Interval Units

н	AEMATOLOGY - CBC		
CBC-5, EDTA WHOLE BLOOD			
BLOOD COUNTS, EDTA WHOLE BLOOD HEMOGLOBIN (HB)	10.9 Low	12.0 - 15.0	g/dL
METHOD: SLS METHOD RED BLOOD CELL (RBC) COUNT	3.31 Low	3.8 - 4.8	mil/µL
METHOD: HYDRODYNAMIC FOCUSING WHITE BLOOD CELL (WBC) COUNT	5.49	4.0 - 10.0	thou/µL
METHOD: FLUORESCENCE FLOW CYTOMETRY PLATELET COUNT METHOD: HYDRODYNAMIC FOCUSING BY DC DETECTION	155	150 - 410	thou/µL
RBC AND PLATELET INDICES		26.0 46.0	%
HEMATOCRIT (PCV)	33.2 Low	36.0 - 46.0	(4)
METHOD: CUMULATIVE PULSE HEIGHT DETECTION METHOD MEAN CORPUSCULAR VOLUME (MCV)	100.3	83.0 - 101.0	fL
MEAN CORPUSCULAR HEMOGLOBIN (MCH)	32.9 High	27.0 - 32.0	pg
METHOD: CALCULATED PARAMETER MEAN CORPUSCULAR HEMOGLOBIN	32.8	31.5 - 34.5	g/dL
CONCENTRATION(MCHC) METHOD: CALCULATED PARAMETER RED CELL DISTRIBUTION WIDTH (RDW)	13.8	11.6 - 14.0	%
METHOD: CALCULATED PARAMETER MENTZER INDEX	30.3		
METHOD: CALCULATED PARAMETER MEAN PLATELET VOLUME (MPV) METHOD: CALCULATED PARAMETER	13.5 High	6.8 - 10.9	fL

WBC DIFFERENTIAL COUNT

(Killed Ton

Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) Consultant Pathologist Page 1 Of 16





liow Details

View Repor



Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India

Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956









CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

FORTIS HOSPITAL # VASHI, MUMBAI 440001 REF. DOCTOR :

ACCESSION NO: 0022WK004809
PATIENT ID : FH.12837484

CLIENT PATIENT ID: UID:12837484

ABHA NO

AGE/SEX :43 Years Female DRAWN :25/11/2023 10:31:00

RECEIVED : 25/11/2023 10:32:48 REPORTED :25/11/2023 16:16:01

CLINICAL INFORMATION:

UID:12837484 REQNO-1609848

CORP-OPD

BILLNO-1501230PCR066691 BILLNO-1501230PCR066691

Test Report Status <u>Final</u>	Results	Biological Reference	Interval Units
NEUTROPHILS	66	40.0 - 80.0	%
METHOD: FLOW CYTOMETRY WITH LIGHT SCATTERING LYMPHOCYTES	22	20.0 - 40.0	. %
METHOD: FLOW CYTOMETRY WITH LIGHT SCATTERING MONOCYTES	10	2.0 - 10.0	%
METHOD: FLOW CYTOMETRY WITH LIGHT SCATTERING EOSINOPHILS	2	1 - 6	%
METHOD: FLOW CYTOMETRY WITH LIGHT SCATTERING BASOPHILS	0	0 - 2	%
METHOD: FLOW CYTOMETRY WITH LIGHT SCATTERING ABSOLUTE NEUTROPHIL COUNT	3.62	2.0 - 7.0	thou/µL
METHOD: CALCULATED PARAMETER ABSOLUTE LYMPHOCYTE COUNT	1.21	1.0 - 3.0	thou/µL
METHOD : CALCULATED PARAMETER ABSOLUTE MONOCYTE COUNT	0.55	0.2 - 1.0	thou/µL
METHOD: CALCULATED PARAMETER ABSOLUTE EOSINOPHIL COUNT	0.11	0.02 - 0.50	thou/µL
METHOD: CALCULATED PARAMETER ABSOLUTE BASOPHIL COUNT	0 Low	0.02 - 0.10	thou/µL
METHOD: CALCULATED PARAMETER NEUTROPHIL LYMPHOCYTE RATIO (NLR) METHOD: CALCULATED	3.0		

MORPHOLOGY

RBC

METHOD: MICROSCOPIC EXAMINATION

WBC

METHOD: MICROSCOPIC EXAMINATION

PLATELETS

METHOD: MICROSCOPIC EXAMINATION

MILD HYPOCHROMASIA, NORMOCYTIC

NORMAL MORPHOLOGY

ADEQUATE



Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) Consultant Pathologist





Page 2 Of 16

Viou Details

View Report



Agilus Diagnostics Ltd.
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
Navi Mumbai, 400703
Maharashtra, India
Tel: 022-39199222,022-49723322,
CIN - U74899PB1995PLC045956
Email: -









CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

REF. DOCTOR:

ACCESSION NO: 0022WK004809

: FH.12837484 PATIENT ID CLIENT PATIENT ID: UID:12837484

ABHA NO

Female :43 Years AGE/SEX

:25/11/2023 10:31:00 DRAWN RECEIVED : 25/11/2023 10:32:48

REPORTED :25/11/2023 16:16:01

CLINICAL INFORMATION:

UID:12837484 REQNO-1609848

CORP-OPD

BILLNO-1501230PCR066691 BILLNO-1501230PCR066691

Test Report Status

Final

Results

Biological Reference Interval

Units

Interpretation(s)
RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13)
from Beta thalassaemia trait

The procede to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for

from Beta thalassaemia trait
(<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.
WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive WBC DIFFERENTIAL STANDARD STA

Dr. Akshay Dhotre, MD (Reg, no. MMC 2019/09/6377) **Consultant Pathologist**

Page 3 Of 16

PERFORMED AT:

Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India

Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956









CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

REF. DOCTOR:

ACCESSION NO: 0022WK004809 : FH 12837484 DATIENT ID

CLIENT PATIENT ID: UID:12837484

ABHA NO

Female AGE/SEX :43 Years

:25/11/2023 10:31:00 DRAWN RECEIVED: 25/11/2023 10:32:48

REPORTED :25/11/2023 16:16:01

CLINICAL INFORMATION:

UID:12837484 REQNO-1609848

CORP-OPD

BILLNO-1501230PCR066691 BILLNO-1501230PCR066691

METHOD: WESTERGREN METHOD

Test Report Status

Final

Results

Biological Reference Interval

Units

HAEMATOLOGY

ERYTHROCYTE SEDIMENTATION RATE (ESR), EDTA BLOOD

E.S.R

37 High

0 - 20

mm at 1 hr

GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD

HBA1C

6.3 High

Non-diabetic: < 5.7

Pre-diabetics: 5.7 - 6.4 Diabetics: > or = 6.5Therapeutic goals: < 7.0

Action suggested: > 8.0 (ADA Guideline 2021)

METHOD: HB VARIANT (HPLC)

METHOD: CALCULATED PARAMETER

ESTIMATED AVERAGE GLUCOSE(EAG)

134.1 High

< 116.0

mg/dL

9/0

Interpretation(s)

ERYTHROCYTE SEDIMENTATION RATE (ESR), EDTA BLOOD-TEST DESCRIPTION:

Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall Erythrocyte sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic; it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition.CRP is superior to ESR because it is more sensitive and reflects a more rapid change.

TEST INTERPRETATION

Increase in: Infections, Vasculities, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy,

Increase in: Inections, Vasculates, Amenical Processes in: Inections, Vasculates, Amenical Processes in: Inections, Vasculates, Alignet Estrogen medication, Aging.

Estrogen medication, Aging.

Finding a very accelerated ESR(>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias, Finding a very accelerated ESR(>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias, Finding a very accelerated tissue disease, severe infections such as bacterial endocarditis).

Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis).

In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum. Decreased in: Polycythermia vera, Sickle cell anemia

False elevated ESR: Increased fibringgen, Drugs(Vitamin A, Dextran etc.), Hypercholesterolemia
False Decreased: Poikilocytosis, (SickleCells spherocytes), Microcytosis, Low fibringgen, Very high WBC counts, Drugs(Quinine, salicylates)

Dr. Akshay Dhotre, MD (Reg, no. MMC 2019/09/6377) Consultant Pathologist

Page 4 Of 16





PERFORMED AT:

Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956 Fmail: -









CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

REF. DOCTOR:

ACCESSION NO : 0022WK004809

PATIENT ID : FH 12837484 CLIENT PATIENT ID: UID:12837484

ABHA NO

AGE/SEX DRAWN

Female :43 Years :25/11/2023 10:31:00

RECEIVED : 25/11/2023 10:32:48

REPORTED: 25/11/2023 16:16:01

CLINICAL INFORMATION:

UID:12837484 REQNO-1609848

CORP-OPD

BILLNO-1501230PCR066691 BILLNO-1501230PCR066691

Test Report Status

Final

Results

Biological Reference Interval

Units

REFERENCE:

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition; 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin; 3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis, 10th edition.

GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD-Used For:

Evaluating the long-term control of blood glucose concentrations in diabetic patients.
 Diagnosing diabetes.

Diagnosing diabetes.
 Identifying patients at increased risk for diabetes (prediabetes).
 The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patients metabolic control has remained continuously within the target range.
 AAG (Estimated average glucose) converts percentage HbA1c to md/dl, to compare blood glucose levels.
 eAG gives an evaluation of blood glucose levels for the last couple of months.
 eAG is calculated as eAG (mg/dl) = 28.7 * HbA1c - 46.7

HbA1c Estimation can get affected due to:

1. Shortened Erythrocyte survival: Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss, hemolytic anemia) will falsely lower HbA1c test results. Fructosamine is recommended in these patients which indicates diabetes control over 15 days.

2. Vitamin C & E are reported to falsely lower test results. (possibly by inhibiting glycation of hemoglobin.

3. Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, uremia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates addiction are reported to interfere with some assay methods, falsely increasing results.

4. Interference of hemoglobinopathies in HbA1c estimation is seen in

a) Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c.
b) Heterozygous state detected (D10 is corrected for HbS & HbC trait.)
c) HbF > 25% on alternate paltform (Boronate affinity chromatography) is recommended for testing of HbA1c.Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy

Moletin

Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) Consultant Pathologist

Page 5 Of 16







Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956 Email: -









CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

REF. DOCTOR :

ACCESSION NO : 0022WK004809

: FH.12837484 PATIENT ID CLIENT PATIENT ID: UID:12837484

ARHA NO

AGE/SEX :43 Years Female :25/11/2023 10:31:00 DRAWN

RECEIVED: 25/11/2023 10:32:48 REPORTED :25/11/2023 16:16:01

CLINICAL INFORMATION:

UID:12837484 REQNO-1609848

CORP-OPD

BILLNO-1501230PCR066691 BILLNO-1501230PCR066691

Test Report Status

Final

Results

Biological Reference Interval

Units

IMMUNOHAEMATOLOGY

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD

ABO GROUP

TYPE A

METHOD: TUBE AGGLUTINATION

RH TYPE

POSITIVE

METHOD: TUBE AGGLUTINATION

Interpretation(s)
ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same."

The test is performed by both forward as well as reverse grouping methods.

Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) Consultant Pathologist

Page 6 Of 16





PERFORMED AT:

Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956









CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

REF. DOCTOR :

ACCESSION NO: 0022WK004809
PATIENT ID : FH.12837484

CLIENT PATIENT ID: UID:12837484

ABHA NO

AGE/SEX :43 Years Female DRAWN :25/11/2023 10:31:00

RECEIVED : 25/11/2023 10:32:48

REPORTED :25/11/2023 16:16:01

CLINICAL INFORMATION:

UID:12837484 REQNO-1609848

CORP-OPD

BILLNO-1501230PCR066691 BILLNO-1501230PCR066691

Test Report Status	Final	Results	Biological Reference Interval	Units

	BIOCHEMISTRY	37 - 1800 - 1800 - 1800 - 1800 - 1800 - 1800 - 1800 - 1800 - 1800 - 1800 - 1800 - 1800 - 1800 - 1800 - 1800 - 1	
LIVER FUNCTION PROFILE, SERUM		•••••••••••••••••••••••••••••••••••••••	
BILIRUBIN, TOTAL	0.84	0.2 - 1.0	mg/dL
METHOD : JENDRASSIK AND GROFF	0.00	0.0 0.3	mg/dL
BILIRUBIN, DIRECT	0.20	0.0 - 0.2	mg/ac
METHOD: JENDRASSIK AND GROFF BILIRUBIN, INDIRECT	0.64	0.1 - 1.0	mg/dL
METHOD : CALCULATED PARAMETER	100 m		nanas
TOTAL PROTEIN	7.6	6.4 - 8.2	g/dL
METHOD: BIURET	3.9	3.4 - 5.0	g/dL
ALBUMIN METHOD: BCP DYE BINDING	3.9	3.4 - 3.0	<i>3,</i>
GLOBULIN	3.7	2.0 - 4.1	g/dL
METHOD : CALCULATED PARAMETER			0.770
ALBUMIN/GLOBULIN RATIO	1.1	1.0 - 2.1	RATIO
METHOD : CALCULATED PARAMETER	25	15 - 37	U/L
ASPARTATE AMINOTRANSFERASE(AST/SGOT) METHOD: UV WITH P5P	25	13 3,	1811
ALANINE AMINOTRANSFERASE (ALT/SGPT)	31	< 34.0	U/L
METHOD : UV WITH PSP		Section 1988	1121
ALKALINE PHOSPHATASE	105	30 - 120	U/L
METHOD : PNPP-ANP	20	5 - 55	U/L
GAMMA GLUTAMYL TRANSFERASE (GGT) METHOD: GAMMA GLUTAMYLCARBOXY 4NITROANILIDE	20	5 33	100/ F 1000
LACTATE DEHYDROGENASE	199	81 - 234	U/L
METHOD : LACTATE -PYRUVATE			
GLUCOSE FASTING, FLUORIDE PLASMA		N	mg/dL
FBS (FASTING BLOOD SUGAR)	91	Normal : < 100 Pre-diabetes: 100-125	mg/uL

METHOD : HEXOKINASE

Month

Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) Consultant Pathologist Page 7 Of 16




Diabetes: >/=126



View Details

View Report



Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India

Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956









CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

REF. DOCTOR :

ACCESSION NO : 0022WK004809

: FH.12837484

CLIENT PATIENT ID: UID:12837484

ABHA NO

PATIENT ID

AGE/SEX :43 Years Female DRAWN :25/11/2023 10:31:00

RECEIVED : 25/11/2023 10:32:48

REPORTED :25/11/2023 16:16:01

CLINICAL INFORMATION:

UID:12837484 REQNO-1609848 CORP-OPD

BILLNO-1501230PCR066691 BILLNO-1501230PCR066691

Test Report Status

Final

Results

Biological Reference Interval

Units

KIDNEY PANEL - 1

BLOOD UREA NITROGEN (BUN), SERUM

GLOMERULAR FILTRATION RATE (FEMALE)

BLOOD UREA NITROGEN
METHOD: UREASE - UV

6

6 - 20

mg/dL

CREATININE EGFR- EPI

CREATININE

0.67

111.15

0.60 - 1.10

mg/dL

METHOD: ALKALINE PICRATE KINETIC JAFFES AGE

43

years

Refer Interpretation Below

mL/min/1.73m2

METHOD: CALCULATED PARAMETER

METHOD: CALCULATED PARAMETER

BUN/CREAT RATIO

BUN/CREAT RATIO

8.96

5.00 - 15.00

URIC ACID, SERUM

METHOD: URICASE UV

URIC ACID

4.0

2.6 - 6.0

mg/dL

TOTAL PROTEIN, SERUM

TOTAL PROTEIN METHOD : BIURET 7.6

6.4 - 8.2

g/dL

Kithatin

Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) Consultant Pathologist Page 8 Of 16







View Report



Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703

Maharashtra, India Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956









CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

REF. DOCTOR:

ACCESSION NO : 0022WK004809

PATIENT ID : FH.12837484 CLIENT PATIENT ID: UID: 12837484

ABHA NO

:43 Years Female AGE/SEX :25/11/2023 10:31:00 DRAWN

RECEIVED: 25/11/2023 10:32:48

REPORTED :25/11/2023 16:16:01

CLINICAL INFORMATION:

UID:12837484 REQNO-1609848

CORP-OPD

BILLNO-1501230PCR066691 BILL NO-1501230PCR066691

BILLINO-1501230PCR066691			
Test Report Status <u>Final</u>	Results	Biological Reference	Interval Units
ALBUMIN, SERUM			
ALBUMIN METHOD: BCP DYE BINDING	3.9	3.4 - 5.0	g/dL
GLOBULIN			
GLOBULIN METHOD: CALCULATED PARAMETER	3.7	2.0 - 4.1	g/dL
ELECTROLYTES (NA/K/CL), SERUM			
SODIUM, SERUM METHOD: ISE INDIRECT	139	136 - 145	mmol/L
POTASSIUM, SERUM METHOD: ISE INDIRECT	4.04	3.50 - 5.10	mmol/L
CHLORIDE, SERUM METHOD: ISE INDIRECT	105	98 - 107	mmol/L

Interpretation(s)

Interpretation(s)
LIVER FUNCTION PROFILE, SERUM-LIVER FUNCTION PROFILE, SERUMBilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give
yellow discoloration in joundice. Elevated levels results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg,
obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal joundice). Conjugated (direct) bilirubin is elevated more than unconjugated
(indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when
there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors &Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin
may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.



Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) **Consultant Pathologist**





Page 9 Of 16



Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India

Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956









Female

PATIENT NAME: MRS. VANDANA PANDEY

CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

REF. DOCTOR:

ACCESSION NO : 0022WK004809 PATIENT ID : FH.12837484

CLIENT PATIENT ID: UID:12837484

ABHA NO

AGE/SEX ·43 Years DRAWN :25/11/2023 10:31:00

RECEIVED: 25/11/2023 10:32:48

REPORTED :25/11/2023 16:16:01

CLINICAL INFORMATION:

UID:12837484 REQNO-1609848

CORP-OPD

BILLNO-1501230PCR066691 BILLNO-1501230PCR066691

Test Report Status

Final

Results

Biological Reference Interval

Units

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strengus activity. ALT test measures the amount of this enzyme in the blood.ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health.AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis obstruction of bile ducts, cirrhosis.

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Billary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Pagets disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilsons disease.

GGT is an enzyme found in cellular membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain

in Hypophosphatasia, Malnutrition, Protein deficiency, Wilsons disease.

GGT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliarry system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc.

Total Protein also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

Albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc GLUCOSE FASTING, FLUORIDE PLASMA-TEST DESCRIPTION

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and sothat no glucose is excreted in the

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and sothat no glucose is excreted in the

urine.

Increased in: Diabetes mellitus, Cushing's syndrome (10 – 15%), chronic pancreatitis (30%). Drugs:corticosteroids, phenytoin, estrogen, thiazides.

Decreased in: Pancreatic Islet cell disease with increased insulin insulinoma, adrenocortical insufficiency, hypopituitarism, diffuse liver disease, malignancy (adrenocortical, stomach, fibrosercoma), infant of a diabetic mother, enzyme deficiency diseases (e.g. galactosemia), Drugs-insulin, ethanol, propranolol; sulfonylureas, tofbutamide, and other oral hypoglycemic agents.

NOTE: While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within individuals. Thus, glycosylated hemoglobin (HbA1c) levels are favored to monitor glycemic control.

High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.

BLOOD UREA NITROGEN (BUN), SERUM-Causes of Increased levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism)

Causes of decreased level include Liver disease, SIADH.

CREATININE EGFR: EPI-- Kidney disease outcomes quality initiative (KDOQI) guidelines state that estimation of GFR is the best overall indices of the Kidney function.

- It gives a rough measure of number of functioning nephrons .Reduction in GFR implies progression of underlying disease.

- The GFR is a calculation based on serum creatinine test.

- Creatinine is mainly derived from the metabolism of creatine in muscle, and its generation is proportional to the total muscle mass. As a result, mean creatinine generation is higher in men than in women, in younger than in older individuals, and in blacks than in whites.

- Creatine is filtered from the blood by th

- When kidney function is compromised, excretion of creatinine decreases with a consequent increase in blood creatinine levels. With the creatinine test, a reasonable estimate of the actual GFR can be determined.
- This equation takes into account several factors that impact creatinine production, including age, gender, and race.

 CKD EPI (Chronic kidney disease epidemiology collaboration) equation performed better than MDRD equation especially when GFR is high(>60 ml/min per 1.73m2).. This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

National Kidney Foundation (NKF) and the American Society of Nephrology (ASN).

Estimated GFR Calculated Using the CKD-EPI equation-https://testguide.labmed.uw.edu/guideline/egfr
Ghuman JK, et al. Impact of Removing Race Variable on CKD Classification Using the Creatinine-Based 2021 CKD-EPI Equation. Kidney Med 2022, 4:100471. 35756325
Harrison's Principle of Internal Medicine, 21st ed. pg 62 and 334

URIC ACID, SERUM-Causes of Increased levels:-Dietary(High Protein Intake, Prolonged Fasting, Rapid weight loss), Gout, Lesch nyhan syndrome, Type 2 DM, Metabolic syndrome Causes of decreased levels-Low Zinc intake, OCP, Multiple Sclerosis

TOTAL PROTEIN, SERUM-is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin.

Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease.

(Kolatis

Dr. Akshav Dhotre, MD (Reg, no. MMC 2019/09/6377)

Consultant Pathologist





Page 10 Of 16

View Details

View Report

PERFORMED AT:

Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India

Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956









CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

REF. DOCTOR:

ACCESSION NO: 0022WK004809

PATIENT ID : FH.12837484 CLIENT PATIENT ID: UID:12837484

ABHA NO

AGE/SEX :43 Years Female :25/11/2023 10:31:00 DRAWN

RECEIVED : 25/11/2023 10:32:48

REPORTED :25/11/2023 16:16:01

CLINICAL INFORMATION:

UID:12837484 REQNO-1609848 CORP-OPD BILLNO-1501230PCR066691 BILLNO-1501230PCR066691

Test Report Status

Results

Biological Reference Interval

Units

Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic


Economic Reversion and Reversion and Reversion and Reversion Reputation and Reversion Reputation Re

Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) **Consultant Pathologist**



Page 11 Of 16

View Report



Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India

Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956









Female

PATIENT NAME: MRS. VANDANA PANDEY

CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

REF. DOCTOR :

ACCESSION NO: 0022WK004809 PATIENT ID : FH.12837484

CLIENT PATIENT ID: UID:12837484

ABHA NO

AGE/SEX :43 Years DRAWN

:25/11/2023 10:31:00

RECEIVED: 25/11/2023 10:32:48 REPORTED :25/11/2023 16:16:01

CLINICAL INFORMATION:

UID:12837484 REQNO-1609848 CORP-OPD BILLNO-1501230PCR066691 BILLNO-1501230PCR066691

Test Report Status

Final

METHOD: ENZYMATIC/COLORIMETRIC, CHOLESTEROL OXIDASE, ESTERASE, PEROXIDASE

Results

Biological Reference Interval

Units

BIOCHEMISTRY - LIPID

LIPID PROFILE, SERUM

CHOLESTEROL, TOTAL

METHOD: ENZYMATIC ASSAY HDL CHOLESTEROL

METHOD: DIRECT MEASURE - PEG LDL CHOLESTEROL, DIRECT

TRIGLYCERIDES

184

181 High

< 200 Desirable

mg/dL

mg/dL

200 - 239 Borderline High

>/= 240 High

< 150 Normal

150 - 199 Borderline High

200 - 499 High

>/=500 Very High

47

107

< 40 Low

mg/dL

>/=60 High

< 100 Optimal

mg/dL

100 - 129 Near or above

optimal

130 - 159 Borderline High

160 - 189 High >/= 190 Very High

METHOD: DIRECT MEASURE WITHOUT SAMPLE PRETREATMENT

NON HDL CHOLESTEROL

137 High

Desirable: Less than 130

Above Desirable: 130 - 159 Borderline High: 160 - 189

High: 190 - 219 Very high: > or = 220

METHOD: CALCULATED PARAMETER

VERY LOW DENSITY LIPOPROTEIN

36.2 High

</=30.0

mg/dL

mg/dL

METHOD: CALCULATED PARAMETER CHOL/HDL RATIO

3.9

3.3 - 4.4 Low Risk

4.5 - 7.0 Average Risk 7.1 - 11.0 Moderate Risk

> 11.0 High Risk

METHOD: CALCULATED PARAMETER

Dr. Akshay Dhotre, MD (Reg, no. MMC 2019/09/6377) **Consultant Pathologist**

Page 12 Of 16







Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703

Maharashtra, India Tel : 022-39199222,022-49723322, CIN - U74899PB1995PLC045956







REF. DOCTOR :



PATIENT NAME: MRS. VANDANA PANDEY

CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI, MUMBAI 440001 ACCESSION NO: 0022WK004809

PATIENT ID: FH.12837484

CLIENT PATIENT ID: UID:12837484

ABHA NO

AGE/SEX :43 Years Female
DRAWN :25/11/2023 10:31:00

RECEIVED : 25/11/2023 10:32:48 REPORTED :25/11/2023 16:16:01

CLINICAL INFORMATION:

UID:12837484 REQNO-1609848 CORP-OPD BILLNO-1501230PCR066691 BILLNO-1501230PCR066691

Test Report Status Final Results	Biological Reference Interval	Units
----------------------------------	-------------------------------	-------

LDL/HDL RATIO

2.3

0.5 - 3.0 Desirable/Low Risk 3.1 - 6.0 Borderline/Moderate Risk

>6.0 High Risk

METHOD: CALCULATED PARAMETER

Interpretation(s)

(ASSINTS)

Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) Consultant Pathologist

PERFORMED AT :

Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India Tel: 022-39199222,022-49723322,

Tel: 022-39199222,022-49723322 CIN - U74899PB1995PLC045956 Email: - Patient Ref. No. 22000000886952

Page 13 Of 16





View Details

=11 ~. SOUNDER:







CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

REF. DOCTOR:

ACCESSION NO : 0022WK004809 : FH.12837484 PATIENT ID

CLIENT PATIENT ID: UID:12837484

ABHA NO

AGE/SEX :43 Years Female :25/11/2023 10:31:00 DRAWN

RECEIVED: 25/11/2023 10:32:48 REPORTED :25/11/2023 16:16:01

CLINICAL INFORMATION:

UID:12837484 REQNO-1609848

CORP-OPD

BILLNO-1501230PCR066691 BILLNO-1501230PCR066691

Test Report Status

Final

Results

Biological Reference Interval

Units

CLINICAL PATH - URINALYSIS

KIDNEY PANEL - 1

PHYSICAL EXAMINATION, URINE

COLOR

PALE YELLOW

METHOD : PHYSICAL

APPEARANCE

SLIGHTLY HAZY

METHOD: VISUAL

CHEMICAL EXAMINATION, URINE

6.0

4.7 - 7.5

METHOD: REFLECTANCE SPECTROPHOTOMETRY- DOUBLE INDICATOR METHOD SPECIFIC GRAVITY

<=1.005

1.003 - 1.035

METHOD: REFLECTANCE SPECTROPHOTOMETRY (APPARENT PKA CHANGE OF PRETREATED POLYELECTROLYTES IN RELATION TO IONIC CONCENTRATION)

PROTEIN

NOT DETECTED

NOT DETECTED

METHOD: REFLECTANCE SPECTROPHOTOMETRY - PROTEIN-ERROR-OF-INDICATOR PRINCIPLE

GLUCOSE

NOT DETECTED NOT DETECTED

METHOD: REFLECTANCE SPECTROPHOTOMETRY, DOUBLE SEQUENTIAL ENZYME REACTION-GOD/POD

KETONES

NOT DETECTED

NOT DETECTED

METHOD: REFLECTANCE SPECTROPHOTOMETRY, ROTHERA'S PRINCIPLE

DETECTED (TRACE)

NOT DETECTED

METHOD: REFLECTANCE SPECTROPHOTOMETRY, PEROXIDASE LIKE ACTIVITY OF HAEMOGLOBIN

BILIRUBIN

NOT DETECTED

NOT DETECTED

METHOD: REFLECTANCE SPECTROPHOTOMETRY, DIAZOTIZATION-COUPLING OF BILIRUBIN WITH DIAZOTIZED SALT

UROBILINOGEN

NORMAL

NORMAL

METHOD: REFLECTANCE SPECTROPHOTOMETRY (MODIFIED EHRLICH REACTION)

NITRITE

NOT DETECTED

NOT DETECTED

METHOD: REFLECTANCE SPECTROPHOTOMETRY, CONVERSION OF NITRATE TO NITRITE LEUKOCYTE ESTERASE

NOT DETECTED

NOT DETECTED

METHOD: REFLECTANCE SPECTROPHOTOMETRY, ESTERASE HYDROLYSIS ACTIVITY

Dr. Akshay Dhotre, MD (Reg, no. MMC 2019/09/6377) **Consultant Pathologist**

Dr. Rekha Nair, MD (Reg No. MMC 2001/06/2354) Microbiologist



Page 14 Of 16

PERFORMED AT :

Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India

Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956







REF. DOCTOR :



PATIENT NAME: MRS.VANDANA PANDEY

CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI, MUMBAI 440001

ACCESSION NO : 0022WK004809 PATIENT ID : FH.12837484 CLIENT PATIENT ID: UID: 12837484

ABHA NO

AGE/SEX :43 Years Female :25/11/2023 10:31:00 DRAWN

RECEIVED: 25/11/2023 10:32:48 REPORTED :25/11/2023 16:16:01

CLINICAL INFORMATION:

UID:12837484 REQNO-1609848 CORP-OPD BILLNO-1501230PCR066691 BILLNO-1501230PCR066691

Test Report Status	Final	Results	Biological Reference Interval	Units

MICROSCOPIC EXAMINATION, URINE

/HPF DETECTED NOT DETECTED RED BLOOD CELLS (OCCASIONAL) METHOD: MICROSCOPIC EXAMINATION /HPF 0-5 2-3

PUS CELL (WBC'S) METHOD: MICROSCOPIC EXAMINATION 0-5 /HPF 10-15 EPITHELIAL CELLS

METHOD: MICROSCOPIC EXAMINATION NOT DETECTED

METHOD: MICROSCOPIC EXAMINATION NOT DETECTED CRYSTALS METHOD: MICROSCOPIC EXAMINATION

DETECTED NOT DETECTED BACTERIA METHOD: MICROSCOPIC EXAMINATION NOT DETECTED

NOT DETECTED YEAST METHOD: MICROSCOPIC EXAMINATION URINARY MICROSCOPIC EXAMINATION DONE ON URINARY REMARKS

CENTRIFUGED SEDIMENT.

Interpretation(s)

CASTS

Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) Consultant Pathologist

Dr. Rekha Nair, MD (Reg No. MMC 2001/06/2354) Microbiologist

Page 15 Of 16







Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India

Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956







REF. DOCTOR: PATIENT NAME: MRS. VANDANA PANDEY

CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

ACCESSION NO : 0022WK004809

PATTENT ID : FH.12837484 CLIENT PATIENT ID: UID:12837484

ABHA NO

:43 Years Female AGE/SEX :25/11/2023 10:31:00 DRAWN

RECEIVED: 25/11/2023 10:32:48 REPORTED :25/11/2023 16:16:01

CLINICAL INFORMATION:

UID:12837484 REQNO-1609848 CORP-OPD BILLNO-1501230PCR066691

BILLNO-1501230PCR066691

Test Report Status

Final

METHOD: ELECTROCHEMILUMINESCENCE IMMUNOASSAY, COMPETITIVE PRINCIPLE

METHOD: ELECTROCHEMILUMINESCENCE IMMUNOASSAY, COMPETITIVE PRINCIPLE

Results

Biological Reference Interval Units

SPECIALISED CHEMISTRY - HORMONE

THYROID PANEL, SERUM

TSH (ULTRASENSITIVE)

ТЗ

T4

121.0

10.58

4.610 High

Non-Pregnant Women

ng/dL

80.0 - 200.0 Pregnant Women

1st Trimester: 105.0 - 230.0 2nd Trimester: 129.0 - 262.0 3rd Trimester: 135.0 - 262.0

Non-Pregnant Women

µg/dL

5.10 - 14.10 Pregnant Women

1st Trimester: 7.33 - 14.80 2nd Trimester: 7.93 - 16.10 3rd Trimester: 6.95 - 15.70

Non Pregnant Women

µIU/mL

0.27 - 4.20

Pregnant Women (As per American Thyroid Association) 1st Trimester 0.100 - 2.500 2nd Trimester 0.200 - 3.000 3rd Trimester 0.300 - 3.000

METHOD: ELECTROCHEMILUMINESCENCE, SANDWICH IMMUNOASSAY

Interpretation(s)

End Of Report Please visit www.agilusdiagnostics.com for related Test Information for this accession

Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) Consultant Pathologist



Page 16 Of 16



Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956









CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

REF. DOCTOR :

ACCESSION NO : 0022WK004865 : FH.12837484

PATIENT ID CLIENT PATIENT ID: UID:12837484

ABHA NO

:43 Years AGE/SEX

DEAWN

Female

:25/11/2023 13:10:00

RECEIVED : 25/11/2023 13:11:00 REPORTED: 25/11/2023 15:09:37

CLINICAL INFORMATION:

UID:12837484 REQNO-1609848 CORP-OPD BILLNO-1501230PCR066691 BILLNO-1501230PCR066691

Test Report Status

METHOD : HEXOKINASE

Final

Results

Biological Reference Interval

Units

BIOCHEMISTRY

GLUCOSE, POST-PRANDIAL, PLASMA

PPBS(POST PRANDIAL BLOOD SUGAR)

104

70 - 140

mg/dL

Interpretation(s)
GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.Additional test HbA1c treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.Additional test HbA1c

End Of Report

Please visit www.agilusdiagnostics.com for related Test Information for this accession

KHAS

Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) Consultant Pathologist

Page 1 Of 1

PERFORMED AT :

Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India

Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956



J					&
11/25/2023 12:19:45 PM	axis, V-rate 50-99 <-0.04mV, II III aVF -0.04mV, II III aVF -0.04mV, II III aVF -1.010mV -0.010mV -0.	Ulagnosis VA	19		E 50~ 0.50-100 HZ W 100B
	leadsST <-0.0	VI VI		Ex	mm/mV Chest: 10.0 mm/mV
Female Female	73 . Sinus rhythm	avr avr	TA SALE	ave -	Speed: 25 mm/sec Limb: 10
43 Years	Rate 73 . Sil PR 129 QRSD 80 QT 362 QTC 399 AXIS P 55 QRS 56 T 2		H		Devi

Hiranandani Healthcare Pvt. Ltd.

Mini Sea Shore Road, Sector 10-A, Vashi, Navi Mumbai - 400703.

Board Line: 022 - 39199222 | Fax: 022 - 39133220 Emergency: 022 - 39199100 | Ambulance: 1255

For Appointment: 022 - 39199200 | Health Checkup: 022 - 39199300

www.fortishealthcare.com | vashi@fortishealthcare.com

CIN: U85100MH2005PTC 154823 GST IN: 27AABCH5894D1ZG PAN NO: AABCH5894D





DEPARTMENT OF RADIOLOGY

Date: 25/Nov/2023

Name: Mrs. Vandana Pandey Age | Sex: 43 YEAR(S) | Female

Order Station: FO-OPD

Bed Name:

UHID | Episode No : 12837484 | 67830/23/1501 Order No | Order Date: 1501/PN/OP/2311/140862 | 25-Nov-2023 Admitted On | Reporting Date : 25-Nov-2023 12:52:47

Order Doctor Name : Dr.SELF.

X-RAY-CHEST- PA

Findings:

Both lung fields are clear.

The cardiac shadow appears within normal limits.

Trachea and major bronchi appears normal.

Both costophrenic angles are well maintained.

Bony thorax are unremarkable.

DR. CHETAN KHADKE

M.D. (Radiologist)

Hiranandani Healthcare Pvt. Ltd.

Mini Sea Shore Road, Sector 10-A, Vashi, Navi Mumbai - 400703.

Board Line: 022 - 39199222 | Fax: 022 - 39133220 Emergency: 022 - 39199100 | Ambulance: 1255

For Appointment: 022 - 39199200 | Health Checkup: 022 - 39199300

www.fortishealthcare.com | vashi@fortishealthcare.com

CIN: U85100MH2005PTC 154823 GST IN: 27AABCH5894D1ZG PAN NO: AABCH5894D





Patient Name	1:	Vandana Pandey	Patient ID	1	4000-1-
Sex / Age	٠.		ratient ID	•	12837484
		F / 43Y 1M 17D	Accession No.	•	PHC.6991985
Modality	:	US	Scan DateTime	-	The second secon
IPID No	٠.	67930/22/4504	Scall Date Time		25-11-2023 12:05:25
<u> </u>		67830/23/1501	ReportDatetime	:	25-11-2023 13:50:36

USG - WHOLE ABDOMEN

LIVER is normal in size and echogenicity. No IHBR dilatation. No focal lesion is seen in liver. Portal vein appears normal in caliber.

GALL BLADDER is physiologically distended. Gall bladder reveals normal wall thickness. No evidence of calculi in gall bladder. No evidence of pericholecystic collection. CBD appears normal in caliber.

SPLEEN is normal in size and echogenicity.

BOTH KIDNEYS are normal in size and echogenicity. The central sinus complex is normal. No evidence of calculi/hydronephrosis.

Right kidney measures 9.8 x 3.7 cm.

Left kidney measures 10.8 x 3.6 cm.

PANCREAS: Head and body of pancreas is visualised and appears normal. Rest of the pancreas is obscured

URINARY BLADDER is normal in capacity and contour. Bladder wall is normal in thickness. No evidence of intravesical calculi.

UTERUS is normal in size, measuring 7.7 x 6.4 x 3.8 cm. Endometrium measures 6 mm in thickness.

Right ovary measures 3.1 x 2.0 cm.

Left ovary is obscured due bowel gas. However, adnexa is clear.

No evidence of ascites.

Impression:

No significant abnormality is detected.

DR. KUNAL NIGAM M.D. (Radiologist)

mananuam meanmeare PVT. LTG.

Mini Sea Shore Road, Sector 10-A, Vashi, Navi Mumbai - 400703.

Board Line: 022 - 39199222 | Fax: 022 - 39133220 Emergency: 022 - 39199100 | Ambulance: 1255

For Appointment: 022 - 39199200 | Health Checkup: 022 - 39199300

www.fortishealthcare.com | vashi@fortishealthcare.com

CIN: U85100MH2005PTC 154823 GST IN: 27AABCH5894D1ZG PAN NO: AABCH5894D





DEPARTMENT OF RADIOLOGY

Date: 25/Nov/2023

Name: Mrs. Vandana Pandey Age | Sex: 43 YEAR(S) | Female Order Station : FO-OPD

Bed Name :

UHID | Episode No : 12837484 | 67830/23/1501 Order No | Order Date: 1501/PN/OP/2311/140862 | 25-Nov-2023 Admitted On | Reporting Date : 25-Nov-2023 15:50:25

Order Doctor Name : Dr.SELF.

MAMMOGRAM - BOTH BREAST

Findings:

Bilateral film screen mammography was performed in cranio-caudal and mediolateral oblique views.

Both breasts are heterogeneously dense which may obscure small masses.

Right breast:

No evidence of any dominant mass, clusters of microcalcifications, nipple retraction, skin thickening or abnormal vascularity is seen in either breast.

Left breast:

No evidence of any dominant mass, clusters of microcalcifications, nipple retraction, skin thickening or abnormal vascularity is seen in either breast.

Few reactive appearing lymphnodes are seen in bilateral axilla.

IMPRESSION:

No significant abnormality detected. (BI-RADS category I).
 Suggested: USG correlation for any palpable abnormality.
 Normal-interval follow-up is recommended.

DR. KUNAL NIGAM M.D. (Radiologist)