



CID : 2300720695
Name : MR.KISHOR PARAD
Age / Gender : 51 Years / Male
Consulting Dr. : -
Reg. Location : Thane Kasarvadavali (Main Centre)

Collected : 07-Jan-2023 / 09:15
Reported : 07-Jan-2023 / 12:54

Use a QR Code Scanner
Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

CBC (Complete Blood Count), Blood

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
<u>RBC PARAMETERS</u>			
Haemoglobin	13.0	13.0-17.0 g/dL	Spectrophotometric
RBC	4.80	4.5-5.5 mil/cmm	Elect. Impedance
PCV	39.3	40-50 %	Measured
MCV	82	80-100 fl	Calculated
MCH	27.1	27-32 pg	Calculated
MCHC	33.1	31.5-34.5 g/dL	Calculated
RDW	15.8	11.6-14.0 %	Calculated
<u>WBC PARAMETERS</u>			
WBC Total Count	6200	4000-10000 /cmm	Elect. Impedance
<u>WBC DIFFERENTIAL AND ABSOLUTE COUNTS</u>			
Lymphocytes	49.0	20-40 %	
Absolute Lymphocytes	3038.0	1000-3000 /cmm	Calculated
Monocytes	3.5	2-10 %	
Absolute Monocytes	217.0	200-1000 /cmm	Calculated
Neutrophils	41.1	40-80 %	
Absolute Neutrophils	2548.2	2000-7000 /cmm	Calculated
Eosinophils	6.4	1-6 %	
Absolute Eosinophils	396.8	20-500 /cmm	Calculated
Basophils	0.0	0.1-2 %	
Absolute Basophils	0.0	20-100 /cmm	Calculated
Immature Leukocytes	-		
WBC Differential Count by Absorbance & Impedance method/Microscopy.			
<u>PLATELET PARAMETERS</u>			
Platelet Count	348000	150000-400000 /cmm	Elect. Impedance
MPV	8.2	6-11 fl	Calculated
PDW	13.5	11-18 %	Calculated



Use a QR Code Scanner
Application To Scan the Code

CID : 2300720695
Name : MR.KISHOR PARAD
Age / Gender : 51 Years / Male
Consulting Dr. : -
Reg. Location : Thane Kasarvadavali (Main Centre)

Collected : 07-Jan-2023 / 09:15
Reported : 07-Jan-2023 / 12:45

RBC MORPHOLOGY

Hypochromia -
Microcytosis -
Macrocytosis -
Anisocytosis -
Poikilocytosis -
Polychromasia -
Target Cells -
Basophilic Stippling -
Normoblasts -
Others Normocytic, Normochromic
WBC MORPHOLOGY -
PLATELET MORPHOLOGY -
COMMENT -

Specimen: EDTA Whole Blood

ESR, EDTA WB, EDTA WB-ESR 21 2-20 mm at 1 hr. Sedimentation

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***



J. Mujawar
Dr. IMRAN MUJAWAR
M.D (Path)
Pathologist



CID : 2300720695
Name : MR.KISHOR PARAD
Age / Gender : 51 Years / Male
Consulting Dr. : -
Reg. Location : Thane Kasarvadavali (Main Centre)

Collected : 07-Jan-2023 / 12:17
Reported : 07-Jan-2023 / 16:15

Use a QR Code Scanner
Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	103.6	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	110.1	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
Urine Sugar (Fasting)	Absent	Absent	
Urine Ketones (Fasting)	Absent	Absent	
Urine Sugar (PP)	Absent	Absent	
Urine Ketones (PP)	Absent	Absent	

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***



Amit Taori

Dr.AMIT TAORI
M.D (Path)
Pathologist



CID : 2300720695
Name : MR.KISHOR PARAD
Age / Gender : 51 Years / Male
Consulting Dr. : -
Reg. Location : Thane Kasarvadavali (Main Centre)

Collected : 07-Jan-2023 / 09:15
Reported : 07-Jan-2023 / 13:25

Use a QR Code Scanner
Application To Scan the Code

**MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO
KIDNEY FUNCTION TESTS**

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
BLOOD UREA, Serum	30.5	12.8-42.8 mg/dl	Urease & GLDH
BUN, Serum	14.2	6-20 mg/dl	Calculated
CREATININE, Serum	1.07	0.67-1.17 mg/dl	Enzymatic
eGFR, Serum	77	>60 ml/min/1.73sqm	Calculated
TOTAL PROTEINS, Serum	6.7	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.2	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.5	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.7	1 - 2	Calculated
URIC ACID, Serum	8.9	3.5-7.2 mg/dl	Uricase
PHOSPHORUS, Serum	2.9	2.7-4.5 mg/dl	Ammonium molybdate
CALCIUM, Serum	9.1	8.6-10.0 mg/dl	N-BAPTA
SODIUM, Serum	136	135-148 mmol/l	ISE
POTASSIUM, Serum	4.7	3.5-5.3 mmol/l	ISE
CHLORIDE, Serum	103	98-107 mmol/l	ISE

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***



Amit Taori

Dr.AMIT TAORI
M.D (Path)
Pathologist



Use a QR Code Scanner
Application To Scan the Code

CID : 2300720695
Name : MR.KISHOR PARAD

Age / Gender : 51 Years / Male

Consulting Dr. : -

Reg. Location : Thane Kasarvadavali (Main Centre)

Collected : 07-Jan-2023 / 09:15

Reported : 07-Jan-2023 / 13:19

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO
GLYCOSYLATED HEMOGLOBIN (HbA1c)

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
Glycosylated Hemoglobin (HbA1c), EDTA WB - CC	6.6	Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % Diabetic Level: >= 6.5 %	HPLC
Estimated Average Glucose (eAG), EDTA WB - CC	142.7	mg/dl	Calculated

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West

*** End Of Report ***



Amit Taori

Dr.AMIT TAORI
M.D (Path)
Pathologist



CID : 2300720695
Name : MR.KISHOR PARAD
Age / Gender : 51 Years / Male
Consulting Dr. : -
Reg. Location : Thane Kasarvadavali (Main Centre)

Use a QR Code Scanner
Application To Scan the Code
Collected : 07-Jan-2023 / 09:15
Reported : 07-Jan-2023 / 14:45

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO
PROSTATE SPECIFIC ANTIGEN (PSA)

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
TOTAL PSA, Serum	0.446	<4.0 ng/ml	CLIA

Kindly note change in Ref range and method w.e.f.11-07-2022



Use a QR Code Scanner
Application To Scan the Code

CID : 2300720695
Name : MR.KISHOR PARAD

Age / Gender : 51 Years / Male

Consulting Dr. : -

Reg. Location : Thane Kasarvadavali (Main Centre)

Collected : 07-Jan-2023 / 09:15

Reported : 07-Jan-2023 / 14:45

Clinical Significance:

- PSA is detected in the serum of males with normal, benign hyper-plastic, and malignant prostate tissue.
- Monitoring patients with a history of prostate cancer as an early indicator of recurrence and response to treatment.
- Prostate cancer screening 4.The percentage of Free PSA (FPSA) in serum is described as being significantly higher in patients with BPH than in patients with prostate cancer. 5.Calculation of % free PSA (ie. FPSA/TPSA x 100), has been suggested as way of improving the differentiation of BPH and Prostate cancer.

Interpretation:

Increased In- Prostate diseases,Cancer,Prostatitis, Benign prostatic hyperplasia, Prostatic ischemia, Acute urinary retention, Manipulations like Prostatic massage, Cystoscopy, Needle biopsy, Transurethral resection,Digital rectal examination, Radiation therapy, Indwelling catheter, Vigorous bicycle exercise, Drugs (e.g., testosterone), Physiologic fluctuations. Also found in small amounts in other cancers (sweat and salivary glands, breast, colon, lung, ovary) and in Skene glands of female urethra and in term placenta ,Acute renal failure, Acute myocardial infarction,

Decreased In- Ejaculation within 24-48 hours, Castration, Antiandrogen drugs (e.g., finasteride), Radiation therapy, Prostatectomy, PSA falls 17% in 3 days after lying in hospital, Artfactual (e.g., improper specimen collection; very high PSA levels).Finasteride (5- α ;-reductase inhibitor) reduces PSA by 50% after 6 months in men without cancer.

Reflex Tests: % FREE PSA , USG Prostate

Limitations:

- tPSA values determined on patient samples by different testing procedures cannot be directly compared with one another and could be the cause of erroneous medical interpretations. If there is a change in the tPSA assay procedure used while monitoring therapy, then the tPSA values obtained upon changing over to the new procedure must be confirmed by parallelmeasurements with both methods. Immediate PSA testing following digital rectal examination, ejaculation, prostatic massage, indwelling catheterization, ultrasonography and needle biopsy of prostate is not recommended as they falsely elevate levels.
- Patients who have been regularly exposed to animals or have received immunotherapy or diagnostic procedures utilizing immunoglobulins or immunoglobulin fragments may produce antibodies, e.g. HAMA, that interferes with immunoassays.
- PSA results should be interpreted in light of the total clinical presentation of the patient, including: symptoms, clinical history, data from additional tests, and other appropriate information.
- Serum PSA concentrations should not be interpreted as absolute evidence for the presence or absence of prostate cancer.

Reference:

- Wallach's Interpretation of diagnostic tests
- Total PSA Pack insert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab

*** End Of Report ***



Dr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab
Director



CID : 2300720695
Name : MR.KISHOR PARAD
Age / Gender : 51 Years / Male
Consulting Dr. : -
Reg. Location : Thane Kasarvadavali (Main Centre)

Collected : 07-Jan-2023 / 09:15
Reported : 07-Jan-2023 / 14:00

Use a QR Code Scanner
Application To Scan the Code

**MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO
URINE EXAMINATION REPORT**

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
<u>PHYSICAL EXAMINATION</u>			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	Acidic (5.0)	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.025	1.010-1.030	Chemical Indicator
Transparency	Slight hazy	Clear	-
Volume (ml)	20	-	-
<u>CHEMICAL EXAMINATION</u>			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
<u>MICROSCOPIC EXAMINATION</u>			
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	1-2		
Casts	Absent	Absent	
Crystals	Uric acid +	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	3-4	Less than 20/hpf	

Kindly correlate clinically.



Use a QR Code Scanner
Application To Scan the Code

CID : 2300720695
Name : MR.KISHOR PARAD

Age / Gender : 51 Years / Male

Consulting Dr. : -

Reg. Location : Thane Kasarvadavali (Main Centre)

Collected : 07-Jan-2023 / 09:15

Reported : 07-Jan-2023 / 14:00

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein:(1+ ~25 mg/dl, 2+ ~75 mg/dl, 3+ ~ 150 mg/dl, 4+ ~ 500 mg/dl)
- Glucose:(1+ ~ 50 mg/dl, 2+ ~100 mg/dl, 3+ ~300 mg/dl,4+ ~1000 mg/dl)
- Ketone:(1+ ~5 mg/dl, 2+ ~15 mg/dl, 3+ ~ 50 mg/dl, 4+ ~ 150 mg/dl)

Reference: Pack insert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West

*** End Of Report ***



Amit Taori

Dr.AMIT TAORI
M.D (Path)
Pathologist



Use a QR Code Scanner
Application To Scan the Code

CID : 2300720695
Name : MR.KISHOR PARAD

Age / Gender : 51 Years / Male

Consulting Dr. : -
Reg. Location : Thane Kasarvadavali (Main Centre)

Collected : 07-Jan-2023 / 09:15
Reported : 07-Jan-2023 / 13:25

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO
BLOOD GROUPING & Rh TYPING

<u>PARAMETER</u>	<u>RESULTS</u>
ABO GROUP	O
Rh TYPING	Positive

NOTE: Test performed by Semi- automated column agglutination technology (CAT)

Note : This Sample has also been tested for Bombay group/Bombay phenotype /Oh using anti-H lectin

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

References:

1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West

*** End Of Report ***



Amit Taori

Dr.AMIT TAORI
M.D (Path)
Pathologist



Use a QR Code Scanner
Application To Scan the Code

CID : 2300720695
Name : MR.KISHOR PARAD
Age / Gender : 51 Years / Male
Consulting Dr. : -
Reg. Location : Thane Kasarvadavali (Main Centre)

Collected : 07-Jan-2023 / 09:15
Reported : 07-Jan-2023 / 13:25

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO
LIPID PROFILE

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
CHOLESTEROL, Serum	130.1	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	175.2	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	31.9	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	98.2	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	63.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	35.2	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	4.1	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2.0	0-3.5 Ratio	Calculated

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***



Amit Taori

Dr.AMIT TAORI
M.D (Path)
Pathologist



CID : 2300720695
 Name : MR.KISHOR PARAD
 Age / Gender : 51 Years / Male
 Consulting Dr. : -
 Reg. Location : Thane Kasarvadavali (Main Centre)

Collected : 07-Jan-2023 / 09:15
 Reported : 07-Jan-2023 / 13:00

Use a QR Code Scanner
 Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO
THYROID FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
Free T3, Serum	4.2	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	15.1	11.5-22.7 pmol/L	ECLIA
sensitiveTSH, Serum	2.09	0.35-5.5 microIU/ml	ECLIA



Use a QR Code Scanner
Application To Scan the Code

CID : 2300720695
Name : MR.KISHOR PARAD
Age / Gender : 51 Years / Male
Consulting Dr. : -
Reg. Location : Thane Kasarvadavali (Main Centre)

Collected : 07-Jan-2023 / 09:15
Reported : 07-Jan-2023 / 13:00

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections,liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am , and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests:Anti thyroid Antibodies,USG Thyroid ,TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3.Tietz ,Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***



Amit Taori

Dr.AMIT TAORI
M.D (Path)
Pathologist



Use a QR Code Scanner
Application To Scan the Code

CID : 2300720695
Name : MR.KISHOR PARAD
Age / Gender : 51 Years / Male
Consulting Dr. : -
Reg. Location : Thane Kasarvadavali (Main Centre)

Collected : 07-Jan-2023 / 09:15
Reported : 07-Jan-2023 / 13:21

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO
LIVER FUNCTION TESTS

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
BILIRUBIN (TOTAL), Serum	0.37	0.1-1.2 mg/dl	Diazo
BILIRUBIN (DIRECT), Serum	0.15	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.22	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	6.7	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.2	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.5	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.7	1 - 2	Calculated
SGOT (AST), Serum	16.1	5-40 U/L	IFCC without pyridoxal phosphate activation
SGPT (ALT), Serum	16.2	5-45 U/L	IFCC without pyridoxal phosphate activation
GAMMA GT, Serum	25.6	3-60 U/L	IFCC
ALKALINE PHOSPHATASE, Serum	78.1	40-130 U/L	PNPP

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***



Amit Taori

Dr.AMIT TAORI
M.D (Path)
Pathologist

PHYSICAL EXAMINATION REPORT

Patient Name	Mrs Kishor Parad	Sex/Age	M / 51 yr
Date	07/01/2023	Location	KASARVADAVALI

History and Complaints

- HTN = 10 yrs on
- Hypocholesterolemia
- Father & Mother = HTN
- No nose / nose

- Telmiskind - AM-H
- Minipress XL (24)
- Rozolol XL
- Xitor (10)

EXAMINATION FINDINGS:

Height	172	Temp (0c):	} NAD
Weight	92	Skin:	
Blood Pressure	130/80	Nails:	
Pulse	70/min	Lymph Node:	

Systems :

Cardiovascular:	} NAD
Respiratory:	
Genitourinary:	
GI System:	
CNS:	

Impression:

↑ ESR = 21 , ↑ TG , low HDL
 ↑ FBS = 103.6 , HbA1c = 6.6 (Diabetic levels)
 ↑ Uric acid = 8.9
 Uric acid crystals in urine
 USG Abdo = mild fatty liver

ADVICE :

• Regular exercise & wt loss of 20 kgs
 • Avoid fried, fatty food & sweets & non veg diet.
 • Consult physician

CHIEF COMPLAINTS :

1)	Hypertension:	YES (10 yrs)
2)	IHD	} NO
3)	Arrhythmia	
4)	Diabetes Mellitus	
5)	Tuberculosis	
6)	Asthma	
7)	Pulmonary Disease	
8)	Thyroid/ Endocrine disorders	
9)	Nervous disorders	
10)	GI system	
11)	Genital urinary disorder	
12)	Rheumatic joint diseases or symptom	
13)	Blood disease or disorder	
14)	Cancer/lump growth/cyst	
15)	Congenital disease	
16)	Surgeries	

PERSONAL HISTORY:

1)	Alcohol	} occasionally
2)	Smoking	
3)	Diet	= mixed
4)	Medication	= Telmisartan 40mg - Minipress XL (2-5) - Revolol XL - x hrs (10)



Dr. Kavın H. Shah
M.B.B.S., D.CARD.

Date : 07/01/2025

CID :

Name : Mr. Kishor parad

Sex/Age : M / 51yr

EYE CHECK UP

Chief complaints : NIL

Systematic Diseases : Hypertension (10yr)

Past History : NIL

Unaided Vision : $\left\{ \begin{array}{l} \text{Rt Eye} = 6/36 \\ \text{Lt Eye} = 6/36 \end{array} \right.$

Aided Vision : $\left\{ \begin{array}{l} \text{Yes} \\ \text{Rt Eye} = 6/6 \\ \text{Lt Eye} = 6/6 \end{array} \right.$

Refraction : Yes

Colour Vision : Normal colour vision

Remarks : RE of Both Eyes
(corrected w spectacles)



Date:

To,
Suburban Diagnostics (India) Private Limited
Shop No.6, Fenkin Belleza, Ghodbunder Rd,
opp. M.K. Plaza, Kasarvadavali,
Thane, Maharashtra 400607

SUBJECT- TO WHOMSOEVER IT MAY CONCERN

Dear Sir/ Madam,

This is to inform you that I, Myself [✓]Mr/ Mrs/ Ms. KISHOR PARAD.
don't want to performed the following tests:

- 1) Stool RIm
- 2) _____
- 3) _____
- 4) _____
- 5) _____
- 6) _____

CID No. & Date : 2300720695 / 07.01.23

Corporate/ TPA/ Insurance Client Name : Areofemj Healthcare Limited

Thanking you.


Yours sincerely, 

(Mr/Mrs/Ms. KISHOR PARAD)



Patient Name: KISHOR PARAD
Patient ID: 2300720695

SUBURBAN DIAGNOSTICS - IHANE KASARAVADAVALLI
Date and Time: 7th Jan 23 10:28 AM



Age **51** 3 16
years months days

Gender **Male**

Heart Rate **58bpm**

Patient Vitals

BP: 130/80 mmHg

Weight: 92 kg

Height: 172 cm

Pulse: NA

Spo2: NA

Resp: NA

Others:

Measurements

QRSD: 86ms

QT: 420ms

QTc: 412ms

PR: 142ms

P-R-T: 50° 41° 19°

ECG Within Normal Limits: Sinus Bradycardia. Please correlate clinically.



REPORTED BY

[Signature]

Dr. Kavin Shah
MBBS, D.CARD
2009/103488

Disclaimer: (1) Analysis on this report is based on 12-lead ECG and should be used as an adjunct to clinical history, symptoms, and results of other invasive and non-invasive tests and must be interpreted by a qualified physician. (2) Printer's mark are observed by the clinician and not derived from the ECG.



CID : 2300720695
Name : Mr KISHOR PARAD
Age / Sex : 51 Years/Male
Ref. Dr :
Reg. Location : Thane Kasarvadavali Main Centre
Reg. Date : 07-Jan-2023
Reported : 07-Jan-2023 / 11:13

USG ABDOMEN AND PELVIS

LIVER:

Liver is normal in size and shows mild fatty infiltrations. There is no intra-hepatic biliary radical dilatation. No evidence of any focal lesion.

GALL BLADDER:

Gall bladder is distended and appears normal. Wall thickness is within normal limits. There is no evidence of any calculus.

PORTAL VEIN:

Portal vein is normal. CBD: CBD is normal.

PANCREAS:

Visualised pancreas appears normal in echotexture. There is no evidence of any focal lesion or calcification. Pancreatic duct is not dilated.

KIDNEYS:

Right kidney measures 10.9 x 4.3 cm. Left kidney measures cm. Both kidneys are normal in size, shape and echotexture. Corticomedullary differentiation is maintained. There is no evidence of any hydronephrosis, hydroureter or calculus.

SPLEEN:

Spleen is normal in size, shape and echotexture. No focal lesion is seen.

URINARY BLADDER:

Urinary bladder is distended and normal. Wall thickness is within normal limits.

PROSTATE:

Prostate is normal in size, echotexture and measures 3.0 x 3.2 x 3.4 cm in dimension and 17.9 cc in volume. No evidence of any focal lesion. Median lobe does not show significant hypertrophy.

No free fluid or significant lymphadenopathy is seen.

Click here to view images [http://3.111.232.119/iRISViewer/NeoradViewer?](http://3.111.232.119/iRISViewer/NeoradViewer?Access)
Access

sionNo=2023010709102474

Page no 1 of 2



Use a QR Code Scanner
Application To Scan the Code

CID : 2300720695
Name : Mr KISHOR PARAD
Age / Sex : 51 Years/Male
Ref. Dr :
Reg. Location : Thane Kasarvadavali Main Centre

Reg. Date : 07-Jan-2023
Reported : 07-Jan-2023 / 11:13

IMPRESSION:
MILD FATTY LIVER.

Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have inter-observer variations. Further/follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis.

-----End of Report-----

This report is prepared and physically checked by DR GAURAV FARTADE before dispatch.

G. R. Fartade

Dr.GAURAV FARTADE
MBBS, DMRE
Reg No -2014/04/1786
Consultant Radiologist

Click here to view images [http://3.111.232.119/iRISViewer/NeoradViewer?](http://3.111.232.119/iRISViewer/NeoradViewer?Access)
Access

sionNo=2023010709102474

Page no 2 of 2



CID : 2300720695
Name : Mr KISHOR PARAD
Age / Sex : 51 Years/Male
Ref. Dr :
Reg. Location : Thane Kasarvadavali Main Centre

Reg. Date : 07-Jan-2023
Reported : 07-Jan-2023 / 10:01

X-RAY CHEST PA VIEW

Both lung fields are clear.
Both costo-phrenic angles are clear.
The cardiac size and shape are within normal limits.
The domes of diaphragm are normal in position and outlines.
The skeleton under review appears normal.

IMPRESSION:
NO SIGNIFICANT ABNORMALITY IS DETECTED.

-----End of Report-----

This report is prepared and physically checked by DR GAURAV FARTADE before dispatch.

G. R. Fartade

Dr.GAURAV FARTADE
MBBS, DMRE
Reg No -2014/04/1786
Consultant Radiologist

Click here to view images <http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023010709102460>