





CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156


SRL Ltd
Ground floor 365/6, Aaj Ka Aanand building, Shivaji Nagar
PUNE, 411005
MAHARASHTRA, INDIA
Tel : 9111591115, Fax : 020 30251212
CIN - U74899PB1995PLC045956
Email : customercare.pune@srl.in

PATIENT NAME : RAJARAM T. SHIRKE PATIENT ID : RAJA				
ACCESSION NO :	0030WC006688	AGE: 46 Years SEX: Male	ABHA NO :	
DRAWN :		RECEIVED : 30/03/2023 08:15	REPORTED : 31/03/2023 14:43	
REFERRING DOCT	OR: SELF		CLIENT PATIENT ID:	

 Test Report Status
 Final
 Results
 Biological Reference Interval
 Units

MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

BLOOD COUNTS, EDTA WHOLE BLOOD				
HEMOGLOBIN (HB)	11.0	Low	13.0 - 17.0	g/dL
RED BLOOD CELL (RBC) COUNT METHOD : ELECTRICAL IMPEDANCE	5.28		4.5 - 5.5	mil/µL
WHITE BLOOD CELL (WBC) COUNT	7.30		4.0 - 10.0	thou/µL
METHOD : ELECTRICAL IMPEDANCE	,100		10 1010	
PLATELET COUNT	308		150 - 410	thou/µL
METHOD : ELECTRICAL IMPEDANCE				, p
RBC AND PLATELET INDICES				
HEMATOCRIT (PCV)	35.2	Low	40 - 50	%
METHOD : CALCULATED				
MEAN CORPUSCULAR VOLUME (MCV)	67.0	Low	83 - 101	fL
METHOD : CALCULATED				
MEAN CORPUSCULAR HEMOGLOBIN (MCH)	20.7	Low	27.0 - 32.0	pg
METHOD : CALCULATED				
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION (MCHC) METHOD : CALCULATED	31.2	Low	31.5 - 34.5	g/dL
RED CELL DISTRIBUTION WIDTH (RDW)	24.2	High	11.6 - 14.0	%
METHOD : CALCULATED				
MENTZER INDEX	12.7			
MEAN PLATELET VOLUME (MPV)	9.1		6.8 - 10.9	fL
METHOD : CELL COUNTER (CALCULATED)				
WBC DIFFERENTIAL COUNT				
NEUTROPHILS	70		40 - 80	%
METHOD : ELECTRICAL IMPEDANCE/MICROSCOPY				
LYMPHOCYTES	23		20 - 40	%
METHOD : ELECTRICAL IMPEDANCE/MICROSCOPY				
MONOCYTES	6		2 - 10	%
EOSINOPHILS	1		1 - 6	%
METHOD : ELECTRICAL IMPEDANCE/MICROSCOPY				
BASOPHILS	0		0 - 2	%
METHOD : ELECTRICAL IMPEDANCE/MICROSCOPY				
ABSOLUTE NEUTROPHIL COUNT	5.11		2.0 - 7.0	thou/µL
METHOD : CALCULATED				













CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd Ground floor 365/6, Aaj Ka Aanand building, Shivaji Nagar PUNE, 411005 MAHARASHTRA, INDIA Tel : 9111591115, Fax : 020 30251212 CIN - U74899PB1995PLC045956 Email : customercare.pune@srl.in

8800465156			9PB1995PLC045956 omercare.pune@srl.in	
PATIENT NAME: RAJARAM T. SHIRKE			PATIENT ID :	RAJAM01067630
ACCESSION NO : 0030WC006688 AGE : 40	6 Years SEX : Male		ABHA NO :	
DRAWN : RECEIVE	D: 30/03/2023 08:1	5	REPORTED : 31/03/2023	3 14:43
REFERRING DOCTOR : SELF			CLIENT PATIENT ID:	
Test Report Status <u>Final</u>	Results		Biological Reference Ir	iterval Units
ABSOLUTE LYMPHOCYTE COUNT METHOD : CALCULATED	1.68		1.0 - 3.0	thou/µL
ABSOLUTE MONOCYTE COUNT METHOD : CALCULATED	0.44		0.2 - 1.0	thou/µL
ABSOLUTE EOSINOPHIL COUNT METHOD : CALCULATED	0.15		0.02 - 0.50	thou/µL
ABSOLUTE BASOPHIL COUNT METHOD : CALCULATED	0.00	Low	0.02 - 0.10	thou/µL
NEUTROPHIL LYMPHOCYTE RATIO (NLR) METHOD : CALCULATED	3.0			
MORPHOLOGY				
REMARKS	RBC: ANISOCYT PENCIL CELL,MI		-), MICROCYTIC HYPOCHRC ROMASIA.	MIC (+), FEW
	WBCS: WBCS A	RE NORMAI	L IN NUMBER & MORPHOLO)GY.
	PLATELETS: ADE	EQUATE ON	PERIPHERAL SMEAR.	
ERYTHROCYTE SEDIMENTATION RATE (ESF BLOOD	R),WHOLE			
E.S.R	10		0 - 14	mm at 1 hr
METHOD : WESTERGREN METHOD				
GLYCOSYLATED HEMOGLOBIN(HBA1C), ED BLOOD	TA WHOLE			
HBA1C	4.9		Non-diabetic: < 5.7 Pre-diabetics: 5.7 - 6.4 Diabetics: > or = 6.5 Therapeutic goals: < 7.0 Action suggested : > 8.0 (ADA Guideline 2021)	%
METHOD : HPLC			, , , , , , , , , , , , , , , , , , ,	
ESTIMATED AVERAGE GLUCOSE(EAG)	93.9		< 116.0	mg/dL
GLUCOSE FASTING,FLUORIDE PLASMA				
FBS (FASTING BLOOD SUGAR)	110	High	74 - 99	mg/dL
METHOD : HEXOKINASE				
GLUCOSE, POST-PRANDIAL, PLASMA				
PPBS(POST PRANDIAL BLOOD SUGAR)	122		Normal: < 140, Impaired Glucose Toleran	mg/dL ce:140-

199

Diabetic > or = 200



Scan to View Details

80

METHOD : HEXOKINASE LIPID PROFILE, SERUM







CLIENT CODE : C000138362

CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd Ground floor 365/6, Aaj Ka Aanand building, Shivaji Nagar PUNE, 411005 MAHARASHTRA, INDIA Tel : 9111591115, Fax : 020 30251212 CIN - U74899PB1995PLC045956 Email : customercare.pune@srl.in

REPORTED :

PATIENT ID:

CLIENT PATIENT ID:

31/03/2023 14:43

PATIENT NAME : RAJARAM T. SHIRKE

ACCESSION NO : 0030WC006688 AGE : 46 Years SEX : Male ABHA NO :

DRAWN : RECEIVED : 30/03/2023 08:15

REFERRING DOCTOR : SELF

Test Report Status <u>Final</u>	Results	Biological Reference Interval Units
CHOLESTEROL, TOTAL	101	Desirable: <200 mg/dL BorderlineHigh : 200-239 High : > or = 240
TRIGLYCERIDES	85	Desirable: < 150 mg/dL Borderline High: 150 - 199 High: 200 - 499 Very High : > or = 500
METHOD : ENZYMATIC WITH GLYCEROL BLANK		
HDL CHOLESTEROL	26	Low < 40 Low mg/dL > or = 60 High
METHOD : DIRECT MEASURE - PEG		
CHOLESTEROL LDL	58	Adult levels: mg/dL Optimal < 100 Near optimal/above optimal: 100- 129 Borderline high : 130-159 High : 160-189 Very high : = 190
NON HDL CHOLESTEROL	75	Desirable: Less than 130 mg/dL Above Desirable: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very high: > or = 220
VERY LOW DENSITY LIPOPROTEIN	17.0	mg/dL
CHOL/HDL RATIO	3.9	
LDL/HDL RATIO	2.2	0.5 - 3.0 Desirable/Low Risk 3.1 - 6.0 Borderline/Moderate Risk >6.0 High Risk









CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

Test Report Status Final	Results	Biological Reference Interval Units	
REFERRING DOCTOR : SELF		CLIENT PATIENT ID :	
DRAWN :	RECEIVED : 30/03/2023 08:15	REPORTED : 31/03/2023 14:43	
ACCESSION NO : 0030WC006688	AGE: 46 Years SEX: Male	ABHA NO :	
PATIENT NAME : RAJARAM T. SH	IRKE	PATIENT ID : RAJAM01067630	
NEW DELHI 110030 MAHARASHTRA, INDIA DELHI 110030 Tel : 9111591115, Fax : 020 30251212 8800465156 CIN - U74899PB1995PLC045956 Email : customercare.pune@srl.in			

SRL Ltd

PUNE, 411005

Ground floor 365/6, Aaj Ka Aanand building, Shivaji Nagar

Interpretation(s)

1) Cholesterol levels help assess the patient risk status and to follow the progress of patient under treatment to lower serum cholesterol concentrations.

2) Serum Triglyceride (TG) are a type of fat and a major source of energy for the body. Both quantity and composition of the diet impact on plasma triglyceride concentrations. Elevations in TG levels are the result of overproduction and impaired clearance. High TG are associated with increased risk for CAD (Coronary artery disease) in patients with other risk factors, such as low HDL-C, some patient groups with elevated apolipoprotein B concentrations, and patients with forms of LDL that may be particularly atherogenic.

3)HDL-C plays a crucial role in the initial step of reverse cholesterol transport, this considered to be the primary atheroprotective function of HDL

4) LDL -C plays a key role in causing and influencing the progression of atherosclerosis and, in particular, coronary sclerosis. The majority of cholesterol stored in atherosclerotic plaques originates from LDL, thus LDL-C value is the most powerful clinical predictor.

5)Non HDL cholesterol: Non-HDL-C measures the cholesterol content of all atherogenic lipoproteins, including LDL hence it is a better marker of risk in both primary and secondary prevention studies. Non-HDL-C also covers, to some extent, the excess ASCVD risk imparted by the sdLDL, which is significantly more atherogenic than the normal large buoyant particles, an elevated non-HDL-C indirectly suggests greater proportion of the small, dense variety of LDL particles

Serum lipid profile is measured for cardiovascular risk prediction.Lipid Association of India recommends LDL-C as primary target and Non HDL-C as co-primary treatment target.

Risk Stratification for ASCVD (Atherosclerotic cardiovascular disease) by Lipid Association of India

Risk Category			
Extreme risk group	A.CAD with > 1 feature of high risk group		
	B. CAD with > 1 feature of Very high risk §	group or recurrent ACS (within 1 year) despite LDL-C	
	< or $=$ 50 mg/dl or polyvascular disease		
Very High Risk	1. Established ASCVD 2. Diabetes with 2 1	najor risk factors or evidence of end organ damage 3.	
	Familial Homozygous Hypercholesterolemi	a	
High Risk	1. Three major ASCVD risk factors. 2. Diabetes with 1 major risk factor or no evidence of end		
	organ damage. 3. CKD stage 3B or 4. 4. L	DL >190 mg/dl 5. Extreme of a single risk factor. 6.	
	Coronary Artery Calcium - CAC >300 AU.	7. Lipoprotein a $>= 50 \text{mg/dl}$ 8. Non stenotic carotid	
	plaque		
Moderate Risk	Moderate Risk 2 major ASCVD risk factors		
Low Risk	0-1 major ASCVD risk factors		
Major ASCVD (Atherosclerotic cardiovascular disease) Risk Factors			
1. Age $>$ or $=$ 45 years in males and $>$ or $=$ 55 years in females		3. Current Cigarette smoking or tobacco use	
2. Family history of premature ASCVD		4. High blood pressure	
5. Low HDL			
Lawsen tweatment coals and static initiation thresholds based on the wisk sates arise proposed by LAL in 2020			

Newer treatment goals and statin initiation thresholds based on the risk categories proposed by LAI in 2020.

Risk Group	Treatment Goals		Consider Drug Therapy		
	LDL-C (mg/dl)	Non-HDL (mg/dl)	LDL-C (mg/dl)	Non-HDL (mg/dl)	









CLIENT CODE : C000138362

CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd Ground floor 365/6, Aaj Ka Aanand building, Shivaj PUNE, 411005 MAHARASHTRA, INDIA	i Nagar
Tel : 9111591115, Fax : 020 30251212 CIN - U74899PB1995PLC045956	
Email : customercare.pune@srl.in	

PATIENT NAME : RAJARAM T. SHIRKE

ACCESSION NO : **0030WC006688** AGE : 46 Years SEX : Male ABHA NO : DRAWN : RECEIVED : 30/03/2023 08:15 REPORTED :

REFERRING DOCTOR : SELF

CLIENT PATIENT ID:

31/03/2023 14:43

PATIENT ID:

|--|

Extreme Risk Group	<50 (Optional goal	< 80 (Optional goal	>OR = 50	>OR = 80
Category A	< OR = 30)	< OR = 60)		
Extreme Risk Group	<or 30<="" =="" td=""><td><or 60<="" =="" td=""><td>> 30</td><td>>60</td></or></td></or>	<or 60<="" =="" td=""><td>> 30</td><td>>60</td></or>	> 30	>60
Category B				
Very High Risk	<50	<80	>OR= 50	>OR= 80
High Risk	<70	<100	>OR= 70	>OR=100
Moderate Risk	<100	<130	>OR=100	>OR=130
Low Risk	<100	<130	>OR=130*	>OR=160

*After an adequate non-pharmacological intervention for at least 3 months.

References: Management of Dyslipidaemia for the Prevention of Stroke: Clinical Practice Recommendations from the Lipid Association of India. Current Vascular Pharmacology, 2022, 20, 134-155.

LIVER FUNCTION PROFILE, SERUM

LIVER FORCHION PROFILE, SEROM				
BILIRUBIN, TOTAL	1.28	High	0.0 - 1.2	mg/dL
METHOD : DIAZONIUM ION, BLANKED (ROCHE)				
BILIRUBIN, DIRECT	0.48	High	0.0 - 0.2	mg/dL
METHOD : DIAZOTIZATION				
BILIRUBIN, INDIRECT	0.80		0.00 - 1.00	mg/dL
METHOD : CALCULATED PARAMETER				
TOTAL PROTEIN	7.8		6.4 - 8.3	g/dL
METHOD : BIURET, REAGENT BLANK, END POINT				
ALBUMIN	4.6		3.50 - 5.20	g/dL
METHOD : BROMOCRESOL GREEN (BCG)				
GLOBULIN	3.2		2.0 - 4.1	g/dL
METHOD : CALCULATED PARAMETER				
ALBUMIN/GLOBULIN RATIO	1.4		1.0 - 2.0	RATIO
METHOD : CALCULATED PARAMETER				
ASPARTATE AMINOTRANSFERASE (AST/SGOT)	14		UPTO 40	U/L
ALANINE AMINOTRANSFERASE (ALT/SGPT)	12		UP TO 45	U/L
ALKALINE PHOSPHATASE	74		40 - 129	U/L
METHOD : PNPP - AMP BUFFER				
GAMMA GLUTAMYL TRANSFERASE (GGT)	17		8 - 61	U/L
METHOD : GAMMA GLUTAMYL-3-CARBOXY-4-NITROANALIDE (IFCC)				
LACTATE DEHYDROGENASE	178		135 - 225	U/L
METHOD : LACTATE -PYRUVATE				
BLOOD UREA NITROGEN (BUN), SERUM				
BLOOD UREA NITROGEN	9		6 - 20	mg/dL
METHOD : UREASE COLORIMETRIC				

CREATININE, SERUM











CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd Ground floor 365/6, Aaj Ka Aanand building, Shivaji Nagar PUNE, 411005 MAHARASHTRA, INDIA Tel : 9111591115, Fax : 020 30251212 CIN - U74899PB1995PLC045956 Email : customercare.pune@srl.in

PATIENT NAME : RAJARAM T. SHIRKE PATIENT ID: RAJAM01067630 ACCESSION NO : 0030WC006688 AGE : 46 Years SEX : Male ABHA NO : REPORTED : RECEIVED : 30/03/2023 08:15 31/03/2023 14:43 DRAWN : CLIENT PATIENT ID:

REFERRING DOCTOR : SELF

Test Report Status <u>Final</u>	Results	Biological Reference Interval Units	
	2.22	0.70	<i>(</i>),
CREATININE METHOD : JAFFE'S ALKALINE PICRATE -IFCC IDMS STAN	0.83	0.70 - 1.20	mg/dL
BUN/CREAT RATIO	IDARDIZED		
BUN/CREAT RATIO	10.84	5.0 - 15.0	
	10.64	5.0 - 15.0	
URIC ACID, SERUM			
URIC ACID	6.0	3.5 - 7.2	mg/dL
METHOD : URICASE, COLORIMETRIC			
TOTAL PROTEIN, SERUM			
TOTAL PROTEIN	7.8	6.4 - 8.3	g/dL
METHOD : BIURET, REAGENT BLANK, END POINT			
ALBUMIN, SERUM			
ALBUMIN	4.6	3.5 - 5.2	g/dL
METHOD : BROMOCRESOL GREEN (BCG)			
GLOBULIN			
GLOBULIN	3.2	2.0 - 4.1	g/dL
METHOD : CALCULATED PARAMETER			
ELECTROLYTES (NA/K/CL), SERUM			
SODIUM, SERUM	138	137 - 145	mmol/L
METHOD : ISE INDIRECT			
POTASSIUM, SERUM	4.60	3.6 - 5.0	mmol/L
METHOD : ISE INDIRECT			
CHLORIDE, SERUM	104	98 - 107	mmol/L
METHOD : ISE INDIRECT			











CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd Ground floor 365/6, Aaj Ka Aanand building, Shivaji Nagar PUNE, 411005 MAHARASHTRA, INDIA Tel : 9111591115, Fax : 020 30251212 CIN - U74899PB1995PLC045956 Email in such an and an
Email : customercare.pune@srl.in

PATIENT NAME : RAJARAM T. SHIRKE

ACCESSION NO : 0030WC006688 AGE : 46 Years SEX : Male ABHA NO : RECEIVED : 30/03/2023 08:15 REPORTED : 31/03/2023 14:43 DRAWN : REFERRING DOCTOR : SELF CLIENT PATIENT ID:

Test Report Status	<u>Final</u>
--------------------	--------------

Results

Biological Reference Interval Units

PATIENT ID : RAJAM01067630

Interpretation(s)

Sodium	Potassium	Chloride
Decreased in:CCF, cirrhosis,	Decreased in: Low potassium	Decreased in: Vomiting, diarrhea,
vomiting, diarrhea, excessive	intake,prolonged vomiting or diarrhea,	renal failure combined with salt
sweating, salt-losing	RTA types I and II,	deprivation, over-treatment with
nephropathy, adrenal insufficiency,	hyperaldosteronism, Cushing's	diuretics, chronic respiratory acidosis
nephrotic syndrome, water	syndrome,osmotic diuresis (e.g.,	diabetic ketoacidosis, excessive
intoxication, SIADH. Drugs:	hyperglycemia),alkalosis, familial	sweating, SIADH, salt-losing
thiazides, diuretics, ACE inhibitors,	periodic paralysis,trauma	nephropathy, porphyria, expansion of
chlorpropamide, carbamazepine, anti	(transient).Drugs: Adrenergic agents,	extracellular fluid volume,
depressants (SSRI), antipsychotics.	diuretics.	adrenalinsufficiency,
		hyperaldosteronism, metabolic
		alkalosis. Drugs: chronic
		laxative,corticosteroids, diuretics.
Increased in: Dehydration	Increased in: Massive hemolysis,	Increased in: Renal failure, nephrotic
(excessivesweating, severe	severe tissue damage, rhabdomyolysis,	syndrome, RTA, dehydration,
vomiting or diarrhea),diabetes	acidosis, dehydration,renal failure,	overtreatment with
mellitus, diabetesinsipidus,	Addison's disease, RTA type IV,	saline, hyperparathyroidism, diabetes
hyperaldosteronism, inadequate	hyperkalemic familial periodic	insipidus, metabolic acidosis from
water intake. Drugs: steroids,	paralysis. Drugs: potassium salts,	diarrhea (Loss of HCO3-), respiratory
licorice, oral contraceptives.	potassium- sparing diuretics,NSAIDs,	alkalosis, hyperadrenocorticism.
	beta-blockers, ACE inhibitors, high-	Drugs: acetazolamide, and rogens,
	dose trimethoprim-sulfamethoxazole.	hydrochlorothiazide, salicylates.
Interferences: Severe lipemia or	Interferences: Hemolysis of sample,	Interferences:Test is helpful in
hyperproteinemi, if sodium analysis	delayed separation of serum,	assessing normal and increased anion
involves a dilution step can cause	prolonged fist clenching during blood	gap metabolic acidosis and in
spurious results. The serum sodium	drawing, and prolonged tourniquet	distinguishing hypercalcemia due to
falls about 1.6 mEq/L for each 100	placement. Very high WBC/PLT counts	hyperparathyroidism (high serum
mg/dL increase in blood glucose.	may cause spurious. Plasma potassium	chloride) from that due to malignancy
	levels are normal.	(Normal serum chloride)

PHYSICAL EXAMINATION, URINE

COLOR	PALE YELLOW	
APPEARANCE	CLEAR	
METHOD : DIPSTICK, MICROSCOPY		
CHEMICAL EXAMINATION, URINE		
PH	6.5	4.7 - 7.5
METHOD : DIPSTICK		
SPECIFIC GRAVITY	<=1.005	1.003 - 1.035
METHOD : DIPSTICK		
PROTEIN	NOT DETECTED	NOT DETECTED
METHOD : DIPSTICK		
GLUCOSE	NOT DETECTED	NOT DETECTED
METHOD : DIPSTICK		
KETONES	NOT DETECTED	NOT DETECTED
METHOD : DIPSTICK		
BLOOD	NOT DETECTED	NOT DETECTED
METHOD : DIPSTICK		











CLIENT CODE: C000138362

CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd Ground floor 365/6, Aaj Ka Aanand building, Shivaji Nagar PUNE, 411005 MAHARASHTRA, INDIA Tel : 9111591115, Fax : 020 30251212 CIN - U74899PB1995PLC045956 Email : customercare.pune@srl.in

ABHA NO :

REPORTED :

PATIENT ID:

CLIENT PATIENT ID:

31/03/2023 14:43

PATIENT NAME: RAJARAM T. SHIRKE

ACCESSION NO: 0030WC006688 AGE: 46 Years SEX: Male

DRAWN : RECEIVED : 30/03/2023 08:15

REFERRING DOCTOR : SELF

Test Report Status <u>Final</u>	Results	Biological Reference I	nterval Units
BILIRUBIN	NOT DETECTED	NOT DETECTED	
METHOD : DIPSTICK (DIAZOTISED DICHLOROANILINE)			
UROBILINOGEN	NORMAL	NORMAL	
METHOD : DIPSTICK			
NITRITE	NOT DETECTED	NOT DETECTED	
METHOD : DIPSTICK			
MICROSCOPIC EXAMINATION, URINE			
RED BLOOD CELLS	NOT DETECTED	NOT DETECTED	/HPF
METHOD : MICROSCOPIC EXAMINATION			
PUS CELL (WBC'S)	1-2	0-5	/HPF
METHOD : MICROSCOPIC EXAMINATION			
EPITHELIAL CELLS	0-1	0-5	/HPF
METHOD : MICROSCOPIC EXAMINATION			
CASTS	NOT DETECTED		
METHOD : MICROSCOPIC EXAMINATION			
CRYSTALS	NOT DETECTED		
METHOD : MICROSCOPIC EXAMINATION			
BACTERIA	NOT DETECTED	NOT DETECTED	
METHOD : MICROSCOPIC EXAMINATION			
REMARKS	URINE ANALYSIS : MICROSCOPIC EXAMINATION IS CARRIED OUT ON CENTRIFUGED URINARY SEDIMENT.		

Scan to View Details









CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

Test Report Status Final	Results	Biological Reference Interval Units
REFERRING DOCTOR : SELF		CLIENT PATIENT ID :
DRAWN :	RECEIVED : 30/03/2023 08:15	REPORTED : 31/03/2023 14:43
ACCESSION NO : 0030WC000	5688 AGE: 46 Years SEX: Male	ABHA NO :
PATIENT NAME : RAJARAM	T. SHIRKE	PATIENT ID : RAJAM01067630
NEW DELHI 110030 DELHI INDIA 8800465156	Tel : 91 CIN - U	&ASHTRA, INDIA 111591115, Fax : 020 30251212 J74899PB1995PLC045956 : customercare.pune@srl.in

SRL Ltd

PUNE, 411005

Ground floor 365/6, Aaj Ka Aanand building, Shivaji Nagar

Interpretation(s)

The following table describes the probable conditions, in which the analytes are present in urine

	Conditions
Proteins	Inflammation or immune illnesses
Pus (White Blood Cells)	Urinary tract infection, urinary tract or kidney stone, tumors or any kind of kidney impairment
Glucose	Diabetes or kidney disease
Ketones	Diabetic ketoacidosis (DKA), starvation or thirst
Urobilinogen	Liver disease such as hepatitis or cirrhosis
Blood	Renal or genital disorders/trauma
Bilirubin	Liver disease
Erythrocytes	Urological diseases (e.g. kidney and bladder cancer, urolithiasis), urinary tract infection and glomerular diseases
Leukocytes	Urinary tract infection, glomerulonephritis, interstitial nephritis either acute or chronic, polycystic kidney disease, urolithiasis, contamination by genital secretions
Epithelial cells	Urolithiasis, bladder carcinoma or hydronephrosis, ureteric stents or bladder catheters for prolonged periods of time
Granular Casts	Low intratubular pH, high urine osmolality and sodium concentration, interaction with Bence-Jones protein
Hyaline casts	Physical stress, fever, dehydration, acute congestive heart failure, renal diseases
Calcium oxalate	Metabolic stone disease, primary or secondary hyperoxaluria, intravenous infusion of large doses of vitamin C, the use of vasodilator naftidrofuryl oxalate or the gastrointestinal lipase inhibitor orlistat, ingestion of ethylene glycol or of star fruit (Averrhoa carambola) or its juice
Uric acid	arthritis
Bacteria	Urinary infectionwhen present in significant numbers & with pus cells.
Trichomonas vaginalis	Vaginitis, cervicitis or salpingitis
HYROID PANEL, SERUM	
3	88.95 58 - 159
	ROPARTICI E IMMUNOASSAY (CMIA)
METHOD : CHEMILUMINESCENT MIC	

 Image: Network State
 0.89
 4.87 - 11.71

 METHOD : CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY (CMIA)
 0.350 - 4.940

 TSH (ULTRASENSITIVE)
 1.448
 0.350 - 4.940

 METHOD : CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY (CMIA)
 1.448
 0.350 - 4.940





ng/dL

µg/dL

µIU/mL





CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

Test Report Status <u>F</u>	inal	Results	Biological Reference Interval Units	
REFERRING DOCTOR : SE	LF		CLIENT PATIENT ID:	
DRAWN :	RECEIVE	D: 30/03/2023 08:15	REPORTED : 31/03/2023 14:43	
ACCESSION NO : 0030W	C006688 AGE: 40	5 Years SEX : Male	ABHA NO :	
PATIENT NAME : RAJA	RAM T. SHIRKE		PATIENT ID : RAJAM01067630	
NEW DELHI 110030 DELHI INDIA 8800465156		Tel : 9 CIN -	RASHTRA, INDIA 9111591115, Fax : 020 30251212 U74899PB1995PLC045956 : customercare.pune@srl.in	

SRL Ltd

PUNE, 411005

Ground floor 365/6, Aaj Ka Aanand building, Shivaji Nagar

Interpretation(s)

Triiodothyronine T3, **Thyroxine T4**, and **Thyroid Stimulating Hormone TSH** are thyroid hormones which affect almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate.

Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH.

Excessive secretion of thyroxine in the body is hyperthyroidism, and deficient secretion is called hypothyroidism.

In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hyperthyroidism, TSH levels are low. Below mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3.Measurement of the serum TT3 level is a more sensitive test for the diagnosis of hyperthyroidism, and measurement of TT4 is more useful in the diagnosis of hypothyroidism.Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the circulating hormone is free and biologically active. It is advisable to detect Free T3, FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.

Sr. No.	TSH	Total T4	FT4	Total T3	Possible Conditions
1	High	Low	Low	Low	(1) Primary Hypothyroidism (2) Chronic autoimmune Thyroiditis (3)
	_				Post Thyroidectomy (4) Post Radio-Iodine treatment
2	High	Normal	Normal	Normal	(1)Subclinical Hypothyroidism (2) Patient with insufficient thyroid hormone replacement therapy (3) In cases of Autoimmune/Hashimoto thyroiditis (4). Isolated increase in TSH levels can be due to Subclinical inflammation, drugs like amphetamines, Iodine containing drug and dopamine antagonist e.g. domperidone and other physiological reasons.
3	Normal/Low	Low	Low	Low	(1) Secondary and Tertiary Hypothyroidism
4	Low	High	High	High	 (1) Primary Hyperthyroidism (Graves Disease) (2) Multinodular Goitre (3) Toxic Nodular Goitre (4) Thyroiditis (5) Over treatment of thyroid hormone (6) Drug effect e.g. Glucocorticoids, dopamine, T4 replacement therapy (7) First trimester of Pregnancy
5	Low	Normal	Normal	Normal	(1) Subclinical Hyperthyroidism
6	High	High	High	High	(1) TSH secreting pituitary adenoma (2) TRH secreting tumor
7	Low	Low	Low	Low	(1) Central Hypothyroidism (2) Euthyroid sick syndrome (3) Recent treatment for Hyperthyroidism
8	Normal/Low	Normal	Normal	High	(1) T3 thyrotoxicosis (2) Non-Thyroidal illness
9	Low	High	High	Normal	(1) T4 Ingestion (2) Thyroiditis (3) Interfering Anti TPO antibodies

REF: 1. TIETZ Fundamentals of Clinical chemistry 2.Guidlines of the American Thyroid association during pregnancy and Postpartum, 2011. **NOTE: It is advisable to detect Free T3,FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.**TSH is not affected by variation in thyroid - binding protein. TSH has a diurnal rhythm, with peaks at 2:00 - 4:00 a.m. And troughs at 5:00 - 6:00 p.m. With ultradian variations.

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD

ABO GROUP TYPE O
METHOD : TUBE AGGLUTINATION
RH TYPE POSITIVE
METHOD : TUBE AGGLUTINATION
XRAY-CHEST











CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd Ground floor 365/6, Aaj Ka Aanand building, Shivaji Nagar PUNE, 411005 MAHARASHTRA, INDIA Tel : 9111591115, Fax : 020 30251212 CIN - U74899PB1995PI C045956
CIN - U74899PB1995PLC045956
Email : customercare.pune@srl.in

PATIENT NAME : RAJARAM T. SHIRKE PATIENT ID : RAJAM01067630 ACCESSION NO : 0030WC006688 AGE : 46 Years SEX : Male ABHA NO : DRAWN : RECEIVED : 30/03/2023 08:15 REPORTED : 31/03/2023 14:43 REFERRING DOCTOR : SELF CLIENT PATIENT ID :

Test Report Status <u>Final</u>	Results	Biological Reference Interval Units	
IMPRESSION	NO ABNORMALITY DETECT	ED	
TMT OR ECHO	NEGATIVE		
ECG			
ECG	WITHIN NORMAL LIMITS		
MEDICAL HISTORY			
RELEVANT PRESENT HISTORY	NORMAL		
RELEVANT PAST HISTORY	NORMAL		
RELEVANT PERSONAL HISTORY	NORMAL		
RELEVANT FAMILY HISTORY	NORMAL		
OCCUPATIONAL HISTORY	NOT SIGNIFICANT		
HISTORY OF MEDICATIONS	NOT SIGNIFICANT		
ANTHROPOMETRIC DATA & BMI			
HEIGHT IN METERS	1.72	mts	
WEIGHT IN KGS.	78	Kgs	
BMI	26	BMI & Weight Status as follows: kg/sqmts Below 18.5: Underweight 18.5 - 24.9: Normal 25.0 - 29.9: Overweight 30.0 and Above: Obese	
GENERAL EXAMINATION			
MENTAL / EMOTIONAL STATE	NORMAL		
PHYSICAL ATTITUDE	NORMAL		
GENERAL APPEARANCE / NUTRITIONAL STATUS	OVERWEIGHT		
BUILT / SKELETAL FRAMEWORK	AVERAGE		
FACIAL APPEARANCE	NORMAL		
SKIN	NORMAL		
UPPER LIMB	NORMAL		
LOWER LIMB	NORMAL		
NECK	NORMAL		
NECK LYMPHATICS / SALIVARY GLANDS	NOT ENLARGED OR TENDE	R	
THYROID GLAND	NOT ENLARGED		
CAROTID PULSATION	NORMAL		
TEMPERATURE	NORMAL		
PULSE		RIPHERAL PULSES WELL FELT, NO CAROTID	











CLIENT CODE : C000138362

CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd
Ground floor 365/6, Aaj Ka Aanand building, Shivaji Nagar
PUNE, 411005
MAHARASHTRA, INDIA
Tel : 9111591115, Fax : 020 30251212
CIN - U74899PB1995PLC045956
Email : customercare.pune@srl.in

ABHA NO :

REPORTED :

PATIENT ID:

CLIENT PATTENT ID ·

31/03/2023 14:43

PATIENT NAME : RAJARAM T. SHIRKE ACCESSION NO : 0030WC006688 AGE : 46 Years SEX : Male

DRAWN : RECEIVED : 30/03/2023 08:15

REFERRING DOCTOR : SELF

REFERRING DOCTOR: SELF CLIENT PATIENT ID :		CLIENT PATIENT ID :
Test Report Status <u>Final</u>	Results	Biological Reference Interval Units
RESPIRATORY RATE	NORMAL	
CARDIOVASCULAR SYSTEM		
BP	126/78 MM HG (SITTING)	mm/Hg
PERICARDIUM	NORMAL	
APEX BEAT	NORMAL	
HEART SOUNDS	S1, S2 HEARD NORMALLY	
MURMURS	ABSENT	
RESPIRATORY SYSTEM		
SIZE AND SHAPE OF CHEST	NORMAL	
MOVEMENTS OF CHEST	SYMMETRICAL	
BREATH SOUNDS INTENSITY	NORMAL	
BREATH SOUNDS QUALITY	VESICULAR (NORMAL)	
ADDED SOUNDS	ABSENT	
PER ABDOMEN		
APPEARANCE	NORMAL	
VENOUS PROMINENCE	ABSENT	
LIVER	NOT PALPABLE	
SPLEEN	NOT PALPABLE	
HERNIA	ABSENT	
CENTRAL NERVOUS SYSTEM		
HIGHER FUNCTIONS	NORMAL	
CRANIAL NERVES	NORMAL	
CEREBELLAR FUNCTIONS	NORMAL	
SENSORY SYSTEM	NORMAL	
MOTOR SYSTEM	NORMAL	
REFLEXES	NORMAL	
MUSCULOSKELETAL SYSTEM		
SPINE	NORMAL	
JOINTS	NORMAL	
BASIC EYE EXAMINATION		
CONJUNCTIVA	NORMAL	
EYELIDS	NORMAL	
EYE MOVEMENTS	NORMAL	











CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd
Ground floor 365/6, Aaj Ka Aanand building, Shivaji Nagar
PUNE, 411005
MAHARASHTRA, INDIA
Tel : 9111591115, Fax : 020 30251212
CIN - U74899PB1995PLC045956
Email : customercare.pune@srl.in

PATIENT NAME : RAJARAM T. SHIRKE PATIENT ID: RAJAM01067630 ACCESSION NO: 0030WC006688 AGE : 46 Years SEX: Male ABHA NO : DRAWN: RECEIVED : 30/03/2023 08:15 **REPORTED** : 31/03/2023 14:43 REFERRING DOCTOR : SELF CLIENT PATIENT ID : Test Report Status Results Biological Reference Interval Units **Final** CORNEA NORMAL DISTANT VISION RIGHT EYE WITHOUT GLASSES **DISTANT VISION 6/9** DISTANT VISION LEFT EYE WITHOUT GLASSES **DISTANT VISION 6/9** NEAR VISION RIGHT EYE WITHOUT GLASSES **NEAR VISION N 24** NEAR VISION LEFT EYE WITHOUT GLASSES **NEAR VISION N 24** COLOUR VISION NORMAL **BASIC ENT EXAMINATION** EXTERNAL EAR CANAL NORMAL TYMPANIC MEMBRANE NORMAL NOSE NO ABNORMALITY DETECTED SINUSES NORMAL THROAT NORMAL TONSILS NOT ENLARGED SUMMARY RELEVANT HISTORY NOT SIGNIFICANT

NOT SIGNIFICANT

RELEVANT HISTORY RELEVANT GP EXAMINATION FINDINGS RELEVANT LAB INVESTIGATIONS

RELEVANT NON PATHOLOGY DIAGNOSTICS REMARKS / RECOMMENDATIONS LOW HAEMOGLOBIN - 11.0 g/dL FASTING BLOOD SUGAR LEVEL RAISED - 110 MG/DL HDL CHOLESTEROL LOW (26 mg/dL) TOTAL BILLIRUBIN RAISED - 1.28 MG/DL DIRECT BILLIRUBIN RAISED - 0.48 MG/DL NO ABNORMALITIES DETECTED

ADV. TAKE SUPPLEMENTS OF IRON, B12 AND FOLIC ACID REDUCE INTAKE OF SWEETS, SUGAR & STARCH IN DIET. DO FASTING & POST PRANDIAL BLOOD SUGAR LEVEL AFTER 1 MONTH INCREASE UNSATURATED FATS IN DIET. REDUCE FRIED & OILY FOOD IN DIET, REPEAT BILIRUBIN AFTER 15 DAYS. FOLLOW UP WITH GASTROENTEROLOGIST. FOLLOW UP WITH EYE SPECIALIST

FITNESS STATUS

FIT (WITH MEDICAL ADVICE) (AS PER REQUESTED PANEL OF TESTS)









CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

Ground floor 365/6, Aaj Ka Aanand building, Shivaji Nagar PUNE, 411005 MAHARASHTRA, INDIA Tel : 9111591115, Fax : 020 30251212 CIN - U74899PB1995PLC045956 Email : customercare.pune@srl.in
--

PATIENT NAME : RAJARAM	I. SHIRKE	PATIENT ID : RAJAM01067630
ACCESSION NO : 0030WC006	688 AGE : 46 Years SEX : Male	ABHA NO :
DRAWN :	RECEIVED : 30/03/2023 08:15	REPORTED : 31/03/2023 14:43
REFERRING DOCTOR : SELF		CLIENT PATIENT ID :
Test Report Status <u>Final</u>	Results	Biological Reference Interval Units

Comments

OUR DOCTORS ON PANEL FOR NON-PATHOLOGICAL REPORTS:

1. DR. JIGNESH PARIKH: DNB (CARDIOLOGY), N.B.E

(CONSULTANT CARDIOLOGIST)

2. DR.SANJAY JOSHI, D M R D, DNB - RADIOLOGIST

3. DR. SUCHARITA PARANJPE, MBBS, FCPS (OPHTHALMOLOGY) 4. DR. (MRS.) MANJUSHA PRABHUNE - GYNAECOLOGIST.

5. DR. (MRS.) NIMKAR - GYNAECOLOGIST.

This report bears the signature of the in-charge of the facility. Panel doctors are responsible for the results/reports of their individual specialty.

Interpretation(s)

BLOOD COUNTS, EDTA WHOLE BLOOD-The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology. RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13)

from Beta thalassaemia trait (<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.

WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR = 3.4, 46.1% COVID-19 patients with mild disease might become severe. 3.3, COVID-19 patients tend to show mild disease.

Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients A.-P. Yang, et al. International Immunopharmacology 84 (2020) 106504 EXTIRCOCYTE SEDIMENTATION RATE (ESR), WHOLE BLOOD-**TEST DESCRIPTION** :-Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall

(sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition.CRP is superior to ESR because it is more sensitive and reflects a more rapid change. TEST INTERPRETATION

Increase in: Infections, Vasculities, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy,

Estrogen medication, Aging. Finding a very accelerated ESR(>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias, Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis). In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum.

Decreased in: Polycythermia vera, Sickle cell anemia

LIMITATIONS

False elevated ESR : Increased fibrinogen, Drugs(Vitamin A, Dextran etc), Hypercholesterolemia

False Decreased : Poikilocytosis, (SickleCells, spherocytes), Microcytosis, Low fibrinogen, Very high WBC counts, Drugs (Quinine,

salicylates)

REFERENCE :

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin 3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis,10th edition. GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD-Used For:

1. Evaluating the long-term control of blood glucose concentrations in diabetic patients.









CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd
Ground floor 365/6, Aaj Ka Aanand building, Shivaji Nagar
PUNE, 411005
MAHARASHTRA, INDIA
Tel : 9111591115, Fax : 020 30251212
CIN - U74899PB1995PLC045956
Email : customercare.pune@srl.in

Test Report Status Final	Results	Biological Reference Interval Units
REFERRING DOCTOR : SELF		CLIENT PATIENT ID :
DRAWN :	RECEIVED : 30/03/2023 08:15	REPORTED : 31/03/2023 14:43
ACCESSION NO : 0030WC006688	AGE: 46 Years SEX: Male	ABHA NO :
PATIENT NAME : RAJARAM T. SH	IRKE	PATIENT ID : RAJAM01067630

2. Diagnosing diabetes.

3. Identifying patients at increased risk for diabetes (prediabetes). The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patients metabolic control has remained continuously within the target range.

AG (Estimated average glucose) converts percentage HbA1c to md/dl, to compare blood glucose levels.
 eAG gives an evaluation of blood glucose levels for the last couple of months.
 eAG is calculated as eAG (mg/dl) = 28.7 * HbA1c - 46.7

HbA1c Estimation can get affected due to :

1. Shortened Erythrocyte survival : Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss, hemolytic anemia) will falsely lower HbA1c test results. Fructosamine is recommended in these patients which indicates diabetes control over 15 days.

2.Vitamin C & E are reported to falsely lower test results.(possibly by inhibiting glycation of hemoglobin.

3. Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, uremia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates addiction are reported to interfere with some assay methods, falsely increasing results.

4. Interference of hemoglobinopathies in HbA1c estimation is seen in

a) Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c.
 b) Heterozygous state detected (D10 is corrected for HbS & HbC trait.)

c) HbF > 25% on alternate paltform (Boronate affinity chromatography) is recommended for testing of HbA1c. Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy GLUCOSE FASTING,FLUORIDE PLASMA-**TEST DESCRIPTION**

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and sothat no glucose is excreted in the urine.

Increased in: Diabetes mellitus, Cushing's syndrome (10 - 15%), chronic pancreatitis (30%). Drugs: corticosteroids, phenytoin, estrogen, thiazides.

Decreased in :Pancreatic islet cell disease with increased insulin,insulinome particulars (or). If using second constraint, for the sease, malignancy(adrenocortical, stomach, fibrosarcoma), infant of a diabetic mother, enzyme deficiency diseases(e.g.galactosemia), Drugs-insulin, ethanol, propranolol

sulfonylureas,tolbutamide, and other oral hypoglycemic agents.

NOTE: While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within individuals. Thus, glycosylated hemoglobin(HbA1c) levels are favored to monitor glycemic control.

High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.

GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.Additional test HbA1c LIVER FUNCTION PROFILE, SERUM-

Bilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. Elevated levels results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, (undirect) bilirubin in Viral hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elsevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors &Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity. ALT test measures the amount of this enzyme in the blood.ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health.AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Pagets disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilsons disease. GGT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain

and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc.

Total Protein also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease.Lower-than-normal levels may be due to: Agammaglobulinemia,Bleeding (hemorrhage),Burns,Glomerulonephritis,Liver disease, Malabsorption,Malnutrition,Nephrotic syndrome,Protein-losing enteropathy etc.

Albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by:Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc

BLODD UREA NITROGEN (BUN), SERUM-Causes of Increased levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism) Causes of decreased level include Liver disease, SIADH.

CREATININE, SERUM-Higher than normal level may be due to: • Blockage in the urinary tract, Kidney problems, such as kidney damage or failure, infection, or reduced blood flow, Loss of body fluid (dehydration), Muscle problems, such



Scan to View Details







CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd
Ground floor 365/6, Aaj Ka Aanand building, Shivaji Nagar
PUNE, 411005
MAHARASHTRA, INDIA
Tel : 9111591115, Fax : 020 30251212
CIN - U74899PB1995PLC045956
Email : customercare.pune@srl.in

REFERRING DOCTOR : SELF		CLIENT PATIENT ID :
DRAWN :	RECEIVED : 30/03/2023 08:15	REPORTED : 31/03/2023 14:43
ACCESSION NO : 0030WC00	6688 AGE: 46 Years SEX : Male	ABHA NO :
PATIENT NAME : RAJARAM	I T. SHIRKE	PATIENT ID : RAJAM01067630

as breakdown of muscle fibers, Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia) Lower than normal level may be due to:

Mvasthenia Gravis, Muscuophy

URIC ACID, SERUM-Causes of Increased levels:-Dietary(High Protein Intake, Prolonged Fasting, Rapid weight loss), Gout, Lesch nyhan syndrome, Type 2 DM, Metabolic syndrome **Causes of decreased levels**-Low Zinc intake, OCP, Multiple Sclerosis TOTAL PROTEIN, SERUM-is a biochemical test for measuring the total amount of protein in serum.Protein in the plasma is made up of albumin and globulin.

Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage),Burns,Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome,Protein-losing enteropathy etc.

ALBUMIN, SERUM-

Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance,malnutrition and wasting etc.

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same.

The test is performed by both forward as well as reverse grouping methods.

MEDICAL THIS REPORT CARRIES THE SIGNATURE OF OUR LABORATORY DIRECTOR. THIS IS AN INVIOLABLE FEATURE OF OUR LAB MANAGEMENT SOFTWARE. HOWEVER, ALL EXAMINATIONS AND INVESTIGATIONS HAVE BEEN CONDUCTED BY OUR PANEL OF DOCTORS.

FITNESS STATUS-Conclusion on an individual's Fitness, which is commented upon mainly for Pre employment cases, is based on multi factorial findings and does not depend on any one single parameter. The final Fitness assigned to a candidate will depend on the Physician's findings and overall judgement on a case to case basis, details of the candidate's past and personal history as well as the comprehensiveness of the diagnostic panel which has been requested for . These are then further correlated with details of the job under consideration to eventually fit the right man to the right job. Basis the above, SRL classifies a candidate's Fitness Status into one of the following categories:

• Fit (As per requested panel of tests) - SRL Limited gives the individual a clean chit to join the organization, on the basis of the General Physical Examination and the specific test panel requested for.

Fit (with medical advice) (As per requested panel of tests) - This indicates that although the candidate can be declared as FIT to join the job, minimal problems have been detected during the Pre- employment examination. Examples of conditions which could fall in this category could be cases of mild reversible medical abnormalities such as height weight disproportions, borderline raised Blood Pressure readings, mildly raised Blood sugar and Blood Lipid levels, Hematuria, etc. Most of these relate to sedentary Iffestyles and come under the broad category of life style disorders. The idea is to caution an individual to bring about certain lifestyle changes as well as seek a Physician^{IIII}'s consultation and counseling in order to bring back to normal the mildly deranged parameters. For all purposes the individual is FIT to join the job.
 Fitness on Hold (Temporary Unfit) (As per requested panel of tests) - Candidate's reports are kept on hold when either the diagnostic tests or the physical findings reveal

the presence of a medical condition which warrants further tests, counseling and/or specialist opinion, on the basis of which a candidate can either be placed into Fit, Fit (With Medical Advice), or Unfit category. Conditions which may fall into this category could be high blood pressure, abnormal ECG, heart murmurs, abnormal vision, grossly elevated blood sugars, etc.

• Unfit (As per requested panel of tests) - An unfit report by SRL Limited clearly indicates that the individual is not suitable for the respective job profile e.g. total color blindness in color related jobs









CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd
Ground floor 365/6, Aaj Ka Aanand building, Shivaji Nagar
PUNE, 411005
MAHARASHTRA, INDIA
Tel : 9111591115, Fax : 020 30251212
CIN - U74899PB1995PLC045956
Email : customercare.pune@srl.in

Test Report Status Fi	nal Result	5	Units
REFERRING DOCTOR : SEL	F	CLIEN	IT PATIENT ID:
DRAWN :	RECEIVED : 30/03/2023	8 08:15 REPORTED :	31/03/2023 14:43
ACCESSION NO : 0030W0	C006688 AGE : 46 Years SEX	: Male ABHA NO :	
PATIENT NAME : RAJAR	AM T. SHIRKE	P/	ATIENT ID : RAJAM01067630

MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

ULTRASOUND ABDOMEN ULTRASOUND ABDOMEN LIVER: Grade I changes of fatty liver are noted.

SPLEEN: Mild to moderate spleenomegaly. Spleen measures 146 mm.

Clinical correlation.

End Of Report Please visit www.srlworld.com for related Test Information for this accession

Dr.Swati Pravin Mulani, MD Pathology Lab Head









CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELH 88004

Test Report Status <u>Final</u>	Results	Units	
REFERRING DOCTOR : SELF		CLIENT PATIENT ID :	
DRAWN :	RECEIVED : 30/03/2023 08:15	REPORTED : 31/03/2023 14:43	
ACCESSION NO : 0030WC006688	AGE : 46 Years SEX : Male	ABHA NO :	
PATIENT NAME : RAJARAM T. SH	IRKE	PATIENT ID : RAJAM01067630	
F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156	Ground floor 365/6, Aaj Ka Aanand building, Shivaji Nagar PUNE, 411005 MAHARASHTRA, INDIA Tel : 9111591115, Fax : 020 30251212 CIN - U74899PB1995PLC045956 Email : customercare.pune@srl.in		

SRL Ltd

CONDITIONS OF LABORATORY TESTING & REPORTING	
 It is presumed that the test sample belongs to the patient named or identified in the test requisition form. All tests are performed and reported as per the turnaround time stated in the SRL Directory of Services. Result delays could occur due to unforeseen circumstances such as non-availability of kits / equipment breakdown / natural calamities / technical downtime or any other unforeseen event. A requested test might not be performed if: Specimen received is insufficient or inappropriate Specimen quality is unsatisfactory Incorrect specimen type Discrepancy between identification on specimen container label and test requisition form 	 SRL confirms that all tests have been performed or assayed with highest quality standards, clinical safety & technical integrity. Laboratory results should not be interpreted in isolation; it must be correlated with clinical information and be interpreted by registered medical practitioners only to determine final diagnosis. Test results may vary based on time of collection, physiological condition of the patient, current medication or nutritional and dietary changes. Please consult your doctor or call us for any clarification. Test results cannot be used for Medico legal purposes. In case of queries please call customer care (91115 91115) within 48 hours of the report.
	SRL Limited Fortis Hospital, Sector 62, Phase VIII, Mohali 160062



