


NAME : <b>Mrs. SANDHYA K S</b>	MR NO. : 22051105
AGE/SEX : 46 Yrs / Female	VISIT NO. : 155707
REFERRED BY :	DATE OF COLLECTION : 28-05-2022 at 09:17 AM
	DATE OF REPORT : 28-05-2022 at 01:06 PM
REF CENTER : MEDIWHEEL	


TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
----------------	--------	-----------------	----------

### MEDIWHEEL HEALTH CHECKUP FEMALE

#### HAEMATOLOGY

#### COMPLETE BLOOD COUNT (CBC) WITH ESR


HAEMOGLOBIN <i>Colorimetric Method</i>	<b>8.6 gm/dL</b>	12 - 16 gm/dL
HEMATOCRIT (PCV) <i>Calculated</i>	<b>28.3 %</b>	36 - 47 %
RED BLOOD CELL (RBC) COUNT <i>Electrical Impedance</i>	4.5 million/cu.mm	4 - 5.2 million/cu.mm
PLATELET COUNT <i>Electrical Impedance</i>	4.0 Lakhs/cumm	1.5 - 4.5 Lakhs/cumm
MEAN CELL VOLUME (MCV) <i>Calculated</i>	<b>61.9 fl</b>	80 - 100 fl
MEAN CORPUSCULAR HEMOGLOBIN (MCH) <i>Calculated</i>	<b>18.7 pg</b>	26 - 34 pg
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION (MCHC) <i>Calculated</i>	<b>30.2 %</b>	31 - 35 %
TOTAL WBC COUNT (TC) <i>Electrical Impedance</i>	8370 cells/cumm	4000 - 11000 cells/cumm
NEUTROPHILS <i>VCS Technology/Microscopic</i>	65 %	40 - 75 %
LYMPHOCYTES <i>VCS Technology/Microscopic</i>	31 %	25 - 40 %
<b>DIFFERENTIAL COUNT</b>		
EOSINOPHILS <i>VCS Technology/Microscopic</i>	01 %	0 - 7 %
MONOCYTES <i>VCS Technology/Microscopic</i>	03 %	1 - 8 %
BASOPHILS <i>Electrical Impedance</i>	00 %	
ESR <i>Westergren Method</i>	10 mm/hr	0 - 20 mm/hr
BLOOD GROUP & Rh TYPING <i>Tube Agglutination (Forward and Reverse)</i>	"O" Positive	



**Dr. KRISHNA MURTHY**  
MD  
BIOCHEMIST




Lab Seal



**Dr. VAMSEEDHAR.A**  
D.C.P, M.D  
CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

NAME	: Mrs. SANDHYA K S	MR NO.	: 22051105
AGE/SEX	: 46 Yrs / Female	VISIT NO.	: 155707
REFERRED BY	:	DATE OF COLLECTION	: 28-05-2022 at 09:17 AM
REF CENTER	: MEDIWHEEL	DATE OF REPORT	: 28-05-2022 at 01:06 PM



TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
----------------	--------	-----------------	----------

GLYCATED HAEMOGLOBIN (HbA1C)  
HPLC

6.2 %

**American Diabetic Association (ADA) recommendations:**

Non diabetic adults : <5.7 %

At risk (Pre diabetic): 5.7 – 6.4%

Diabetic : >= 6.5%

**Therapeutic goal for glycemic control :**

Goal for therapy: < 7.0%

Action suggested: > 8.0%

ESTIMATED AVERAGE GLUCOSE (eAG)


131.24 mg/dL

Calculation

**Comments:**

This assay is useful for diagnosing Diabetes and evaluating long term control of blood glucose concentrations in diabetic patients. It reflects the mean glucose concentration over the previous period of 8 to 12 weeks and is a better indicator of long term glycemic control as compared with blood and urine glucose measurements. This provides a additional criterion for assessing glucose control because glycated hemoglobin values are free of day-to-day glucose fluctuation and are unaffected by exercise or food ingestion.

After a sudden alteration in blood glucose concentration, the rate of change of HbA1c is rapid during initial 2 months, followed by more gradual change approaching steady state 3 months later.




**Dr. KRISHNA MURTHY**

MD  
BIOCHEMIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.




Lab Seal



**Dr. VAMSEEDHAR.A**

D.C.P, M.D  
CONSULTANT PATHOLOGIST


NAME : <b>Mrs. SANDHYA K S</b>	MR NO. : 22051105
AGE/SEX : 46 Yrs / Female	VISIT NO. : 155707
REFERRED BY :	DATE OF COLLECTION : 28-05-2022 at 09:17 AM
	DATE OF REPORT : 28-05-2022 at 01:06 PM
REF CENTER : MEDIWHEEL	

TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
----------------	--------	-----------------	----------

### CLINICAL BIOCHEMISTRY

#### LIPID PROFILE TEST


<b>TOTAL CHOLESTEROL</b> <i>Cholesterol Oxidase-Peroxidase (CHOD-POD)</i>	<b>225 mg/dL</b>	up to 200 mg/dL Border Line: 200 – 240 mg/dL High: > 240 mg/dL
<b>TRIGLYCERIDES</b> <i>Glycerol Peroxidase-Peroxidase (GPO-POD)</i>	<b>218.7 mg/dL</b>	up to 150 mg/dL Desirable: <150 mg/dL Border Line: 150 – 200 mg/dL High: >200 – 500 mg/dL Very High: > 500 mg/dL
<b>HDL CHOLESTEROL - DIRECT</b> <i>PEG-Cholesterol Esterase</i>	<b>44.5 mg/dl</b>	40 - 60 mg/dl >= 60mg/dL - Excellent (protects against heart disease) 40-59 mg/dL - Higher the better <40 mg/dL - Lower than desired (major risk for heart disease)
<b>LDL CHOLESTEROL - DIRECT</b> <i>Cholesterol Esterase-Cholesterol Oxidase</i>	<b>136.8 mg/dL</b>	up to 100 mg/dL 100-129 mg/dL- Near optimal/above optimal 130-159 mg/dL- Borderline High 160-189 mg/dL- High 190->190 mg/dL - Very High
<b>VLDL CHOLESTEROL</b> <i>Calculation</i>	<b>43.7 mg/dL</b>	2 - 30 mg/dL
<b>TOTAL CHOLESTROL/HDL RATIO</b> <i>Calculation</i>	<b>5.1</b>	up to 3 3.0-4.4 - Moderate >4.4 - High



**Dr. KRISHNA MURTHY**  
MD  
BIOCHEMIST



Lab Seal



**Dr. VAMSEEDHAR.A**  
D.C.P, M.D  
CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

NAME	: Mrs. SANDHYA K S	MR NO.	: 22051105
AGE/SEX	: 46 Yrs / Female	VISIT NO.	: 155707
REFERRED BY	:	DATE OF COLLECTION	: 28-05-2022 at 09:17 AM
REF CENTER	: MEDIWHEEL	DATE OF REPORT	: 28-05-2022 at 01:06 PM



TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
LDL/HDL RATIO <i>Calculation</i>	3.1	up to 2.5 2.5-3.3 - Moderate >3.3 - High	
FASTING BLOOD SUGAR <i>Hexokinase</i>	115.7 mg/dl	70 - 110 mg/dl	
POST PRANDIAL BLOOD SUGAR <i>Hexokinase</i>	141.5 mg/dl	80 - 150 mg/dl	
BLOOD UREA <i>UREASE-GLUTAMATE DEHYDROGENASE (GLDH)</i>	14.1 mg/dL	15 - 50 mg/dL	
CREATININE <i>Jaffe Kinetic</i>	0.60 mg/dL	0.4 - 1.4 mg/dL	
URIC ACID <i>Uricase-Peroxidase</i>	4.8 mg/dL	2.5 - 6 mg/dL	
<b>SERUM ELECTROLYTES</b>			
SODIUM <i>Ion Selective Electrode (ISE)</i>	138 mmol/L	136 - 145 mmol/L	
POTASSIUM <i>Ion Selective Electrode (ISE)</i>	3.7 mmol/L	3.5 - 5.2 mmol/L	
CHLORIDE <i>Ion Selective Electrode (ISE)</i>	103 mmol/L	97 - 111 mmol/L	

*Krishna Murthy*




*A. Vamseedhar*

**Dr. KRISHNA MURTHY**  
MD  
BIOCHEMIST

Lab Seal

**Dr. VAMSEEDHAR.A**  
D.C.P, M.D  
CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

NAME : Mrs. SANDHYA K S	MR NO. : 22051105
AGE/SEX : 46 Yrs / Female	VISIT NO. : 155707
REFERRED BY :	DATE OF COLLECTION : 28-05-2022 at 09:17 AM
	DATE OF REPORT : 28-05-2022 at 01:06 PM
REF CENTER : MEDIWHEEL	

TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
----------------	--------	-----------------	----------

### LIVER FUNCTION TEST (LFT)

TOTAL BILIRUBIN <i>Colorimetric Diazo Method</i>	0.26 mg/dL	0.2 - 1.2 mg/dL	
DIRECT BILIRUBIN <i>Colorimetric Diazo Method</i>	0.02 mg/dL	0 - 0.4 mg/dL	
INDIRECT BILIRUBIN <i>Calculation</i>	<b>0.24</b> mg/dl	0.2 - 0.8 mg/dl	
S G O T (AST) <i>IFCC Without Pyridoxal Phosphates</i>	10.2 U/L	up to 31 U/L	
S G P T (ALT) <i>IFCC Without Pyridoxal Phosphates</i>	14.1 U/L	up to 46 U/L	
ALKALINE PHOSPHATASE <i>p-Nitrophenyl Phosphate</i>	<b>112</b> U/L	36 - 113 U/L	
SERUM GAMMA GLUTAMYLTRANSFERASE (GGT) <i>GCNA-IFCC</i>	15.4 U/L	5 - 55 U/L	
TOTAL PROTEIN <i>Biuret Colorimetric</i>	7.02 g/dl	6.2 - 8 g/dl	
S.ALBUMIN <i>Bromocresol Green (BCG)</i>	4.04 g/dl	3.5 - 5.2 g/dl	
S.GLOBULIN <i>Calculation</i>	<b>3</b> g/dl	2.5 - 3.8 g/dl	
A/G RATIO <i>Calculation</i>	<b>1.3</b>	1 - 1.5	

### CLINICAL PATHOLOGY

### URINE ROUTINE & MICROSCOPIC

#### PHYSICAL EXAMINATION

Colour <i>Visual Method</i>	Pale Yellow	Pale yellow- yellow
Appearance <i>Visual Method</i>	Clear	Clear/Transparent
Specific Gravity <i>Strips Method</i>	1.010	1.005-1.035
pH	7.0	4.6-8.5

#### CHEMICAL EXAMINATION (DIPSTICK)

Protein <i>Strips Method</i>	Nil	Nil -Trace
---------------------------------	-----	------------

*Krishna M. Murthy*



*A. Vamseedhar*

**Dr. KRISHNA MURTHY**


MD  
BIOCHEMIST

Lab Seal

**Dr. VAMSEEDHAR.A**

D.C.P, M.D  
CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

NAME :	<b>Mrs. SANDHYA K S</b>	MR NO. :	22051105
AGE/SEX :	46 Yrs / Female	VISIT NO. :	155707
REFERRED BY :		DATE OF COLLECTION :	28-05-2022 at 09:17 AM
		DATE OF REPORT :	28-05-2022 at 01:06 PM
REF CENTER :	MEDIWHEEL		

TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
Glucose <i>Strips Method</i>	Nil	Nil	
Blood <i>Strips Method</i>	Negative	Negative	
Ketone Bodies <i>Strips Method</i>	Absent	Negative	
Urobilinogen <i>Strips Method</i>	Normal	Normal	
Bile Salt <i>Strips Method</i>	Negative	Negative	
Bilirubin <i>Strips Method</i>	Negative	Negative	
Bile Pigments	Negative	NIL	
<b>MICROSCOPY</b>			
Pus Cells (WBC) <i>Light Microscopic</i>	3 - 4 /hpf	0-5/hpf	
Epithelial Cells <i>Light Microscopic</i>	2 - 3 /hpf	0-4/hpf	
RBC <i>Light Microscopic</i>	Not Seen /hpf	0-2/hpf	
Cast <i>Light Microscopic</i>	NIL	NIL	
Crystal <i>Light Microscopic</i>	NIL	Nil	
FASTING URINE SUGAR (FUS)	NIL	NIL	
POSTPRANDIAL URINE SUGAR	NIL	NIL	

*Krishna Murthy*



*A. Vamseedhar*

**Dr. KRISHNA MURTHY**  
MD  
BIOCHEMIST

Lab Seal

**Dr. VAMSEEDHAR.A**  
D.C.P, M.D  
CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

NAME : Mrs. SANDHYA K S	MR NO. : 22051105
AGE/SEX : 46 Yrs / Female	VISIT NO. : 155707
REFERRED BY :	DATE OF COLLECTION : 28-05-2022 at 09:17 AM
	DATE OF REPORT : 28-05-2022 at 01:06 PM
REF CENTER : MEDIWHEEL	

<b>TEST PARAMETER</b>	<b>RESULT</b>	<b>REFERENCE RANGE</b>	<b>SPECIMEN</b>
-----------------------	---------------	------------------------	-----------------

### IMMUNOASSAY

#### THYROID PROFILE

TOTAL TRIIODOTHYRONINE (T3) <small>CMIA</small>	0.98 ng/mL	0.87 - 1.78 ng/mL
TOTAL THYROXINE (T4) <small>CMIA</small>	10.65 µg/dL	6.09 - 12.23 µg/dL
THYROID STIMULATING HORMONE (TSH) <small>CMIA</small>	4.444 µIU/mL	0.38 - 5.33 µIU/mL
		1st Trimester: 0.05 - 3.70
		2nd Trimester: 0.31 - 4.35
		3rd Trimester: 0.41 - 5.18

**Note:**

- TSH levels are subject to circadian variation, reaching peak levels between 2 - 4.a.m. and at a minimum between 6-10 pm. The variation is of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
- Recommended test for T3 and T4 is unbound fraction or free levels as it is metabolically active.
- Physiological rise in Total T3 / T4 levels is seen in pregnancy and in patients on steroid therapy.

**Clinical Use:**

- Primary Hypothyroidism
- Hyperthyroidism
- Hypothalamic - Pituitary hypothyroidism
- Inappropriate TSH secretion
- Nonthyroidal illness
- Autoimmune thyroid disease
- Pregnancy associated thyroid disorders
- Thyroid dysfunction in infancy and early childhood

Dispatched by: Sumalatha

\*\*\*\* End of Report \*\*\*\*

Printed by: Sumalatha on 28-05-2022 at 01:07 PM



*Krishna Murthy*



*A. Vamseedhar*

**Dr. KRISHNA MURTHY**

MD  
BIOCHEMIST

**Lab Seal**


**Dr. VAMSEEDHAR.A**

D.C.P, M.D  
CONSULTANT PATHOLOGIST


The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

## Diagnostics & Speciality Centre

NAME	: Mrs. SANDHYA K S	MR NO.	: 22051105
AGE/SEX	: 46 Yrs / Female	VISIT NO.	: 155707
REFERRED BY :		DATE OF COLLECTION	: 28-05-2022 at 09:17 AM
REF CENTER	: MEDIWHEEL	DATE OF REPORT	: 28-05-2022 at 01:06 PM




TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
----------------	--------	-----------------	----------



**Dr. KRISHNA MURTHY**  
MD  
BIOCHEMIST



**Lab Seal**



**Dr. VAMSEEDHAR.A**  
D.C.P, M.D  
CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.