<u>Final</u>



PATIENT NAME : SIMPI KUMARI	REF. DOCTOR : SELF		
F-703. LADO SARAI. MEHRAULISOUTH WEST	ACCESSION NO : 0028WD000362 PATIENT ID : SIMPF05129428 CLIENT PATIENT ID: ABHA NO :	AGE/SEX :28 Years Female DRAWN : RECEIVED :12/04/2023 08:52:29 REPORTED :13/04/2023 10:46:17	
8800465156 Test Report Status Final	Results Biological	Reference Interval Units	

	AEMATOLOGY - CBC			
MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE				
BLOOD COUNTS, EDTA WHOLE BLOOD				
HEMOGLOBIN (HB)	8.3 Low	12.0 - 15.0	g/dL	
METHOD : SPECTROPHOTOMETRY				
RED BLOOD CELL (RBC) COUNT METHOD : ELECTRICAL IMPEDANCE	3.39 Low	3.8 - 4.8	mil/µL	
WHITE BLOOD CELL (WBC) COUNT METHOD : ELECTRICAL IMPEDANCE	6.50	4.0 - 10.0	thou/µL	
PLATELET COUNT	244	150 - 410	thou/µL	
METHOD : ELECTRICAL IMPEDANCE				
RBC AND PLATELET INDICES				
HEMATOCRIT (PCV)	27.7 Low	36.0 - 46.0	%	
METHOD : CALCULATED PARAMETER			_	
MEAN CORPUSCULAR VOLUME (MCV) METHOD : DERIVED/COULTER PRINCIPLE	81.7 Low	83.0 - 101.0	fL	
MEAN CORPUSCULAR HEMOGLOBIN (MCH) METHOD : CALCULATED PARAMETER	24.4 Low	27.0 - 32.0	pg	
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION (MCHC) METHOD : CALCULATED PARAMETER	29.9 Low	31.5 - 34.5	g/dL	
RED CELL DISTRIBUTION WIDTH (RDW) METHOD : DERIVED/COULTER PRINCIPLE	20.6 High	11.6 - 14.0	%	
MENTZER INDEX	24.1			
METHOD : CALCULATED PARAMETER				
MEAN PLATELET VOLUME (MPV)	8.4	6.8 - 10.9	fL	
METHOD : DERIVED/COULTER PRINCIPLE				
WBC DIFFERENTIAL COUNT				
NEUTROPHILS	54	40 - 80	%	
METHOD : VCS TECHNOLOGY/ MICROSCOPY			<i></i>	
LYMPHOCYTES METHOD : VCS TECHNOLOGY/ MICROSCOPY	38	20 - 40	%	
MONOCYTES	5	2.0 - 10.0	%	
METHOD : VCS TECHNOLOGY/ MICROSCOPY	5	2.0 10.0		
EOSINOPHILS	3	1.0 - 6.0	%	

Dr. Shyla Goel, M.B.B.S , DCP Sr.Pathologist

PERFORMED AT :

SRL Ltd B-22, SECTOR-62 NOIDA, 201301 UTTAR PRADESH, INDIA Tel : 0120-2403338, Fax : CIN - U74899PB1995PLC045956 Email : customercare.noida@srl.in Page 1 Of 19







PATIENT NAME : SIMPI KUMARI	REF. DOCTOR : SELF		
CODE/NAME & ADDRESS : C000138361 ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	ACCESSION NO : OO PATIENT ID : SIN CLIENT PATIENT ID: ABHA NO :	28WD000362 1PF05129428	AGE/SEX :28 Years Female DRAWN : RECEIVED :12/04/2023 08:52:29 REPORTED :13/04/2023 10:46:17
Test Report Status <u>Final</u>	Results	Biological	Reference Interval Units
METHOD : VCS TECHNOLOGY/ MICROSCOPY			
BASOPHILS METHOD : VCS TECHNOLOGY/ MICROSCOPY	0	0 - 1	%
ABSOLUTE NEUTROPHIL COUNT METHOD : CALCULATED PARAMETER	3.50	2.0 - 7.0	thou/µL
ABSOLUTE LYMPHOCYTE COUNT METHOD : CALCULATED PARAMETER	2.40	1.0 - 3.0	thou/µL
ABSOLUTE MONOCYTE COUNT METHOD : CALCULATED PARAMETER	0.30	0.2 - 1.0	thou/µL
ABSOLUTE EOSINOPHIL COUNT METHOD : CALCULATED PARAMETER	0.20	0.02 - 0.5	0 thou/μL
ABSOLUTE BASOPHIL COUNT METHOD : CALCULATED PARAMETER	0.00 Low	0.02 - 0.1	0 thou/µL
NEUTROPHIL LYMPHOCYTE RATIO (NLR) METHOD : CALCULATED PARAMETER	1.5		

Interpretation(s)

BLOOD COUNTS, EDTA WHOLE BLOOD-The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology. RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13) from Beta thalassaemia trait

- (<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for
- diagnosing a case of beta thalassaemia trait. WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive

patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease. (Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients ; A.-P. Yang, et al.; International Immunopharmacology 84 (2020) 106504 This ratio element is a calculated parameter and out of NABL scope.

Dr. Shyla Goel, M.B.B.S , DCP Sr.Pathologist

PERFORMED AT :

SRL Ltd B-22, SECTOR-62 NOIDA, 201301 UTTAR PRADESH, INDIA Tel: 0120-2403338, Fax: CIN - U74899PB1995PLC045956 Email : customercare.noida@srl.in







Vie<u>w</u> Details





PATIENT NAME : SIMPI KUMARI	REF. DOCTOR : S	SELF
	ACCESSION NO : 0028WD000362 PATIENT ID : SIMPF05129428	AGE/SEX : 28 Years Female DRAWN :
F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030	CLIENT PATIENT ID: ABHA NO :	RECEIVED :12/04/2023 08:52:29 REPORTED :13/04/2023 10:46:17
8800465156		
Test Report Status Final	Results Biological	Reference Interval Units

	HAEMATOLOGY		
MEDI WHEEL FULL BODY HEALTH CHECK	JP BELOW 40FEMALE		
ERYTHROCYTE SEDIMENTATION RATE (E	SR),WHOLE		
E.S.R	37 High	< 20	mm at 1 hr
METHOD : MODIFIED WESTERGREN METHOD BY AUTOMATE	ED ANALYSER		

Interpretation(s) ERYTHROCYTE SEDIMENTATION RATE (ESR), WHOLE BLOOD-TEST DESCRIPTION :-Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic; it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition.CRP is superior to ESR because it is more sensitive and reflects a more rapid change. **TEST INTERPRETATION**

Increase in: Infections, Vasculities, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy, Estrogen medication, Aging.

Finding a very accelerated ESR(>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias, Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis). In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum.

Decreased in: Polycythermia vera, Sickle cell anemia

LIMITATIONS

False elevated ESR : Increased fibrinogen, Drugs(Vitamin A, Dextran etc), Hypercholesterolemia False Decreased : Poikilocytosis,(SickleCells,spherocytes),Microcytosis, Low fibrinogen, Very high WBC counts, Drugs(Quinine, salicylates)

REFERENCE :

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition; 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin; 3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis,10th edition.

Dr. Shyla Goel, M.B.B.S , DCP Sr.Pathologist

PERFORMED AT :

SRL Ltd B-22, SECTOR-62 NOIDA, 201301 UTTAR PRADESH, INDIA Tel: 0120-2403338, Fax CIN - U74899PB1995PLC045956 Email : customercare.noida@srl.in











PATIENT NAME : SIMPI KUMARI	REF. DOCTOR : SELF		
CODE/NAME & ADDRESS : C000138361	ACCESSION NO : 0028WD000362	AGE/SEX : 28 Years Female	
	PATIENT ID : SIMPF05129428	DRAWN :	
F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	CLIENT PATIENT ID:	RECEIVED : 12/04/2023 08:52:29	
NEW DELHI 110030	ABHA NO :	REPORTED :13/04/2023 10:46:17	
8800465156			

Test Report Status <u>Final</u> Results

Biological Reference Interval Units

IMMUNOHAEMATOLOGY

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE ABO GROUP & RH TYPE, EDTA WHOLE BLOOD

TYPE B
POSITIVE

Interpretation(s) ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same."

The test is performed by both forward as well as reverse grouping methods.

lame

Dr. Neena Verma Senior Pathologist

PERFORMED AT :

SRL Ltd B-22, SECTOR-62 NOIDA, 201301 UTTAR PRADESH, INDIA Tel: 0120-2403338, Fax: CIN - U74899PB1995PLC045956 Email : customercare.noida@srl.in







View Report





PATIENT NAME : SIMPI KUMARI	REF. DOCTOR : S	SELF
CODE/NAME & ADDRESS : C000138361	ACCESSION NO : 0028WD000362	AGE/SEX : 28 Years Female
ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULISOUTH WEST	PATIENT ID : SIMPF05129428	DRAWN :
DELHI	CLIENT PATIENT ID:	RECEIVED : 12/04/2023 08:52:29
NEW DELHI 110030	ABHA NO :	REPORTED :13/04/2023 10:46:17
8800465156		

Test	Report	Status	<u>Final</u>

Results

Biological Reference Interval Units

[BIOCHEMISTRY		
MEDI WHEEL FULL BODY HEALTH CHECKUP E	ELOW 40FEMALE		
GLUCOSE FASTING, FLUORIDE PLASMA			
FBS (FASTING BLOOD SUGAR) METHOD : HEXOKINASE	95	74 - 106	mg/dL
GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA BLOOD	WHOLE		
HBA1C METHOD : HPLC	4.3	Non-diabetic Adult < 5.7 Pre-diabetes 5.7 - 6.4 Diabetes diagnosis: > or = Therapeutic goals: < 7.0 Action suggested : > 8.0 (ADA Guideline 2021)	%
ESTIMATED AVERAGE GLUCOSE(EAG)	76.7	< 116.0	mg/dL
GLUCOSE, POST-PRANDIAL, PLASMA			
PPBS(POST PRANDIAL BLOOD SUGAR)	88	Non-Diabetes 70 - 140	mg/dL
LIPID PROFILE, SERUM			
CHOLESTEROL, TOTAL	184	< 200 Desirable 200 - 239 Borderline High >/= 240 High	mg/dL
METHOD : CHOLESTEROL OXIDASE, ESTERASE, PEROXIDASE			
TRIGLYCERIDES	94	< 150 Normal 150 - 199 Borderline High 200 - 499 High >/= 500 Very High	mg/dL
METHOD : ENZYMATIC, END POINT			
	51	< 40 Low >/=60 High	mg/dL
METHOD : DIRECT MEASURE POLYMER-POLYANION			

lama

Dr. Neena Verma Senior Pathologist

PERFORMED AT :

SRL Ltd B-22, SECTOR-62 NOIDA, 201301 UTTAR PRADESH, INDIA Tel : 0120-2403338, Fax : CIN - U74899PB1995PLC045956 Email : customercare.noida@srl.in Page 5 Of 19

÷.







PATIENT NAME : SIMPI KUMARI REF. DOCTOR : SELF			
CODE/NAME & ADDRESS : C000138361	ACCESSION NO : 002	8WD000362 AGE/SEX :2	8 Years Female
ACROFEMI HEALTHCARE LTD (MEDIWHEEL)	PATIENT ID : SIM	PF05129428 DRAWN :	
F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	CLIENT PATIENT ID:	RECEIVED :1	2/04/2023 08:52:29
NEW DELHI 110030	ABHA NO :	REPORTED :1	3/04/2023 10:46:17
8800465156			
Test Report Status <u>Final</u>	Results	Biological Reference I	nterval Units
CHOLESTEROL LDL	114 High	< 100 Optimal	mg/dL
		100 - 129	
		Near or above optimal	
		130 - 159 Borderline High	
		160 - 189	
		High	
		>/= 190	
NON HDL CHOLESTEROL	133 High	Very High Desirable: Less than 1	30 mg/dL
NON HDE CHOLESTEROL	155 High	Above Desirable: 130	5.
		Borderline High: 160 -	
		High: 190 - 219	
		Very high: $>$ or $=$ 220	
METHOD : CALCULATED PARAMETER VERY LOW DENSITY LIPOPROTEIN	18.8	Desirable value :	mg/dL
VERT LOW DENSITY LIFOFROTLIN	10.0	10 - 35	ing/ dL
CHOL/HDL RATIO	3.6	3.3-4.4 Low Risk	
		4.5-7.0 Average Risk	
		7.1-11.0 Moderate Ris	k
	2.2	> 11.0 High Risk	
LDL/HDL RATIO	2.2	0.5 - 3.0 Desirable/Lo 3.1 - 6.0 Borderline/M	
		Risk	
		>6.0 High Risk	
Interpretation(s)			
LIVER FUNCTION PROFILE, SERUM			
BILIRUBIN, TOTAL	0.36	UPTO 1.2	mg/dL
METHOD : DIAZONIUM ION, BLANKED (ROCHE)			
BILIRUBIN, DIRECT	0.18	0.00 - 0.30	mg/dL
BILIRUBIN, INDIRECT	0.18	0.00 - 0.60	mg/dL
	~ ~		a /dl
	7.7	6.6 - 8.7	g/dL
METHOD : BIURET, SERUM BLANK, ENDPOINT ALBUMIN	4.6	3.97 - 4.94	g/dL
METHOD : BROMOCRESOL GREEN	4.0	J.J/ - 4.J4	g, uL

Verna

Dr. Neena Verma Senior Pathologist

PERFORMED AT : SRL Ltd B-22, SECTOR-62 NOIDA, 201301 UTTAR PRADESH, INDIA Tel : 0120-2403338, Fax : CIN - U74899PB1995PLC045956 Email : customercare.noida@srl.in Page 6 Of 19







PATIENT NAME : SIMPI KUMARI	REF. DOCTOR : SELF				
CODE/NAME & ADDRESS : C000138361 ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156			DRAWN RECEIVED	:28 Years : :12/04/2023 :13/04/2023	
Test Report Status <u>Final</u>	Results	Biological	Reference	e Interval U	Inits
GLOBULIN METHOD : CALCULATED PARAMETER	3.1	2.0 - 4.0 Neonates Pre Mature 0.29 - 1.0	e:	g/d	L
ALBUMIN/GLOBULIN RATIO METHOD : CALCULATED PARAMETER	1.5	1.0 - 2.0		RAT	ПО
ASPARTATE AMINOTRANSFERASE(AST/SGOT) METHOD : UV WITHOUT P5P	14	0 - 32		U/L	
ALANINE AMINOTRANSFERASE (ALT/SGPT) METHOD : UV WITHOUT P5P	7	0 - 31		U/L	
ALKALINE PHOSPHATASE METHOD : PNPP, AMP BUFFER-IFCC	100	35 - 105		U/L	
CAMMA CITITAMAI TRANSFERACE (CCT)	0	5 26		11/1	

GAMMA GLUTAMYL TRANSFERASE (GGT) METHOD : G-GLUTAMYL-CARBOXY-NITROANILIDE-IFCC	9	5 - 36	U/L
LACTATE DEHYDROGENASE	176	135 - 214	U/L
METHOD : L TO P, IFCC			
BLOOD UREA NITROGEN (BUN), SERUM			
BLOOD UREA NITROGEN	7	6 - 20	mg/dL
METHOD : UREASE - UV			
CREATININE, SERUM			
CREATININE	0.65	0.50 - 0.90	mg/dL
METHOD : ALKALINE PICRATE-KINETIC			
BUN/CREAT RATIO			
BUN/CREAT RATIO	10.77	5.00 - 15.00	
METHOD : CALCULATED PARAMETER			
URIC ACID, SERUM			
URIC ACID	3.6	2.4 - 5.7	mg/dL
METHOD : URICASE, COLORIMETRIC			
TOTAL PROTEIN, SERUM			
TOTAL PROTEIN	7.7	6.6 - 8.7	g/dL
METHOD : BIURET, SERUM BLANK, ENDPOINT			
ALBUMIN, SERUM			
ALBUMIN	4.6	3.97 - 4.94	g/dL
METHOD : BROMOCRESOL GREEN			



lama

Dr. Neena Verma Senior Pathologist

PERFORMED AT : SRL Ltd B-22, SECTOR-62 NOIDA, 201301 UTTAR PRADESH, INDIA Tel : 0120-2403338, Fax : CIN - U74899PB1995PLC045956 Email : customercare.noida@srl.in Page 7 Of 19







PATIENT NAME : SIMPI KUMARI		REF. DOCTOR : SE	LF
CODE/NAME & ADDRESS : C00013 ACROFEMI HEALTHCARE LTD (MI F-703, LADO SARAI, MEHRAULIS DELHI NEW DELHI 110030 8800465156	EDIWHEEL) PATIENT ID : S	5IMPF05129428 C	AGE/SEX :28 Years Female DRAWN : RECEIVED :12/04/2023 08:52:29 REPORTED :13/04/2023 10:46:17
Test Report Status <u>Final</u>	Results	Biological R	eference Interval Units
GLOBULIN	3.1	2.0 - 4.0 Neonates - Pre Mature: 0.29 - 1.04	
METHOD : CALCULATED PARAMETER		0.25 1.04	
ELECTROLYTES (NA/K/CL), SE	RUM		
SODIUM, SERUM METHOD : ISE INDIRECT	134 Low	136 - 145	mmol/L
POTASSIUM, SERUM METHOD : ISE INDIRECT	4.81	3.5 - 5.1	mmol/L
CHLORIDE, SERUM METHOD : ISE INDIRECT	100	98 - 107	mmol/L
Interpretation(s)			
Sodium	Potassium	Chloride	
Decreased in:CCF, cirrhosis, vomiting, diarrhea, excessive sweating, salt-losing nephropathy, adrenal insufficiency, nephrotic syndrome, water intoxication, SIADH. Drugs: thiazides, diuretics, ACE inhibitors, chlorpropamide, carbamazepine, anti depressants (SSRI), antipsychotics.	Decreased in: Low potassium intake,prolonged vomiting or diarrhea, RTA types I and II, hyperaldosteronism, Cushing's syndrome,osmotic diuresis (e.g., hyperglycemia),alkalosis, familial periodic paralysis,trauma (transient).Drugs: Adrenergic agents, diuretics.	Decreased in: Vomiting, dia renal failure combined with deprivation, over-treatmen diuretics, chronic respirato diabetic ketoacidosis, exce sweating, SIADH, salt-losin nephropathy, porphyria, e extracellular fluid volume, adrenalinsufficiency, hyperaldosteronism,metab alkalosis. Drugs: chronic laxative,corticosteroids, di	h salt ht with ory acidosis, ssive g xpansion of olic
Increased in: Dehydration (excessivesweating, severe vomiting or diarrhea),diabetes mellitus, diabetesinsipidus, hyperaldosteronism, inadequate water intake. Drugs: steroids, licorice,oral contraceptives.	Increased in: Massive hemolysis, severe tissue damage, rhabdomyolysis, acidosis, dehydration,renal failure, Addison's disease, RTA type IV, hyperkalemic familial periodic paralysis. Drugs: potassium salts, potassium- sparing diuretics,NSAIDs, beta-blockers, ACE inhibitors, high- dose trimethoprim-sulfamethoxazole.	Increased in: Renal failure, syndrome, RTA, dehydratior overtreatment with saline, hyperparathyroidism insipidus, metabolic acidos diarrhea (Loss of HCO3-), r alkalosis, hyperadrenocorti Drugs: acetazolamide, andri hydrochlorothiazide, salicyl	n, , diabetes ,is from espiratory cism. ogens,
Interferences: Severe lipemia or hyperproteinemi, if sodium analysis involves a dilution step can cause spurious results. The serum sodium falls about 1.6 mEq/L for each 100 mg/dL increase in blood glucose.	Interferences: Hemolysis of sample, delayed separation of serum, prolonged fist clenching during blood drawing, and prolonged tourniquet placement. Very high WBC/PLT counts may cause spurious. Plasma potassium levels are normal.	Interferences:Test is helpfi assessing normal and incre gap metabolic acidosis and distinguishing hypercalcem hyperparathyroidism (high chloride) from that due to (Normal serum chloride)	ul in ased anion in ia due to serum

Kime

Dr. Neena Verma Senior Pathologist

PERFORMED AT :

SRL Ltd B-22, SECTOR-62 NOIDA, 201301 UTTAR PRADESH, INDIA Tel : 0120-2403338, Fax : CIN - U74899PB1995PLC045956 Email : customercare.noida@srl.in Page 8 Of 19





View Report





PATIENT NAME : SIMPI KUMARI	REF. DOCTOR : SELF		
	ACCESSION NO : 0028WD000362	AGE/SEX : 28 Years Female	
ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULISOUTH WEST	PATIENT ID : SIMPF05129428	DRAWN :	
DELHI	CLIENT PATIENT ID:	RECEIVED : 12/04/2023 08:52:29	
NEW DELHI 110030	ABHA NO :	REPORTED :13/04/2023 10:46:17	
8800465156			
Test Report Status Final	Results Biological	Reference Interval Units	

Interpretation(s)

GLUCOSE FASTING, FLUORIDE PLASMA-TEST DESCRIPTION

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and sothat no glucose is excreted in the urine

Increased in:Diabetes mellitus, Cushing's syndrome (10 – 15%), chronic pancreatitis (30%). Drugs:corticosteroids,phenytoin, estrogen, thiazides. Decreased in :Pancreatic islet cell disease with increased insulin,insulinoma,adrenocortical insufficiency,hypopituitarism,diffuse liver disease,

malignancy(adrenocortical,stomach,fibrosarcoma),infant of a diabetic mother,enzyme deficiency diseases(e.g.galactosemia),Drugs-insulin,ethanol,propranolol;sulfonylureas,tolbutamide,and other oral hypoglycemic agents.

NOTE: While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within

individuals. Thus, glycosylated hemoglobin(HbA1c) levels are favored to monitor glycemic control. High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc. GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD-**Used For**:

1. Evaluating the long-term control of blood glucose concentrations in diabetic patients.

2. Diagnosing diabetes.

3. Identifying patients at increased risk for diabetes (prediabetes). The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for

well-controlled type 2 diabetic patients) to determine whether a patients metabolic control has remained continuously within the target range.

eAG (Estimated average glucose) converts percentage HbA1c to md/dl, to compare blood glucose levels.
eAG gives an evaluation of blood glucose levels for the last couple of months.
eAG is calculated as eAG (mg/dl) = 28.7 * HbA1c - 46.7

HbA1c Estimation can get affected due to :

1. Shortened Erythrocyte survival : Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss, hemolytic anemia) will falsely lower HbA1c test results. Fructosamine is recommended in these patients which indicates diabetes control over 15 days.

2.Vitamin C & E are reported to falsely lower test results. (possibly by inhibiting glycation of hemoglobin. 3. Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, uremia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates

addiction are reported to interfere with some assay methods, falsely increasing results.

4. Interference of hemoglobinopathies in HbA1c estimation is seen in

a) Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c.b) Heterozygous state detected (D10 is corrected for HbS & HbC trait.)

b) heterozygous state detected (D1 is corrected for hos & hoc (rait.) c) HbF > 25% on alternate paltform (Boronate affinity chromatography) is recommended for testing of HbA1c.Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.Additional test HbA1c LIVER FUNCTION PROFILE, SERUM-

Bilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. **Elevated levels** results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors & Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity.ALT test measures the amount of this enzyme in the blood.ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health.AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis, obstruction of bile ducts, cirrhosis.

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Pagets disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilsons disease. GGT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain

and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc.

Total Protein also known as total protein, is a biochemical test for measuring the total amount of protein in serum.Protein in the plasma is made up of albumin and globulin.Higher-than-normal levels may be due to:Chronic inflammation or infection,including HIV and hepatitis B or C,Multiple myeloma,Waldenstroms disease.Lower-than-normal levels may be due to: Agammaglobulinemia,Bleeding (hemorrhage),Burns,Glomerulonephritis,Liver disease, Malabsorption,Malnutrition,Nephrotic syndrome, Protein-losing enteropathy etc.

Albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels



Dr. Neena Verma Senior Pathologist

PERFORMED AT :



Page 9 Of 19

View Report





PATIENT NAME : SIMPI KUMARI	REF. DOCTOR :	SELF
ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULISOUTH WEST	ACCESSION NO : 0028WD000362 PATIENT ID : SIMPF05129428 CLIENT PATIENT ID:	AGE/SEX :28 Years Female DRAWN : RECEIVED :12/04/2023 08:52:29
	ABHA NO :	REPORTED :13/04/2023 10:46:17
Test Report Status <u>Final</u>	Results Biological	Reference Interval Units

(hypoalbuminemia) can be caused by:Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular

permeability or decreased lymphatic clearance,mainutrition and wasting etc. BLOOD UREA NITROGEN (BUN), SERUM-**Causes of Increased** levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism)

Causes of decreased level include Liver disease, SIADH. CREATININE, SERUM-Higher than normal level may be due to:

 Blockage in the urinary tract, Kidney problems, such as kidney damage or failure, infection, or reduced blood flow, Loss of body fluid (dehydration), Muscle problems, such as breakdown of muscle fibers, Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia) Lower than normal level may be due to:

• Myasthenia Gravis, Muscuophy URIC ACID, SERUM-Causes of Increased levels:-Dietary(High Protein Intake,Prolonged Fasting,Rapid weight loss),Gout,Lesch nyhan syndrome,Type 2 DM,Metabolic syndrome **Causes of decreased levels**-Low Zinc intake,OCP,Multiple Sclerosis TOTAL PROTEIN, SERUM-is a biochemical test for measuring the total amount of protein in serum.Protein in the plasma is made up of albumin and globulin.

Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

ALBUMIN, SERUM-Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.

lama

Dr. Neena Verma Senior Pathologist

PERFORMED AT :

SRL Ltd B-22, SECTOR-62 NOIDA, 201301 UTTAR PRADESH, INDIA Tel: 0120-2403338, Fax CIN - U74899PB1995PLC045956 Email : customercare.noida@srl.in Page 10 Of 19





View Report





PATIENT NAME : SIMPI KUMARI	REF. DOCTOR : S	SELF
CODE/NAME & ADDRESS : C000138361	ACCESSION NO : 0028WD000362	AGE/SEX : 28 Years Female
ACROFEMI HEALTHCARE LTD (MEDIWHEEL)	PATIENT ID : SIMPF05129428	DRAWN :
F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	CLIENT PATIENT ID:	RECEIVED : 12/04/2023 08:52:29
NEW DELHI 110030	ABHA NO :	REPORTED :13/04/2023 10:46:17
8800465156		
(i	

Test	Report	Status	<u>Final</u>
------	--------	--------	--------------

Results

Biological Reference Interval Units

CLINI	CLINICAL PATH - URINALYSIS			
MEDI WHEEL FULL BODY HEALTH CHECKUP BE	LOW 40FEMALE			
PHYSICAL EXAMINATION, URINE				
COLOR	PALE YELLOW			
METHOD : VISUAL				
APPEARANCE	CLEAR			
METHOD : VISUAL				
CHEMICAL EXAMINATION, URINE				
PH METHOD : DOUBLE INDICATOR PRINCIPLE	6.0	4.7 - 7.5		
SPECIFIC GRAVITY METHOD : PKA CHANGE OF PRETREATED POLYELECTROLYTES	<=1.005	1.003 - 1.035		
PROTEIN METHOD : PROTEIN- ERROR INDICATOR	NOT DETECTED	NOT DETECTED		
GLUCOSE	NOT DETECTED	NOT DETECTED		
METHOD : OXIDASE-PEROXIDASE REACTION				
KETONES	NOT DETECTED	NOT DETECTED		
METHOD : ACETOACETIC REACTION WITH NITROPRUSSIDE				
BLOOD METHOD : PEROXIDASE-LIKE ACTIVITY OF HEMOGLOBIN	NOT DETECTED	NOT DETECTED		
BILIRUBIN	NOT DETECTED	NOT DETECTED		
METHOD : DIAZOTIZATION	NOT DETECTED	NOT DETECTED		
UROBILINOGEN METHOD : MODIFIED EHRLICH REACTION	NORMAL	NORMAL		
NITRITE	NOT DETECTED	NOT DETECTED		
METHOD : CONVERTION OF NITRATE TO NITRITE				
LEUKOCYTE ESTERASE	NOT DETECTED	NOT DETECTED		
METHOD : ESTERASE HYDROLYSIS ACTIVITY				
MICROSCOPIC EXAMINATION, URINE			(1)55	
RED BLOOD CELLS METHOD : MICROSCOPIC EXAMINATION	NOT DETECTED	NOT DETECTED	/HPF	
PUS CELL (WBC'S) METHOD : MICROSCOPIC EXAMINATION	1-2	0-5	/HPF	
EPITHELIAL CELLS METHOD : MICROSCOPIC EXAMINATION	1-2	0-5	/HPF	

lama

Dr. Neena Verma Senior Pathologist

PERFORMED AT : SRL Ltd B-22, SECTOR-62 NOIDA, 201301 UTTAR PRADESH, INDIA Tel : 0120-2403338, Fax : CIN - U74899PB1995PLC045956 Email : customercare.noida@srl.in









PATIENT NAME : SIMPI KUMARI	R	EF. DOCTOR :	SELF		
CODE/NAME & ADDRESS : C000138361	ACCESSION NO : 0028W	D000362	AGE/SEX	:28 Years	Female
ACROFEMI HEALTHCARE LTD (MEDIWHEEL)	PATIENT ID : SIMPFO	PATIENT ID : SIMPF05129428		:	
F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	CLIENT PATIENT ID:		RECEIVED	: 12/04/2023	3 08:52:29
NEW DELHI 110030	ABHA NO :		REPORTED	:13/04/2023	3 10:46:17
8800465156					
Test Report Status <u>Final</u>	Results	Biologica	Reference	e Interval	Units
CA STO	NOT DETECTED				
CASTS METHOD : MICROSCOPIC EXAMINATION	NOT DETECTED				
CRYSTALS	NOT DETECTED				
METHOD : MICROSCOPIC EXAMINATION					
BACTERIA	NOT DETECTED	NOT DET	ECTED		
METHOD : MICROSCOPIC EXAMINATION					
YEAST	NOT DETECTED	NOT DET	ECTED		

Interpretation(s)

Kime

Dr. Neena Verma Senior Pathologist

PERFORMED AT :

SRL Ltd B-22, SECTOR-62 NOIDA, 201301 UTTAR PRADESH, INDIA Tel : 0120-2403338, Fax : CIN - U74899PB1995PLC045956 Email : customercare.noida@srl.in Page 12 Of 19





View Report





PATIENT NAME : SIMPI KUMARI	REF. DOCTOR : SELF			
CODE/NAME & ADDRESS : C000138361	ACCESSION NO : 0028WD000362	AGE/SEX : 28 Years Female		
ACROFEMI HEALTHCARE LTD (MEDIWHEEL)	PATIENT ID : SIMPF05129428	DRAWN :		
F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	CLIENT PATIENT ID:	RECEIVED : 12/04/2023 08:52:29		
NEW DELHI 110030	ABHA NO :	REPORTED :13/04/2023 10:46:17		
8800465156				
Test Report Status <u>Final</u>	Results Biologica	Reference Interval Units		

CYTOLOGY

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE PAPANICOLAOU SMEAR

SPECIMEN TYPE

REPORTING SYSTEM SPECIMEN ADEQUACY MICROSCOPY Cytology number C-1105-23 Cervical cytological preparation 2 smears examined 2014 Bethesda system Smears are satisfactory for evaluation Endocervical cells/transformation zone component absent Mild inflammation Negative for intraepithelial lesion or malignancy

INTERPRETATION / RESULT

Comments

Pap smear cytology is a screening test. Corroboration of cytopathologic findings with colposcopic/local examination and ancillary findings is recommended.



Dr Dipti Bisaria Pathologist

PERFORMED AT : SRL Ltd B-22, SECTOR-62 NOIDA, 201301 UTTAR PRADESH, INDIA Tel : 0120-2403338, Fax : CIN - U74899PB1995PLC045956 Email : customercare.noida@srl.in Page 13 Of 19





Vie<u>w Report</u>





PATIENT NAME : SIMPI KUMARI	REF. DOCTOR : S	SELF
CODE/NAME & ADDRESS : C000138361	ACCESSION NO : 0028WD000362	AGE/SEX : 28 Years Female
ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	PATIENT ID : SIMPF05129428	DRAWN :
	CLIENT PATIENT ID:	RECEIVED : 12/04/2023 08:52:29
NEW DELHI 110030	ABHA NO :	REPORTED :13/04/2023 10:46:17
8800465156		

Test Report Status Final

Results

Biological Reference Interval Units

<u></u>	SPECIALISED CHEMISTRY -	HORMONE)
MEDI WHEEL FULL BODY HEALTH CH			
THYROID PANEL, SERUM			
T3 METHOD : ECLIA	123.9	80.00 - 200.00	ng/dL
T4 METHOD : ECLIA	9.61	5.10 - 14.10	µg/dL
TSH (ULTRASENSITIVE)	3.510	Non Pregnant Women 0.27 - 4.20 Pregnant Women 1st Trimester: 0.33 - 4.59 2nd Trimester: 0.35 - 4.10 3rd Trimester: 0.21 - 3.15)
METHOD : ECLIA			

Interpretation(s)

Triiodothyronine T3, Thyroxine T4, and Thyroid Stimulating Hormone TSH are thyroid hormones which affect almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate.

Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH.

Excessive secretion of thyroxine in the body is hyperthyroidism, and deficient secretion is called hypothyroidism.

In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hyperthyroidism, TSH levels are low. owidctlparowidctlparBelow mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3. Measurement of the serum TT3 level is a more sensitive test for the diagnosis of hyperthyroidism, and measurement of TT4 is more useful in the diagnosis of hypothyroidism.Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the circulating hormone is free and biologically active. It is advisable to detect Free T3, FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.

Sr. No.	TSH	Total T4	FT4	Total T3	Possible Conditions
1	High	Low	Low	Low	(1) Primary Hypothyroidism (2) Chronic autoimmune Thyroiditis (3)
	8				Post Thyroidectomy (4) Post Radio-Iodine treatment
2	High	Normal	Normal	Normal	(1)Subclinical Hypothyroidism (2) Patient with insufficient thyroid
					hormone replacement therapy (3) In cases of Autoimmune/Hashimoto
					thyroiditis (4). Isolated increase in TSH levels can be due to Subclinical
					inflammation, drugs like amphetamines, Iodine containing drug and
					dopamine antagonist e.g. domperidone and other physiological reasons.
3	Normal/Low	Low	Low	Low	(1) Secondary and Tertiary Hypothyroidism

Dr. Shyla Goel,M.B.B.S ,DCP Sr.Pathologist

PERFORMED AT : SRL Ltd B-22, SECTOR-62 NOIDA, 201301 UTTAR PRADESH, INDIA Tel : 0120-2403338, Fax : CIN - U74899PB1995PLC045956

Email : customercare.noida@srl.in



View Report







PATIENT NAME : SIMPI KUMARI	REF. DOCTOR : SELF		
ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	PATIENT ID : SIMPF05129428 CLIENT PATIENT ID:	AGE/SEX :28 Years Female DRAWN : RECEIVED :12/04/2023 08:52:29 REPORTED :13/04/2023 10:46:17	

Test	Report	Status	<u>Final</u>
------	--------	--------	--------------

Results

Biological Reference Interval Units

4	Low	High	High	High	(1) Primary Hyperthyroidism (Graves Disease) (2) Multinodular Goitre	
					(3)Toxic Nodular Goitre (4) Thyroiditis (5) Over treatment of thyroid	
					hormone (6) Drug effect e.g. Glucocorticoids, dopamine, T4	
		s. e.			replacement therapy (7) First trimester of Pregnancy	
5	Low	Normal	Normal	Normal	(1) Subclinical Hyperthyroidism	
6	High	High	High	High	(1) TSH secreting pituitary adenoma (2) TRH secreting tumor	
7	Low	Low	Low	Low	(1) Central Hypothyroidism (2) Euthyroid sick syndrome (3) Recent treatment for Hyperthyroidism	
8	Normal/Low	Normal	Normal	High	(1) T3 thyrotoxicosis (2) Non-Thyroidal illness	
9	Low	High	High	Normal	(1) T4 Ingestion (2) Thyroiditis (3) Interfering Anti TPO antibodies	

REF: 1. TIETZ Fundamentals of Clinical chemistry 2.Guidlines of the American Thyroid association during pregnancy and Postpartum, 2011. **NOTE: It is advisable to detect Free T3,FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.**TSH is not affected by variation in thyroid - binding protein. TSH has a diurnal rhythm, with peaks at 2:00 - 4:00 a.m. And troughs at 5:00 - 6:00 p.m. With ultradian variations.

Dr. Shyla Goel,M.B.B.S ,DCP Sr.Pathologist

PERFORMED AT :

SRL Ltd B-22, SECTOR-62 NOIDA, 201301 UTTAR PRADESH, INDIA Tel : 0120-2403338, Fax : CIN - U74899PB1995PLC045956 Email : customercare.noida@srl.in Page 15 Of 19





View Report





PATIENT NAME : SIMPI KUMARI	REF. DOCTOR :	SELF
CODE/NAME & ADDRESS : C000138361	ACCESSION NO : 0028WD000362	AGE/SEX : 28 Years Female
ACROFEMI HEALTHCARE LTD (MEDIWHEEL)	PATIENT ID : SIMPF05129428	DRAWN :
F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	CLIENT PATIENT ID:	RECEIVED : 12/04/2023 08:52:29
NEW DELHI 110030	ABHA NO :	REPORTED :13/04/2023 10:46:17
8800465156		
(
Test Report Status <u>Final</u>	Results Biological	Reference Interval Units

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

XRAY-CHEST			
»»	BOTH THE LUNG FIELDS ARE CLEAR		
»»	BOTH THE COSTOPHRENIC AND CARIOPHRENIC ANGELS ARE CLEAR		
»»	BOTH THE HILA ARE NORM	1AL	
»»	CARDIAC AND AORTIC SH	ADOWS APPEAR NORMAL	
»»	BOTH THE DOMES OF THE	DIAPHRAM ARE NORMAL	
»»	VISUALIZED BONY THORA	X IS NORMAL	
IMPRESSION	NORMAL		
TMT OR ECHO			
TMT OR ECHO	2D ECHO DONE		
ECG			
ECG	WITHIN NORMAL LIMITS		
MEDICAL HISTORY			
RELEVANT PRESENT HISTORY	NOT SIGNIFICANT		
RELEVANT PAST HISTORY	NOT SIGNIFICANT		
RELEVANT PERSONAL HISTORY	MARRIED 1 CHILD NON VE	EG	
RELEVANT FAMILY HISTORY	NOT SIGNIFICANT		
OCCUPATIONAL HISTORY	HOUSE WIFE		
HISTORY OF MEDICATIONS	NOT SIGNIFICANT		
ANTHROPOMETRIC DATA & BMI			
HEIGHT IN METERS	1.62	mts	
WEIGHT IN KGS.	54.1	Kgs	
BMI	21	BMI & Weight Status as followg/sqmts Below 18.5: Underweight 18.5 - 24.9: Normal 25.0 - 29.9: Overweight 30.0 and Above: Obese	
GENERAL EXAMINATION			
MENTAL / EMOTIONAL STATE	NORMAL		
PHYSICAL ATTITUDE	NORMAL		
GENERAL APPEARANCE / NUTRITIONAL	HEALTHY		

AVERAGE

Page 16 Of 19



View Details View Report



PERFORMED AT : SRL Ltd E-368, LGF, Nirman Vihar,Near Nirman Vihar Metro NEW DELHI, 110092 NEW DELHI, INDIA Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Email : wellness.eastdelhi@srl.in

BUILT / SKELETAL FRAMEWORK

STATUS

.

Test Report Status

<u>Final</u>



Biological Reference Interval Units

PATIENT NAME : SIMPI KUMARI	REF. DOCTO	R: SELF
CODE/NAME & ADDRESS : C000138361	ACCESSION NO : 0028WD000362	AGE/SEX : 28 Years Female
ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULISOUTH WEST	PATIENT ID : SIMPF05129428	DRAWN :
DELHI	CLIENT PATIENT ID:	RECEIVED : 12/04/2023 08:52:29
NEW DELHI 110030	ABHA NO :	REPORTED :13/04/2023 10:46:17
8800465156		

Results

FACIAL APPEARANCE	NORMAL
SKIN	NORMAL
UPPER LIMB	NORMAL
LOWER LIMB	NORMAL
NECK	NORMAL
NECK LYMPHATICS / SALIVARY GLANDS	NOT ENLARGED OR TENDER
THYROID GLAND	NOT ENLARGED
CAROTID PULSATION	NORMAL
TEMPERATURE	NORMAL
PULSE	87/MINUTE, REGULAR, ALL PERIPHERAL PULSES WELL FELT, NO CAROTID BRUIT
RESPIRATORY RATE	NORMAL
CARDIOVASCULAR SYSTEM	
BP	113/66 mm/Hg
PERICARDIUM	NORMAL
APEX BEAT	NORMAL
HEART SOUNDS	NORMAL
MURMURS	ABSENT
RESPIRATORY SYSTEM	
SIZE AND SHAPE OF CHEST	NORMAL
MOVEMENTS OF CHEST	SYMMETRICAL
BREATH SOUNDS INTENSITY	NORMAL
BREATH SOUNDS QUALITY	VESICULAR (NORMAL)
ADDED SOUNDS	ABSENT
PER ABDOMEN	
APPEARANCE	NORMAL
VENOUS PROMINENCE	ABSENT
LIVER	NOT PALPABLE
SPLEEN	NOT PALPABLE
CENTRAL NERVOUS SYSTEM	
HIGHER FUNCTIONS	NORMAL
CRANIAL NERVES	NORMAL
CEREBELLAR FUNCTIONS	NORMAL

Page 17 Of 19



View Details View Report



PERFORMED AT : SRL Ltd E-368, LGF, Nirman Vihar,Near Nirman Vihar Metro NEW DELHI, 110092 NEW DELHI, INDIA Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Email : wellness.eastdelhi@srl.in



TIENT NAME : SIMPI KUMARI REF. DOCTOR : SELF		
CODE/NAME & ADDRESS :C000138361	ACCESSION NO : 0028WD000362	AGE/SEX :28 Years Female
ACROFEMI HEALTHCARE LTD (MEDIWHEEL)	PATIENT ID : SIMPF05129428	DRAWN :
F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	CLIENT PATIENT ID:	RECEIVED : 12/04/2023 08:52:29
NEW DELHI 110030	ABHA NO :	REPORTED :13/04/2023 10:46:17
8800465156		
Test Report Status <u>Final</u>	Results Biologica	I Reference Interval Units
SENSORY SYSTEM	NORMAL	
MOTOR SYSTEM	NORMAL	
REFLEXES	NORMAL	
MUSCULOSKELETAL SYSTEM		
SPINE	NORMAL	
JOINTS	NORMAL	
BASIC EYE EXAMINATION		
CONJUNCTIVA	NORMAL	
EYELIDS	NORMAL	
EYE MOVEMENTS	NORMAL	
CORNEA	NORMAL	
DISTANT VISION RIGHT EYE WITHOUT GLASSES	NORMAL	
DISTANT VISION LEFT EYE WITHOUT GLASSES	NORMAL	
NEAR VISION RIGHT EYE WITHOUT GLASSES	NORMAL	
NEAR VISION LEFT EYE WITHOUT GLASSES	NORMAL	
COLOUR VISION	NORMAL	
BASIC ENT EXAMINATION		
EXTERNAL EAR CANAL	NORMAL	
TYMPANIC MEMBRANE	NORMAL	
NOSE	NO ABNORMALITY DETECTED	
SINUSES	NORMAL	
THROAT	NO ABNORMALITY DETECTED	
TONSILS	NOT ENLARGED	
SUMMARY		
RELEVANT HISTORY	NOT SIGNIFICANT	
RELEVANT GP EXAMINATION FINDINGS	NOT SIGNIFICANT	
RELEVANT LAB INVESTIGATIONS	ANEMIA	
RELEVANT NON PATHOLOGY DIAGNOSTICS	NO ABNORMALITIES DETECTED	
REMARKS / RECOMMENDATIONS	PLEASE VCORELATE CLINICALLY	

Page 18 Of 19



View Details



PERFORMED AT : SRL Ltd SKL Ltd E-368, LGF, Nirman Vihar,Near Nirman Vihar Metro NEW DELHI, 110092 NEW DELHI, INDIA Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Email : wellness.eastdelhi@srl.in

• .



PATIENT NAME : SIMPI KUMARI	REF. DOCTOR :	SELF
	ACCESSION NO : 0028WD000362	AGE/SEX : 28 Years Female
ACROFEMI HEALTHCARE LTD (MEDIWHEEL)	PATIENT ID : SIMPF05129428	DRAWN :
F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	CLIENT PATIENT ID:	RECEIVED : 12/04/2023 08:52:29
NEW DELHI 110030	ABHA NO :	REPORTED :13/04/2023 10:46:17
8800465156		
Test Report Status Final	Results Biological	Reference Interval Units

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

ULTRASOUND ABDOMEN

ULTRASOUND ABDOMEN

NORMAL SCAN

Interpretation(s) MEDICAL

THIS REPORT CARRIES THE SIGNATURE OF OUR LABORATORY DIRECTOR. THIS IS AN INVIOLABLE FEATURE OF OUR LAB MANAGEMENT SOFTWARE. HOWEVER, ALL EXAMINATIONS AND INVESTIGATIONS HAVE BEEN CONDUCTED BY OUR PANEL OF DOCTORS. *****

End Of Report

Please visit www.srlworld.com for related Test Information for this accession

CONDITIONS OF LABORATORY TESTING & REPORTING

1. It is presumed that the test sample belongs to the patient named or identified in the test requisition form. 2. All tests are performed and reported as per the turnaround time stated in the SRL Directory of Services. 3. Result delays could occur due to unforeseen circumstances such as non-availability of kits / equipment breakdown / natural calamities / technical downtime or any other unforeseen event.

4. A requested test might not be performed if:

i. Specimen received is insufficient or inappropriate

ii. Specimen quality is unsatisfactory

iii. Incorrect specimen type

iv. Discrepancy between identification on specimen container label and test requisition form

5. SRL confirms that all tests have been performed or assayed with highest quality standards, clinical safety & technical integrity.

6. Laboratory results should not be interpreted in isolation; it must be correlated with clinical information and be interpreted by registered medical practitioners only to determine final diagnosis.

Test results may vary based on time of collection, 7. physiological condition of the patient, current medication or nutritional and dietary changes. Please consult your doctor or call us for any clarification.

Test results cannot be used for Medico legal purposes. 8.

9. In case of gueries please call customer care

(91115 91115) within 48 hours of the report.

SRL Limited

Fortis Hospital, Sector 62, Phase VIII, Mohali 160062

Page 19 Of 19

View Report





PERFORMED AT : SRL Ltd E-368, LGF, Nirman Vihar, Near Nirman Vihar Metro NEW DELHI, 110092 NEW DELHI, INDIA Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Email : wellness.eastdelhi@srl.in