





Age/Gender : 47 Y 0 M 26 D/F
UHID/MR No : CINR.0000154156

Visit ID : CINROPV199136

Ref Doctor : Dr.SELF Emp/Auth/TPA ID : 9480312213 Collected : 13/Jul/2023 07:55AM

Received : 13/Jul/2023 10:50AM

Reported : 13/Jul/2023 01:47PM

Status : Final Report

Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF HAEMATOLOGY

ARCOEEMI - MEDIWHEEL - EIILL RODY	/ HEALTH ANNUAL	DI LIS CHECK -	FEMALE - 2D ECHO - E	DAN INDIA - EV2324
ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324				
Test Name	Result	Unit	Bio. Ref. Range	Method
i est ivallie	Result	Oilit	Dio. Itel. Italige	Method

HAEMOGLOBIN	11.7	g/dL	12-15	Spectrophotometer
PCV	35.20	%	36-46	Electronic pulse & Calculation
RBC COUNT	4.67	Million/cu.mm	3.8-4.8	Electrical Impedence
MCV	75.4	fL	83-101	Calculated
MCH	25.1	pg	27-32	Calculated
MCHC	33.2	g/dL	31.5-34.5	Calculated
R.D.W	14.3	%	11.6-14	Calculated
TOTAL LEUCOCYTE COUNT (TLC)	6,600	cells/cu.mm	4000-10000	Electrical Impedance
DIFFERENTIAL LEUCOCYTIC COUNT (D	LC)			
NEUTROPHILS	50.5	%	40-80	Electrical Impedanc
LYMPHOCYTES	25.1	%	20-40	Electrical Impedanc
EOSINOPHILS	15	%	1-6	Electrical Impedanc
MONOCYTES	8.6	%	2-10	Electrical Impedanc
BASOPHILS	0.8	%	<1-2	Electrical Impedanc
ABSOLUTE LEUCOCYTE COUNT				
NEUTROPHILS	3333	Cells/cu.mm	2000-7000	Electrical Impedanc
LYMPHOCYTES	1656.6	Cells/cu.mm	1000-3000	Electrical Impedanc
EOSINOPHILS	990	Cells/cu.mm	20-500	Electrical Impedanc
MONOCYTES	567.6	Cells/cu.mm	200-1000	Electrical Impedanc
BASOPHILS	52.8	Cells/cu.mm	0-100	Electrical Impedanc
PLATELET COUNT	312000	cells/cu.mm	150000-410000	Electrical impedence
ERYTHROCYTE SEDIMENTATION RATE (ESR)	41	mm at the end of 1 hour	0-20	Modified Westegrer method

RBCs: are normocytic hypochromic. Few microcytes are seen.

WBCs: are normal in total number with increase in number of eosinophils

PLATELETS: appear adequate in number.

HEMOPARASITES: negative

Page 1 of 12









: Mrs.SWETHA G PATIL

Age/Gender

: 47 Y 0 M 26 D/F

UHID/MR No

: CINR.0000154156

Visit ID

: CINROPV199136

Ref Doctor Emp/Auth/TPA ID

: 9480312213

: Dr.SELF

Collected

: 13/Jul/2023 07:55AM

Received

: 13/Jul/2023 10:50AM : 13/Jul/2023 01:47PM

Reported Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF HAEMATOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY	HEALTH ANNUAL	PLUS CHECK -	FEMALE - 2D ECHO - F	PAN INDIA - FY2324
Test Name	Result	Unit	Bio. Ref. Range	Method

IMPRESSION: NORMOCYTIC HYPOCHROMIC ANEMIA AND EOSINOPHILIA

Page 2 of 12













: Mrs.SWETHA G PATIL

Age/Gender

: 47 Y 0 M 26 D/F

UHID/MR No Visit ID : CINR.0000154156 : CINROPV199136

Ref Doctor

: Dr.SELF

Emp/Auth/TPA ID : 9480312213

Collected

: 13/Jul/2023 07:55AM

Received

: 13/Jul/2023 10:50AM

Reported

: 13/Jul/2023 02:15PM

Status Sponsor Name : Final Report

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF HAEMATOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324					
Test Name	Result	Unit	Bio. Ref. Range	Method	

BLOOD GROUP ABO AND RH FACTOR, WHOLE BLOOD-EDTA				
BLOOD GROUP TYPE	0	Microplate Hemagglutination		
Rh TYPE	Positive	Microplate Hemagglutination		

Page 3 of 12













Age/Gender : 47 Y 0 M 26 D/F

UHID/MR No : CINR.0000154156 Visit ID : CINROPV199136

Ref Doctor : Dr.SELF Emp/Auth/TPA ID : 9480312213 Collected : 13/Jul/2023 07:55AM

Received : 13/Jul/2023 11:01AM

Reported : 13/Jul/2023 11:38AM

Status : Final Report

Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324					
Test Name	Result	Unit	Bio. Ref. Range	Method	

GLUCOSE, FASTING , NAF PLASMA	112	mg/dL	70-100	HEXOKINASE	
-------------------------------	-----	-------	--------	------------	--

Comment:

As per American Diabetes Guidelines

Fasting Glucose Values in mg/d L	Interpretation
<100 mg/dL	Normal
100-125 mg/dL	Prediabetes
≥126 mg/dL	Diabetes

GLUCOSE, POST PRANDIAL (PP), 2	76	mg/dL	70-140	HEXOKINASE
HOURS , NAF PLASMA				

Comment:

It is recommended that FBS and PPBS should be interpreted with respect to their Biological reference ranges and not with each other.

Conditions which may lead to lower postprandial glucose levels as compared to fasting glucose levels may be due to reactive hypoglycemia, dietary meal content, duration or timing of sampling after food digestion and absorption, medications such as insulin preparations, sulfonylureas, amylin analogues, or conditions such as overproduction of insulin.

Ref: Marks medical biochemistry and clinical approach

Page 4 of 12



2012, 1st Floor, 100 Feet Road, HAL 2nd stage, Indiranagar, Bengaluru, Karnataka, India - 560038







: Mrs.SWETHA G PATIL

Age/Gender

: 47 Y 0 M 26 D/F

UHID/MR No Visit ID

: CINR.0000154156

Ref Doctor

: CINROPV199136 : Dr.SELF

Emp/Auth/TPA ID : 9480312213 Collected

: 13/Jul/2023 07:55AM

Received

: 13/Jul/2023 11:01AM

Reported Status

: 13/Jul/2023 11:38AM

Sponsor Name

: Final Report : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324				
Test Name	Result	Unit	Bio. Ref. Range	Method
HBA1C, GLYCATED HEMOGLOBIN , WHOLE BLOOD-EDTA	6.1	%		HPLC
ESTIMATED AVERAGE GLUCOSE (eAG) , WHOLE BLOOD-EDTA	128	mg/dL	1	Calculated

Comment:

Reference Range as per American Diabetes Association (ADA):

REFERENCE GROUP	HBA1C IN %
NON DIABETIC ADULTS >18 YEARS	<5.7
AT RISK (PREDIABETES)	5.7 – 6.4
DIAGNOSING DIABETES	≥ 6.5
DIABETICS	
· EXCELLENT CONTROL	6 – 7
· FAIR TO GOOD CONTROL	7 – 8
· UNSATISFACTORY CONTROL	8 – 10
· POOR CONTROL	>10

Note: Dietary preparation or fasting is not required.

- 1. A1C test should be performed at least two times a year in patients who are meeting treatment goals (and who have stable glycemic control).
- 2. Lowering A1C to below or around 7% has been shown to reduce microvascular and neuropathic complications of type 1 and type 2 diabetes. When mean annual HbA1c is <1.1 times ULN (upper limit of normal), renal and retinal complications are rare, but complications occur in >70% of cases when HbA1c is >1.7 times ULN.
- 3. Falsely low HbA1c (below 4%) may be observed in patients with clinical conditions that shorten erythrocyte life span or decrease mean erythrocyte age. HbA1c may not accurately reflect glycemic control when clinical conditions that affect erythrocyte survival are present. Fructosamine may be used as an alternate measurement of glycemic control

Page 5 of 12



www.apolloclinic.com









Age/Gender : 47 Y 0 M 26 D/F UHID/MR No : CINR.0000154156

Visit ID : CINROPV199136

Ref Doctor : Dr.SELF Emp/Auth/TPA ID : 9480312213 Collected : 13/Jul/2023 07:55AM
Received : 13/Jul/2023 10:57AM
Reported : 13/Jul/2023 11:26AM

Status : Final Report

Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324						
Test Name	Result	Unit	Bio. Ref. Range	Method		

LIPID PROFILE , SERUM				
TOTAL CHOLESTEROL	221	mg/dL	<200	CHO-POD
TRIGLYCERIDES	68	mg/dL	<150	GPO-POD
HDL CHOLESTEROL	53	mg/dL	40-60	Enzymatic Immunoinhibition
NON-HDL CHOLESTEROL	168	mg/dL	<130	Calculated
LDL CHOLESTEROL	154.2	mg/dL	<100	Calculated
VLDL CHOLESTEROL	13.6	mg/dL	<30	Calculated
CHOL / HDL RATIO	4.17		0-4.97	Calculated

Comment:

Reference Interval as per National Cholesterol Education Program (NCEP) Adult Treatment Panel III Report.

	Desirable	Borderline High	High	Very High
TOTAL CHOLESTEROL	< 200	200 - 239	≥ 240	
TRIGLYCERIDES	<150	150 - 199	200 - 499	≥ 500
11 1 11	Optimal < 100 Near Optimal 100-129	130 - 159	160 - 189	≥ 190
HDL	≥ 60			
INCN-HDI CHOLESTEROL	Optimal <130; Above Optimal 130-159	160-189	190-219	>220

Measurements in the same patient can show physiological and analytical variations.

NCEP ATP III identifies non-HDL cholesterol as a secondary target of therapy in persons with high triglycerides.

Page 6 of 12



SIN No:SE04421705









: Mrs.SWETHA G PATIL

Age/Gender

: 47 Y 0 M 26 D/F

UHID/MR No

: CINR.0000154156

Visit ID

: CINROPV199136

Ref Doctor Emp/Auth/TPA ID : Dr.SELF : 9480312213 Collected

: 13/Jul/2023 07:55AM

Received

: 13/Jul/2023 10:57AM

Reported

: 13/Jul/2023 11:26AM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY	HEALTH ANNUAL	PLUS CHECK -	FEMALE - 2D ECHO - P	PAN INDIA - FY2324
Test Name	Result	Unit	Bio. Ref. Range	Method

LIVER FUNCTION TEST (LFT) , SERUM				
BILIRUBIN, TOTAL	0.54	mg/dL	0.3–1.2	DPD
BILIRUBIN CONJUGATED (DIRECT)	0.05	mg/dL	<0.2	DPD
BILIRUBIN (INDIRECT)	0.49	mg/dL	0.0-1.1	Dual Wavelength
ALANINE AMINOTRANSFERASE (ALT/SGPT)	15	U/L	<35	IFCC
ASPARTATE AMINOTRANSFERASE (AST/SGOT)	24.0	U/L	<35	IFCC
ALKALINE PHOSPHATASE	91.00	U/L	30-120	IFCC
PROTEIN, TOTAL	6.46	g/dL	6.6-8.3	Biuret
ALBUMIN	4.05	g/dL	3.5-5.2	BROMO CRESOL GREEN
GLOBULIN	2.41	g/dL	2.0-3.5	Calculated
A/G RATIO	1.68		0.9-2.0	Calculated

Page 7 of 12











: Mrs.SWETHA G PATIL

Age/Gender

: 47 Y 0 M 26 D/F

UHID/MR No

: CINR.0000154156

Visit ID

: CINROPV199136

Ref Doctor Emp/Auth/TPA ID : Dr.SELF : 9480312213 Collected

: 13/Jul/2023 07:55AM

Received

: 13/Jul/2023 10:57AM

Reported

: 13/Jul/2023 11:26AM

Status Sponsor Name : Final Report : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY	HEALTH ANNUAL	PLUS CHECK -	FEMALE - 2D ECHO - F	AN INDIA - FY2324
Test Name	Result	Unit	Bio. Ref. Range	Method

RENAL PROFILE/KIDNEY FUNCTION TEST (RFT/KFT), SERUM				
CREATININE	0.70	mg/dL	0.72 – 1.18	JAFFE METHOD
UREA	21.80	mg/dL	17-43	GLDH, Kinetic Assay
BLOOD UREA NITROGEN	10.2	mg/dL	8.0 - 23.0	Calculated
URIC ACID	3.67	mg/dL	2.6-6.0	Uricase PAP
CALCIUM	9.30	mg/dL	8.8-10.6	Arsenazo III
PHOSPHORUS, INORGANIC	3.37	mg/dL	2.5-4.5	Phosphomolybdate Complex
SODIUM	135	mmol/L	136–146	ISE (Indirect)
POTASSIUM	4.2	mmol/L	3.5–5.1	ISE (Indirect)
CHLORIDE	100	mmol/L	101–109	ISE (Indirect)

Page 8 of 12



SIN No:SE04421705









: Mrs.SWETHA G PATIL

Age/Gender

: 47 Y 0 M 26 D/F

UHID/MR No Visit ID : CINR.0000154156 : CINROPV199136

Ref Doctor

: Dr.SELF

Emp/Auth/TPA ID : 9480312213

Collected

: 13/Jul/2023 07:55AM

Received

: 13/Jul/2023 10:57AM

Reported Status : 13/Jul/2023 11:26AM

Sponsor Name

: Final Report : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2	324
--	-----

Test Name	Result	Unit	Bio. Ref. Range	Method
-----------	--------	------	-----------------	--------

GAMMA GLUTAMYL TRANSPEPTIDASE	20.00	U/L	<38	IFCC	
(GGT) , SERUM					

Page 9 of 12



SIN No:SE04421705









Age/Gender : 47 Y 0 M 26 D/F

UHID/MR No : CINR.0000154156

Visit ID : CINROPV199136

Ref Doctor : Dr.SELF Emp/Auth/TPA ID : 9480312213

Collected : 13/Jul/2023 07:55AM Received : 13/Jul/2023 10:57AM

Reported : 13/Jul/2023 12:01PM

: Final Report Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF IMMUNOLOGY

Status

ARCOFEMI - MEDIWHEEL - FULL BODY	HEALTH ANNUAL	PLUS CHECK -	FEMALE - 2D ECHO - P	PAN INDIA - FY2324
Test Name	Result	Unit	Bio. Ref. Range	Method

THYROID PROFILE TOTAL (T3, T4, TSH) , SERUM				
TRI-IODOTHYRONINE (T3, TOTAL)	1.17	ng/mL	0.7-2.04	CLIA
THYROXINE (T4, TOTAL)	11.73	μg/dL	6.09-12.23	CLIA
THYROID STIMULATING HORMONE (TSH)	2.188	μIU/mL	0.34-5.60	CLIA

Comment:

Serum TSH concentrations exhibit a diurnal variation with the peak occurring during the night and the nadir occurring between 10 a.m. and 4 p.m.In primary hypothyroidism, thyroid-stimulating hormone (TSH) levels will be elevated. In primary hyperthyroidism, TSH levels will be low. Elevated or low TSH in the context of normal free thyroxine is often referred to as subclinical hypo- or hyperthyroid-ism, respectively. Physiological rise in Total T3 / T4 levels is seen in pregnancy and in patients on steroid therapy.

Recommended test for T3 and T4 is unbound fraction or free levels as it is metabolically active.

Note:

For pregnant females	Bio Ref Range for TSH in uIU/ml (As per American Thyroid Association)
First trimester	0.1 - 2.5
Second trimester	0.2 - 3.0
Third trimester	0.3 - 3.0

Page 10 of 12











Age/Gender : 47 Y 0 M 26 D/F UHID/MR No : CINR.0000154156

Visit ID : CINROPV199136

Ref Doctor : Dr.SELF Emp/Auth/TPA ID : 9480312213 Collected : 13/Jul/2023 07:54AM

Received : 13/Jul/2023 11:38AM

Reported : 13/Jul/2023 01:51PM

Status : Final Report

Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF CLINICAL PATHOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324					
Test Name	Result	Unit	Bio. Ref. Range	Method	

COMPLETE URINE EXAMINATION (C	UE) , URINE			
PHYSICAL EXAMINATION				
COLOUR	PALE YELLOW		PALE YELLOW	Visual
TRANSPARENCY	CLEAR		CLEAR	Visual
pH	5.5		5-7.5	DOUBLE INDICATOR
SP. GRAVITY	1.010		1.002-1.030	Bromothymol Blue
BIOCHEMICAL EXAMINATION				
URINE PROTEIN	NEGATIVE		NEGATIVE	PROTEIN ERROR OF INDICATOR
GLUCOSE	NEGATIVE		NEGATIVE	GLUCOSE OXIDASE
URINE BILIRUBIN	NEGATIVE		NEGATIVE	AZO COUPLING REACTION
URINE KETONES (RANDOM)	NEGATIVE		NEGATIVE	SODIUM NITRO PRUSSIDE
UROBILINOGEN	NORMAL		NORMAL	MODIFED EHRLICH REACTION
BLOOD	NEGATIVE		NEGATIVE	Peroxidase
NITRITE	NEGATIVE		NEGATIVE	Diazotization
LEUCOCYTE ESTERASE	NEGATIVE		NEGATIVE	LEUCOCYTE ESTERASE
CENTRIFUGED SEDIMENT WET MO	OUNT AND MICROSCOPY			
PUS CELLS	1-2	/hpf	0-5	Microscopy
EPITHELIAL CELLS	2-3	/hpf	<10	MICROSCOPY
RBC	NIL	/hpf	0-2	MICROSCOPY
CASTS	NIL		0-2 Hyaline Cast	MICROSCOPY
CRYSTALS	ABSENT		ABSENT	MICROSCOPY

Page 11 of 12













: Mrs.SWETHA G PATIL

Age/Gender

: 47 Y 0 M 26 D/F

UHID/MR No Visit ID

: CINR.0000154156

Ref Doctor

: CINROPV199136

Emp/Auth/TPA ID

: Dr.SELF : 9480312213 Collected

: 13/Jul/2023 07:54AM

Received Reported : 13/Jul/2023 11:38AM : 13/Jul/2023 01:51PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEDAD	TMENT		LINIICAL	_ PATHOL	\triangle
DEFAR	I IVIŒIN I	OF G	LINICAL	. PAINUL	.001

Test Name Result Unit Bio. Ref. Range Method	st Name	Result	Unit	Bio. Ref. Range	Method
--	---------	--------	------	-----------------	--------

URINE GLUCOSE(POST PRANDIAL) **NEGATIVE NEGATIVE** Dipstick

URINE GLUCOSE(FASTING) **NEGATIVE NEGATIVE** Dipstick

*** End Of Report ***

Result/s to Follow:

PERIPHERAL SMEAR, LBC PAP TEST (PAPSURE)

Dr. Anita Shobha Flynn M.B.B.S MD(Pathology) Consultant Pathologist

DR.SPOORTHY GURAJALA

M.B.B.S,M.D(PATHOLOGY)/DNB,DipRCPath(UK)

Consultant Pathologist

DR. SHIVARAJA SHETTY

M.B.B.S, M.D(Biochemistry M.B.B.S) MD(Pathology)

Dr.Anita Shobha Flynn

CONSULTANT BIOCHEMIST Consultant Pathologist

Page 12 of 12







Patient Name : Mrs. Swetha G Patil Age/Gender : 47 Y/F

UHID/MR No.

: CINR.0000154156

OP Visit No Reported on : CINROPV199136

Sample Collected on

: RAD2046167

Reported on Specimen

: 13-07-2023 17:57

Ref Doctor Emp/Auth/TPA ID

LRN#

: SELF

: 9480312213

DEPARTMENT OF RADIOLOGY

X-RAY CHEST PA

Both lung fields and hila are normal.

No obvious active pleuro-parenchymal lesion seen .

Both costophrenic and cardiophrenic angles are clear.

Both diaphragms are normal in position and contour.

Thoracic wall and soft tissues appear normal.

CONCLUSION:

No obvious abnormality seen

Dr. DHANALAKSHMI B MBBS, DMRD

Radiology



Patient Name : Mrs. Swetha G Patil Age/Gender : 47 Y/F

 UHID/MR No.
 : CINR.0000154156
 OP Visit No
 : CINROPV199136

 Sample Collected on
 :
 Reported on
 : 13-07-2023 17:02

Ref Doctor : SELF Emp/Auth/TPA ID : 9480312213

DEPARTMENT OF RADIOLOGY

ULTRASOUND - WHOLE ABDOMEN

LIVER: Appears normal in size, shape and echopattern. No focal parenchymal lesions identified. No evidence of intra/extrahepatic biliary tree dilatation noted. Portal vein appears to be of normal size.

GALLBLADDER: Moderately distended. No definite calculi identified. No evidence of abnormal wall thickening noted.

SPLEEN: Appears normal in size, shape and echopattern. No focal parenchymal lesions identified.

PANCREAS: Obscured by bowel gas. However, the visualized portion appear normal.

KIDNEYS: Both kidneys appear normal in size, shape and echopattern. Corticomedullary differentiation appears maintained. No evidence of calculi or hydronephrosis on either side.

Right kidney measures 9.0x3.4 cm.

Left kidney measures 10.6x4.3 cm.

URINARY BLADDER: Distended and appears normal. No evidence of abnormal wall thickening noted.

UTERUS & OVARIES: Atrophic.

No free fluid is seen.

IMPRESSION:

NO SIGNIFICANT SONOGRAPHIC ABNORMALITY DETECTED.

Dr. RAMESH G
MBBS DMRD
RADIOLOGY