Name	Miriyapalli Srirama murty	Customer ID	MED121762302
Age & Gender	33Y/M	Visit Date	Mar 25 2023 9:00AM
Ref Doctor	MediWheel		

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Impression: No significant abnormality detected.

1----

Dr.Jahn avi Barla, MD (RD)

Consultant Radiologist

Name	: Mr. Miriyapalli Srirama mur	ty .		
PID No.	: MED121762302	Register On : 2	25/03/2023 9:01 AM	
SID No.	: 128623000853	Collection On :	25/03/2023 9:30 AM	
Age / Sex	: 33 Year(s) / Male	Report On :	26/03/2023 5:11 PM	medall
Туре	: OP	Printed On :	28/03/2023 9:46 AM	DIAGNOSTICS
Ref. Dr	: MediWheel			
<u>Investig</u> a	ation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
BLOOD TYPINC	GROUPING AND Rh G	'O' 'Positive'		
	ood/Agglutination)			
	RETATION: Reconfirm the Blood g	roup and Typing befor	e blood transfusion	
<u>Complet</u>	e Blood Count With - ESR			
Haemog (EDTA Bl	lobin ood/Spectrophotometry)	11.2	g/dL	13.5 - 18.0
	Cell Volume(PCV)/Haematocrit ood/Derived from Impedance)	35.6	%	42 - 52
RBC Co (EDTA Bl	unt ood/Impedance Variation)	5.95	mill/cu.mm	4.7 - 6.0
	orpuscular Volume(MCV) ood/Derived from Impedance)	59.9	fL	78 - 100
	orpuscular Haemoglobin(MCH) ood/Derived from Impedance)	18.8	pg	27 - 32
concentr	orpuscular Haemoglobin ration(MCHC) ood/Derived from Impedance)	31.3	g/dL	32 - 36
RDW-C (EDTA Bl	V ood/Derived from Impedance)	17.4	%	11.5 - 16.0
RDW-SI (EDTA Bl	D ood/Derived from Impedance)	36.48	fL	39 - 46
	ukocyte Count (TC) ood/Impedance Variation)	6500	cells/cu.mm	4000 - 11000
Neutropl (EDTA Bl Cytometry	ood/Impedance Variation & Flow	49.8	%	40 - 75
Lympho (EDTA Bl <i>Cytometry</i>)	ood/Impedance Variation & Flow	37.9	%	20 - 45





The results pertain to sample tested.

Page 1 of 9

Name	: Mr. Miriyapalli Srirama murty			
PID No.	: MED121762302	Register On	: 25/03/2023 9:01 AM	
SID No.	: 128623000853	Collection On	: 25/03/2023 9:30 AM	
Age / Sex	: 33 Year(s) / Male	Report On	: 26/03/2023 5:11 PM	m
Туре	: OP	Printed On		DIA
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Eosinophils (EDTA Blood/Impedance Variation & Flow Cytometry)	2.5	%	01 - 06
Monocytes (EDTA Blood/Impedance Variation & Flow Cytometry)	9.0	%	01 - 10
Basophils (EDTA Blood/Impedance Variation & Flow Cytometry)	0.8	%	00 - 02
INTERPRETATION: Tests done on Automated	l Five Part cell count	er. All abnormal result	s are reviewed and confirmed microscopically.
Absolute Neutrophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	3.24	10^3 / µl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	2.46	10^3 / µl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood/Impedance Variation & Flow Cytometry)	0.16	10^3 / µl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.58	10^3 / µl	< 1.0
Absolute Basophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.05	10^3 / µl	< 0.2
Platelet Count (EDTA Blood'Impedance Variation)	219	10^3 / µl	150 - 450
MPV (EDTA Blood/Derived from Impedance)	9.4	fL	7.9 - 13.7
PCT (EDTA Blood/Automated Blood cell Counter)	0.21	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Blood/Automated - Westergren method)	62	mm/hr	< 15





The results pertain to sample tested.

Page 2 of 9

Name	:	Mr. Miriyapalli Srirama murt	t y				
PID No.	:	MED121762302	Register On	:	25/03/2023 9:01 AM		
SID No.	:	128623000853	Collection On	:	25/03/2023 9:30 AM	\mathbf{O}	
Age / Sex	:	33 Year(s) / Male	Report On	:	26/03/2023 5:11 PM	medall	
Туре	:	OP	Printed On	:	28/03/2023 9:46 AM	DIAGNOSTICS	

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
BUN / Creatinine Ratio	12.6		6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	99.7	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine) (Urine - F/GOD - POD)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD-PAP)	70.5	mg/dL	70 - 140

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Remark: please correlate clinically.

Urine Glucose(PP-2 hours) (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease UV/derived)	15.3	mg/dL	7.0 - 21
Creatinine (Serum/ <i>Modified Jaffe</i>)	1.21	mg/dL	0.9 - 1.3

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin, cefazolin, ACE inhibitors, angiotensin II receptor antagonists, N-acetylcysteine, chemotherapeutic agent such as flucytosine etc.

			Etm.
Bilirubin(Total) (Serum/DCA with ATCS)	0.61	mg/dL	0.1 - 1.2
Liver Function Test			
Uric Acid (Serum/ <i>Enzymatic</i>)	6.9	mg/dL	3.5 - 7.2





The results pertain to sample tested.

Page 3 of 9

Name	: Mr. Miriyapalli Srirama murt	iy i	
PID No.	: MED121762302	Register On	: 25/03/2023 9:01 AM
SID No.	: 128623000853	Collection On	: 25/03/2023 9:30 AM
Age / Sex	: 33 Year(s) / Male	Report On	: 26/03/2023 5:11 PM
Туре	: OP	Printed On	: 28/03/2023 9:46 AM
Ref. Dr	: MediWheel		



Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.18	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.43	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/ <i>Modified IFCC)</i>	23.0	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/ <i>Modified IFCC</i>)	31.7	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	23.7	U/L	< 55
Alkaline Phosphatase (SAP) (Serum/ <i>Modified IFCC</i>)	66.6	U/L	53 - 128
Total Protein (Serum/Biuret)	7.76	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.38	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	3.38	gm/dL	2.3 - 3.6
A : G RATIO (Serum/Derived)	1.30		1.1 - 2.2
<u>Lipid Profile</u>			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	168.1	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	89.2	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500





APPROVED BY

The results pertain to sample tested.

Page 4 of 9

Name	:	Mr. Miriyapalli Srirama mur	ty				
PID No.	:	MED121762302	Registe	r On	:	25/03/2023 9:01 AM	
SID No.	:	128623000853	Collect	ion On	:	25/03/2023 9:30 AM	
Age / Sex	:	33 Year(s) / Male	Report	On	:	26/03/2023 5:11 PM	medall
Туре	:	OP	Printed	On	:	28/03/2023 9:46 AM	DIAGNOSTICS
Ref. Dr	:	MediWheel					
<u>Investiga</u>	atio	<u>on</u>		<u>oserve</u> Value	<u>d</u>	<u>Unit</u>	Biological Reference Interval
increasing variation to	as 00. for	much as 5 to 10 times the fasting There is evidence recommending metabolic syndrome, as non-fasti	levels, jus triglyceri	st a few l des estin	hou mat	rs after eating. Fasting tr ion in non-fasting condit	els change drastically in response to food, iglyceride levels show considerable diurnal ion for evaluating the risk of heart disease and ö"circulating level of triglycerides during most
HDL Cho (Serum/Imr		esterol noinhibition)		36.3		mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cho (Serum/Ca.				114		mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL C (Serum/Ca				17.8		mg/dL	< 30
Non HDI (Serum/Ca.		Cholesterol lated)		131.8		mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220

INTERPRETATION: 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio (Serum/ <i>Calculated</i>)	4.6	Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/ <i>Calculated</i>)	2.5	Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
		DR.SUNDAR ELAYAPERUMAL MD, CIC

The results pertain to sample tested.

Page 5 of 9

CONSULTANT MICROBIOLOGIST REG NO: 41854

APPROVED BY

Name	: Mr. Miriyapalli Srirama ı	nurty		
PID No.	: MED121762302	Register On : 2	5/03/2023 9:01 AM	
SID No.	: 128623000853	Collection On : 2	25/03/2023 9:30 AM	
Age / Sex	: 33 Year(s) / Male	Report On : 2	26/03/2023 5:11 PM	medall
Туре	: OP	Printed On : 2	28/03/2023 9:46 AM	DIAGNOSTICS
Ref. Dr	: MediWheel			
Investiga	ation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
LDL/HD (Serum/ <i>Ca</i>	DL Cholesterol Ratio	3.1		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0
<u>Glycosyl</u>	ated Haemoglobin (HbA1c	<u>)</u>		
HbA1C (Whole Blo	ood/HPLC)	6.2	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5
INTERPI	RETATION: If Diabetes - Good	control : 6.1 - 7.0 % , Fair	control : 7.1 - 8.0 % , Poo	or control $>= 8.1$ %
Estimate (Whole Blo	d Average Glucose	131.24	mg/dL	
hypertrigh Condition ingestion,	s that prolong RBC life span like yceridemia,hyperbilirubinemia,I s that shorten RBC survival like Pregnancy, End stage Renal dise ID PROFILE / TFT	orugs, Alcohol, Lead Poison acute or chronic blood loss	ning, Asplenia can give fa hemolytic anemia, Hemo	iency, lsely elevated HbA1C values. oglobinopathies, Splenomegaly,Vitamin E
	odothyronine) - Total demiluminescent Immunometric As	0.98 say	ng/ml	0.7 - 2.04
Comment Total T3 v		dition like pregnancy, drug	s, nephrosis etc. In such c	ases, Free T3 is recommended as it is
-	oxine) - Total emiluminescent Immunometric As	6.91 say	µg/dl	4.2 - 12.0
Comment Total T4 v		dition like pregnancy, drug	s, nephrosis etc. In such c	ases, Free T4 is recommended as it is
				DR.SUNDAR ELAYAPERUMAL MD, CIC CONSULTANT MICROPIOLOGIST REG NO.41854

APPROVED BY

The results pertain to sample tested.

Page 6 of 9

Name	: Mr. Miriyapalli Srirama murty	y		
PID No.	: MED121762302	Register On	: 25/03/2023 9:01 AM	
SID No.	: 128623000853	Collection On	: 25/03/2023 9:30 AM	
Age / Sex	: 33 Year(s) / Male	Report On	: 26/03/2023 5:11 PM	medall
Туре	: OP	Printed On	: 28/03/2023 9:46 AM	DIAGNOSTICS
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
TSH (Thyroid Stimulating Hormone)	3.71	µIU/mL	0.35 - 5.50
(Serum/Chemiluminescent Immunometric Assay			

(CLIA))

INTERPRETATION:

Reference range for cord blood - upto 20 1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0 (Indian Thyroid Society Guidelines) **Comment :**

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI. 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM.The variation can be of the order of 50%,hence time of the day has influence on the measured serum TSH concentrations.

3.Values&lt0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.

Urine Analysis - Routine

COLOUR (Urine)	Pale yellow		Yellow to Amber
APPEARANCE (Urine)	Clear		Clear
Protein (Urine/Protein error of indicator)	Negative		Negative
Glucose (Urine/GOD - POD)	Negative		Negative
Pus Cells (Urine/Automated ó"Flow cytometry)	1 - 2	/hpf	NIL
Epithelial Cells (Urine/Automated ó"Flow cytometry)	Occasional	/hpf	NIL
RBCs (Urine/Automated 6"Flow cytometry)	NIL	/hpf	NIL
Casts (Urine/Automated ó"Flow cytometry)	NIL	/hpf	NIL
Crystals (Urine/Automated ó"Flow cytometry)	NIL	/hpf	NIL





The results pertain to sample tested.

Page 7 of 9

Name	: Mr. Miriyapalli Srirama mur	ty		
PID No.	: MED121762302	Register On	: 25/03/2023 9:01 AM	
SID No.	: 128623000853	Collection On	: 25/03/2023 9:30 AM	
Age / Sex	: 33 Year(s) / Male	Report On	: 26/03/2023 5:11 PM	medall
Туре	: OP	Printed On	: 28/03/2023 9:46 AM	DIAGNOSTICS
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> <u>Unit</u> <u>Value</u>	Biological Reference Interval
Others	NIL	

(Urine)

INTERPRETATION: Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.

Stool Analysis - ROUTINE

Colour (Stool)	Brown		Brown
Blood (Stool)	Absent		Absent
Mucus (Stool)	Absent		Absent
Reaction (Stool)	Acidic		Acidic
Consistency (Stool)	Semi Solid		Semi Solid
Ova (Stool)	NIL		NIL
Others (Stool)	NIL		NIL
Cysts (Stool)	NIL		NIL
Trophozoites (Stool)	NIL		NIL
RBCs (Stool)	NIL	/hpf	Nil
Pus Cells (Stool)	1 - 2	/hpf	NIL
Macrophages (Stool)	NIL		NIL





The results pertain to sample tested.

Page 8 of 9

Name	: Mr. Miriyapalli Srirama mur	ty		
PID No.	: MED121762302	Register On :	25/03/2023 9:01 AM	
SID No.	: 128623000853	Collection On	25/03/2023 9:30 AM	
Age / Sex	: 33 Year(s) / Male	Report On :	26/03/2023 5:11 PM	medall
Туре	: OP	Printed On	28/03/2023 9:46 AM	DIAGNOSTICS
Ref. Dr	: MediWheel			
Investiga	ation	<u>Observed</u> <u>Value</u>	Unit	Biological Reference Interval
Epithelia (Stool)	l Cells	NIL	/hpf	NIL





-- End of Report --

The results pertain to sample tested.

Page 9 of 9