Name	MEENA VAISHNAVI G	ID	MED111242316
Age & Gender	31Year(s)/FEMALE	Visit Date	8/13/2022 12:00:00 AM
Ref Doctor Name	MediWheel		

SONOGRAM REPORT

WHOLE ABDOMEN

The liver is enlarged in size (15.1 cm) and shows fatty changes. No focal mass seen.

The gall bladder is normal sized and smooth walled and contains no calculus.

There is no intra or extra hepatic biliary ductal dilatation.

The pancreas shows a normal configuration and echotexture.

The pancreatic duct is normal.

The portal vein and IVC are normal.

The spleen is normal.

There is no free or loculated peritoneal fluid.

No para aortic lymphadenopathy is seen.

No abnormality is seen in the region of the adrenal glands.

The right kidney measures 10.4 x 4.3 cms.

The left kidney measures 11.0 x 4.7 cms.

Both kidneys are normal in size, shape and position. Cortical echoes arenormal bilaterally.

There is no calculus or calyceal dilatation.

The ureters are not dilated.

Name	MEENA VAISHNAVI G	ID	MED111242316
Age & Gender	31Year(s)/FEMALE	Visit Date	8/13/2022 12:00:00 AM
Ref Doctor Name	MediWheel		

The bladder is smooth walled and uniformly transonic. There is no intravesical mass or calculus.

The uterus is anteverted, and measures 13.2 x 4.5 cms. It is stretched (Post LSCS).

Myometrial echoes are homogeneous.

The endometrium measures 13 mm. It is mildly thickened. No abnormal vascularity seen.

The right ovary measures 3.3 x 4.6 x 2.2 cms (Vol: 17 cc).

The left ovary measures 3.3 x 2.6 x 3.9 cms (Vol: 17 cc).

Both ovaries are enlarged and show multiple tiny cysts in the periphery.

Parametria are free.

Iliac fossae are normal.

No mass or fluid collection is seen in the right iliac fossa. The appendix is not visualized.

IMPRESSION:

- Enlarged fatty liver.
- Thickened endometrium.
- Polycystic ovaries.

sh

DR. S.GNANAM MBBS., DMRD., CONSULTANT RADIOLOGIST

Name	MEENA VAISHNAVI G	ID	MED111242316
Age & Gender	31Year(s)/FEMALE		8/13/2022 12:00:00 AM
Ref Doctor Name	MediWheel		

Name	MEENA VAISHNAVI G	ID	MED111242316
Age & Gender	31Year(s)/FEMALE	Visit Date	8/13/2022 12:00:00 AM
Ref Doctor Name	MediWheel		

ECHO CARDIOGRAPHY REPORT

Measurements:-

M Mode:

IVS d	1.1 cm	IVS s	1.1 cm
LVID d	4.1 cm	LVID s	2.6 cm
LVPW d	0.9 cm	LVPW s	0.9 cm
AO	2.5cm	LA	3.0 cm

Doppler study:

Location	m/sec	Location	m/sec
MP A vel	0.8	MV E	0.6
PGT	3 mmHg	Α	0.4
AV vel	1.1	Ratio	0.8
PGT	5 mmHg	ΤΥ Ε	0.3
EF	64 %	Α	0.5
FS	34 %	Ratio	0.8

<u>2D:</u>

LA	:	NORMAL	R	RA:	NORMAL
LV	:	NORMAL	RV	:	NORMAL
AV	:	NORMAL	PV :	NOF	RMAL
MV	:	NORMAL	TV :	NOF	RMAL
AO	:	NORMAL	PA	:	NORMAL

Name	MEENA VAISHNAVI G	ID	MED111242316
Age & Gender	31Year(s)/FEMALE	Visit Date	8/13/2022 12:00:00 AM
Ref Doctor Name	MediWheel		

Observations:

- Cardiac chambers dimension-normal
- No regional wall motion abnormality
- Normal LV systolic and diastolic function
- Valves are morphologically and functionally normal
- No stenosis / prolapse / regurgitation
- Doppler flow pattern normal
- No pulmonary hypertension
- Normal Pericardium
- IAS/ IVS appear Intact
- No mass

CONCLUSIONS:

- NORMAL CARDIAC DIMENSIONS.
- NO REGIONAL WALL MOTION ABNORMALITIES.
- NORMAL LV SYSTOLIC AND DIASTOLIC FUNCTION.
- LVEF 64 %
- TRIVIAL MR & TR / NO PAH
- NORMAL STUDY.

Name	MEENA VAISHNAVI G	ID	MED111242316
Age & Gender	31Year(s)/FEMALE	Visit Date	8/13/2022 12:00:00 AM
Ref Doctor Name	MediWheel		

In

^{ca} KARTHIKA. V Prof. N. Subramanian MD, DM(CARD) FRCP, FACC Done By :-Consultant Cardiologist

Type Ref. Dr	: Mrs. MEENA VAISHNAVI G : MED111242316 : 1802228088 : 31 Year(s) / Female : OP : MediWheel	Collection On : Report On : Printed On :	13/08/2022 10:17 AM 13/08/2022 11:02 AM 15/08/2022 2:36 PM 16/08/2022 12:22 PM	Pielogical
<u>Investiga</u>		<u>Observed</u> <u>Value</u>		Biological Reference Interval
TYPINC	GROUPING AND Rh G ood/Agglutination)	'A' 'Positive		
	RETATION: Reconfirm the Blood g	oup and Typing before	ore blood transfusion	
<u>Complet</u>	e Blood Count With - ESR			
Haemog (EDTA Bl	lobin ood/Spectrophotometry)	12.2	g/dL	12.5 - 16.0
(EDTA Bl	Cell Volume(PCV)/Haematocrit ood/Derived from Impedance)		%	37 - 47
RBC Co (EDTA Bl	unt ood/Impedance Variation)	4.34	mill/cu.mm	4.2 - 5.4
	orpuscular Volume(MCV) ood/Derived from Impedance)	88.4	fL	78 - 100
	orpuscular Haemoglobin(MCH) ood/Derived from Impedance)	28.2	pg	27 - 32
concentr	orpuscular Haemoglobin ration(MCHC) ood/Derived from Impedance)	31.8	g/dL	32 - 36
RDW-C (EDTA Bl	V ood/Derived from Impedance)	13.1	%	11.5 - 16.0
RDW-SI (EDTA BI	D ood/Derived from Impedance)	42.0	fL	39 - 46
	ukocyte Count (TC) ood/Impedance Variation)	8090	cells/cu.mm	4000 - 11000
Neutropl (EDTA Bl Cytometry	ood/Impedance Variation & Flow	60.3	%	40 - 75
Lympho (EDTA Bl <i>Cytometry</i>	ood/Impedance Variation & Flow	33.4	%	20 - 45
Eosinopl (EDTA Bl Cytometry	ood/Impedance Variation & Flow	2.2	%	01 - 06
Monocy (EDTA Bl <i>Cytometry</i>	ood/Impedance Variation & Flow	3.8	%	01 - 10
Co	S SIVAKUMAR Ph.D			Dr.E.Saravanan M.D(Path) Consultant Pathologist Reg No : 73347
V	ERIFIED BY			

APPROVED BY

The results pertain to sample tested.

Page 1 of 7

Name	: Mrs. MEENA VAISHNAVI G			
PID No.	: MED111242316	Register On	: 13/08/2022 10:17 AM	\mathbf{C}
SID No.	: 1802228088	Collection On	: 13/08/2022 11:02 AM	-
Age / Sex	: 31 Year(s) / Female	Report On	: 15/08/2022 2:36 PM	MEDALL
Туре	: OP	Printed On	: 16/08/2022 12:22 PM	
Ref. Dr	: MediWheel			

Investigation	Observed Value	<u>Unit</u>	Biological Reference Interval					
Basophils (EDTA Blood/Impedance Variation & Flow Cytometry)	0.3	%	00 - 02					
INTERPRETATION: Tests done on Automated Five Part cell counter. All abnormal results are reviewed and confirmed microscopically.								
Absolute Neutrophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	4.88	10^3 / µl	1.5 - 6.6					
Absolute Lymphocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	2.71	10^3 / µl	1.5 - 3.5					
Absolute Eosinophil Count (AEC) (EDTA Blood/Impedance Variation & Flow Cytometry)	0.18	10^3 / µl	0.04 - 0.44					
Absolute Monocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.30	10^3 / µl	< 1.0					
Absolute Basophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.02	10^3 / µl	< 0.2					
Platelet Count (EDTA Blood/Impedance Variation)	245	10^3 / µl	150 - 450					
MPV (EDTA Blood/Derived from Impedance)	8.8	fL	8.0 - 13.3					
PCT (EDTA Blood/Automated Blood cell Counter)	0.216	%	0.18 - 0.28					
ESR (Erythrocyte Sedimentation Rate) (Blood/Automated - Westergren method)	12	mm/hr	< 20					
BUN / Creatinine Ratio	16.2		6.0 - 22.0					
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	113.1	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126					

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine) (Urine - F/GOD - POD)

VERIFIED BY

Negative

Negative

Pathologist 73347

APPROVED BY

The results pertain to sample tested.

Dr S SIVAKUMAR Ph Consultant Microbiologist

Page 2 of 7

lame : Mrs. MEENA VAISHNAVI (G		
ID No. : MED111242316	Register On :	13/08/2022 10:17 AM	C
ID No. : 1802228088	Collection On :	13/08/2022 11:02 AM	MCDALL
ge / Sex : 31 Year(s) / Female	Report On :	15/08/2022 2:36 PM	MEDALL
ype : OP	Printed On :	16/08/2022 12:22 PM	
lef. Dr : MediWheel			
Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Glucose Postprandial (PPBS) (Plasma - PP/GOD-PAP)	167.4	mg/dL	70 - 140
INTERPRETATION: Factors such as type, quantity and time of for Fasting blood glucose level may be higher th resistance, Exercise or Stress, Dawn Phenom	an Postprandial glucose	, because of physiological s	urge in Postprandial Insulin secretion, Insuli
Blood Urea Nitrogen (BUN) (Serum/Urease UV/derived)	11.2	mg/dL	7.0 - 21
Creatinine (Serum/ <i>Modified Jaffe</i>)	0.69	mg/dL	0.6 - 1.1
INTERPRETATION: Elevated Creatinine v ingestion of cooked meat, consuming Protein such as cefoxitin, cefazolin, ACE inhibitors	n/ Creatine supplements,	Diabetic Ketoacidosis, prol	
etc.			
etc. Uric Acid	5.5	mg/dL	2.6 - 6.0
etc.	5.5	mg/dL	2.6 - 6.0
etc. Uric Acid (Serum/ <i>Enzymatic</i>)	5.5 1.36	mg/dL mg/dL	2.6 - 6.0 0.1 - 1.2
etc. Uric Acid (Serum/ <i>Enzymatic</i>) <i>Liver Function Test</i> Bilirubin(Total)			
etc. Uric Acid (Serum/ <i>Enzymatic</i>) <i>Liver Function Test</i> Bilirubin(Total) (Serum/ <i>DCA with ATCS</i>) Bilirubin(Direct)	1.36	mg/dL	0.1 - 1.2
etc. Uric Acid (Serum/ <i>Enzymatic</i>) <i>Liver Function Test</i> Bilirubin(Total) (Serum/ <i>DCA with ATCS</i>) Bilirubin(Direct) (Serum/ <i>Diazotized Sulfanilic Acid</i>) Bilirubin(Indirect)	1.36 0.28	mg/dL mg/dL	0.1 - 1.2 0.0 - 0.3
etc. Uric Acid (Serum/ <i>Enzymatic</i>) <i>Liver Function Test</i> Bilirubin(Total) (Serum/ <i>DCA with ATCS</i>) Bilirubin(Direct) (Serum/ <i>Diazotized Sulfanilic Acid</i>) Bilirubin(Indirect) (Serum/ <i>Derived</i>) SGOT/AST (Aspartate Aminotransferase)	 1.36 0.28 1.08 21.0 	mg/dL mg/dL mg/dL	0.1 - 1.2 0.0 - 0.3 0.1 - 1.0
etc. Uric Acid (Serum/ <i>Enzymatic</i>) <i>Liver Function Test</i> Bilirubin(Total) (Serum/ <i>DCA with ATCS</i>) Bilirubin(Direct) (Serum/ <i>Diazotized Sulfanilic Acid</i>) Bilirubin(Indirect) (Serum/ <i>Derived</i>) SGOT/AST (Aspartate Aminotransferase) (Serum/ <i>Modified IFCC</i>) SGPT/ALT (Alanine Aminotransferase)	 1.36 0.28 1.08 21.0 e) 23.9 	mg/dL mg/dL mg/dL U/L	0.1 - 1.2 0.0 - 0.3 0.1 - 1.0 5 - 40
etc. Uric Acid (Serum/ <i>Enzymatic</i>) <i>Liver Function Test</i> Bilirubin(Total) (Serum/ <i>DCA with ATCS</i>) Bilirubin(Direct) (Serum/ <i>Diazotized Sulfanilic Acid</i>) Bilirubin(Indirect) (Serum/ <i>Derived</i>) SGOT/AST (Aspartate Aminotransferase) (Serum/ <i>Modified IFCC</i>) SGPT/ALT (Alanine Aminotransferase) (Serum/ <i>Modified IFCC</i>) GGT(Gamma Glutamyl Transpeptidase	 1.36 0.28 1.08 21.0 e) 23.9 	mg/dL mg/dL mg/dL U/L U/L	0.1 - 1.2 0.0 - 0.3 0.1 - 1.0 5 - 40 5 - 41
etc. Uric Acid (Serum/ <i>Enzymatic</i>) <i>Liver Function Test</i> Bilirubin(Total) (Serum/ <i>DCA with ATCS</i>) Bilirubin(Direct) (Serum/ <i>Diazotized Sulfanilic Acid</i>) Bilirubin(Indirect) (Serum/ <i>Derived</i>) SGOT/AST (Aspartate Aminotransferase) (Serum/ <i>Modified IFCC</i>) SGPT/ALT (Alanine Aminotransferase) (Serum/ <i>Modified IFCC</i>) SGGT(Gamma Glutamyl Transpeptidas (Serum/ <i>IFCC / Kinetic</i>) Alkaline Phosphatase (SAP)	1.36 0.28 1.08 21.0 e) 23.9 se) 78.8	mg/dL mg/dL mg/dL U/L U/L	0.1 - 1.2 0.0 - 0.3 0.1 - 1.0 5 - 40 5 - 41 < 38





APPROVED BY

The results pertain to sample tested.

Page 3 of 7

Name	: Mrs. MEENA VAISHNAVI G			
PID No.	: MED111242316	Register On	: 13/08/2022 10:17 AM	\mathbf{C}
SID No.	: 1802228088	Collection On	: 13/08/2022 11:02 AM	
Age / Sex	: 31 Year(s) / Female	Report On	: 15/08/2022 2:36 PM	MEDALL
Туре	: OP	Printed On	: 16/08/2022 12:22 PM	
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Globulin (Serum/Derived)	3.24	gm/dL	2.3 - 3.6
A : G RATIO (Serum/Derived) Lipid Profile	1.31		1.1 - 2.2
Cholesterol Total (Serum/CHOD-PAP with ATCS)	271.6	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	126.6	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the "usual" circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	48.1	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50
LDL Cholesterol (Serum/ <i>Calculated</i>)	198.2	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	25.3	mg/dL	< 30
Non HDL Cholesterol (Serum/ <i>Calculated</i>)	223.5	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220

Dr S SIVAKUMAR Ph Consultant Microbiologist **VERIFIED BY**

D(Path) ologist 3347

APPROVED BY

The results pertain to sample tested.

Page 4 of 7

Name	: Mrs. MEENA VAISHNAVI G			
PID No.	: MED111242316	Register On :	13/08/2022 10:17 AM	m
SID No.	: 1802228088	Collection On : 13/08/2022 11:02 AM		
Age / Sex	: 31 Year(s) / Female	Report On :	15/08/2022 2:36 PM	MEDALL
Туре	: OP	Printed On :	16/08/2022 12:22 PM	
Ref. Dr	: MediWheel			
Investiga	ation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
2.It is the	RETATION: 1.Non-HDL Cholester sum of all potentially atherogenic pr y target for cholesterol lowering ther	oteins including LDL,		marker than LDL Cholesterol.
Total Ch Ratio (Serum/Ca	olesterol/HDL Cholesterol	5.6		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglycer (TG/HD) (Serum/ <i>Ca</i>	,	2.6		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HD (Serum/Ca	PL Cholesterol Ratio	4.1		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0

Glycosylated Haemoglobin (HbA1c)

HbA1C	7.3	%	Normal: 4.5 - 5.6
(Whole Blood/HPLC)			Prediabetes: 5.7 - 6.4
			Diabetic: ≥ 6.5

INTERPRETATION: If Diabetes - Good control : 6.1 - 7.0 %, Fair control : 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose

(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

mg/dL

ng/ml

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

0.76

162.81

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values. Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.

<u>THYROID PROFILE / TFT</u>

T3 (Triiodothyronine) - Total (Serum/Chemiluminescent Immunometric Assay (CLIA))



(Path) gist

0.7 - 2.04

APPROVED BY

The results pertain to sample tested.

Page 5 of 7

Name	: Mrs. MEENA VAISHNAVI (à		
PID No.	: MED111242316	Register On	: 13/08/2022 10:17 AM	M
SID No.	: 1802228088	Collection On	: 13/08/2022 11:02 AM	
Age / Sex	: 31 Year(s) / Female	Report On	: 15/08/2022 2:36 PM	MEDALL
Туре	: OP	Printed On	: 16/08/2022 12:22 PM	
Ref. Dr	: MediWheel			
Investiga	ation	<u>Observe</u> <u>Value</u>	<u>d Unit</u>	Biological Reference Interval
Comment Total T3 v		ion like pregnancy,	drugs, nephrosis etc. In such	cases, Free T3 is recommended as it is
	oxine) - Total hemiluminescent Immunometric Assay	4.96	µg/dl	4.2 - 12.0
Comment Total T4 v		ion like pregnancy,	drugs, nephrosis etc. In such	cases, Free T4 is recommended as it is
	nyroid Stimulating Hormone) memiluminescent Immunometric Assay	14.62	µIU/mL	0.35 - 5.50
Reference 1 st trimes 2 nd trime 3 rd trimes (Indian Th Comment 1.TSH ref 2.TSH Le be of the c	erence range during pregnancy dep	on, reaching peak le has influence on the	vels between 2-4am and at a e measured serum TSH conce	

Urine Analysis - Routine

COLOUR (Urine)	Pale yellow		Yellow to Amber
APPEARANCE (Urine)	Clear		Clear
Protein (Urine/Protein error of indicator)	Negative		Negative
Glucose (Urine/GOD - POD)	Negative		Negative
Pus Cells (Urine/Automated – Flow cytometry)	1 - 2	/hpf	NIL
Epithelial Cells (Urine/Automated – Flow cytometry)	1 - 2	/hpf	NIL





APPROVED BY

The results pertain to sample tested.

Page 6 of 7

Name	: Mrs. MEENA VAISHNAVI G			
PID No.	: MED111242316	Register On	: 13/08/2022 10:17 AM	\mathbf{C}
SID No.	: 1802228088	Collection On	: 13/08/2022 11:02 AM	
Age / Sex	: 31 Year(s) / Female	Report On	: 15/08/2022 2:36 PM	MEDALL
Туре	: OP	Printed On	: 16/08/2022 12:22 PM	
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
RBCs (Urine/Automated – Flow cytometry)	NIL	/hpf	NIL
Casts (Urine/Automated – Flow cytometry)	NIL	/hpf	NIL
Crystals (Urine/Automated – Flow cytometry)	NIL	/hpf	NIL
Others (Urine)	NIL		

INTERPRETATION: Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.

Dr S SIVAKUMAR Ph Consultant Microbiologist VERIFIED BY

D(Path) ologist

APPROVED BY

-- End of Report --

The results pertain to sample tested.

Page 7 of 7

Name	MEENA VAISHNAVI G	ID	MED111242316
Age & Gender	31Year(s)/FEMALE	Visit Date	8/13/2022 12:00:00 AM
Ref Doctor Name	MediWheel		

SONOGRAM REPORT

WHOLE ABDOMEN

The liver is enlarged in size (15.1 cm) and shows fatty changes. No focal mass seen.

The gall bladder is normal sized and smooth walled and contains no calculus.

There is no intra or extra hepatic biliary ductal dilatation.

The pancreas shows a normal configuration and echotexture.

The pancreatic duct is normal.

The portal vein and IVC are normal.

The spleen is normal.

There is no free or loculated peritoneal fluid.

No para aortic lymphadenopathy is seen.

No abnormality is seen in the region of the adrenal glands.

The right kidney measures 10.4 x 4.3 cms.

The left kidney measures 11.0 x 4.7 cms.

Both kidneys are normal in size, shape and position. Cortical echoes arenormal bilaterally.

There is no calculus or calyceal dilatation.

The ureters are not dilated.

Name	MEENA VAISHNAVI G	ID	MED111242316
Age & Gender	31Year(s)/FEMALE	Visit Date	8/13/2022 12:00:00 AM
Ref Doctor Name	MediWheel		

The bladder is smooth walled and uniformly transonic. There is no intravesical mass or calculus.

The uterus is anteverted, and measures 13.2 x 4.5 cms. It is stretched (Post LSCS).

Myometrial echoes are homogeneous.

The endometrium measures 13 mm. It is mildly thickened. No abnormal vascularity seen.

The right ovary measures 3.3 x 4.6 x 2.2 cms (Vol: 17 cc).

The left ovary measures 3.3 x 2.6 x 3.9 cms (Vol: 17 cc).

Both ovaries are enlarged and show multiple tiny cysts in the periphery.

Parametria are free.

Iliac fossae are normal.

No mass or fluid collection is seen in the right iliac fossa. The appendix is not visualized.

IMPRESSION:

- Enlarged fatty liver.
- Thickened endometrium.
- Polycystic ovaries.

sh

DR. S.GNANAM MBBS., DMRD., CONSULTANT RADIOLOGIST

Name	MEENA VAISHNAVI G	ID	MED111242316
Age & Gender	31Year(s)/FEMALE		8/13/2022 12:00:00 AM
Ref Doctor Name	MediWheel		