



बैंक ऑफ बड़ोदा
Bank of Baroda



ATM



IP

नाम

रुचिका

Name

Ruchika

कर्मचारी कूट क्र.

113409

E.C. No.

Handwritten signature

जारीकर्ता प्राधिकारी

Issuing Authority



Handwritten signature

113409

PHYSICAL EXAMINATION REPORT

Patient Name	Ruchika Cooyal	Sex/Age	F/31
Date	11/2/23	Location	Thane

History and Complaints

C/o - Weakness.
 - Mood swings
 - Disturbed sleep.
 - Hair fall

EXAMINATION FINDINGS:

Height (cms):	- 148	Temp (0c):	⊙
Weight (kg):	- 47.6	Skin:	dry scalp
Blood Pressure	130/90	Nails:	NAD.
Pulse	76/min	Lymph Node:	

Systems :

Cardiovascular:	NAD
Respiratory:	
Genitourinary:	
GI System:	
CNS:	

Impression:

TMT - Equivocal.
 USG - Polycystic changes.

Advice: - Cardiologist's consultation,
- Gynaec consultation.

1)	Hypertension:	
2)	IHD	
3)	Arrhythmia	
4)	Diabetes Mellitus	
5)	Tuberculosis	Nil
6)	Asthama	
7)	Pulmonary Disease	
8)	Thyroid/ Endocrine disorders	
9)	Nervous disorders	
10)	GI system	
11)	Genital urinary disorder	
12)	Rheumatic joint diseases or symptoms	
13)	Blood disease or disorder	Nil
14)	Cancer/lump growth/cyst	
15)	Congenital disease	
16)	Surgeries	
17)	Musculoskeletal System	

PERSONAL HISTORY:

1)	Alcohol	No	
2)	Smoking		No
3)	Diet		
4)	Medication	No	

Manasee Kulkarni
Dr. Manasee Kulkarni
M.B.B.S
2005/09/3439

Authenticity Check



Use a QR Code Scanner
Application To Scan the Code

CID : 2304222606
Name : MRS.RUCHIKA .
Age / Gender : 31 Years / Female
Consulting Dr. : -
Reg. Location : G B Road, Thane West (Main Centre)

Collected : 11-Feb-2023 / 09:59
Reported : 11-Feb-2023 / 11:57

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

CBC (Complete Blood Count), Blood

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
<u>RBC PARAMETERS</u>			
Haemoglobin	12.9	12.0-15.0 g/dL	Spectrophotometric
RBC	4.61	3.8-4.8 mil/cmm	Elect. Impedance
PCV	40.7	36-46 %	Measured
MCV	88	80-100 fl	Calculated
MCH	28.0	27-32 pg	Calculated
MCHC	31.7	31.5-34.5 g/dL	Calculated
RDW	16.7	11.6-14.0 %	Calculated
<u>WBC PARAMETERS</u>			
WBC Total Count	5300	4000-10000 /cmm	Elect. Impedance
<u>WBC DIFFERENTIAL AND ABSOLUTE COUNTS</u>			
Lymphocytes	30.8	20-40 %	
Absolute Lymphocytes	1632.4	1000-3000 /cmm	Calculated
Monocytes	6.6	2-10 %	
Absolute Monocytes	349.8	200-1000 /cmm	Calculated
Neutrophils	58.1	40-80 %	
Absolute Neutrophils	3079.3	2000-7000 /cmm	Calculated
Eosinophils	4.5	1-6 %	
Absolute Eosinophils	238.5	20-500 /cmm	Calculated
Basophils	0.0	0.1-2 %	
Absolute Basophils	0.0	20-100 /cmm	Calculated
Immature Leukocytes	-		
WBC Differential Count by Absorbance & Impedance method/Microscopy.			
<u>PLATELET PARAMETERS</u>			
Platelet Count	318000	150000-400000 /cmm	Elect. Impedance
MPV	9.9	6-11 fl	Calculated
PDW	17.8	11-18 %	Calculated
<u>RBC MORPHOLOGY</u>			
Hypochromia	-		
Microcytosis	-		



CID : 2304222606
Name : MRS.RUCHIKA .
Age / Gender : 31 Years / Female
Consulting Dr. : -
Reg. Location : G B Road, Thane West (Main Centre)

Use a QR Code Scanner
Application To Scan the Code
Collected : 11-Feb-2023 / 09:59
Reported : 11-Feb-2023 / 11:57

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	83.5	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	93.2	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	0.3	0.1-1.2 mg/dl	Diazo
BILIRUBIN (DIRECT), Serum	0.13	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.17	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	6.8	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.6	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.2	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	2.1	1 - 2	Calculated
SGOT (AST), Serum	14.3	5-32 U/L	IFCC without pyridoxal phosphate activation
SGPT (ALT), Serum	14.0	5-33 U/L	IFCC without pyridoxal phosphate activation
GAMMA GT, Serum	6.7	3-40 U/L	IFCC
ALKALINE PHOSPHATASE, Serum	58.0	35-105 U/L	PNPP
BLOOD UREA, Serum	9.4	12.8-42.8 mg/dl	Urease & GLDH
BUN, Serum	4.4	6-20 mg/dl	Calculated
CREATININE, Serum	0.56	0.51-0.95 mg/dl	Enzymatic
eGFR, Serum	134	>60 ml/min/1.73sqm	Calculated

Authenticity Check



Use a QR Code Scanner
Application To Scan the Code

CID : 2304222606
Name : MRS.RUCHIKA .
Age / Gender : 31 Years / Female
Consulting Dr. : -
Reg. Location : G B Road, Thane West (Main Centre)

Collected : 11-Feb-2023 / 09:59
Reported : 11-Feb-2023 / 22:29

URIC ACID, Serum	2.5	2.4-5.7 mg/dl	Uricase
Urine Sugar (Fasting)	Absent	Absent	
Urine Ketones (Fasting)	Absent	Absent	

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West .
*** End Of Report ***



AREAS OF SPECIAL EXPERTISE

OUR PRESENCE



Amit Taori

Dr. AMIT TAORI
M.D (Path)
Pathologist

Authenticity Check



Use a QR Code Scanner
Application To Scan the Code

CID : 2304222606
Name : MRS.RUCHIKA .
Age / Gender : 31 Years / Female
Consulting Dr. : -
Reg. Location : G B Road, Thane West (Main Centre)

Collected : 11-Feb-2023 / 09:59
Reported : 11-Feb-2023 / 16:18

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

GLYCOSYLATED HEMOGLOBIN (HbA1c)

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
Glycosylated Hemoglobin (HbA1c), EDTA WB - CC	5.4	Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %	HPLC
Estimated Average Glucose (eAG), EDTA WB - CC	108.3	mg/dl	Calculated

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***



J. Mujawar

Dr. IMRAN MUJAWAR
M.D (Path)
Pathologist

Authenticity Check



Use a QR Code Scanner
Application To Scan the Code

CID : 2304222606
Name : MRS.RUCHIKA .
Age / Gender : 31 Years / Female
Consulting Dr. : -
Reg. Location : G B Road, Thane West (Main Centre)

Collected : 11-Feb-2023 / 09:59
Reported : 11-Feb-2023 / 16:29

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
URINE EXAMINATION REPORT

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
<u>PHYSICAL EXAMINATION</u>			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	Acidic (6.5)	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.010	1.010-1.030	Chemical Indicator
Transparency	Slight hazy	Clear	-
Volume (ml)	50	-	-
<u>CHEMICAL EXAMINATION</u>			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
<u>MICROSCOPIC EXAMINATION</u>			
Leukocytes(Pus cells)/hpf	2-3	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	8-10		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	5-6	Less than 20/hpf	

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein:(1+ -25 mg/dl, 2+ -75 mg/dl, 3+ - 150 mg/dl, 4+ - 500 mg/dl)
- Glucose:(1+ - 50 mg/dl, 2+ -100 mg/dl, 3+ -300 mg/dl,4+ -1000 mg/dl)
- Ketone:(1+ -5 mg/dl, 2+ -15 mg/dl, 3+ - 50 mg/dl, 4+ - 150 mg/dl)

Reference: Pack insert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West

*** End Of Report ***



J. Mujawar

Dr.IMRAN MUJAWAR
M.D (Path)
Pathologist

Authenticity Check



Use a QR Code Scanner
Application To Scan the Code

CID : 2304222606
Name : MRS.RUCHIKA .
Age / Gender : 31 Years / Female
Consulting Dr. : -
Reg. Location : G B Road, Thane West (Main Centre)

Collected : 11-Feb-2023 / 09:59
Reported : 11-Feb-2023 / 14:50

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
BLOOD GROUPING & Rh TYPING

<u>PARAMETER</u>	<u>RESULTS</u>
ABO GROUP	O
Rh TYPING	Positive

NOTE: Test performed by Semi- automated column agglutination technology (CAT)

Note : This Sample has also been tested for Bombay group/Bombay phenotype /Oh using anti H lectin

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***



Amit Taori

Dr. AMIT TAORI
M.D (Path)
Pathologist

Authenticity Check



Use a QR Code Scanner
Application To Scan the Code

CID : 2304222606
Name : MRS.RUCHIKA .
Age / Gender : 31 Years / Female
Consulting Dr. : -
Reg. Location : G B Road, Thane West (Main Centre)

Collected : 11-Feb-2023 / 09:59
Reported : 11-Feb-2023 / 11:57

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
LIPID PROFILE

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
CHOLESTEROL, Serum	134.8	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	64.2	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	40.7	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	94.1	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	81.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	13.1	< / = 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	3.3	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2.0	0-3.5 Ratio	Calculated

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***

OUR PRESENCE



Amit Taori

Dr.AMIT TAORI
M.D (Path)
Pathologist

Authenticity Check



Use a QR Code Scanner
Application To Scan the Code

CID : 2304222606
Name : MRS.RUCHIKA .
Age / Gender : 31 Years / Female
Consulting Dr. : -
Reg. Location : G B Road, Thane West (Main Centre)

Collected : 11-Feb-2023 / 09:59
Reported : 11-Feb-2023 / 14:29

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
THYROID FUNCTION TESTS

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
Free T3, Serum	4.4	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	15.4	11.5-22.7 pmol/L First Trimester:9.0-24.7 Second Trimester:6.4-20.59 Third Trimester:6.4-20.59	ECLIA
sensitiveTSH, Serum	1.1	0.35-5.5 microIU/ml First Trimester:0.1-2.5 Second Trimester:0.2-3.0 Third Trimester:0.3-3.0	ECLIA



AREAS OF SPECIAL EXPERTISE

OUR PRESENCE

022-6170-0000

Authenticity Check



Use a QR Code Scanner
Application To Scan the Code

CID : 2304222606
Name : MRS.RUCHIKA .
Age / Gender : 31 Years / Female
Consulting Dr. : -
Reg. Location : G B Road, Thane West (Main Centre)

Collected : 11-Feb-2023 / 09:59
Reported : 11-Feb-2023 / 14:29

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- 2)TSH values may be transiently altered because of non thyroidal illness like severe infections,liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am , and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests:Anti thyroid Antibodies,USG Thyroid ,TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3.Tietz ,Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***



Amit Taori

Dr.AMIT TAORI
M.D (Path)
Pathologist

Date:- 11/2/23 CID:
Name:- Ruchika Goyal. Sex / Age: F 31

EYE CHECK UP

Chief complaints: ACV

Systemic Diseases: Hb

Past history: Hb

Unaided Vision: BR 6/6 XUBR 7/6

Aided Vision:

Refraction:

(Right Eye)

(Left Eye)

	Sph	Cyl	Axis	Vn	Sph	Cyl	Axis	Vn
Distance								
Near								

Colour Vision: Normal / Abnormal

Remark: Good Vision

MR. PRAKASH KUDVA
SR. OPTOMETRIST

SUBURBAN DIAGNOSTICS (THANE GB ROAD)

Email:

412 (2304222606) / RUCHIKA / 31 Yrs / F / 148 Cms / 47 Kg
 Date: 11 / 02 / 2023 04:10:41 PM

Report



Stage	Time	Duration	Speed(mph)	Elevation	METs	Rate	% THR	BP	RPP	PVC	Comments
Supine	00:08	0:08	00.0	00.0	01.0	082	43 %	130/90	106	00	
Standing	00:14	0:06	00.0	00.0	01.0	078	41 %	130/90	101	00	
HV	00:22	0:08	00.0	00.0	01.0	086	46 %	130/90	111	00	
ExStart	00:26	0:04	00.0	00.0	01.0	086	46 %	130/90	111	00	
BRUCE Stage 1	03:26	3:00	01.7	10.0	04.7	138	73 %	140/90	193	00	
PeakEx	05:11	1:45	02.5	12.0	06.1	160	85 %	150/90	240	00	
Recovery	06:11	1:00	00.0	00.0	01.0	112	59 %	150/90	168	00	
Recovery	07:11	2:00	00.0	00.0	01.0	107	57 %	150/90	160	00	
Recovery	09:11	4:00	00.0	00.0	01.0	104	55 %	130/90	135	00	
Recovery	09:27				00.0	000	0 %	---/---	000	00	

FINDINGS :

Exercise Time : 04:45
 Initial HR (ExStrt) : 86 bpm 46% of Target 189
 Initial BP (ExStrt) : 130/90 (mm/Hg)
 Max WorkLoad Attained : 6.1 Fair response to induced stress
 Max ST Dep Lead & Avg ST Value : II & -4.8 mm in PeakEX
 Test End Reasons : , Fatigue, Heart Rate Achieved

Max HR Attained 160 bpm 85% of Target 189
 Max BP Attained 150/90 (mm/Hg)


Dr. SHALAJA PILLAI
 M.D. (GEN.MED)
 RNO. 49972

Doctor : DR SHALAJA PILLAI





EMail: 412/RUCHIKA / 31 Yrs / F / 148 Cms / 47 Kg Date: 11 / 02 / 2023 04:10:41 PM

REPORT :

PROCEDURE DONE: Graded exercise treadmill stress test.

STRESS ECG RESULTS: The initial HR was recorded as 78.0 bpm, and the maximum predicted Target Heart Rate 189.0. The BP increased at the time of generating report as 150.0/90.0 mmHg. The Max Dep went upto 0.4. 0.0 Ectopic Beats were observed during the Test. The Test was completed because of , Fatigue, Heart Rate Achieved.

CONCLUSIONS:

1. TMT is Equivocal for exercise induced ischemia.
2. Normal chronotropic and Normal Inotropic response.
3. ST T changes seen inferolateral leads during test and recovery.
4. Adv Cardiologist s opinion.

Dr. SHAILAJA PILLAI

M.D. (GEN.MED)

R.NO. 49972

Doctor : DR SHAILAJA PILLAI

SUBURBAN DIAGNOSTICS (THANE GB ROAD)


412 (2304222606) / RUCHIKA / 31 Yrs / F / 148 Cms / 47 Kg / HR : 82

SUPINE (00:01)



Date: 11 / 02 / 2023 04:10:41 PM METS: 1.0/ 82 bpm 43% of THR BP: 130/90 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 100 Hz

EXTime: 00:00 0.0 mph. 0.0%
25 mm/Sec. 1.0 Cm/mV



REMARKS:
I II III aVR aVL aVF V1 V2 V3 V4 V5 V6



SUBURBAN DIAGNOSTICS (THANE GB ROAD)



412 (2304222606) / RUCHIKA / 31 Yrs / F / 148 Cms / 47 Kg / HR : 78

STANDING (00:00)



Date: 11 / 02 / 2023 04:10:41 PM METS: 1.0 / 78 bpm 41% of THR BP: 130/90 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 100 Hz
4X 80 ms Post 1

ExTime: 00:00 0.0 mph. 0.0%
25 mm/Sec. 1.0 Cm/mV



REMARKS:
I II III aVR aVL aVF V1 V2 V3 V4 V5 V6



SUBURBAN DIAGNOSTICS (THANE GB ROAD)


412 / RUCHIKA / 31 Yrs / Female / 148 Cm / 47 Kg

Date: 11 / 02 / 2023 04:10:41 PM METs : 1.0 HR : 86 Target HR : 46% of 189 BP : 130/90 Post J @80mSec

ExTime: 00:00 Speed: 0.0 mph Grade : 00.00 % 25 mm/Sec. 1.0 Cm/mV

6X2 Combine Medians + 1 Rhythm

HV (00:00)



II (Combined Medians)



SUBURBAN DIAGNOSTICS (THANE GB ROAD)


412 / RUCHIKA / 31 Yrs / Female / 148 Cm / 47 Kg

6X2 Combine Medians + 1 Rhythm
PeakEx



Date: 11 / 02 / 2023 04:10:41 PM METs : 6.1 HR : 160 Target HR : 85% of 189 BP : 150/90 Post J @60mSec

ExTime: 04:45 Speed: 2.5 mph Grade : 12.00 % 28 mm/Sec - 1.0 Cm/mV



SUBURBAN DIAGNOSTICS (THANE GB ROAD)


412 / RUCHIKA / 31 Yrs / Female / 148 Cm / 47 Kg

6X2 Combine Medians + 1 Rhythm
Recovery : (01:00)



Date: 11 / 02 / 2023 04:10:41 PM METs : 1.0 HR : 112 Target HR : 59% of 189 BP : 150/90 Post J @60mSec


ExTime: 04:45 Speed: 0.0 mph Grade : 00.00 % 25 mm/Sec-1.0 Cm/mV





Date: 11 / 02 / 2023 04:10:41 PM METs : 1.0 HR : 107 Target HR : 57% of 189 BP : 150/90 Post J @30mSec

ExTime: 04:45 Speed: 0.0 mph Grade : 00.00 % 25 mm/Sec - 1.0 Cm/mV



SUBURBAN DIAGNOSTICS (THANE GB ROAD)


412 / RUCHIKA / 31 Yrs / Female / 148 Cm / 47 Kg

6X2 Combine Medians + 1 Rhythm
Recovery : (04:00)



Date: 11 / 02 / 2023 04:10:41 PM METs : 1.0 HR : 104 Target HR : 55% of 189 BP : 130/90 Post J @80mSec


ExTime: 04:45 Speed: 0.0 mph Grade : 00.00 % 25 mm/Sec. 1.0 Cm/mV





Date: 11 / 02 / 2023 04:10:41 PM METs : 1.0 HR : 108 Target HR : 57% of 189 BP : 130/90 Post J @80mSec

ExTime: 04:45 Speed: 0.0 mph Grade : 00.00 % 25 mm/Sec. 1.0 Cm/mV



II (Combined Medians)



Reg. No. : 2304222606	Sex : FEMALE
NAME : MRS.RUCHIKA	Age : 31 YRS
Ref. By : -----	Date : 11.02.2023

USG ABDOMEN AND PELVIS

LIVER: Liver appears normal in size and echotexture. There is no intra-hepatic biliary radical dilatation. No evidence of any focal lesion.

GALL BLADDER: Gall bladder is distended and appears normal. Wall thickness is within normal limits. There is no evidence of any calculus.

PORTAL VEIN: Portal vein is normal. **CBD:** CBD is normal.

PANCREAS: Pancreas appears normal in echotexture. There is no evidence of any focal lesion or calcification. Pancreatic duct is not dilated.

KIDNEYS: Right kidney measures 9.9 x 3.9 cm. Left kidney measures 10.9 x 4.2 cm. Both kidneys are normal in size, shape and echotexture. Corticomedullary differentiation is maintained. There is no evidence of any hydronephrosis, hydroureter or calculus.

SPLEEN: Spleen is normal in size, shape and echotexture. No focal lesion is seen.

URINARY BLADDER: Urinary bladder is distended and normal. Wall thickness is within normal limits.

UTERUS: Uterus is retroverted and measures 7.2 x 3.8 x 4.3 cm. Uterine myometrium shows homogenous echotexture. Endometrial echo is in midline and measures 6.5 mm. Cervix appears normal.

OVARIES:

Both ovaries are mildly bulky in size and show central echogenic stroma with multiple peripherally arranged small follicles.

The right ovary measures 2.3 x 3.1 x 3.6 cm and ovarian volume is 14.0 cc.
The left ovary measures 2.3 x 2.8 x 3.5 cm and ovarian volume is 12.0 cc.

No free fluid or significant lymphadenopathy is seen.

Reg. No. : 2304222606	Sex : FEMALE
NAME : MRS.RUCHIKA	Age : 31 YRS
Ref. By : -----	Date : 11.02.2023

IMPRESSION:

BILATERAL MILD BULKY OVARIES WITH POLYCYSTIC CHANGES.SUGGEST SR.FSH,SR LH,SR PROLACTIN CORRELATION.

Note:Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have inter-observer variations. Further/follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis.


Advice:Clinical co-relation and further evaluation.

Dr Patil
DR.DEVENDRA PATIL
MD (RADIO DIAGNOSIS)
(CONSULTANT RADIOLOGIST)

AREAS OF SPECIAL EXPERTISE

OUR PRESENCE

022-6170-0000



Use a QR Code Scanner
Application To Scan the Code

CID : 2304222606
Name : Mrs RUCHIKA .
Age / Sex : 31 Years/Female
Ref. Dr :
Reg. Location : G B Road, Thane West Main Centre
Reg. Date : 11-Feb-2023
Reported : 11-Feb-2023 / 16:53

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

-----End of Report-----

This report is prepared and physically checked by DR GAURAV FARTADE before dispatch.

Dr. GAURAV FARTADE
MBBS, DMRE
Reg No -2014/04/1786
Consultant Radiologist

Click here to view images <http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023021109501094>