

Add: Godavari Complex,Near K.V.M Public School Heera Nagar,Haldwani Ph: 7705023379,-CIN : U85110DL2003PLC308206



Patient Name	: Mr.RAJENDRA KUMAR AGARWAL58268	Registered On	: 27/Mar/2022 08:53:18
Age/Gender	: 53 Y 10 M 23 D /M	Collected	: 27/Mar/2022 09:33:51
UHID/MR NO	: CHL2.0000101089	Received	: 27/Mar/2022 11:05:05
Visit ID	: CHL20333122122	Reported	: 27/Mar/2022 15:07:39
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Diand Crown (ADO 9 Dh turing) **				
Blood Group (ABO & Rh typing) ** , I				
Blood Group	B			
Rh (Anti-D)	POSITIVE			
Complete Blood Count (CBC) ** , Bloc	od			
Haemoglobin	17.00	g/dl	1 Day- 14.5-22.5 g/dl	
			1 Wk- 13.5-19.5 g/dl	
			1 Mo- 10.0-18.0 g/dl	
			3-6 Mo- 9.5-13.5 g/dl	
			0.5-2 Yr- 10.5-13.5 g/dl	
			2-6 Yr- 11.5-15.5 g/dl	
			6-12 Yr- 11.5-15.5 g/d	and a start of
		Sec. Star	12-18 Yr 13.0-16.0	Y MARS
			g/dl	
			Male- 13.5-17.5 g/dl	
			Female- 12.0-15.5 g/d	
TLC (WBC)	8,980.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
DLC				
Polymorphs (Neutrophils)	62.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	28.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	2.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	8.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils	0.00	%	<1	ELECTRONIC IMPEDANCE
ESR				
Observed	6.00	Mm for 1st hr		
Corrected	NR	Mm for 1st hr		
PCV (HCT)	53.00	CC %	40-54	
Platelet count				
Platelet Count	2.9	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.40	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	22.30	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.26	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	9.20	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	5.50	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE





Add: Godavari Complex, Near K.V.M Public School Heera Nagar, Haldwani Ph: 7705023379,-CIN: U85110DL2003PLC308206



Patient Name	: Mr.RAJENDRA KUMAR AGARWAL58268	Registered On	: 27/Mar/2022 08:53:18
Age/Gender	: 53 Y 10 M 23 D /M	Collected	: 27/Mar/2022 09:33:51
UHID/MR NO	: CHL2.0000101089	Received	: 27/Mar/2022 11:05:05
Visit ID	: CHL20333122122	Reported	: 27/Mar/2022 15:07:39
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

MEDIWITELE DANK OF DAKODA MALE ADOVE 40 TK3						
Test Name	Result	Unit	Bio. Ref. Interval	Method		
Blood Indices (MCV, MCH, MCHC)						
MCV	96.00	fl	80-100	CALCULATED PARAMETER		
MCH	31.60	pg	28-35	CALCULATED PARAMETER		
MCHC	32.90	%	30-38	CALCULATED PARAMETER		
RDW-CV	12.50	%	11-16	ELECTRONIC IMPEDANCE		
RDW-SD	42.40	fL	35-60	ELECTRONIC IMPEDANCE		
Absolute Neutrophils Count	5,567.00	/cu mm	3000-7000			
Absolute Eosinophils Count (AEC)	718.00	/cu mm	40-440			



Dr. Sakshi Garg Tayal (MBBS, MD Pathology PDCC Oncopathology)

Page 2 of 16







Add: Godavari Complex,Near K.V.M Public School Heera Nagar,Haldwani Ph: 7705023379,-CIN : U85110DL2003PLC308206



Patient Name	: Mr.RAJENDRA KUMAR AGARWAL58268	Registered On	: 27/Mar/2022 08:53:19
Age/Gender	: 53 Y 10 M 23 D /M	Collected	: 27/Mar/2022 14:28:43
UHID/MR NO	: CHL2.0000101089	Received	: 27/Mar/2022 16:08:03
Visit ID	: CHL20333122122	Reported	: 27/Mar/2022 17:05:45
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
GLUCOSE FASTING ** , Plasma				
Glucose Fasting	155.99	mg/dl	< 100 Normal 100-125 Pre-diabetes ≥ 126 Diabetes	GOD POD

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
c) I.G.T = Impared Glucose Tolerance.

Glucose PP **	298.24	mg/dl	<140 Normal	GOD POD
Sample:Plasma After Meal			140-199 Pre-diabetes	
			>200 Diabetes	

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impared Glucose Tolerance.



Dr Vinod Ojha MD Pathologist



Add: Godavari Complex,Near K.V.M Public School Heera Nagar,Haldwani Ph: 7705023379,-CIN : U85110DL2003PLC308206



Patient Name	: Mr.RAJENDRA KUMAR AGARWAL58268	Registered On	: 27/Mar/2022 08:53:19
Age/Gender	: 53 Y 10 M 23 D /M	Collected	: 27/Mar/2022 09:33:51
UHID/MR NO	: CHL2.0000101089	Received	: 28/Mar/2022 12:25:31
Visit ID	: CHL20333122122	Reported	: 28/Mar/2022 13:40:31
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
GLYCOSYLATED HAEMOGLOBIN (HBA1C)	** , EDTA BLOOD				
Glycosylated Haemoglobin (HbA1c) Glycosylated Haemoglobin (Hb-A1c)	7.50 58.00	% NGSP mmol/mol/IFCC		HPLC (NGSP)	

mg/dl

Interpretation:

NOTE:-

Estimated Average Glucose (eAG)

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.

168

• eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. **Some danger of hypoglycemic reaction in Type 1 diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B. : Test carried out on Automated G8 90 SL TOSOH HPLC Analyser.





Add: Godavari Complex,Near K.V.M Public School Heera Nagar,Haldwani Ph: 7705023379,-CIN : U85110DL2003PLC308206



Patient Name	: Mr.RAJENDRA KUMAR AGARWAL58268	Registered On	: 27/Mar/2022 08:53:19
Age/Gender	: 53 Y 10 M 23 D /M	Collected	: 27/Mar/2022 09:33:51
UHID/MR NO	: CHL2.0000101089	Received	: 28/Mar/2022 12:25:31
Visit ID	: CHL20333122122	Reported	: 28/Mar/2022 13:40:31
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name

Result

Unit

Method

Bio. Ref. Interval

<u>Clinical Implications:</u>

*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

*With optimal control, the HbA 1c moves toward normal levels.

*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

*Pregnancy d. chronic renal failure. Interfering Factors:

*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.



Dr. Anupam Singh M.B.B.S,M.D.(Pathology)

Page 5 of 16

Home Sample Collection 1800-419-0002



Patient Name

CHANDAN DIAGNOSTIC CENTRE

Registered On

: 27/Mar/2022 08:53:19

Add: Godavari Complex,Near K.V.M Public School Heera Nagar,Haldwani Ph: 7705023379,-CIN : U85110DL2003PLC308206

: Mr.RAJENDRA KUMAR AGARWAL58268



Patient Name: Mr.RAJENDRA KUMAR AGAge/Gender: 53 Y 10 M 23 D /MUHID/MR NO: CHL2.0000101089Visit ID: CHL20333122122Ref Doctor: Dr.Mediwheel - Arcofemi		Registered On Collected Received Reported Status	: 27/Mar/2022 08:53 : 27/Mar/2022 09:33 : 27/Mar/2022 11:05 : 27/Mar/2022 15:22 : Final Report	: 50 : 05
	EEL BANK OF BA			
Test Name	Result	Unit	Bio. Ref. Interval	Method
BUN (Blood Urea Nitrogen) ** Sample:Serum	11.52	mg/dL	7.0-23.0	CALCULATED
Creatinine ** Sample:Serum	1.16	mg/dl	0.7-1.3	MODIFIED JAFFES
e-GFR (Estimated Glomerular Filtration Rate) ** Sample:Serum	71.00	ml/min/1.73m	2 - 90-120 Normal - 60-89 Near Normal	CALCULATED
Uric Acid ** Sample:Serum	4.99	mg/dl	3.4-7.0	URICASE
LFT (WITH GAMMA GT) ** , Serum				
SGOT / Aspartate Aminotransferase (AST)	27.02	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	24.61	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	21.93	/ / IU/L 🥖	11-50	OPTIMIZED SZAZING
Protein	6.90	gm/dl	6.2-8.0	BIRUET
Albumin	4.12	gm/dl	3.8-5.4	B.C.G.
Globulin	2.78	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.48		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	100.90	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	0.47	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.19	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.28	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI) ** , Serum				
Cholesterol (Total)	245.26	mg/dl	<200 Desirable 200-239 Borderline High > 240 High	CHOD-PAP
HDL Cholesterol (Good Cholesterol)	48.60	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	153	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optimal 130-159 Borderline High 160-189 High > 190 Very High	CALCULATED
VLDL	43.35	mg/dl	10-33	CALCULATED
Triglycerides	216.73	mg/dl	< 150 Normal 150-199 Borderline High	GPO-PAP





Add: Godavari Complex,Near K.V.M Public School Heera Nagar,Haldwani Ph: 7705023379,-CIN : U85110DL2003PLC308206



Patient Name	: Mr.RAJENDRA KUMAR AGARWAL58268	Registered On	: 27/Mar/2022 08:53:19
Age/Gender	: 53 Y 10 M 23 D /M	Collected	: 27/Mar/2022 09:33:50
UHID/MR NO	: CHL2.0000101089	Received	: 27/Mar/2022 11:05:05
Visit ID	: CHL20333122122	Reported	: 27/Mar/2022 15:22:05
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test	Name

Result

Unit

Bio. Ref. Interval Method

200-499 High >500 Very High



A.

Dr Vinod Ojha MD Pathologist

Page 7 of 16







Add: Godavari Complex,Near K.V.M Public School Heera Nagar,Haldwani Ph: 7705023379,-CIN : U85110DL2003PLC308206



Patient Name	: Mr.RAJENDRA KUMAR AGARWAL58268	Registered On	: 27/Mar/2022 08:53:19
Age/Gender	: 53 Y 10 M 23 D /M	Collected	: 27/Mar/2022 09:46:11
UHID/MR NO	: CHL2.0000101089	Received	: 27/Mar/2022 11:45:14
Visit ID	: CHL20333122122	Reported	: 27/Mar/2022 14:51:53
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
IRINE EXAMINATION, ROUTINE *	* , Urine			
Color	PALE YELLOW			
Specific Gravity	1.020			
Reaction PH	Acidic (6.0)			DIPSTICK
Protein	ABSENT	, mg %	< 10 Absent 10-40 (+) 40-200 (++)	DIPSTICK
			200-500 (++)	
			> 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+) 0.5-1.0 (++)	DIPSTICK
			1-2 (+++) > 2 (++++)	
Ketone	ABSENT	mg/dl	0.2-2.81	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Urobilinogen(1:20 dilution) Microscopic Examination:	ABSENT		and a start of the start of the	
Epithelial cells	OCCASIONAL			MICROSCOPIC EXAMINATION
Pus cells	OCCASIONAL			MICROSCOPIC EXAMINATION
RBCs	OCCASIONAL			MICROSCOPIC EXAMINATION
Cast	NIL			
Crystals	NIL			MICROSCOPIC EXAMINATION
Others	NIL			





Dr. Sakshi Garg Tayal (MBBS, MD Pathology PDCC Oncopathology)

Page 8 of 16





Add: Godavari Complex,Near K.V.M Public School Heera Nagar,Haldwani Ph: 7705023379,-CIN : U85110DL2003PLC308206



Patient Name	: Mr.RAJENDRA KUMAR AGARWAL58268	Registered On	: 27/Mar/2022 08:53:19
Age/Gender	: 53 Y 10 M 23 D /M	Collected	: 27/Mar/2022 09:46:11
UHID/MR NO	: CHL2.0000101089	Received	: 27/Mar/2022 11:45:14
Visit ID	: CHL20333122122	Reported	: 28/Mar/2022 14:55:36
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	

STOOL, ROUTINE EXAMINATION ** , Stool

Color	BROWNISH
Consistency	SEMI SOLID
Reaction (PH)	Acidic (6.0)
Mucus	ABSENT
Blood	ABSENT
Worm	ABSENT
Pus cells	ABSENT
RBCs	ABSENT
Ova	ABSENT
Cysts	ABSENT
Others	ABSENT





Dr Vinod Ojha MD Pathologist

Page 9 of 16







Add: Godavari Complex,Near K.V.M Public School Heera Nagar,Haldwani Ph: 7705023379,-CIN : U85110DL2003PLC308206



Patient Name	: Mr.RAJENDRA KUMAR AGARWAL58268	Registered On	: 27/Mar/2022 08:53:19
Age/Gender	: 53 Y 10 M 23 D /M	Collected	: 27/Mar/2022 09:46:11
UHID/MR NO	: CHL2.0000101089	Received	: 27/Mar/2022 11:45:14
Visit ID	: CHL20333122122	Reported	: 27/Mar/2022 14:51:53
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEFI BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
UGAR, FASTING STAGE ** , Urir	e			
Sugar, Fasting stage	ABSENT	gms%		
Interpretation:				
(+) < 0.5		,		
(++) 0.5-1.0				
(+++) 1-2				
(++++) > 2				
		181		
			and a start of the	





. Dr. Sakshi Garg Tayal (MBBS, MD Pathology PDCC Oncopathology)

Page 10 of 16



Home Sample Collection



Add: Godavari Complex,Near K.V.M Public School Heera Nagar,Haldwani Ph: 7705023379,-CIN : U85110DL2003PLC308206



Patient Name	: Mr.RAJENDRA KUMAR AGARWAL58268	Registered On	: 27/Mar/2022 08:53:19
Age/Gender	: 53 Y 10 M 23 D /M	Collected	: 27/Mar/2022 14:28:43
UHID/MR NO	: CHL2.0000101089	Received	: 27/Mar/2022 16:08:03
Visit ID	: CHL20333122122	Reported	: 28/Mar/2022 14:35:06
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
SUGAR, PP STAGE ** , Urine					
Courses DD Change					

Sugar, PP Stage

PRESENT (+)

Interpretation:

(+)	< 0.5 gms%
(++)	0.5-1.0 gms%
(+++)	1-2 gms%
(++++)	>2 gms%





. Dr. Sakshi Garg Tayal (MBBS, MD Pathology PDCC Oncopathology)

Page 11 of 16







Add: Godavari Complex,Near K.V.M Public School Heera Nagar,Haldwani Ph: 7705023379,-CIN : U85110DL2003PLC308206



Patient Name	: Mr.RAJENDRA KUMAR AGARWAL58268	Registered On	: 27/Mar/2022 08:53:19
Age/Gender	: 53 Y 10 M 23 D /M	Collected	: 27/Mar/2022 09:33:50
UHID/MR NO	: CHL2.0000101089	Received	: 27/Mar/2022 11:05:05
Visit ID	: CHL20333122122	Reported	: 27/Mar/2022 17:14:10
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
PSA (Prostate Specific Antigen), Total ** Sample:Serum	0.830	ng/mL	< 3.0	CLIA	

Interpretation:

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone⁻
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

THYROID PROFILE - TOTAL ** , Serum

T3, Total (tri-iodothyronine)	127.37	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	7.40	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	2.48	µlU/mL	0.27 - 5.5	CLIA

Interpretation:

0.3-4.5	µIU/mL	First Trimest	ter	
0.5-4.6	µIU/mL	Second Trim	ester	
0.8-5.2	µIU/mL	Third Trimester		
0.5-8.9	µIU/mL	Adults	55-87 Years	
0.7-27	µIU/mL	Premature	28-36 Week	
2.3-13.2	µIU/mL	Cord Blood	> 37Week	
0.7-64	µIU/mL	Child(21 wk	- 20 Yrs.)	
1-39	µIU/mL	Child	0-4 Days	
1.7-9.1	µIU/mL	Child	2-20 Week	

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.



Chaudau Since 1991

Add: Godavari Complex,Near K.V.M Public School Heera Nagar,Haldwani Ph: 7705023379,-CIN : U85110DL2003PLC308206



Patient Name	: Mr.RAJENDRA KUMAR AGARWAL58268	Registered On	: 27/Mar/2022 08:53:19
Age/Gender	: 53 Y 10 M 23 D /M	Collected	: 27/Mar/2022 09:33:50
UHID/MR NO	: CHL2.0000101089	Received	: 27/Mar/2022 11:05:05
Visit ID	: CHL20333122122	Reported	: 27/Mar/2022 17:14:10
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.



Dr Vinod Ojha MD Pathologist





Add: Godavari Complex,Near K.V.M Public School Heera Nagar,Haldwani Ph: 7705023379,-CIN : U85110DL2003PLC308206



Patient Name	: Mr.RAJENDRA KUMAR AGARWAL58268	Registered On	: 27/Mar/2022 08:53:20
Age/Gender	: 53 Y 10 M 23 D /M	Collected	: N/A
UHID/MR NO	: CHL2.0000101089	Received	: N/A
Visit ID	: CHL20333122122	Reported	: 27/Mar/2022 16:00:28
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA *

(500 mA COMPUTERISED UNIT SPOT FILM DEVICE)

DIGITAL CHEST P-A VIEW:-

- Trachea is central in position.
- Bilateral hilar shadows are normal.
- Bilateral lung fields appear grossly unremarkable.
- Pulmonary vascularity & distribution are normal.
- Cardiac size & contours are normal.
- Costo-phrenic angles are bilaterally clear.
- Diaphragmatic shadows are normal on both sides.
- Bony cage is normal.
- Soft tissue shadow appears normal.

IMPRESSION:- NORMAL SKIAGRAM IN PRESENT SCAN.

(Adv: - Clinico-pathological correlation and further evaluation).



Mohit Tayal (Md Radiodiagnosis) CC Interventional Radiology) merly at : AIIMS RISHIKESH, IH DEHRADUN, HALDWANI





Add: Godavari Complex,Near K.V.M Public School Heera Nagar,Haldwani Ph: 7705023379,-CIN : U85110DL2003PLC308206



Patient Name	: Mr.RAJENDRA KUMAR AGARWAL58268	Registered On	: 27/Mar/2022 08:53:20
Age/Gender	: 53 Y 10 M 23 D /M	Collected	: N/A
UHID/MR NO	: CHL2.0000101089	Received	: N/A
Visit ID	: CHL20333122122	Reported	: 27/Mar/2022 10:33:01
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

WHOLE ABDOMEN ULTRASONOGRAPHY REPORT

LIVER

• The liver is mildly enlarged in size (~17.8 cms in longitudinal span) its echogenicity is homogeneously increased. No focal lesion is seen. (Note:- Small isoechoic focal lesion cannot be ruled out).

PORTAL SYSTEM

- The intra hepatic portal channels are normal.
- Portal vein is not dilated.
- Porta hepatis is normal.

BILIARY SYSTEM

- The intra-hepatic biliary radicles are normal.
- Common bile duct is not dilated.
- The gall bladder is normal in size and has regular walls. Lumen of the gall bladder is anechoic.

PANCREAS

• The pancreas is normal in size and shape and has a normal homogenous echotexture. Pancreatic duct is not dilated.

KIDNEYS

- <u>Right kidney:-</u>
 - Right kidney is normal in size, measuring ~11.2x4.4 cms.
 - Cortical echogenicity is normal.
 - Pelvicalyceal system is not dilated.
 - Cortico-medullary demarcation is maintained.
 - Parenchymal thickness appear normal.

• Left kidney:-

- Left kidney is normal in size, measuring ~10.5x5.0 cms.
- Cortical echogenicity is normal.
- Pelvicalyceal system is not dilated.
- Cortico-medullary demarcation is maintained.
- Parenchymal thickness appear normal.





Add: Godavari Complex,Near K.V.M Public School Heera Nagar,Haldwani Ph: 7705023379,-CIN : U85110DL2003PLC308206



Patient Name	: Mr.RAJENDRA KUMAR AGARWAL58268	Registered On	: 27/Mar/2022 08:53:20
Age/Gender	: 53 Y 10 M 23 D /M	Collected	: N/A
UHID/MR NO	: CHL2.0000101089	Received	: N/A
Visit ID	: CHL20333122122	Reported	: 27/Mar/2022 10:33:01
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

SPLEEN

• The spleen is normal in size (~9.3 cms) and has a normal homogenous echo-texture.

ILIAC FOSSAE & PERITONEUM

- Scan over the iliac fossae does not reveal any fluid collection or large mass.
- No free fluid is seen in peritoneal cavity.

URETERS

- The upper parts of both the ureters are normal.
- Bilateral vesicoureteric junctions are normal.

URINARY BLADDER

- *The urinary bladder is partially distended.* Bladder wall is normal in thickness and is regular (*Pre void volume is ~71 cc*).
- Post void bladder volume contains insignificant amount of residual urine. (Post void volume is ~3.2 cc)

PROSTATE

• The prostate gland is enlarged in size, texture with smooth outline, its measuring ~3.3x4.7x3.6 cm & 30.7 cc in vol.

FINAL IMPRESSION:-

--Mild hepatomegaly with Grade I fatty liver (Adv: LFT Correlation).

--Grade I prostatomegaly with insignificant post void residual urine.

Adv : Clinico-pathological-correlation /further evaluation & Follow up

 *** End Of Report ***

 (**) Test Performed at Chandan Speciality Lab.

 Result/s to Follow:

 ECG / EKG, Tread Mill Test (TMT)

 Junt 1

 Junt 2

 Dr.Navneet Kumar (MD Radiodiagnosis)

 This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days.

 Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing * "Facilities available as Select Location

Page 16 of 16



