Patient Name UHID	Mr. VIJAY SHARMA 40001140			Lab No Collection Date	4001321 11/03/2023 11:18	BAM
Age/Gender	36 Yrs/Male			Receiving Date	11/03/2023 11:20	MAM
IP/OP Location	O-OPD			Report Date	11/03/2023 4:55	PM
Referred By	Dr. DIWANSHU KHATANA			Report Status	Final	
Mobile No.	9460671367					
			BIOCHEMIST	RY		
Test Name		Result	Unit	Biologica	al Ref. Range	
BLOOD GLUCOSE (F	ASTING)					Sample: Fl. Plasma
BLOOD GLUCOSE FASTING		124.4				
Method: Hexokinase Interpretation:-D: various diseases.	e assay. iagnosis and monitoring of	treatment in d	iabetes mellitu	as and evaluation of car	bohydrate metaboli	sm in
BLOOD GLUCOSE (P	<u>P)</u>					Sample: PLASMA
BLOOD GLUCOSE (P	Р)	158.6	mg/dl	Non – Diabetic: Pre – Diabetic: Diabetic: - >=20	- 140-199 mg/dl	
Method: Hexokinase Interpretation:-D: various diseases.	e assay. iagnosis and monitoring of	treatment in d	iabetes mellitu	us and evaluation of car	bohydrate metaboli	.sm in

THYROID T3 T4 TSH				Sample: Serum
Т3	1.32	ng/mL	0.970 - 1.690	
Τ4	6.44	ug/dl	5.53 - 11.00	
TSH	1.403	μIU/mL	0.40 - 4.05	

RESULT ENTERED BY : NEETU SHARMA

Concerted to

Dr. MUDITA SHARMA

Patient Name	Mr. VIJAY SHARMA	Lab No	4001321
UHID	40001140	Collection Date	11/03/2023 11:18AM
Age/Gender	36 Yrs/Male	Receiving Date	11/03/2023 11:20AM
IP/OP Location	O-OPD	Report Date	
Referred By	Dr. DIWANSHU KHATANA	Report Status	11/03/2023 4:55PM Final
Mobile No.	9460671367		

BIOCHEMISTRY

T3:- Method: ElectroChemiLuminescence ImmunoAssay - ECLIA

Interpretation:-The determination of T3 is utilized in the diagnosis of T3-hyperthyroidism the detection of early stages of hyperthyroidism and for indicating a diagnosis of thyrotoxicosis factitia.

T4:- Method: ElectroChemiLuminescence ImmunoAssay - ECLIA

Interpretation:-The determination of T4 assay employs acompetitive test principle with an antibody specifically directed against T4.

TSH - THYROID STIMULATING HORMONE :- ElectroChemiLuminescenceImmunoAssay - ECLIA

Interpretation:-The determination of TSH serves as theinitial test in thyroid diagnostics. Even very slight changes in theconcentrations of the free thyroid hormones bring about much greater oppositechanges in the TSH levels.

LFT (LIVER FUNCTION TEST)

BILIRUBIN TOTAL 0.67 mg/dl 0.00 -	1.20
BILIRUBIN INDIRECT 0.51 mg/dl 0.20 -	1.00
BILIRUBIN DIRECT 0.16 mg/dl 0.00 -	0.40
SGOT 24.5 U/L 0.0-4	0.0
SGPT 35.7 U/L 0.0-4	0.0
TOTAL PROTEIN 7.90 g/dl 6.6 - 8	.7
ALBUMIN 5.1 g/dl 3.5 - 5	.2
GLOBULIN 2.6 1.8 - 3	.6
ALKALINE PHOSPHATASE 110.6 U/L 53 - 1	28
A/G RATIO 2.0 Ratio 1.5 - 2	.5
GGTP 45.7 U/L 10.0 -	55.0

Sample: Serum

RESULT ENTERED BY : NEETU SHARMA

Concerto to

Dr. MUDITA SHARMA

Patient Name	Mr. VIJAY SHARMA	Lab No	4001321
UHID	40001140	Collection Date	11/03/2023 11:18AM
Age/Gender	36 Yrs/Male	Receiving Date	11/03/2023 11:20AM
IP/OP Location	O-OPD	Report Date	11/03/2023 4:55PM
Referred By	Dr. DIWANSHU KHATANA	Report Status	Final
Mobile No.	9460671367		

BIOCHEMISTRY

BILIRUBIN TOTAL :- Method: DPD assay. Interpretation:-Total Bilirubin measurements are used in the diagnosis and treatment of various liver diseases, and of haemolytic and metabolic disorders in adults and newborns. Both obstruction damage to hepatocellular structive.

BILIRUBIN DIRECT :- Method: Diazo method Interpretation:-Determinations of direct bilirubin measure mainly conjugated, water soluble bilirubin.

SGOT - AST :- Method: IFCC without pyridoxal phosphate activation. Interpretation:-SGOT(AST) measurements are used in the diagnosis and treatment of certain types of liver and heart disease.

SGPT - ALT :- Method: IFCC without pyridoxal phosphate activation. Interpretation:-SGPT(ALT) Ratio Is Used For Differential Diagnosis In Liver Diseases.

TOTAL PROTEINS :- Method: Biuret colorimetric assay. Interpretation:-Total protein measurements are used in the diagnosis and treatment of a variety of liver and kidney diseases and bone marrow as well as metabolic and nutritional disorder. ALBUMIN :- Method: Colorimetric (BCP) assay. Interpretation:-For Diagnosis and monitoring of liver diseases, e.g. liver cirrhosis, nutritional status. ALKALINE PHOSPHATASE :- Method: Colorimetric assay according to IFCC. Interpretation:-Elevated serum ALT is found in

ALKALINE PHOSPHATASE :- Method: Colorimetric assay according to IFCC. Interpretation:-Elevated serum ALT is found in hepatitis, cirrhosis, obstructive jaundice, carcinoma of the liver, and chronic alcohol abuse. ALT is only slightly elevated in patients who have an uncomplicated myocardial infarction. GGTP-GAMMA GLUTAMYL TRANSPEPTIDASE :- Method: Enzymetic colorimetric assay. Interpretation:-y-glutamyltransferase is used in the diagnosis and monitoring of hepatobiliary disease. Enzymatic activity of GGT is often the only parameter with increased values when testing for such diseases and is one of the most sensitive indicator known.

LIPID PROFILE

TOTAL CHOLESTEROL	325		<200 mg/dl :- Desirable 200-240 mg/dl :- Borderline >240 mg/dl :- High
HDL CHOLESTEROL	47.1		High Risk :-<40 mg/dl (Male), <40 mg/dl (Female) Low Risk :->=60 mg/dl (Male), >=60 mg/dl (Female)
LDL CHOLESTEROL	227.0		Optimal :- <100 mg/dl Near or Above Optimal :- 100-129 mg/dl Borderline :- 130-159 mg/dl High :- 160-189 mg/dl Very High :- >190 mg/dl
CHOLESTERO VLDL	45	mg/dl	10 - 50
TRIGLYCERIDES	224.8		Normal :- <150 mg/dl Border Line:- 150 - 199 mg/dl High :- 200 - 499 mg/dl Very high :- > 500 mg/dl
CHOLESTEROL/HDL RATIO	6.9	%	

RESULT ENTERED BY : NEETU SHARMA

Concerto to

Dr. MUDITA SHARMA

Patient Name	Mr. VIJAY SHARMA	Lab No	4001321
UHID	40001140	Collection Date	11/03/2023 11:18AM
Age/Gender	36 Yrs/Male	Receiving Date	11/03/2023 11:20AM
IP/OP Location	O-OPD	Report Date	11/03/2023 4:55PM
Referred By	Dr. DIWANSHU KHATANA	Report Status	Final
Mobile No.	9460671367		

BIOCHEMISTRY

CHOLESTEROL TOTAL :- Method: CHOD-PAP enzymatic colorimetric assay.

interpretation:-The determination of the individual total cholesterol (TC) level is used for screening purposes while for a better risk assessment it is necessary to measure additionally lipid & lipoprotein metabolic disorders. HDL CHOLESTEROL :- Method:-Homogenous enzymetic colorimetric method.

Interpretation:-HDL-cholesterol has a protective against coronary heart disease, while reduced HDL-cholesterol concentrations, particularly in conjunction with elevated triglycerides, increase the cardiovascular disease.

LDL CHOLESTEROL :- Method: Homogenous enzymatic colorimetric assay.

Interpretation:-LDL play a key role in causing and influencing the progression of atherosclerosis and in particular coronary sclerosis. The LDL are derived form VLDL rich in TG by the action of various lipolytic enzymes and are synthesized in the liver. CHOLESTEROL VLDL :- Method: VLDL Calculative

Interpretation:-High triglycerde levels also occur in various diseases of liver, kidneys and pancreas.

DM, nephrosis, liver obstruction.

CHOLESTEROL/HDL RATIO :- Method: Cholesterol/HDL Ratio Calculative

RENAL PROFILE TEST

UREA	20.1	mg/dl	16.60 - 48.50
BUN	9.4	mg/dl	6 - 20
CREATININE	0.70	mg/dl	0.60 - 1.10
SODIUM	139.5	mmol/L	136 - 145
POTASSIUM	4.15	mmol/L	3.50 - 5.50
CHLORIDE	102.8	mmol/L	98 - 107
URIC ACID	5.93	mg/dl	3.5 - 7.2
CALCIUM	9.66	mg/dl	8.60 - 10.30

RESULT ENTERED BY : NEETU SHARMA

Dr. MUDITA SHARMA

MBBS | MD | PATHOLOGY

Sample: Serum

Patient Name	Mr. VIJAY SHARMA	Lab No	4001321
UHID	40001140	Collection Date	11/03/2023 11:18AM
Age/Gender	36 Yrs/Male	Receiving Date	11/03/2023 11:20AM
IP/OP Location	O-OPD	Report Date	11/03/2023 4:55PM
Referred By	Dr. DIWANSHU KHATANA	Report Status	Final
Mobile No.	9460671367		

BIOCHEMISTRY

CREATININE - SERUM :- Method:-Jaffe method, Interpretation:-To differentiate acute and chronic kidneydisease. URIC ACID :- Method: Enzymatic colorimetric assay. Interpretation:- Elevated blood concentrations of uricacid are renal diseases with decreased excretion of waste products, starvation, drug abuse and increased alcohol consume. SODIUM: - Method: ISE electrode. Interpretation: -Decrease: Prolonged vomiting or diarrhea, diminished reabsorption in the

kidney and excessive fluid retention. Increase: excessive fluid loss, high salt intake andkidney reabsorption. POTASSIUM :- Method: ISE electrode. Intrpretation:-Low level: Intake excessive loss formbodydue to diarrhea, vomiting

renal failure, High level: Dehydration, shock severe burns, DKA, renalfailure. CHLORIDE - SERUM :- Method: ISE electrode. Interpretation:-Decrease: reduced dietary intake, prolonged vomiting and reduced renal reabsorption as well as forms of acidosisand alkalosis.

Increase: dehydration, kidney failure, some form ofacidosis, high dietary or parenteral chloride intake, and salicylate poisoning.

UREA: - Method: Urease/GLDH kinetic assay. Interpretation:-Elevations in blood urea nitrogenconcentration are seen in inadequate renal perfusion, shock, diminished bloodvolume, chronic nephritis, nephrosclerosis, tubular necrosis, glomerularnephritis and UTI.

CALCIUM TOTAL :- Method: O-Cresolphthaleine complexone. Interpretation:-Increase in serum PTH or vit-D are usuallyassociated with hypercalcemia. Increased serum calcium levels may also beobserved in multiple myeloma and other neoplastic diseases. Hypocalcemia may

beobserved in hypoparathyroidism, nephrosis, and pancreatitis.

HBA1C

6.1

%

< 5.7% Nondiabetic 5.7-6.4% Pre-diabetic > 6 4% Indicate Diabetes

Known Diabetic Patients

< 7 % Excellent Control

7 - 8 % Good Control > 8 % Poor Control

Method : - High - performance liquid chromatography HPLC

Interpretation:-Monitoring long term glycemic control, testing every 3 to 4 months is generally sufficient. The approximate relationship between HbAlC and mean blood glucose values during the preceding 2 to 3 months.

RESULT ENTERED BY : NEETU SHARMA

and the top

Dr. MUDITA SHARMA

MBBS | MD | PATHOLOGY

Page: 5 Of 13

Sample: WHOLE BLOOD EDTA

Patient Name	Mr. VIJAY SHARMA	Lab No	4001321
UHID	40001140	Collection Date	11/03/2023 11:18AM
Age/Gender	36 Yrs/Male	Receiving Date	11/03/2023 11:20AM
IP/OP Location	O-OPD	Report Date	11/03/2023 4:55PM
Referred By	Dr. DIWANSHU KHATANA	Report Status	Final
Mobile No.	9460671367		

BLOOD BANK INVESTIGATION

Test Name	Result	Unit	Biological Ref. Range
BLOOD GROUPING	"B" Rh Positive		

BLOOD GROUPING

Note :

Both forward and reverse grouping performed.
Test conducted on EDTA whole blood.

RESULT ENTERED BY : NEETU SHARMA

Dr. MUDITA SHARMA

Patient Name	Mr. VIJAY SHARMA	Lab No	4001321
UHID	40001140	Collection Date	11/03/2023 11:18AM
Age/Gender	36 Yrs/Male	Receiving Date	11/03/2023 11:20AM
IP/OP Location	O-OPD	Report Date	11/03/2023 4:55PM
Referred By	Dr. DIWANSHU KHATANA	Report Status	Final
Mobile No.	9460671367		

CLINICAL PATHOLOGY

	CEIN			
Test Name	Result	Unit	Biological Ref. Range	
URINE SUGAR (POST PRANDIAL)				Sample: Urine
URINE SUGAR (POST PRANDIAL)	NEGATIVE			
URINE SUGAR (RANDOM)				Sample: Urine
URINE SUGAR (RANDOM)	NEGATIVE			
ROUTINE EXAMINATION - URINE				Sample: Urine
PHYSICAL EXAMINATION				
VOLUME	20	ml		
COLOUR	PALE YELLOW		P YELLOW	
APPEARANCE	CLEAR		CLEAR	
CHEMICAL EXAMINATION				
PH	6.0		5.5 - 7.0	
SPECIFIC GRAVITY	1.015		1.016-1.022	
PROTEIN	NIL		NEGATIVE	
SUGAR	NIL		NEGATIVE	
BILIRUBIN	NIL		NEGATIVE	
BLOOD	NIL			
KETONES	NIL		NEGATIVE	
NITRITE	NIL		NEGATIVE	
UROBILINOGEN	NIL		NEGATIVE	
LEUCOCYTE	NIL		NEGATIVE	
MICROSCOPIC EXAMINATION				
WBCS/HPF	1-2	/hpf	0 - 3	
EPITHELIAL CELLS/HPF	1-2	/hpf	0 - 1	
CASTS	NIL		NIL	
CRYSTALS	NIL		NIL	
BACTERIA	NIL		NIL	

RESULT ENTERED BY : NEETU SHARMA

. enreed

Dr. MUDITA SHARMA

Patient Name UHID	Mr. VIJAY SHARMA 40001140	Lab No Collection Date	4001321 11/03/2023 11:18AM
Age/Gender	36 Yrs/Male	Receiving Date	11/03/2023 11:20AM
IP/OP Location	O-OPD	Report Date	11/03/2023 4:55PM
Referred By	Dr. DIWANSHU KHATANA	Report Status	Final
Mobile No.	9460671367		

CLINICAL PATHOLOGY

OHTERS	NIL	NIL	
Methodology:-			
Glucose: GOD-POD, Bilirubin	1: Diazo-Azo-coupling reaction with a dia	azonium, Ketone: Nitro Pruside	reaction, Specific
Gravity: Proton re;ease fro	om ions, Blood: Psuedo-Peroxidase activit	ty oh Haem moiety, pH: Methye	Red-Bromothymol Blue
/			

Gravity: Proton re;ease from ions, Blood: Psuedo-Peroxidase activity of Haem molety, pH: Methye Red-Bromothymol Blue (Double indicator system), Protein: H+ Release by buffer, microscopic & chemical method. interpretation: Diagnosis of Kidney function, UTI, Presence of Protein, Glucoses, Blood. Vocubulary syntax: Kit insert

RESULT ENTERED BY : NEETU SHARMA

....

Dr. MUDITA SHARMA

Patient Name	Mr. VIJAY SHARMA	Lab No	4001321
UHID	40001140	Collection Date	11/03/2023 11:18AM
Age/Gender	36 Yrs/Male	Receiving Date	11/03/2023 11:20AM
IP/OP Location	O-OPD	Report Date	11/03/2023 4:55PM
Referred By	Dr. DIWANSHU KHATANA	Report Status	Final
Mobile No.	9460671367		

HEMATOLOGY

Test Name	Result	Unit	Biological Ref. Rang	ge
CBC (COMPLETE BLOOD COUNT)				Sample: WHOLE BLOOD EDTA
HAEMOGLOBIN	15.0	g/dl	13.0 - 17.0	
PACKED CELL VOLUME(PCV)	45.0	%	40.0 - 50.0	
MCV	83.6	fl	82 - 92	
МСН	27.9	pg	27 - 32	
МСНС	33.3	g/dl	32 - 36	
RBC COUNT	5.38	millions/cu.mm	4.50 - 5.50	
TLC (TOTAL WBC COUNT)	8.49	10^3/ uL	4 - 10	
DIFFERENTIAL LEUCOCYTE COUNT				
NEUTROPHILS	59.3	%	40 - 80	
LYMPHOCYTE	26.4	%	20 - 40	
EOSINOPHILS	7.1 H	%	1 - 6	
MONOCYTES	6.5	%	2 - 10	
BASOPHIL	0.7 L	%	1 - 2	
PLATELET COUNT	3.86	lakh/cumm	1.500 - 4.500	

HAEMOGLOBIN :- Method:-SLS HemoglobinMethodology by Cell Counter.Interpretation:-Low-Anemia, High-Polycythemia. MCV :- Method:- Calculation bysysmex. MCH :- Method:- Calculation bysysmex. MCHC :- Method:- Calculation bysysmex. MCHC :- Method:- Calculation bysysmex. RBC COUNT :- Method:-Hydrodynamicfocusing.Interpretation:-Low-Anemia,High-Polycythemia.

TLC (TOTAL WBC COUNT) :- Method:-Optical Detectorblock based on Flowcytometry.Interpretation:-High-Leucocytosis, Low-Leucopenia.

NEUTROPHILS :- Method: Optical detectorblock based on Flowcytometry

LYMPHOCYTS :- Method: Optical detectorblock based on Flowcytometry

EOSINOPHILS :- Method: Optical detectorblock based on Flowcytometry MONOCYTES :- Method: Optical detectorblock based on Flowcytometry

BASOPHIL :- Method: Optical detectorblock based on Flowcytometry

PLATELET COUNT :- Method:-Hydrodynamicfocusing method.Interpretation:-Low-Thrombocytopenia, High-Thrombocytosis.

HCT: Method:- Pulse Height Detection. Interpretation:-Low-Anemia, High-Polycythemia. NOTE: CH- CRITICAL HIGH, CL: CRITICAL LOW, L: LOW, H: HIGH

ESR (ERYTHROCYTE SEDIMENTATION RATE)

10

mm/1st hr 0 - 15

RESULT ENTERED BY : NEETU SHARMA

Concerto to

Dr. MUDITA SHARMA

Patient Name	Mr. VIJAY SHARMA	Lab No	4001321
UHID	40001140	Collection Date	11/03/2023 11:18AM
Age/Gender	36 Yrs/Male	Receiving Date	11/03/2023 11:20AM
IP/OP Location	O-OPD	Report Date	11/03/2023 4:55PM
Referred By	Dr. DIWANSHU KHATANA	Report Status	Final
Mobile No.	9460671367		

Method:-Modified Westergrens. Interpretation:-Increased in infections, sepsis, and malignancy.

RESULT ENTERED BY : NEETU SHARMA

Patient Name	Mr. VIJAY SHARMA	Lab No	4001321
UHID	40001140	Collection Date	11/03/2023 11:18AM
Age/Gender	36 Yrs/Male	Receiving Date	11/03/2023 11:20AM
IP/OP Location	O-OPD	Report Date	11/03/2023 4:55PM
Referred By	Dr. DIWANSHU KHATANA	Report Status	Final
Mobile No.	9460671367		

Unit

Test Name

Result

Biological Ref. Range

USG REPORT - ABDOMEN AND PELVIS

LIVER:

Is normal in size (~132 mm) and uniform echo texture. No obvious focal lesion seen. No intra hepatic biliary radical dilatation seen.

GALL BLADDER:

Adequately distended with no obvious wall thickening/pericholecystic fat stranding/fluid. No obvious calculus/polyp/mass seen within.

PANCREAS:

Appears normal in size and shows uniform echo texture. The pancreatic duct is normal. No calcifications are seen.

SPLEEN:

Appears normal in size and it shows uniform echo texture. It measures 98 mm in long axis.

RIGHT KIDNEY:

Right kidney measures **106 x 52 mm**.

The shape, size and contour of the right kidney appear normal.

Corticomedullary differentiation is maintained. No evidence of pelvicalyceal dilatation.

No calculi seen.

RESULT ENTERED BY : NEETU SHARMA

Patient Name UHID	Mr. VIJAY SHARMA 40001140	Lab No Collection Date	4001321 11/03/2023 11:18AM
Age/Gender	36 Yrs/Male	Receiving Date Report Date	11/03/2023 11:20AM
IP/OP Location	O-OPD	Report Date	11/03/2023 4:55PM
Referred By	Dr. DIWANSHU KHATANA	Report Status	Final
Mobile No.	9460671367		

USG

LEFT KIDNEY:

Left kidney measures 114 x 50 mm.

The shape, size and contour of the left kidney appear normal.

Corticomedullary differentiation is maintained. No evidence of pelvicalyceal dilatation.

No calculi seen.

URINARY BLADDER:

Is normal in contour. No intraluminal echoes are seen. No calculus or diverticulum is seen.

PROSTATE:

Measures 31 x 31 x 30 mm, 16 cc in volume. Normal.

RIGHT ILIAC FOSSA:

No focal fluid collections seen.

IMPRESSION:

No significant sonographic abnormality detected.

RESULT ENTERED BY : NEETU SHARMA

Rundad

Dr. RENU JADIYA MBBS, DNB RADIOLOGIST

Patient Name UHID	Mr. VIJAY SHARMA 40001140	Lab No Collection Date	4001321 11/03/2023 11:18AM
Age/Gender IP/OP Location	36 Yrs/Male O-OPD	Receiving Date Report Date	11/03/2023 11:20AM 11/03/2023 4:55PM
Referred By	Dr. DIWANSHU KHATANA	Report Status	Final
Mobile No.	9460671367		

X Ray

Unit

Test Name

Result

Biological Ref. Range

X-RAY - CHEST PA VIEW

OBSERVATION:

The trachea is central.

The mediastinal and cardiac silhouette are normal.

Cardiothoracic ratio is normal.

Cardiophrenic and costophrenic angles are normal.

Both hila are normal.

The lung fields are clear.

Bones of the thoracic cage are normal.

Soft tissues of the chest wall are normal.

IMPRESSION:

No significant abnormality seen.

End Of Report

RESULT ENTERED BY : NEETU SHARMA

Rundad

Dr. RENU JADIYA MBBS, DNB RADIOLOGIST