Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192 CIN : U85110DL2003PLC308206



Patient Name	: Mr.VINOD YADAV-PKG10000238	Registered On	: 08/Jan/2022 10:14:14
Age/Gender	: 36 Y O M O D /M	Collected	: 08/Jan/2022 10:23:10
UHID/MR NO	: IDUN.0000160902	Received	: 08/Jan/2022 11:42:41
Visit ID	: IDUN0402092122	Reported	: 08/Jan/2022 13:18:54
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

	aink of Baru	da iviale & Fe	IVIALE BELOW 40 YRS	
Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) * , Blood				
Blood Group	0			
Rh (Anti-D)	POSITIVE			
COMPLETE BLOOD COUNT (CBC) * , Blood				
Haemoglobin	15.20	g/dl	Male- 13.5-17.5 g/dl Female-12.0-15.5 g/dl	
TLC (WBC) <u>DLC</u>	8,550.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
Polymorphs (Neutrophils)	57.30	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	33.90	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	5.80	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	2.40	%	1-6	ELECTRONIC IMPEDANCE
Basophils ESR	0.60	%	<1	ELECTRONIC IMPEDANCE
Observed	12.00	Mm for 1st hr.		
Corrected	6.00	Mm for 1st hr.		
PCV (HCT)	44.40	CC %	40-54	
Platelet count				
Platelet Count	1.59	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOP
PDW (Platelet Distribution width)	26.50	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	60.20	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.21	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	13.40	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	5.31	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	83.60	fl	80-100	CALCULATED PARAMETER
MCH	28.60	pg	28-35	CALCULATED PARAMETER
	34.20	%	30-38	
	12.00	%	11-16	ELECTRONIC IN IN
n an	41.30	fL	35-60	ELECTRONIC IN
utrophils Count	4,890.00	/cu mm	3000-7000	DR. RITU KALL MD (PATHOLO

Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192 CIN : U85110DL2003PLC308206



Patient Name	: Mr.VINOD YADAV-PKG10000238	Registered On	: 08/Jan/2022 10:14:15
Age/Gender	: 36 Y 0 M 0 D /M	Collected	: 08/Jan/2022 10:23:10
UHID/MR NO	: IDUN.0000160902	Received	: 08/Jan/2022 11:42:41
Visit ID	: IDUN0402092122	Reported	: 08/Jan/2022 13:01:19
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Ur	it Bio. Ref. Interv	val Method
GLUCOSE FASTING, Plasma				
Glucose Fasting	89.27	mg/dl	< 100 Normal 100-125 Pre-diabetes ≥ 126 Diabetes	GOD POD

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impared Glucose Tolerance.

Glucose PP	123.04	mg/dl	<140 Normal	GOD POD
Sample:Plasma After Meal			140-199 Pre-diabetes	
			>200 Diabetes	

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C) * , EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	5.74	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (Hb-A1c)	39.00	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	118	mg/dl	

Interpretation:

<u>NOTE</u>:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192 CIN : U85110DL2003PLC308206



Patient Name	: Mr.VINOD YADAV-PKG10000238	Registered On	: 08/Jan/2022 10:14:15
Age/Gender	: 36 Y O M O D /M	Collected	: 08/Jan/2022 10:23:10
UHID/MR NO	: IDUN.0000160902	Received	: 08/Jan/2022 11:42:41
Visit ID	: IDUN0402092122	Reported	: 08/Jan/2022 13:01:19
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name

Result

Unit Bio. Ref. Interval

val Method

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. **Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated G8 90 SL TOSOH HPLC Analyser.

<u>Clinical Implications:</u>

*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

*With optimal control, the HbA 1c moves toward normal levels.

*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

*Pregnancy d. chronic renal failure. Interfering Factors:

*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192 CIN : U85110DL2003PLC308206



Patient Name	: Mr.VINOD YADAV-PKG10000238	Registered On	: 08/Jan/2022 10:14:15
Age/Gender	: 36 Y O M O D /M	Collected	: 08/Jan/2022 10:23:10
UHID/MR NO	: IDUN.0000160902	Received	: 08/Jan/2022 11:42:41
Visit ID	: IDUN0402092122	Reported	: 08/Jan/2022 13:01:19
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Un	it Bio. Ref. Interv	al Method
BUN (Blood Urea Nitrogen) * Sample:Serum	9.90	mg/dL	7.0-23.0	CALCULATED
Creatinine Sample:Serum	0.86	mg/dl	0.7-1.3	MODIFIED JAFFES
e-GFR (Estimated Glomerular Filtration Rate) Sample:Serum	112.00	ml/min/1.73m	2 - 90-120 Normal - 60-89 Near Normal	CALCULATED
Uric Acid Sample:Serum	4.87	mg/dl	3.4-7.0	URICASE
L.F.T.(WITH GAMMA GT) * , Serum				
SGOT / Aspartate Aminotransferase (AST) SGPT / Alanine Aminotransferase (ALT)	27.10 42.17	U/L U/L	< 35 < 40	IFCC WITHOUT P5P IFCC WITHOUT P5P
Gamma GT (GGT) Protein	85.24 7.62	IU/L gm/dl	11-50 6.2-8.0	OPTIMIZED SZAZING BIRUET
Albumin	4.87	gm/dl	3.8-5.4	B.C.G.
Globulin	2.75	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.77		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	154.13	U/L	42.0-165.0	
Bilirubin (Total) Bilirubin (Direct)	0.76 0.29	mg/dl	0.3-1.2 < 0.30	JENDRASSIK & GROF JENDRASSIK & GROF
Bilirubin (Direct) Bilirubin (Indirect)	0.29 0.47	mg/dl mg/dl	< 0.30 < 0.8	JENDRASSIK & GROF
	0.47	ing/ di	< 0.0	
LIPID PROFILE (MINI) * , Serum				
Cholesterol (Total)	142.05	mg/dl	<200 Desirable 200-239 Borderline Hig > 240 High	CHOD-PAP h
HDL Cholesterol (Good Cholesterol)	42.43	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	84	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optima 130-159 Borderline Hig 160-189 High > 190 Very High	
医筋筋管的	15.29	mg/dl	10-33	CALCULATED
	76.47	mg/dl	< 150 Normal 150-199 Borderline Hig 200-499 High >500 Very High	GPO-PAP h dr. ritu kalia md (pathology)

Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192 CIN : U85110DL2003PLC308206



Patient Name	: Mr.VINOD YADAV-PKG10000238	Registered On	: 08/Jan/2022 10:14:15
Age/Gender	: 36 Y O M O D /M	Collected	: 08/Jan/2022 13:42:44
UHID/MR NO	: IDUN.0000160902	Received	: 08/Jan/2022 14:27:35
Visit ID	: IDUN0402092122	Reported	: 08/Jan/2022 14:35:11
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUT	TINE * , Urine			
Color	PALE YELLOW			
Specific Gravity	1.020			
Reaction PH	Acidic (6.0)			DIPSTICK
Protein	ABSENT	mg %	< 10 Absent 10-40 (+) 40-200 (++) 200-500 (+++)	DIPSTICK
Sugar	ABSENT	gms%	> 500 (++++) < 0.5 (+) 0.5-1.0 (++) 1-2 (+++) > 2 (++++)	DIPSTICK
Ketone	ABSENT	mg/dl	0.2-2.81	BIOCHEMISTRY
Bile Salts	ABSENT	Ū		
Bile Pigments	ABSENT			
Urobilinogen(1:20 dilution) Microscopic Examination:	ABSENT			
Epithelial cells	1-2/h.p.f			MICROSCOPIC EXAMINATION
Pus cells	ABSENT			MICROSCOPIC EXAMINATION
RBCs	ABSENT			MICROSCOPIC EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC EXAMINATION
Others	ABSENT			
STOOL, ROUTINE EXAMINAT	ION * , Stool			
Color	BROWNISH			
Consistency	SEMI SOLID			
Reaction (PH)	Acidic (6.0)			
Mucus	ABSENT			
Blood	ABSENT			
Worm	ABSENT			
Pus cells	ABSENT			

Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192 CIN : U85110DL2003PLC308206



Patient Name	: Mr.VINOD YADAV-PKG10000238	Registered On	: 08/Jan/2022 10:14:15
Age/Gender	: 36 Y O M O D /M	Collected	: 08/Jan/2022 13:42:44
UHID/MR NO	: IDUN.0000160902	Received	: 08/Jan/2022 14:27:35
Visit ID	: IDUN0402092122	Reported	: 08/Jan/2022 14:35:11
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
RBCs	ABSENT			
Ova	ASCARIS			
	LUMBRICOIDES			
Cysts	ABSENT			
Others	ABSENT			
SUGAR, FASTING STAGE * , Urine				
Sugar, Fasting stage	ABSENT	gms%		
Interpretation:				
(+) < 0.5				
(++) 0.5-1.0				
(+++) 1-2				
(++++) > 2				
SUGAR, PP STAGE * , Urine				
Sugar, PP Stage	ABSENT			
Interpretation:				

(+) < 0.5 gms% (++) 0.5-1.0 gms% (+++) 1-2 gms% (++++) > 2 gms%





DR. RITU KALIA MD (PATHOLOGY)

Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192 CIN : U85110DL2003PLC308206



F	Patient Name	: Mr.VINOD YADAV-PKG10000238	Registered On	: 08/Jan/2022 10:14:15
ŀ	Age/Gender	: 36 Y 0 M 0 D /M	Collected	: 08/Jan/2022 10:23:10
ι	JHID/MR NO	: IDUN.0000160902	Received	: 09/Jan/2022 13:52:22
١	/isit ID	: IDUN0402092122	Reported	: 09/Jan/2022 14:44:52
F	Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interva	I Method
THYROID PROFILE - TOTAL ** , Serum				
T3, Total (tri-iodothyronine)	95.12	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	5.32	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	7.35	μIŪ/mL	0.27 - 5.5	CLIA
Interpretation:		•	mL Second Tri	nester
		•	mL Third Trime mL Adults	55-87 Years
		•	mL Premature	28-36 Week
		2.3-13.2 µIU/		> 37Week
		•	mL Child(21 wl	,
		•	J/mL Child	0-4 Days
		1.7-9.1 μIU	mL Child	2-20 Week

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.


5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.





Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192 CIN : U85110DL2003PLC308206



Patient Name	: Mr.VINOD YADAV-PKG10000238	Registered On	: 08/Jan/2022 10:14:15
Age/Gender	: 36 Y O M O D /M	Collected	: N/A
UHID/MR NO	: IDUN.0000160902	Received	: N/A
Visit ID	: IDUN0402092122	Reported	: 08/Jan/2022 16:48:10
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

X-RAY DIGITAL CHEST PA * (500 mA COMPUTERISED UNIT SPOT FILM DEVICE)

DIGITAL CHEST P-A VIEW

- Pulmonary parenchyma did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Diaphragmatic shadows are normal on both sides.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Bony cage is normal.

IMPRESSION : NO SIGNIFICANT ABNORMALITY DETECTED





Dr. Amit Bhandari MBBS MD RADIOLOGY

Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192 CIN : U85110DL2003PLC308206



Patient Name	: Mr.VINOD YADAV-PKG10000238	Registered On	: 08/Jan/2022 10:14:15
Age/Gender	: 36 Y O M O D /M	Collected	: N/A
UHID/MR NO	: IDUN.0000160902	Received	: N/A
Visit ID	: IDUN0402092122	Reported	: 08/Jan/2022 11:22:41
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

Liver is normal in size and is bright in echotexture. No focal lesion seen.

PV and CBD are normal. IHBR are not dilated.

Gall bladder seen in distended state with echofree lumen. Wall thickness is normal.

Spleen is normal in size, shape and echotexture.

Pancreas Head and body appear normal. Tail is obscured by bowel gases.

Kidneys: Both kidneys are normal in size, shape and echotexture. Cortico-medullary differentiation is maintained. Parenchymal thickness is normal. No obvious mass/hydronephrosis seen.

Calculus measuring approx 3 mm is seen in lower calyx of left kidney.

Urinary bladder seen in distended state with echofree lumen. Wall thickness is normal.

Prostate is normal in size and measures approx 33 x 31 x 37 mm and vol = 21.18 cc..

No significant free fluid seen in peritoneal cavity.

IMP:- GRADE I FATTY LIVER.

SMALL LEFT RENAL CALCULUS.

Note: In case of any discrepancy due to typing error kindly get it rectified immediately