

			LABORATORY REPORT			
Name	:	Ms. Kanta Parmar		Reg. No	:	208101599
Sex/Age	:	Female/25 Years		Reg. Date	:	29-Aug-2022 09:24 AM
Ref. By	:			Collected On	:	29-Aug-2022 09:24 AM
Client Name	:	Mediwheel		Report Date	;	29-Aug-2022 02:18 PM

Medical Summary

GENERAL EXAMINATION

Height (cms): 165

Weight (kgs): 49.6

Blood Pressure: 100/60mmHg

Pulse: 74/Min

No Clubbing/Cynosis/Pallor/Pedel Oedem

Systemic Examination:

Cardio vascular System - S1,S2 Normal, No Murmur

Respiratory system - AEBE

Central Nervous System - No FND

Abdomen - Soft, Non Tender, No Organomegaly

Epilepsy – N/A

This is an electronically authenticated report

Dr.Jay Soni

M.D, GENERAL MEDICINE

Page 3 of 4



बैक ऑफ बडोदा Bank of Baroda

TIF Name

कान्ता परमार KANTA PARMAR


कर्मचारी कुट क्र.

E.C. No. 187563



जारीकता प्राधिकारी

Issuing Authority





भारक के हस्ताक्षर Signature of Holder

9824859921 25-Age





Reg. No

: 208101599

Ref Id

Collected On : 29-Aug-2022 09:24 AM

Name

: Ms. Kanta Parmar

Reg. Date

: 29-Aug-2022 09:24 AM

Age/Sex

: 25 Years

1 Female

Pass. No.

Tele No.

: 9824859971

Ref. By

Dispatch At

Location

: CHPL

Sample Type

: EDTA Whole Blood

Parameter

Results

Unit

Biological Ref. Interval

COMPLETE BLOOD COUNT (CBC)

Specimen:	EDTA	blood

Hemoglobin (Spectrophotometric Measurement)	L 11.9	g/dL	12.5 - 16.0
Hematrocrit (Calculated)	39.70	%	37 - 47
RBC Count (Volumetric Impedance)	H 5.70	million/cmm	4.2 - 5.4
MCV (Calculated)	L 69.6	fL.	78 - 100
MCH (Calculated)	L 20.9	Pg	27 - 31
MCHC (Calculated)	L 30.0	%	31 - 35
RDW (Calculated)	H 17.1	%	11.5 - 14.0
WBC Count (Volumetric Impedance)	4540	/cmm	4000 - 10500
MPV (Calculated)	10.1	ſL	7.4 - 10.4

DIFFERENTIAL WBC COUNT	[%]		EXPECTED VALUES	[Abs]		EXPECTED VALUES
Neutrophils (%)	58	%	42.02 - 75.2	2633	/cmm	2000 - 7000
Lymphocytes (%)	34	%	20 - 45	1544	/cmm	1000 - 3000
Eosinophils (%)	03	%	0 - 6	227	/cmm	200 - 1000
Monocytes (%)	05	%	2 - 10	136	/cmm	20 - 500
Basophils (%)	00	%	0 - 1	0	/cmm	0 - 100

PERIPHERAL SMEAR STUDY

RBC Morphology

Microcytic+ Hypochromic+ & Anisocytosis +

WBC Morphology

Normal

PLATELET COUNTS

Platelet Count (Volumetric Impedance)

306000

/cmm

150000 - 450000

Platelets

Platelets are adequate with normal morphology.

Parasites

Malarial parasite is not detected.

Comment

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Dhwani Bhatt

MD (Pathology)

Generated On: 30-Aug-2022 08:37 AM

Approved On:

29-Aug-2022 04:33 PM Page 1 of 12

CUROVIS HEALTHCARE PVT. LTD.





Reg. No

: 208101599

Ref Id

Collected On : 29-Aug-2022 09:24 AM

Name

: Ms. Kanta Parmar

Reg. Date

: 29-Aug-2022 09:24 AM

Age/Sex

: 25 Years

: CHPL

1 Female

Pass. No.

Tele No.

: 9824859971

Ref. By

Dispatch At

Sample Type

: EDTA Whole Blood

Location **Parameter**

Result

Unit

Biological Ref. Interval

HEMATOLOGY

BLOOD GROUP & RH

Specimen: EDTA and Serum; Method: Forward Reverse Tube Agglutination

ABO

"B"

Rh (D)

Positive

Note

ERYTHROCYTE SEDIMANTATION RATE [ESR]

ESR (After 1 hour)

Infra red measurement

08

mm/hr

ESR AT1 hour: 3-12

ESR AT2 hour: 13-20

ERYTHRO SEDIMENTION RATE, BLOOD -

Erythrocyte sedimentation rate (ESR) is a non - specific phenomena and is clinically useful in the diagnosis and monitoring of disorders associated with an increased production of acute phase reactants. The ESR is increased in prenancy from about the 3rd month and returns to normal by the 4th week post partum. ESR is influenced by age, sex, menstrual cycle and drugs (eg. corticosteroids, contraceptives). It is especially low (o-1mm) in polycythaemia, hypofibrinogenemia or or congestive cardiac failure and when there are abnormalities or the red cells such as poikilocytosis, spherocytosis or sickle cells.

For tests performed on specimens received or collected from non-CHPL locations, it is presumed that the specimen belongs to the patient named or identified as labeled on the container/test request and such verification has been carried out at the point generation of the said specimen by the sender. CHPt. will be responsible only for the analytical part of the test carried out. All other responsibility will be of referring laboratory.

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Dhwani Bnatt

MD (Pathology)

Generated On: 30-Aug-2022 08:37 AM

Approved On:

29-Aug-2022 04:33 PM Page 2 of 12

CUROVIS HEALTHCARE PVT. LTD.





: 208101599

Ref Id

Collected On : 29-Aug-2022 09:24 AM

Name

Reg. No

: Ms. Kanta Parmar

Reg. Date

: 29-Aug-2022 09:24 AM

Age/Sex

: 25 Years

: CHPL

1 Female

Pass. No.

Tele No.

: 9824859971

Ref. By

Dispatch At

Sample Type

: Flouride F.Flouride PP

Parameter

Location

Result

TEST REPORT

Unit Biological Ref. Interval

FASTING PLASMA GLUCOSE

Specimen: Flouride plasma

Fasting Blood Sugar (FBS)

100.3

mg/dL

70 - 110

GOD-POD for glucose.

Criteria for the diagnosis of diabetes

1. HbA1c >/= 6.5 *

Or

2. Fasting plasma glucose >126 gm/dL. Fasting is defined as no caloric intake at least for 8 hrs.

- 3. Two hour plasma glucose >/= 200mg/dL during an oral glucose tolerence test by using a glucose load containing equivalent of 75 gm anhydrous glucose dissolved in water.
- 4. In a patient with classic symptoms of hyperglycemia or hyperglycemic crisis, a random plasma glucose >/= 200
- *In the absence of unequivocal hyperglycemia, criteria 1-3 should be confirmed by repeat testing. American diabetes association. Standards of medical care in diabetes 2011. Diabetes care 2011;34,S11.

POST PRANDIAL PLASMA GLUCOSE

Specimen: Flouride plasma

Post Prandial Blood Sugar (PPBS)

70.4

mg/dL

70 - 140

GOD-POD for glucose.

For tests performed on specimens received or collected from non-CHPL locations, it is presumed that the specimen belongs to the patient named or identified as labeled on the container/test request and such verification has been carried out at the point generation of the said specimen by the sender. CHPL will be responsible only for the analytical part of the test carried out. All other responsibility will be of referring laboratory.

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Dhwani Bhatt

MD (Pathology)

Generated On: 30-Aug-2022 08:37 AM

Approved On:

29-Aug-2022 04:33 PM

CUROVIS HEALTHCARE PVT. LTD.





Reg. No : 208101599 Ref ld

Collected On

: 29-Aug-2022 09:24 AM

Name

: Ms. Kanta Parmar

Reg. Date

: 29-Aug-2022 09:24 AM

Age/Sex

: 25 Years

1 Female Pass. No. Tele No.

: 9824859971

Ref. By

Dispatch At

Location : CHPL

Sample Type

: Serum

COURT		Sample Typ	e : Serum
Parameter	Result	Unit	Biological Ref. Interval
	Lipid Profile		
Cholesterol	136.00	mg/dL	Desirable: < 200 Boderline High: 200 - 239 High: > 240
Enzymatic, colorimetric method			
Triglyceride	83.20	mg/dL	Normal: < 150 Boderline High: 150 - 199 High: 200 - 499 Very High: > 500
Enzymatic, colorimetric method			
HDL Cholesterol	47.10	mg/dL	High Risk : < 40 Low Risk : = 60
Accelerator selective detergent method			
LDL	72.26	mg/dL	Optimal : < 100.0 Near / above optimal : 100-129 Borderline High : 130- 159 High : 160-189 Very High : >190.0
Calculated			
VLDL Calculated	16.64	mg/dL	15 - 35
LDL / HDL RATIO Calculated	1.53		0 - 3.5
Cholesterol /HDL Ratio Calculated	2.89		0 - 5.0

For tests performed on specimens received or collected from non-CHPL locations, it is presumed that the specimen belongs to the patient named or identified as labeled on the container/test request and such verification has been carried out at the point generation of the said specimen by the sender. CHPL will be responsible only for the analytical part of the test carried out. All other responsibility will be of referring laboratory.

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Dhwani Bhatt

MD (Pathology)

Generated On: 30-Aug-2022 08:37 AM

Approved On:

29-Aug-2022 04:33 PM Page 4 of 12

CUROVIS HEALTHCARE PVT. LTD.





Reg. No

: 208101599

Ref Id

Collected On : 29-Aug-2022 09:24 AM

Name

: Ms. Kanta Parmar

Reg. Date

: 29-Aug-2022 09:24 AM

Age/Sex

: 25 Years

: CHPL

1 Female Pass. No.

Tele No.

: 9824859971

Ref. By

Dispatch At

Sample Type : Serum

Location **Parameter**

Result

Unit Biological Ref. Interval

BIO - CHEMISTRY

	LFT WITH GGT				
Total Protein Biuret Reaction	7.59	gm/dL	6.3 - 8.2		
Albumin By Bromocresol Green	5.15	g/dL	0 - 4 days: 2.8 - 4.4 4 days - 14 yrs: 3.8 - 5.4 14 - 19 yrs: 3.2 - 4.5 20 - 60 yrs: 3.5 - 5.2 60 - 90 yrs: 3.2 - 4.6 > 90 yrs: 2.9 - 4.5		
Globulin Calculated	2.44	g/dL	2.3 - 3.5		
A/G Ratio Calculated	2.11		0.8 - 2.0		
SGOT UV without P5P	21.80	U/L	0 - 40		
SGPT UV without P5P	13.50	U/L	0 - 40		
Alakaline Phosphatase p - Nitrophenylphosphate (PNPP)	133.7	U/L	25 - 240		
Total Bilirubin Vanadate Oxidation	0.43	mg/dL	0 - 1.2		
Conjugated Bilirubin	0.14	mg/dL	0.0 - 0.4		
Unconjugated Bilirubin Sulph acid dpl/caff-benz	0.29	mg/dL	0.0 - 1.1		
GGT SZASZ Method	13.50	mg/dL	15 - 73		

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Dhwani Bhatt

MD (Pathology)

Generated On : 30-Aug-2022 08:37 AM

Approved On:

29-Aug-2022 04:33 PM Page 5 of 12

CUROVIS HEALTHCARE PVT. LTD.





: CHPL

: 208101599

TEST REPORT

Collected On : 29-Aug-2022 09:24 AM

: Ms. Kanta Parmar

Reg. Date

: 29-Aug-2022 09:24 AM

Age/Sex

Reg. No

Location

Name

: 25 Years 1 Female Pass. No.

Tele No.

Ref. By

Ref Id

: 9824859971

Dispatch At

Sample Type

: Serum

For tests performed on specimens received or collected from non-CHPL locations, it is presumed that the specimen belongs to the patient named or identified as labeled on the container/lest request and such verification has been carried out at the point generation of the said specimen by the sender. CHPL will be responsible only for the analytical part of the test carried out. All other responsibility will be of referring laboratory.

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Dhwani Bhatt

MD (Pathology)

Generated On: 30-Aug-2022 08:37 AM

Approved On:

29-Aug-2022 04:33 PM Page 6 of 12

CUROVIS HEALTHCARE PVT. LTD.





~~~~	-		
TEST	KE	PO	КI

Reg. No

: 208101599

Ref Id

Collected On

: 29-Aug-2022 09:24 AM

Name

: Ms. Kanta Parmar

Reg. Date

: 29-Aug-2022 09:24 AM

Age/Sex

Location

**Parameter** 

: 25 Years

: CHPL

1 Female Pass. No.

Tele No.

: 9824859971

Ref. By

Dispatch At

Sample Type : Serum

Unit Biological Ref. Interval

# Result

	BIO - CHEMISTRY		
Uric Acid Enzymatic, colorimetric method	4.48	mg/dL	Adult : 2.5 - 6.5 Child : 2.5 - 5.5
Creatinine Enzymatic Method	0.71	mg/dL	Adult : 0.55 - 1.02 Child : 0.5 - 1.0
BUN UV Method	9.80	mg/dL	Adult : 7.0 - 17.0 Child : 5.0 - 18.0

# For tests performed on specimens received or collected from non-CHPL locations, it is presumed that the specimen belongs to the patient named or identified as labeled on the container/test request and such verification has been carried out at the point generation of the said specimen by the sender. CHPL will be responsible only for the analytical part of the test carried out. All other responsibility will be of referring laboratory.

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Dhwani Bhatt

MD (Pathology)

Generated On: 30-Aug-2022 08:37 AM

Approved On:

29-Aug-2022 04:33 PM Page 7 of 12

CUROVIS HEALTHCARE PVT. LTD.





Reg. No : 208101599 Ref Id

Collected On : 29-Aug-2022 09:24 AM

Name

: Ms. Kanta Parmar

Reg. Date

: 29-Aug-2022 09:24 AM

Age/Sex

: 25 Years

1 Female

Pass. No.

Tele No.

: 9824859971

Ref. By Location

Dispatch At

: CHPL

Sample Type

Unit

: EDTA Whole Blood

**Parameter** 

Result

**TEST REPORT** 

Biological Ref. Interval

#### **HEMOGLOBIN A1 C ESTIMATION** Specimen: Blood EDTA

*Hb A1C

5.7

% of Total Hb

Normal: < 5.7 %

Pre-Diabetes: 5.7 % -

6.4 %

Diabetes: 6.5 % or

higher

Boronate Affinity with Fluorescent Quenching

Mean Blood Glucose

116.89

mg/dL

Calculated

#### Degree of Glucose Control Normal Range:

Poor Control >7.0% *

Good Control 6.0 - 7.0 %**Non-diabetic level < 6.0 %

* High risk of developing long term complication such as retinopathy, nephropathy, neuropathy, cardiopathy, etc.

* Some danger of hypoglycemic reaction in Type I diabetics.

* Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1c levels in this area. **EXPLANATION:-**

*Total haemoglobin A1 c is continuously synthesised in the red blood cell throught its 120 days life span. The concentration of HBA1c in the cell reflects the average blood glucose concentration it encounters.

*The level of HBA1c increases proportionately in patients with uncontrolled diabetes. It reflects the average blood glucose concentration over an extended time period and remains unaffected by short-term fluctuations in blood glucose levels.

*The measurement of HbA1c can serve as a convenient test for evaluating the adequacy of diabetic control and in preventing various diabetic complications. Because the average half life of a red blood cell is sixty days, HbA1c has been accepted as a measurnment which effects the mean daily blood glucose concentration, better than fasting blood glucose determination, and the degree of carbohydrate imbalance over the preceding two months.

*It may also provide a better index of control of the diabetic patient without resorting to glucose loading procedures.

**HbA1c** assay Interferences:

*Errneous values might be obtained from samples with abnormally elevated quantities of other Haemoglobins as a result of either their simultaneous elution with HbA1c(HbF) or differences in their glycation from that of HbA(HbS)

# For tests performed on specimens received or collected from non-CHPL locations, it is presumed that the specimen belongs to the patient named or identified as labeled on the container/test request and such verification has been carried out at the point generation of the said specimen by the sender. CHPL will be responsible only for the analytical part of the test carried out. All other responsibility will be of referring laboratory.

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Dhwani Bhatt

MD (Pathology)

Generated On: 30-Aug-2022 08:37 AM

Approved On:

29-Aug-2022 04:33 PM Page 8 of 12

CUROVIS HEALTHCARE PVT. LTD.





: 208101599

Ref Id

Collected On

: 29-Aug-2022 09:24 AM

Name

: Ms. Kanta Parmar

Reg. Date

: 29-Aug-2022 09:24 AM

Age/Sex

Reg. No

: 25 Years 1 Female

Pass. No.

Tele No.

: 9824859971

Ref. By

**TEST REPORT** 

Dispatch At

: CHPL

Sample Type

: Urine Spot

Test

Location

Unit

Biological Ref. Interval

#### URINE ROUTINE EXAMINATION

#### **PHYSICAL EXAMINATION**

Quantity

20 cc

Result

Colour

Pale Yellow

Clarity

Clear

# CHEMICAL EXAMINATION (BY REFLECTANCE PHOTOMETRIC)

рΗ

5.0

4.6 - 8.0

Sp. Gravity

1.025

1.001 - 1.035

Protein

Nil

Glucose

Nil

Ketone Bodies

Nil

Urobilinogen Bilirubin

Nil

Nitrite

Nil

Nil

Blood

Nil

# MICROSCOPIC EXAMINATION (MANUAL BY MICROSCOPY)

Leucocytes (Pus Cells)

Occasional/hpf

Erythrocytes (Red Cells)

Nil

**Epithelial Cells** 

2 - 5/hpf

/hpf

Crystals

Absent

Casts

Absent

Amorphous Material

Absent

Bacteria

Absent

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Dhwani Bhatt

MD (Pathology)

Generated On : 30-Aug-2022 08:37 AM

Approved On:

29-Aug-2022 04:33 PM Page 9 of 12

CUROVIS HEALTHCARE PVT. LTD.





: 208101599

**TEST REPORT** 

Reg. No

Ref Id

Collected On

: 29-Aug-2022 09:24 AM

Name

: Ms. Kanta Parmar

Reg. Date

: 29-Aug-2022 09:24 AM

Age/Sex

: 25 Years

i Female

Pass. No.

Tele No.

Ref. By

Dispatch At

: 9824859971

Location

: CHPL

Sample Type

: Urine Spot

Remarks

# For tests performed on specimens received or collected from non-CHPL locations, it is presumed that the specimen belongs to the patient named or identified as labeled on the container/test request and such verification has been carried out at the point generation of the said specimen by the sender. CHPL will be responsible only for the analytical part of the test carried out. All other responsibility will be of referring laboratory.

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Dhwani Bhatt

MD (Pathology)

Generated On: 30-Aug-2022 08:37 AM

Approved On:

29-Aug-2022 04:33 PM Page 10 of 1

CUROVIS HEALTHCARE PVT. LTD.





Reg. No : 208101599 Name

: Ms. Kanta Parmar

Age/Sex

: CHPL

: 25 Years 1 Female Pass. No.

Ref Id

Collected On : 29-Aug-2022 09:24 AM

Reg. Date

: 29-Aug-2022 09:24 AM

Tele No.

: 9824859971

Dispatch At

Sample Type : Serum

Parameter Result Unit Biological Ref. Interval

#### **IMMUNOLOGY**

#### THYROID FUNCTION TEST

*T3 (Triiodothyronine)

Ref. By

Location

CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY

0.95

ng/mL

0.6 - 1.81

Triiodothyronine (T3) is a hormone synthesized and secreted by the thyroid gland in response to the pituitary hormone TSH (thyroid stimulating hormone) and is regulated by a negative feedback mechanism involving the thyroid gland, pituitary gland and hypothalamus.

In the circulation, 99.7% of T3 is reversibly bond to transport proteins, primarily thyroxine-binding globulin (TBG) and to a lesser extent albumin and prealbumin. The remaining unbound T3 is free in the circulation and is metabolically active.

In hypothyroidism and hyperthyroidism, F T3 (free T3) levels parallel changes in total T3 levels. Measuring F T3 is useful in certain conditions such as normal pregnancy and steroid therapy, when altered levels of total T3 occur due to changes in T3 binding proteins, especially TBG.

*T4 (Thyroxine)

CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY

6.10

ng/mL

3.2 - 12.6

Thyroxin (T4) is a hormone synthesized and secreted by the thyroid gland in response to the pituitary hormone TSH (thyroid stimulating hormone) and is regulated by a negative feedback mechanism involving the thyroid gland, pituitary gland and hypothalamus. In the circulation, 99.95% of T4 is reversibly bond to transport proteins, primarily thyroxine-binding globulin (TBG) and to a lesser extent albumin and thyroxine-binding prealbumin. The remaining unbound T4 is free in the circulation and is both metabolically active and a precursor to triiodothyronine (T3).

In hypothyroidism and hyperthyroidism, F T4 (free T4) levels parallel changes in total T4 levels. Measuring FT4 is useful in certain conditions such as normal pregnancy and steroid therapy, when altered levels of total T4 occur due to changes in T4 binding proteins, especially TBG.

#### Limitations:

- 1. The anticonvulsant drug phenytoin may interfere with total and F T4 levels due to competition for TBG binding
- 2.F T4 values may be decreased in patients taking carbamazepine.
- 3. Thyroid autoantibodies in human serum may interfere and cause falsely elevated F T4 results.

This is an electronically authenticated report.

* This test has been out sourced

Approved By:

Dr.Dhwani Bhatt

MD (Pathology)

Generated On: 30-Aug-2022 08:37 AM

Approved On:

29-Aug-2022 04:33 PM Page 11 of 1

CUROVIS HEALTHCARE PVT. LTD.





Reg. No

: 208101599

Ref Id

Collected On

: 29-Aug-2022 09:24 AM

Name

: Ms. Kanta Parmar

Reg. Date

: 29-Aug-2022 09:24 AM

Age/Sex

: 25 Years

1 Female Pass. No. Tele No.

: 9824859971

Ref. By

Dispatch At

Location

: CHPL

Sample Type : Serum

uIU/ml

0.55 - 4.78

CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY

Thyroid stimulating hormone (TSH) is synthesized and secreted by the anterior pituitary in response to a negative feedback mechanism involving concentrations of FT3 (free T3) and FT4 (free T4). Additionally, the hypothalamic tripeptide, thyrotropin-relasing hormone (TRH), directly stimulates TSH production. TSH stimulates thyroid cell production and hypertrophy, also stimulate the thyroid gland to synthesize and secrete T3 and T4. Quantification of TSH is significant to differentiate primary (thyroid) from secondary (pituitary) and tertiary (hypothalamus) hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low.

2.008

TSH levels During Pregnancy: First Trimester :0.1 to 2.5 µIU/mL Second Trimester: 0.2 to 3.0 µIU/mL Third trimester: 0.3 to 3.0 µIU/mL

Referance: Carl A.Burtis, Edward R.Ashwood, David E.Bruns. Tietz Textbook of Clinical Chemistry and Molecular

Diagnostics. 5th Eddition. Philadelphia: WB Sounders, 2012;2170

----- End Of Report -----# For tests performed on specimens received or collected from non-CHPL locations, it is presumed that the specimen belongs to the patient named or identified as labeled on the container/test request and such verification has been carried out at the point generation of the said specimen by the sender. CHPL will be responsible only for the analytical part of the test carried out. All other responsibility will be of referring laboratory.

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Dhwani Bhatt

MD (Pathology)

Generated On: 30-Aug-2022 08:37 AM

Approved On:

29-Aug-2022 04:33 PM Page 12 of 1

CUROVIS HEALTHCARE PVT. LTD.



			LABORATORY REPORT			
Name	:	Ms. Kanta Parmar		Reg. No	:	208101599
Sex/Age	:	Female/25 Years		Reg. Date	:	29-Aug-2022 09:24 AM
Ref. By	:			Collected On	:	29-Aug-2022 09:24 AM
Client Name	:	Mediwheel		Report Date	:	29-Aug-2022 02:18 PM

# Electrocardiogram

**Findings** 

Normal Sinus Rhythm.

Within Normal Limit.




This is an electronically authenticated report

Dr.Jay Soni

M.D, GENERAL MEDICINE

Page 1 of 4

**CUROVIS HEALTHCARE PVT. LTD.** 





			LABORATORY REPORT			
Name	:	Ms. Kanta Parmar		Reg. No	:	208101599
Sex/Age	:	Female/25 Years		Reg. Date	:	29-Aug-2022 09:24 AM
Ref. By	:			Collected On	;	29-Aug-2022 09:24 AM
Client Name	:	Mediwheel		Report Date	:	29-Aug-2022 02:18 PM

### **2D Echo Colour Doppler**

#### **OBSERVATION:**

2 D Echo and color flow studies were done in long and short axis, apical and Sub coastal views.

- 1. Normal LV size. No RWMA at rest.
- 2. Normal RV and RA. No Concentric LVH.
- 3. All Four valves are structurally normal.
- 4. Good LV systolic function. LVEF = 60%.
- 5. Normal LV Compliance.
- 6. Trivial TR. Mild MR. No AR.
- 7. No PAH.
- 8. Intact IAS and IVS.
- 9. No Clot, No Vegetation.
- 10. No pericardial effusion.

#### CONCLUSION

- 1. Normal LV size with Good LV systolic function.
- 2. No Concentric LVH . Normal LV Compliance
- 3. Trivial TR with No PAH. Mild MR, No AR
- 4. No RWMA at rest.

This echo doesn't rule out any kind of congenital cardiac anomalies.

(Signal of the control of the contro

This is an electronically authenticated report

Dr.Jay Soni

M.D, GENERAL MEDICINE

Page 2 of 4



			LABORATORY REPORT			
Name	:	Ms. Kanta Parmar		Reg. No	:	208101599
Sex/Age	:	Female/25 Years		Reg. Date	:	29-Aug-2022 09:24 AM
Ref. By	:			Collected On	:	
Client Name	:	Mediwheel		Report Date	:	29-Aug-2022 03:37 PM


#### X RAY CHEST PA

Both lung fields appear clear.
No evidence of any active infiltrations or consolidation.
Cardiac size appears within normal limits.
Both costo-phrenic angles appear free of fluid.
Both domes of diaphragm appear normal.
COMMENT: No significant abnormality is detected.
End Of Report

This is an electronically authenticated report

Q\$__

DR DHAVAL PATEL Consultant Radiologist MB,DMRE Reg No:0494



Page 2 of 2



	~~~		LABORATORY REPORT			
Name	:	Ms. Kanta Parmar		Reg. No	;	208101599
Sex/Age	:	Female/25 Years		Reg. Date	:	29-Aug-2022 09:24 AM
Ref. By	:			Collected On	:	
Client Name	:	Mediwheel		Report Date	:	29-Aug-2022 03:37 PM

USG ABDOMEN

Liver appears normal in size & in echogenicity. No evidence of focal solid or cystic lesion seen. No evidence of dilatation of intra-hepatic billiary or portal radicals. PV is normal in caliber.

Gall bladder is normally distended. No evidence of calculus or mass seen. Gall bladder wall thickness appears normal.

Pancreas Visualized portion appears normal in size and echopattern. No evidence of focal lesions.

Spleen appears normal in size & echopattern. No evidence of focal lesions.

Right kidney normal in size, shape and position. C.M. differentiation is maintained. No evidence of hydronephrosis, calculus or solid mass.

H/o left sided nephrectomy

Urinary bladder is partially distended. No evidence of calculus or mass.

Uterus appears normal. No adnexal mass is seen.

33 x 26 mm sized simple left ovarian cyst.

No evidence of free fluid in peritoneal cavity.

No evidence of para-aortic lymph adenopathy.

No evidence of dilated small bowel loops.

COMMENTS:

P/H/O left sided nephrectomy

Simple left ovarian cyst.

This is an electronically authenticated report

95-

DR DHAVAL PATEL Consultant Radiologist MB,DMRE Reg No:0494



Page 1 of 2

CUROVIS HEALTHCARE PVT. LTD.



			LABORATORY REPORT			
Name	:	Ms. Kanta Parmar		Reg. No	:	208101599
Sex/Age	:	Female/25 Years		Reg. Date	:	29-Aug-2022 09:24 AM
Ref. By	:			Collected On	;	29-Aug-2022 09:24 AM
Client Name	:	Mediwheel		Report Date	:	29-Aug-2022 01:34 PM

Eye Check - Up

No Eye Complaints

RIGHT EYE

SP:-3.00

CY: -0.50

AX: 177

LEFT EYE

SP: -3.00

CY: -0.25

AX:07

	Without Glasses	With Glasses
Right Eye	6/60	6/5
Left Eye	6/36	6/5

Near Vision: Right Eye - N/6, Left Eye - N/6

Fundus Examination - Within Normal Limits.

Color Vision: Normal

Comments: Normal

----- End Of Report -----

This is an electronically authenticated report

Dr Kejal Patel MB,DO(Ophth)



Page 4 of 4





CLIENT NAM:- KANTA PARMAR.

AGE: 25Y/ F

Date: 29/08/2022.

AUDIOGRAM






MODE	Air Conduction		Bone Co				
EAR .	Masked	Unktasked	Masked	UnMaskori	Code		
LEFT		×	⊐	>	Dkio		
RIGHT	Δ	0	С	<	Red		
NO RESPONSE: Add 1 below the respective symbols							

Threshold in dB	RIGHT	LEFT
AIR CONDUCTION	10.5	10.5
BONE CONDUCTION		
SPEECH		

Comments:-

Bilateral Hearing Sensitivity Within Normal Limits.



CUROVIS HEALTHCARE PVT. LTD.