Name	: Mrs. SUBBAMMA D	
PID No.	: MED122014730	Register On : 19/07/2023 8:59 AM
SID No.	: 522311572	Collection On : 19/07/2023 9:50 AM
Age / Sex	: 47 Year(s) / Female	Report On : 19/07/2023 6:31 PM
Туре	: OP	Printed On : 20/07/2023 1:31 PM
Ref. Dr	: MediWheel	

<u>Biological</u> Investigation Observed Unit Reference Interval Value BLOOD GROUPING AND Rh 'O' 'Positive' **TYPING** (EDTA Blood/Agglutination) INTERPRETATION: Note: Slide method is screening method. Kindly confirm with Tube method for transfusion. Complete Blood Count With - ESR Haemoglobin 12.7 g/dL 12.5 - 16.0 (EDTA Blood/Spectrophotometry) Packed Cell Volume(PCV)/Haematocrit 37.8 % 37 - 47 (EDTA Blood) **RBC** Count 4.35 mill/cu.mm 4.2 - 5.4 (EDTA Blood) Mean Corpuscular Volume(MCV) fL 78 - 100 86.8 (EDTA Blood) Mean Corpuscular Haemoglobin(MCH) 29.2 27 - 32 pg (EDTA Blood) Mean Corpuscular Haemoglobin g/dL 32 - 36 33.7 concentration(MCHC) (EDTA Blood) **RDW-CV** 13.8 % 11.5 - 16.0 **RDW-SD** 41.92 fL 39 - 46 Total Leukocyte Count (TC) 8400 cells/cu.m 4000 - 11000 (EDTA Blood) m % 40 - 75 Neutrophils 58.8 (Blood) 27.0 % 20 - 45 Lymphocytes (Blood) % 01 - 06 5.6 Eosinophils (Blood)





The results pertain to sample tested.

Page 1 of 8

Lab Address: BANGALORE REFERENCE LABORATORY-CLUMAX DIAGNOSTIC AND RESEARCH CENTRE PVT LTD. (A UNIT OF MEDALL HEALTHCARE PVT. LTD.),Old No 66 & New No 1, 2nd Main Road, Bashyam Circle, Sankey Cross Road Malleswaram, Gayathri Devi Park Extension, Kodandarampura, Sadashiva Nagar, Bengaluru, Karnataka-560003,.

Name	: Mrs. SUBBAMMA D	
PID No.	: MED122014730	Register On : 19/07/2023 8:59 AM
SID No.	: 522311572	Collection On : 19/07/2023 9:50 AM
Age / Sex	: 47 Year(s) / Female	Report On : 19/07/2023 6:31 PM
Туре	: OP	Printed On : 20/07/2023 1:31 PM
Ref. Dr	: MediWheel	

Investigation **Observed** Unit **Biological** Reference Interval Value 01 - 10 Monocytes 8.0 % (Blood) % 00 - 02 0.6 **Basophils** (Blood) INTERPRETATION: Tests done on Automated Five Part cell counter. All abnormal results are reviewed and confirmed microscopically. 4.94 10^3 / µl 1.5 - 6.6 Absolute Neutrophil count (EDTA Blood) 2.27 10^3 / µl 1.5 - 3.5 Absolute Lymphocyte Count (EDTA Blood) 0.04 - 0.44 Absolute Eosinophil Count (AEC) 0.47 10^3 / µl (EDTA Blood) Absolute Monocyte Count 0.67 10^3 / µl < 1.0 (EDTA Blood) Absolute Basophil count 0.05 10^3 / µl < 0.2 (EDTA Blood) Platelet Count 247 10^3 / µl 150 - 450 (EDTA Blood) MPV fL 8.0 - 13.3 8.4 (Blood) 0.18 - 0.28 PCT 0.21 % (Automated Blood cell Counter) < 20 ESR (Erythrocyte Sedimentation Rate) 35 mm/hr (Citrated Blood) 6.0 - 22.0 BUN / Creatinine Ratio 18.9 Glucose Fasting (FBS) 78.99 mg/dL Normal: < 100(Plasma - F/GOD-PAP) Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.





The results pertain to sample tested.

Page 2 of 8

Lab Address: BANGALORE REFERENCE LABORATORY-CLUMAX DIAGNOSTIC AND RESEARCH CENTRE PVT LTD. (A UNIT OF MEDALL HEALTHCARE PVT. LTD.),Old No 66 & New No 1, 2nd Main Road, Bashyam Circle, Sankey Cross Road Malleswaram, Gayathri Devi Park Extension, Kodandarampura, Sadashiva Nagar, Bengaluru, Karnataka-560003,.

Name	: Mrs. SUBBAMMA D	
PID No.	: MED122014730	Register On : 19/07/2023 8:59 AM
SID No.	: 522311572	Collection On : 19/07/2023 9:50 AM
Age / Sex	: 47 Year(s) / Female	Report On : 19/07/2023 6:31 PM
Туре	: OP	Printed On : 20/07/2023 1:31 PM
	·· ····· ·	

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
Glucose, Fasting (Urine) (Urine - F/GOD - POD)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD-PAP)	79.61	mg/dL	70 - 140

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived)	10.4	mg/dL	7.0 - 21
Creatinine (Serum/ <i>Modified Jaffe</i>)	0.55	mg/dL	0.6 - 1.1

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid (Serum/Enzymatic) Liver Function Test	1.76	mg/dL	2.6 - 6.0
Bilirubin(Total) (Serum/DCA with ATCS)	0.33	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.11	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.22	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/Modified IFCC)	15.40	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/ <i>Modified IFCC</i>)	9.34	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	14.77	U/L	< 38





The results pertain to sample tested.

Page 3 of 8

Lab Address: BANGALORE REFERENCE LABORATORY-CLUMAX DIAGNOSTIC AND RESEARCH CENTRE PVT LTD. (A UNIT OF MEDALL HEALTHCARE PVT. LTD.),Old No 66 & New No 1, 2nd Main Road, Bashyam Circle, Sankey Cross Road Malleswaram, Gayathri Devi Park Extension, Kodandarampura, Sadashiva Nagar, Bengaluru, Karnataka-560003,.

Name	: Mrs. SUBBAMMA D	
PID No.	: MED122014730	Register On : 19/07/2023 8:59 AM
SID No.	: 522311572	Collection On : 19/07/2023 9:50 AM
Age / Sex	: 47 Year(s) / Female	Report On : 19/07/2023 6:31 PM
Туре	: OP	Printed On : 20/07/2023 1:31 PM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Alkaline Phosphatase (SAP) (Serum/ <i>Modified IFCC</i>)	91.0	U/L	42 - 98
Total Protein (Serum/Biuret)	6.96	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.04	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	2.92	gm/dL	2.3 - 3.6
A : G RATIO (Serum/Derived)	1.38		1.1 - 2.2
Lipid Profile			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	186.21	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/ <i>GPO-PAP with ATCS</i>)	157.41	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >=500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the `usual_circulating level of triglycerides during most part of the day.

HDL Cholesterol	34.51	mg/dL	Optimal(Negative Risk Factor): >= 60
(Serum/Immunoinhibition)			Borderline: 50 - 59
			High Risk: < 50





The results pertain to sample tested.

Page 4 of 8

Lab Address: BANGALORE REFERENCE LABORATORY-CLUMAX DIAGNOSTIC AND RESEARCH CENTRE PVT LTD. (A UNIT OF MEDALL HEALTHCARE PVT. LTD.),Old No 66 & New No 1, 2nd Main Road, Bashyam Circle, Sankey Cross Road Malleswaram, Gayathri Devi Park Extension, Kodandarampura, Sadashiva Nagar, Bengaluru, Karnataka-560003,.

Name	: Mrs. SUBBAMMA D	
PID No.	: MED122014730	Register On : 19/07/2023 8:59 AM
SID No.	: 522311572	Collection On : 19/07/2023 9:50 AM
Age / Sex	: 47 Year(s) / Female	Report On : 19/07/2023 6:31 PM
Туре	: OP	Printed On : 20/07/2023 1:31 PM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
LDL Cholesterol (Serum/ <i>Calculated</i>)	120.2	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >=190
VLDL Cholesterol (Serum/Calculated)	31.5	mg/dL	< 30
Non HDL Cholesterol (Serum/ <i>Calculated</i>)	151.7	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >=220

INTERPRETATION: 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio (Serum/ <i>Calculated</i>)	5.4	Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/ <i>Calculated</i>)	4.6	Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/Calculated)	3.5	Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0

Glycosylated Haemoglobin (HbA1c)



The results pertain to sample tested.

Page 5 of 8

Lab Address: BANGALORE REFERENCE LABORATORY-CLUMAX DIAGNOSTIC AND RESEARCH CENTRE PVT LTD. (A UNIT OF MEDALL HEALTHCARE PVT. LTD.),Old No 66 & New No 1, 2nd Main Road, Bashyam Circle, Sankey Cross Road Malleswaram, Gayathri Devi Park Extension, Kodandarampura, Sadashiva Nagar, Bengaluru, Karnataka-560003,.

Name	: Mrs. SUBBAMMA D			
PID No.	: MED122014730	Register On : 19/07/	/2023 8:59 AM	
SID No.	: 522311572	Collection On : 19/07	7/2023 9:50 AM	
Age / Sex	: 47 Year(s) / Female	Report On : 19/07	7/2023 6:31 PM	
Туре	: OP		7/2023 1:31 PM	
Ref. Dr	: MediWheel			
Investiga	ation	<u>Observed</u> <u>Value</u>	Unit	<u>Biological</u> Reference Interval
HbA1C (Whole Ble	ood/HPLC)	5.3	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5
INTERPI	RETATION: If Diabetes - Good co	ntrol : 6.1 - 7.0 % , Fair contr	ol : 7.1 - 8.0 % , Poor c	control >= 8.1 %
Estimate (Whole Bl	d Average Glucose	105.41	mg/dL	
hypertrigh Condition ingestion, <u>THYRO</u>	Pregnancy, End stage Renal disease	gs, Alcohol, Lead Poisoning, ate or chronic blood loss, hem e can cause falsely low HbA1	Asplenia can give false olytic anemia, Hemogl c.	ly elevated HbA1C values. obinopathies, Splenomegaly,Vitamin E
13 (1r110 (Serum/EC	odothyronine) - Total CLIA)	0.948	ng/ml	0.7 - 2.04
Comment Total T3 v	RETATION: t: variation can be seen in other condit ally active.	ion like pregnancy, drugs, neț	phrosis etc. In such case	es, Free T3 is recommended as it is
T4 (Tyrc (Serum/EC	oxine) - Total CLIA)	9.93	µg/dl	4.2 - 12.0
Comment Total T4 v	RETATION: t: variation can be seen in other condit ally active.	ion like pregnancy, drugs, nep	phrosis etc. In such case	es, Free T4 is recommended as it is
TSH (Th (Serum/EC	yroid Stimulating Hormone)	3.46	µIU/mL	0.35 - 5.50
				Dr. Arjun C.P. MBBS MD Pathology Reg No K Mc 59655

APPROVED BY

The results pertain to sample tested.

Page 6 of 8

Lab Address: BANGALORE REFERENCE LABORATORY-CLUMAX DIAGNOSTIC AND RESEARCH CENTRE PVT LTD. (A UNIT OF MEDALL HEALTHCARE PVT. LTD.),Old No 66 & New No 1, 2nd Main Road, Bashyam Circle, Sankey Cross Road Malleswaram, Gayathri Devi Park Extension, Kodandarampura, Sadashiva Nagar, Bengaluru, Karnataka-560003,.

Name	: Mrs. SUBBAMMA D		
PID No.	: MED122014730	Register On : 19/07/2023	8:59 AM
SID No.	: 522311572	Collection On : 19/07/202	3 9:50 AM
Age / Sex	: 47 Year(s) / Female	Report On : 19/07/202	3 6:31 PM
Туре	: OP	Printed On : 20/07/202	3 1:31 PM
Ref. Dr	: MediWheel		

Investigation	

<u>Observed</u> <u>Unit</u> **Biological** Value Reference Interval **INTERPRETATION:** Reference range for cord blood - upto 20 1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0

3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment :

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.

2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.

3.Values&lt0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.

URINE ROUTINE

PHYSICAL EXAMINATION (URINE COMPLETE)

Colour (Urine)	Pale yellow	Yellow to Amber
Appearance (Urine)	Clear	Clear
Volume(CLU) (Urine)	45	
<u>CHEMICAL EXAMINATION (U</u> COMPLETE)	<u>URINE</u>	
pH (Urine)	6	4.5 - 8.0
Specific Gravity (Urine)	1.008	1.002 - 1.035
Ketone (Urine)	Negative	Negative
Urobilinogen (Urine)	Normal	Normal
		APPROVED BY

The results pertain to sample tested.

Page 7 of 8

Lab Address: BANGALORE REFERENCE LABORATORY-CLUMAX DIAGNOSTIC AND RESEARCH CENTRE PVT LTD. (A UNIT OF MEDALL HEALTHCARE PVT. LTD.),Old No 66 & New No 1, 2nd Main Road, Bashyam Circle, Sankey Cross Road Malleswaram, Gayathri Devi Park Extension, Kodandarampura, Sadashiva Nagar, Bengaluru, Karnataka-560003,

Name	: Mrs. SUBBAMMA D	
PID No.	: MED122014730	Register On : 19/07/2023 8:59 AM
SID No.	: 522311572	Collection On : 19/07/2023 9:50 AM
Age / Sex	: 47 Year(s) / Female	Report On : 19/07/2023 6:31 PM
Туре	: OP	Printed On : 20/07/2023 1:31 PM
Ref. Dr	: MediWheel	

Investigation **Observed** <u>Unit</u> **Biological** Value **Reference** Interval Negative Blood Negative (Urine) Nitrite Negative Negative (Urine) Bilirubin Negative Negative (Urine) Negative Negative Protein (Urine) Negative Glucose Negative (Urine/GOD - POD) Leukocytes(CP) Negative (Urine) MICROSCOPIC EXAMINATION (URINE COMPLETE) /hpf Pus Cells 0-1 NIL (Urine) **Epithelial Cells** 0-1 /hpf NIL (Urine) NIL /HPF NIL **RBCs** (Urine) Others NIL (Urine)

INTERPRETATION: Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.

Casts	NIL	/hpf	NIL
(Urine)			
Crystals	NIL	/hpf	NIL
(Urine)			






-- End of Report --

The results pertain to sample tested.

Page 8 of 8

Lab Address: BANGALORE REFERENCE LABORATORY-CLUMAX DIAGNOSTIC AND RESEARCH CENTRE PVT LTD. (A UNIT OF MEDALL HEALTHCARE PVT. LTD.),Old No 66 & New No 1, 2nd Main Road, Bashyam Circle, Sankey Cross Road Malleswaram, Gayathri Devi Park Extension, Kodandarampura, Sadashiva Nagar, Bengaluru, Karnataka-560003,.

Patient Name	Subbanna.P	Date	191712023
Age	47485	Visit Number	522311572
Sex	Female	Corporate	Mediwheel
GENERAL P	HYSICAL EXAMINATION		
Identification	Mark : —		
Height: [5	-) cms		
weight: 63	3. kgs		
Pulse : 🔿	126/m /min	ute	
Blood Pressure	:: 120/80 mm	of Hg	
вмі : 🍣	2.2 www.		
Normal we	TATION ht = <18.5 ight = 18.5-24.9 t = 25-29.9		
Chest :			
Expiration :	87 c	ms	A second as a second
Inspiration :	96 0	ms	
Abdomen Mea	asurement : 92 c	ms	
Eves : NAC	E	ars: NAD	
Throat : N	AD N	eck nodes : Do	sourde clece,
RS: BIL			sounde clece,
	t T no feind C y is detected. His / Her general		ation is within normal limits.
NOTE : MEDIC	CAL FIT FOR EMPLOYMENT	(naturer. Saara Neeha M.B.B.S KMC. Reg. No. 99137



Name	MRS.SUBBAMMA D	ID	MED122014730
Age & Gender	47Y/FEMALE	Visit Date	19 Jul 2023
Ref Doctor Name	MediWheel		

X-ray mammogram (mediolateral oblique & craniocaudal views) followed by Sonomammography.

BILATERAL MAMMOGRAPHY

Breast composition Type C (The breasts are heterogeneously dense, which may obscure small masses).

No evidence of focal soft tissue lesion.

No evidence of cluster microcalcification.

Subcutaneous fat deposition is within normal limits.

Bilateral axillary lymph nodes are seen.

BILATERAL SONOMAMMOGRAPHY

Both the breasts show normal echopattern.

No evidence of focal solid / cystic areas.

Breast parenchyma is seen in the right axilla - Axillary tail.

No evidence of ductal dilatation.

Bilateral axillary lymph nodes are seen with preserved fatty hilum.

IMPRESSION:

- No breast lesions.
- Bilateral axillary lymph nodes.

ASSESSMENT: BI-RADS CATEGORY - 2

BI-RADS CLASSIFICATION

CATEGORY RESULT

2

Benign finding. Routine mammogram in 1 year recommended.

Name	MRS.SUBBAMMA D	ID	MED122014730
Age & Gender	47Y/FEMALE	Visit Date	19 Jul 2023
Ref Doctor Name	MediWheel		

DR. HEMANANDINI V.N CONSULTANT RADIOLOGIST Hn/Mi

Name	MRS.SUBBAMMA D	ID	MED122014730
Age & Gender	47Y/FEMALE	Visit Date	19 Jul 2023
Ref Doctor Name	MediWheel		

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in shape, size (13.6 cm) and shows increased echogenicity. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER shows normal shape and has clear contents. Wall is of normal thickness. CBD is of normal calibre.

PANCREAS has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

SPLEEN show normal shape, size and echopattern.

BOTH KIDNEYS

Right kidney: Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

Left kidney: Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

-	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	12.1	1.3
Left Kidney	11.6	1.4

URINARY BLADDER show normal shape and wall thickness. It has clear contents. No evidence of diverticula.

IMPRESSION:

- Grade I fatty infiltration of liver
- No other significant abnormality detected.

DR. HEMANANDINI V.N CONSULTANT RADIOLOGIST Hn/Mi

Name	MRS.SUBBAMMA D	ID	MED122014730
Age & Gender	47Y/FEMALE	Visit Date	19 Jul 2023
Ref Doctor Name	MediWheel		

Name	MRS.SUBBAMMA D	ID	MED122014730
Age & Gender	47Y/FEMALE	Visit Date	19 Jul 2023
Ref Doctor Name	MediWheel		

2D ECHOCARDIOGRAPHIC STUDY

<u>M-mode measurement:</u>

AORTA	:	0.87	cms.
LEFT ATRIUM	:	225	cms.
AVS LEFT VENTRICLE	:	1.47	cms.
(DIASTOLE)	:	3.67	cms.
(SYSTOLE)	:	2.08	cms.
VENTRICULAR SEPTUM	:		
(DIASTOLE)	:	0.77	cms.
(SYSTOLE)	:	0.96	cms.
POSTERIOR WALL	:		
(DIASTOLE)	:	1.04	cms.
(SYSTOLE)	:	1.12	cms.
EDV	:	56	ml.
ESV	:	14	ml.
FRACTIONAL SHORTENING	:	43	%
EJECTION FRACTION	:	60	%
EPSS	:		cms.
RVID	:	1.80	cms.

DOPPLER MEASUREMENTS:

MITRAL VALVE:	E - 0.8 m/s	A - 0.6 m/s	NC	O MR.
AORTIC VALVE:	1.1 m	n/s	NC	O AR.
TRICUSPID VALVE: E - 0.4 1	m/s A - 0	.6 m/s	MILD TR	R. PASP 17mmHg
PULMONARY VALVE:	0.8 m	n/s	NC) PR.

Name	MRS.SUBBAMMA D	ID	MED122014730
Age & Gender	47Y/FEMALE	Visit Date	19 Jul 2023
Ref Doctor Name	MediWheel		

2D ECHOCARDIOGRAPHY FINDINGS:

Left Ventricle	:	Normal size, Normal systolic function.	
: No regional wall motion abnormalities.			
Left Atrium	:	Normal.	
Right Ventricle :	Norma	al.	
Right Atrium	:	Normal.	
Mitral Valve	:	Normal. No mitral valve prolapsed.	
Aortic Valve	:	Normal.Trileaflet.	
Tricuspid Valve	:	Normal.	
Pulmonary Valve	:	Normal.	
IAS	:	Intact.	
IVS	:	Intact.	
Pericardium	:	No pericardial effusion.	

IMPRESSION: • NORMAL SIZED CARDIAC CHAMBERS. • MILD TR. PASP 17mmHg. • NORMAL LV SYSTOLIC FUNCTION. EF: 60 %. • NO REGIONAL WALL MOTION ABNORMALITIES. • NORMAL VALVES.

• NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

DR. YASHODA RAVI CONSULTANT CARDIOLOGIST

Name	MRS.SUBBAMMA D	ID	MED122014730
Age & Gender	47Y/FEMALE	Visit Date	19 Jul 2023
Ref Doctor Name	MediWheel		

Name	MRS. SUBBAMMA D	Customer ID	MED122014730
Age & Gender	47Y/F	Visit Date	Jul 19 2023 8:57AM
Ref Doctor	MediWheel	-	

X - RAY CHEST PA VIEW

Rotation is seen.

Bilateral lung fields appear normal.

Mild cardiomegaly is seen.

Unfolding of aorta is noted.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Sugg: Clinical correlation.

Hithish . 1

Dr.H.Hithishini MBBS.,MD.,DNB Consultant Radiologist