GOVERNMENT OF INDIA

प्रवीप नुमार नेपित्र Praveen Kumar Thengil जन्म वर्ष / Year of Birth : 1974 पुरुष / Male



2669 3602 7816

आधार — सामान्य माणसाचा अधिकार



PHYSICAL EXAMINATION REPORT

R

E

0

R

T

Patient Name	Praveen kuman Se	ex/Age M 48
Date	30/12/22 La	ocation bodyen Thouse
History and Co	omplaints	Logical Mary 10 Scripps
,		
	Net C	la-Indugestion (dit spiry Foods)
EXAMINATION	N FINDINGS:	•
Height (cms):	6 q Temp (0c):	
Weight (kg):	Skin:	$-(n \cdot n)$
Blood Pressure	170 100 Nails:	NAD
Pulse	Lymph Node:	
Systems:		CAREAS
Cardiovascular:		August Black of the same and same
Respiratory:		
Genitourinary:	NAD	
GI System:		
CNS:		
Impression:	- 1 BP.	-1765, 2 HDL
-1 Hb ((1.8/)	- 1 NON HOL
BS1 (1	- Imparised (105.8) - Need glass
- 0 - 1	IN ARITICATO	for Near Vision

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2nd Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053.

CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar (W), Mumbai - 400086.

E(G-LVH

- Physician's Consultation For & Bip.

Ton Supplement. By Acura

Tye check-up.

Low Fat, Low Sugar Dieter 6


The Sugar Profile Lipid Profile Months

- IHD 2)
- Arrhythmia 3)
- Diabetes Mellitus 4)
- **Tuberculosis** 5)
- Asthama 6)
- **Pulmonary Disease** 7)
- Thyroid/ Endocrine disorders 8)
- Nervous disorders 9)
- GI system 10)
- Genital urinary disorder 11)
- Rheumatic joint diseases or symptoms 12)
- Blood disease or disorder 13)
- Cancer/lump growth/cyst 14)
- Congenital disease 15)
- Surgeries 16)
- Musculoskeletal System 17)

PERSONAL HISTORY:

- Alcohol 1)
- **Smoking** 2)
- Diet 3)
- Medication 4)

Dr. Manasee Kulkarni M.B.B.S 2005/09/3439





: 2236415888

Name

: MR. PRAVEEN KUMAR THENGIL

Age / Gender

: 48 Years / Male

Consulting Dr.

PDW

: G B Road, Thane West (Main Centre) Reg. Location

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported :30-Dec-2022 / 08:33 :30-Dec-2022 / 11:22

R

E

0

R

T

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

	CBC (Complet	e Blood Count), Blood	
PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
RBC PARAMETERS			
Haemoglobin	18.1	13.0-17.0 g/dL	Spectrophotometr
RBC	5.83	4.5-5.5 mil/cmm	Elect. Impedance
PCV	53.5	40-50 %	Measured
MCV	92	80-100 fl	Calculated
MCH	31.1	27-32 pg	Calculated
MCHC	33.9	31.5-34.5 g/dL	Calculated
RDW	12.9	11.6-14.0 %	Calculated
WBC PARAMETERS		4000 40000 /cmm	Elect. Impedance
WBC Total Count	5700	4000-10000 /cmm	Licett III.p
WBC DIFFERENTIAL AND	ABSOLUTE COUNTS	SOCIAL PROGRAMMA	
Lymphocytes	24.7	20-40 %	Calculated
Absolute Lymphocytes	1407.9	1000-3000 /cmm	Calculated
Monocytes	5.4	2-10 %	Calculated
Absolute Monocytes	307.8	200-1000 /cmm	Calculated
Neutrophils	67.9	40-80 %	Calculated
Absolute Neutrophils	3870.3	2000-7000 /cmm	Calculated
Eosinophils	1.9	1-6 %	Calculated
Absolute Eosinophils	108.3	20-500 /cmm	Calculated
Basophils	0.1	0.1-2 %	Calculated
Absolute Basophils	5.7	20-100 /cmm	Calculated
Immature Leukocytes			
WBC Differential Count by Ab	sorbance & Impedance meth	nod/Microscopy.	
PLATELET PARAMETERS			Flast Impodance
Platelet Count	202000	150000-400000 /cmm	Elect. Impedance
MPV	8.7	6-11 fl	Calculated
	45.0	11_12 %	Calculated

11-18 %

Page 1 of 14



: 2236415888

Name

: MR. PRAVEEN KUMAR THENGIL

Age / Gender

: 48 Years / Male

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported

:30-Dec-2022 / 08:33 :30-Dec-2022 / 10:45 R

E

R

T

RBC MORPHOLOGY

Hypochromia

Microcytosis

Macrocytosis

Anisocytosis

Poikilocytosis

Polychromasia

Target Cells

Basophilic Stippling

Normoblasts

Others

Normocytic, Normochromic

WBC MORPHOLOGY

PLATELET MORPHOLOGY COMMENT

Result rechecked.

Kindly correlate clinically.

Specimen: EDTA Whole Blood

ESR, EDTA WB, EDTA WB-ESR

2-15 mm at 1 hr.

Sedimentation

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***

IIac-MRA Inhabitalist



Dr.IMRAN MUJAWAR M.D (Path) Pathologist

Page 2 of 14



: 2236415888

Name

: MR. PRAVEEN KUMAR THENGIL

Age / Gender

: 48 Years / Male

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported : 30-Dec-2022 / 11:21 :30-Dec-2022 / 14:13

Hexokinase

Hexokinase

R

E

P

0

R

T

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO **BIOLOGICAL REF RANGE METHOD**

PARAMETER

RESULTS

GLUCOSE (SUGAR) FASTING,

GLUCOSE (SUGAR) PP, Fluoride 133.3

Fluoride Plasma

Plasma PP/R

105.8

Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose:

100-125 mg/dl

Diabetic: >/= 126 mg/dl

Absent

Absent

Absent

Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance:

140-199 mg/dl

Diabetic: >/= 200 mg/dl

Urine Sugar (Fasting) Urine Ketones (Fasting)

Urine Sugar (PP)

Absent

Absent

Absent

Absent

Absent

Urine Ketones (PP) *Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***







Dr.AMIT TAORI M.D (Path) **Pathologist**

Page 3 of 14



: 2236415888

Name

: MR. PRAVEEN KUMAR THENGIL

Age / Gender

: 48 Years / Male

Consulting Dr.

: -

Reg. Location : G

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported :30-Dec-2022 / 08:33 :30-Dec-2022 / 13:04 R

E

0

R

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO KIDNEY FUNCTION TESTS

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	WETHOD
	19.5	12.8-42.8 mg/dl	Urease & GLDH
BLOOD UREA, Serum	9.1	6-20 mg/dl	Calculated
BUN, Serum	0.92	0.67-1.17 mg/dl	Enzymatic
CREATININE, Serum	93	>60 ml/min/1.73sqm	Calculated
eGFR, Serum	7.4	6.4-8.3 g/dL	Biuret
TOTAL PROTEINS, Serum	4.8	3.5-5.2 g/dL	BCG
ALBUMIN, Serum		2.3-3.5 g/dL	Calculated
GLOBULIN, Serum	2.6	1-2	Calculated
A/G RATIO, Serum	1.9	3.5-7.2 mg/dl	Uricase
URIC ACID, Serum	8.4		Ammonium molybdate
PHOSPHORUS, Serum	3.3	2.7-4.5 mg/dl	N-BAPTA
CALCIUM, Serum	9.6	8.6-10.0 mg/dl	
SODIUM, Serum	137	135-148 mmol/l	ISE
POTASSIUM, Serum	4.6	3.5-5.3 mmol/l	ISE
CHLORIDE, Serum	102	98-107 mmol/l	ISE
01100111001			

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***





Dr.IMRAN MUJAWAR M.D (Path) Pathologist

Page 4 of 14



: 2236415888

Name

: MR. PRAVEEN KUMAR THENGIL

Age / Gender

: 48 Years / Male

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

:30-Dec-2022 / 08:33 :30-Dec-2022 / 11:37 R

E

0

R

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO GLYCOSYLATED HEMOGLOBIN (HbA1c)

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
Glycosylated Hemoglobin (HbA1c), EDTA WB - CC	5.0	Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %	HPLC
Estimated Average Glucose (eAG), EDTA WB - CC	96.8	mg/dl	Calculated

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***

> Mujawar Dr.IMRAN MUJAWAR

Page 5 of 14

M.D (Path) Pathologist



-: 2236415888

Name

: MR. PRAVEEN KUMAR THENGIL

Age / Gender

: 48 Years / Male

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported

:30-Dec-2022 / 08:33 :30-Dec-2022 / 12:30

R

E

P

0

R

T

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO PROSTATE SPECIFIC ANTIGEN (PSA)

PARAMETER

RESULTS

BIOLOGICAL REF RANGE

METHOD

TOTAL PSA, Serum

0.485

<4.0 ng/ml

CLIA

Kindly note change in Ref range and method w.e.f.11-07-2022

Page 6 of 14



: 2236415888

Name

: MR. PRAVEEN KUMAR THENGIL

Age / Gender

: 48 Years / Male

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported

:30-Dec-2022 / 08:33

R

E

R

:30-Dec-2022 / 12:30

Clinical Significance:

- PSA is detected in the serum of males with normal, benign hyper-plastic, and malignant prostate tissue.
- Monitoring patients with a history of prostate cancer as an early indicator of recurrence and response to treatment.
- Prostate cancer screening 4. The percentage of Free PSA (FPSA) in serum is described as being significantly higher in patients with BPH than in patients with prostate cancer. 5. Calculation of % free PSA (ie. FPSA/TPSA x 100), has been suggested as way of improving the differentiation of BPH and Prostate cancer.

Increased In- Prostate diseases, Cancer, Prostatitis, Benign prostatic hyperplasia, Prostatic ischemia, Acute urinary retention, Manipulations like Prostatic massage, Cystoscopy, Needle biopsy, Transurethral resection, Digital rectal examination, Radiation therapy, Indwelling catheter, Vigorous bicycle exercise, Drugs (e.g., testosterone), Physiologic fluctuations. Also found in small amounts in other cancers (sweat and salivary glands, breast, colon, lung, ovary) and in Skene glands of female urethra and in term placenta ,Acute renal failure, Acute myocardial

Decreased In- Ejaculation within 24-48 hours, Castration, Antiandrogen drugs (e.g., finasteride), Radiation therapy, Prostatectomy, PSA falls 17% in 3 days after lying in hospital, Artifactual (e.g., improper specimen collection; very high PSA levels). Finasteride (5-α reductase inhibitor) reduces PSA by 50% after 6 months in men without cancer.

Reflex Tests: % FREE PSA, USG Prostate

Limitations:

- tPSA values determined on patient samples by different testing procedures cannot be directly compared with one another and could be the cause of erroneous medical interpretations. If there is a change in the tPSA assay procedure used while monitoring therapy, then the tPSA values obtained upon changing over to the new procedure must be confirmed by parallelmeasurements with both methods. Immediate PSA testing following digital rectal examination, ejaculation, prostatic massage, indwelling catheterization, ultrasonography and needle biopsy of prostate is not recommended as they falsely elevate levels.
- Patients who have been regularly exposed to animals or have received immunotherapy or diagnostic procedures utilizing immunoglobulins or immunoglobulin fragments may produce antibodies, e.g. HAMA, that interferes with immunoassays.
- PSA results should be interpreted in light of the total clinical presentation of the patient, including: symptoms, clinical history, data from additional tests, and other appropriate information.
- Serum PSA concentrations should not be interpreted as absolute evidence for the presence or absence of prostate cancer.

Reference:

- Wallach's Interpretation of diagnostic tests
- Total PSA Pack insert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***

> Dr.ANUPA DIXIT M.D.(PATH)

> Consultant Pathologist & Lab Director

> > Page 7 of 14



: 2236415888

Name

: MR. PRAVEEN KUMAR THENGIL

Age / Gender

: 48 Years / Male

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)



Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported

:30-Dec-2022 / 08:33 :30-Dec-2022 / 11:28 R

E

0

R

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO URINE EXAMINATION REPORT

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	Chemical Indicator
Reaction (pH)	Acidic (5.0)	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.015	1.010-1.030	Chemical indicator
Transparency	Clear	Clear	*
Volume (ml)	50		
CHEMICAL EXAMINATION			-11 Indiantor
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATIO	<u>on</u>		
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	1-2		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	2-3	Less than 20/hpf	
Interpretation: The concentration	values of Chemical analytes cor	rresponding to the grading given in the report ar	e as follows:

Interpretation: The concentration value

- Protein:(1+ -25 mg/dl, 2+ -75 mg/dl, 3+ 150 mg/dl, 4+ 500 mg/dl)
- Glucose:(1+ 50 mg/dl, 2+ -100 mg/dl, 3+ -300 mg/dl, 4+ -1000 mg/dl)
- Ketone:(1+ -5 mg/dl, 2+ -15 mg/dl, 3+ -50 mg/dl, 4+ -150 mg/dl)

Reference: Pack insert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West







Mujawar Dr.IMRAN MUJAWAR M.D (Path) Pathologist

Page 8 of 14



: 2236415888

Name

: MR. PRAVEEN KUMAR THENGIL

Age / Gender

: 48 Years / Male

Consulting Dr.

Reg. Location : G B Road, Thane West (Main Centre)

Authenticity Check

R

E

0

R

Т

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

*** End Of Report ***



: 2236415888

Name

: MR. PRAVEEN KUMAR THENGIL

Age / Gender

: 48 Years / Male

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

:30-Dec-2022 / 08:33

R

E

R

:30-Dec-2022 / 13:05 Reported

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO **BLOOD GROUPING & Rh TYPING**

PARAMETER

RESULTS

ABO GROUP

B

Rh TYPING

Positive

NOTE: Test performed by Semi- automated column agglutination technology (CAT)

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***





Mujawar Dr.IMRAN MUJAWAR M.D (Path) **Pathologist**

Page 10 of 14



: 2236415888

Name

: MR. PRAVEEN KUMAR THENGIL

Age / Gender

: 48 Years / Male

Consulting Dr.

: -

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported :30-Dec-2022 / 08:33 :30-Dec-2022 / 12:40 R

E

0

R

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO LIPID PROFILE

PARAMETER	RESULTS	BIOLOGICAL REF RANGE M	METHOD
CHOLESTEROL, Serum	196.2	Borderline High: 200-239mg/dl High: >/=240 mg/dl	HOD-POD
TRIGLYCERIDES, Serum	185.1	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	39.8	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	156.4	Borderline-high: 130 - 159 mg/dl High: 160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	119.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
	27.4	< /= 30 mg/dl	Calculated
VLDL CHOLESTEROL, Serum CHOL / HDL CHOL RATIO,	37.4 4.9	0-4.5 Ratio	Calculated
Serum LDL CHOL / HDL CHOL RATIO, Serum	3.0	0-3.5 Ratio	Calculated

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***





Dr.IMRAN MUJAWAR M.D (Path) Pathologist

Page 11 of 14



: 2236415888

Name

: MR. PRAVEEN KUMAR THENGIL

Age / Gender

: 48 Years / Male

Consulting Dr.

: G B Road, Thane West (Main Centre) Reg. Location

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

:30-Dec-2022 / 08:33

R

E

0

R

:30-Dec-2022 / 12:09 Reported

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO THYROID FUNCTION TESTS

DARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
PARAMETER		3.5-6.5 pmol/L	ECLIA
Free T3, Serum	4.9		ECLIA
Free T4, Serum	13.7	11.5-22.7 pmol/L	ECLIA
sensitiveTSH, Serum	3.88	0.35-5.5 microIU/ml	ECLIA



: 2236415888

Name

: MR. PRAVEEN KUMAR THENGIL

Age / Gender

: 48 Years / Male

Consulting Dr.

: G B Road, Thane West (Main Centre) Reg. Location

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported

:30-Dec-2022 / 08:33 :30-Dec-2022 / 12:09 R

E

R

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors

2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns,

trauma and surgery etc.

traum	a and surgery	etc.	
TSH	FT4/T4	FT3/T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine biacon inhibitors & amindarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, preparency related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Control Hypothyroidism. Non Thyroidal Illness, Recent Rx for Hypothyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti- epileptics.
			between 3 am and 4 am, and is at a minimum between 6 pm and 10 pm.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation: 19.7% (with in subject variation)

Reflex Tests:Anti thyroid Antibodies,USG Thyroid ,TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.

2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)

2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357

3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition

4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***





Amit Toom Dr.AMIT TAORI M.D (Path) **Pathologist**

Page 13 of 14



: 2236415888

Name

: MR. PRAVEEN KUMAR THENGIL

Age / Gender

: 48 Years / Male

Consulting Dr.

: -

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported :30-Dec-2022 / 08:33 :30-Dec-2022 / 12:40 R

E

0

R

Т

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO LIVER FUNCTION TESTS

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
BILIRUBIN (TOTAL), Serum	1.24	0.1-1.2 mg/dl	Diazo
BILIRUBIN (DIRECT), Serum	0.43	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.81	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.4	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.8	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.6	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.9	1 - 2	Calculated
SGOT (AST), Serum	17.8	5-40 U/L	IFCC without pyridoxal phosphate activation
SGPT (ALT), Serum	26.0	5-45 U/L	IFCC without pyridoxal phosphate activation
GAMMA GT, Serum	29.8	3-60 U/L	IFCC
ALKALINE PHOSPHATASE,	82.6	40-130 U/L	PNPP
Serum			

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***





Dr.IMRAN MUJAWAR M.D (Path) Pathologist

Page 14 of 14



R

0 R

CID:

Name: Borean Kruch. Sex/Age: 19-48

EYE CHECK UP

Chief complaints:

12.CU

Systemic Diseases:

xless

Past history:

Mill.

Unaided Vision:

1312 6/6 XIVIDE 7/12

Aided Vision:

Refraction:

(Right Eye)

(Left Eye)

	Sph	Cyl	Axis	Vn	Sph	СуІ	Axis	Vn
Distance		BERT		ADJE	ASION	HARE		
Near	mott (von	lodiki es		Xwii nueses	owalles	eH shamo	N Hamel	also, th

Colour Vision: Normal / Abnormal


Remark: Aleeds glass for MI



SUBURBAN DIAGNOSTICS - G B ROAD, THANE WEST

PRAVEEN KUMAR THENGIL Date and Time: 30th Dec 22 10:38 AM

Patient Name: PRAVEEN KU Patient ID: 2236415888



Disclaimer; 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of other invasive and non-invasive tests and must be interpreted by a qualified physician. 2) Patient vitals are as entered by the clinician and not derived from the ECG.

Sinus Rhythm, Normal Axis, Left Ventricular Hypertrophy. Please correlate clinically.

REPORTED BY

DR SHAILAIA PILLAI MBBS, MD Physican MD Physican 49972



: 2236415888

Name

: Mr PRAVEEN KUMAR THENGIL

Age / Sex

: 48 Years/Male

Ref. Dr

. 10 10

Reg. Location

: G B Road, Thane West Main Centre

Reg. Date

Reported

Use a QR Code Scanner
Application To Scan the Code

R

E

: 30-Dec-2022

Authenticity Check

: 30-Dec-2022 / 15:01

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

-----End of Report-----

This report is prepared and physically checked by DR GAURAV FARTADE before dispatch.

G. R. F. Le Dr. GAURAV FARTADE MBBS, DMRE

Reg No -2014/04/1786 Consultant Radiologist

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2022123008320484

Page no 1 of 1



R T

R

E

0

AGE: 48YRS
DATE: 31.12.2022

2D ECHOCARDIOGRAPHY

M - MODE FINDINGS:

LVIDD	41	mm
LVIDS	20	mm
LVEF	60	%
IVS	11	mm
PW	7	mm
AO	17	mm
LA	27	mm

2D ECHO:

- All cardiac chambers are normal in size
- Left ventricular contractility: Normal
- Regional wall motion abnormality: Absent.
- Systolic thickening : Normal. LVEF = 60%
- Mitral, tricuspid, aortic, pulmonary valves are: Normal.
- Great arteries: Aorta and pulmonary artery are: Normal.
- Inter artrial and inter ventricular septum are intact.
- Pulmonary veins, IVC, hepatic veins are normal.
- No pericardial effusion . No intracardiac clots or vegetation.



PATIENT: MR.PRAVEEN KUMAR THENGIL

E P O R

R

COLOR DOPPLER:

- Mitral valve doppler E- 0.9 m/s, A- 0.5 m/s.
- Mild TR.
- No aortic / mitral regurgition. Aortic velocity 1.4 m/s, PG 7.7 mmHg
- No significant gradient across aortic valve.
- · No diastolic dysfunction.

IMPRESSION:

- MILD CONCENTRIC HYPERTROPHY OF LV
- NO REGIONAL WALL MOTION ABNORMALITY AT REST.
- NORMAL LV SYSTOLIC FUNCTION.

-----End of the Report-----

DR.YOCESH KHARCHE
DNB(MEDICINE) DNB (CARDIOLOGY)

CONSULTANAT INTERVENTIONAL CARDIOLOGIST.



Reg. No. : 2236415888	Sex : MALE
Name : MR. PRAVEEN KUMAR Ref. By :	Age: 48 YRS
	Date: 30.12.2022

R

E

0

R

т

USG ABDOMEN AND PELVIS

LIVER: Liver appears normal in size and shows increased echoreflectivity. There is no intra-hepatic biliary radical dilatation. No evidence of any focal lesion.

GALL BLADDER: Gall bladder is contracted. (Not evaluated)

PORTAL VEIN: Portal vein is normal. CBD: CBD is normal.

PANCREAS: Visualised head of pancreas appears normal in size & echotexture. Rest is obscured by excessive bowel gas.

KIDNEYS: Right kidney measures 11.1 x 4.2 cm. Left kidney measures 10.0 x 4.2 cm. Both kidneys are normal in shape and echotexture. Corticomedullary differentiation is maintained. There is no evidence of any hydronephrosis, hydroureter or calculus.

SPLEEN: Spleen is normal in size, shape and echotexture. No focal lesion is seen.

URINARY BLADDER: Urinary bladder is distended and normal. Wall thickness is within normal limits.

PROSTATE: Prostate is normal in size and echotexture and measures 2.8 x 3.3 x 3.6 cm in dimension and 17.8 cc in volume. No evidence of any focal lesion. Median lobe does not show significant hypertrophy.

No free fluid or significant lymphadenopathy is seen.

Bowel gas++



REPORT

Reg. No.: 2236415888	Sex : MALE
Name : MR. PRAVEEN KUMAR	Age: 48 YRS
Ref. By :	Date: 30.12.2022

IMPRESSION:

GRADE I FATTY INFILTRATION OF LIVER.

Note:Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have inter-observer variations. Further/follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis.

Advice:Clinical co-relation and further evaluation.

DR.DEVENDRA PATIL
MD (RADIO DIAGNOSIS)
(CONSULTANT RADIOLOGIST)