Patient Name	: Mr. AKASH GOUR	Age/Sex	: 24 Year(s) / Male
UHID	: SHHM.100073	Order Date	: 16/07/2024 08:42
Episode	: OP		
Ref. Doctor	: self	Mobile No	: 7304673068
		DOB	: 15/06/2000
		Facility	: SEVENHILLS HOSPITAL,
			MUMBAI

Blood Bank

Test Name			Resu	lt					
Sample No :	O0345052A	Collection Date :	16/07/24 08	:52 Ack Date :	16/07/2024 11:21	Report Date :	16/07/24 13:21		
BLOOD GF	BLOOD GROUPING/ CROSS-MATCHING BY SEMI AUTOMATION								
BLOOD GRO	oup (ABO)			'A'					
Rh Type Method - Colu	mn Agglutination			POSITIVE					

REMARK: THE REPORTED RESULTS PERTAIN TO THE SAMPLE RECEIVED AT THE BLOOD CENTRE.

Interpretation:

Blood typing is used to determine an individual's blood group, to establish whether a person is blood group A, B, AB, or O and whether he or she is Rh positive or Rh negative. Blood typing has the following significance,

• Ensure compatibility between the blood type of a person who requires a transfusion of blood or blood components and the ABO and Rh type of the unit of blood that will be transfused.


• Determine compatibility between a pregnant woman and her developing baby (fetus). Rh typing is especially

important during pregnancy because a mother and her fetus could be incompatible.

• Determine the blood group of potential blood donors at a collection facility.

• Determine the blood group of potential donors and recipients of organs, tissues, or bone marrow, as part of a workup for a transplant procedure.

End of Report



Dr.Pooja Vinod Mishra MD Pathology Jr Consultant Pathologist, MMC Reg No. 2017052191 RegNo: 2017/05/2191



Patient Name	: Mr. AKASH GOUR	Age/Sex	: 24 Year(s) / Male
UHID	: SHHM.100073	Order Date	: 16/07/2024 08:42
Episode	: OP		
Ref. Doctor	: self	Mobile No	: 7304673068
		DOB	: 15/06/2000
		Facility	: SEVENHILLS HOSPITAL,
			MUMBAI

HAEMATOLOGY

est Name		Result		Unit	Bio	logical Reference Interva		
Sample No: 00345052A	Collection Date :	16/07/24 08:52	Ack Date :	16/07/2024 09:17	Report Date :	16/07/24 10:55		
COMPLETE BLOOD COUNT (CBC) - EDTA WHOLE BLOOD								
Total WBC Count		5.34			x10^3/ul	4 - 10		
Neutrophils		38.5	5 ▼ (L)		%	40 - 80		
Lymphocytes			3 ▲ (H)		%	20 - 40		
Eosinophils		2.1			%	1 - 6		
Monocytes		6.9			%	2 - 10		
Basophils		0.7	▼ (L)		%	1 - 2		
Absolute Neutrophil Cou	nt	2.06			x10^3/ul	2 - 7		
Absolute Lymphocyte Co	unt	2.77			x10^3/ul	0.8 - 4		
Absolute Eosinophil Cour	nt	0.11			x10^3/ul	0.02 - 0.5		
Absolute Monocyte Coun	t	0.37			x10^3/ul	0.12 - 1.2		
Absolute Basophil Count		0.03			x10^3/ul	0 - 0.1		
RBCs		5.19			x10^6/ul	4.5 - 5.5		
Hemoglobin		16.5			gm/dl	13 - 17		
Hematocrit		48.2			%	40 - 50		
MCV		93.0			fl	83 - 101		
MCH		31.8			pg	27 - 32		
МСНС		34.2			gm/dl	31.5 - 34.5		



)	
Patient Name	: Mr. AKASH GOUR	Age/Sex	: 24 Year(s) / Male		
UHID	: SHHM.100073	Order Date	: 16/07/2	024 08:42	
Episode	: OP				
Ref. Doctor	: self	Mobile No	: 7304673	3068	
		DOB	: 15/06/2	000	
		Facility	: SEVENH MUMBA	ILLS HOSPITAL, I	
RED CELL DIS	TRIBUTION WIDTH-CV (RDW-CV)	13.4	%	11 - 16	
RED CELL DIS	TRIBUTION WIDTH-SD (RDW-SD)	46.9	fl	35 - 56	
Platelet		352	x10^3/ul	150 - 410	
Mean Platelet	Volume (MPV)	10.0	fl	6.78 - 13.46	
PLATELET DISTRIBUTION WIDTH (PDW)		16.3	%	9 - 17	
PLATELETCRIT (PCT)		0.352 ▲ (H)	%	0.11 - 0.28	
Comment		RBCs:- NORMOCYTIC NORMOCHROMIC, WBCs:-NORMAL PLATELETs:-ADEQUATE ON SMEAR.			

Method:-HB Colorimetric Method. RBC/PLT Electrical Impedance Method. WBC data Flow Cytometry by Laser Method. MCV,MCH,MCHC,RDW and rest parameters - Calculated. All Abnormal Haemograms are reviewed confirmed microscopically.

NOTE: Wallach's Interpretation of Diagnostic Tests. 11th Ed, Editors: Rao LV. 2021

NOTE :-

The International Council for Standardization in Haematology (ICSH) recommends reporting of absolute counts of various WBC subsets for clinical decision making. This test has been performed on a fully automated 5 part differential cell counter which counts over 10,000 WBCs to derive differential counts. A complete blood count is a blood panel that gives information about the cells in a patient's blood, such as the cell count for each cell type and the concentrations of Hemoglobin and platelets. The cells that circulate in the bloodstream are generally divided into three types: white blood cells (leukocytes), red blood cells (erythrocytes), and platelets (thrombocytes). Abnormally high or low counts may be physiological or may indicate disease conditions, and hence need to be interpreted clinically.

End of Report



Dr.Ritesh Kharche MD, PGD-HM Consultant Pathologist and Director of Laboratory Services



Patient Name	: Mr. AKASH GOUR	Age/Sex : 24 Year(s)	/ Male
UHID	: SHHM.100073	Order Date : 16/07/202	4 08:42
Episode	: OP		
Ref. Doctor	: self	Mobile No : 73046730	58
		DOB : 15/06/200	0
		Facility : SEVENHIL MUMBAI	LS HOSPITAL,

RegNo: 2006/03/1680





Patient Name	: Mr. AKASH GOUR	Age/Sex	: 24 Year(s) / Male
UHID	: SHHM.100073	Order Date	: 16/07/2024 08:42
Episode	: OP		
Ref. Doctor	: self	Mobile No	: 7304673068
		DOB	: 15/06/2000
		Facility	: SEVENHILLS HOSPITAL,
			MUMBAI

HAEMATOLOGY

Test Name	:	Unit Biological Reference		ogical Reference Interval	
Sample No : 00345052A Collection Dat	e: 16/07/24 08:5	52 Ack Date :	16/07/2024 09:17	Report Date :	16/07/24 12:00
ERYTHROCYTE SEDIMENTATION RAT	<u>'E (ESR)</u>				
ESR		34 ▲ (H)		mm/hr	0 - 20

Method: Westergren Method

INTERPRETATION :-

ESR is a non-specific phenomenon, its measurement is clinically useful in disorders associated with an increased production of acute-phase proteins. It provides an index of progress of the disease in rheumatoid arthritis or tuberculosis, and it is of considerable value in diagnosis of temporal arteritis and polymyalgia rheumatica. It is often used if multiple myeloma is suspected, but when the myeloma is non-secretory or light chain, a normal ESR does not exclude this diagnosis.

An elevated ESR may occur as an early feature in myocardial infarction. Although a normal ESR cannot be taken to exclude the presence of organic disease, the vast majority of acute or chronic infections and most neoplastic and degenerative diseases are associated with changes in the plasma proteins that increased ESR values.

The ESR is influenced by age, stage of the menstrual cycle and medications taken (corticosteroids, contraceptive pills). It is especially low (0–1 mm) in polycythaemia, hypofibrinogenaemia and congestive cardiac failure and when there are abnormalities of the red cells such as poikilocytosis, spherocytosis, or sickle cells. In cases of performance enhancing drug intake by athletes the ESR values are generally lower than the usual value for the individual and as a result of the increase in haemoglobin (i.e. the effect of secondary polycythaemia).

End of Report

Dr.Ritesh Kharche MD, PGD-HM Consultant Pathologist and Director of Laboratory Services RegNo: 2006/03/1680

1

Patient Name	: Mr. AKASH GOUR	Age/Sex	: 24 Year(s) / Male
UHID	: SHHM.100073	Order Date	: 16/07/2024 08:42
Episode	: OP		
Ref. Doctor	: self	Mobile No	: 7304673068
		DOB	: 15/06/2000
		Facility	: SEVENHILLS HOSPITAL,
			MUMBAI



Patient Name	: Mr. AKASH GOUR	Age/Sex	: 24 Year(s) / Male
UHID	: SHHM.100073	Order Date	: 16/07/2024 08:42
Episode	: OP		
Ref. Doctor	: self	Mobile No	: 7304673068
		DOB	: 15/06/2000
		Facility	: SEVENHILLS HOSPITAL,
			MUMBAI

Biochemistry

Test Name Resu			ult Unit		Biological Reference Interval		
Sample No :	O0345052B	Collection Date :	16/07/24 08	:52 Ack Date :	16/07/2024 09:17	Report Date :	17/07/24 00:10
Blood Sug	ar FBS						
FBS Method - Hexc	okinase			101.2 ▲ (H)		mg/dl	70 - 100
GLUCOSE-	PLASMA POST	PRANDIAL					

American Diabetes Association Reference Range :

FASTING:-Normal : < 100 mg/dl Impaired fasting glucose(Prediabetes) : 100 - 126 mg/dl Diabetes : >= 126 mg/dl

Post-Prandial Blood Glucose: Non- Diabetic: Up to 140mg/dL Pre-Diabetic: 140-199 mg/dL Diabetic :>200 mg/dL

References:

Pack Insert of Bio system
 Tietz Textbook Of Clinical Chemistry And Molecular Diagnostics, 6th Ed, Editors: Rifai et al. 2018

Interpretation :-

Conditions that can result in an elevated blood glucose level include: Acromegaly, Acute stress (response to trauma, heart attack, and stroke for instance), Chronic kidney disease, Cushing syndrome, Excessive consumption of food, Hyperthyroidism, Pancreatitis.

A low level of glucose may indicate hypoglycemia, a condition characterized by a drop in blood glucose to a level where first it causes nervous system symptoms (sweating, palpitations, hunger, trembling, and anxiety), then begins to affect the brain (causing confusion, hallucinations, blurred vision, and sometimes even coma and death). A low blood glucose level (hypoglycemia) may be

seen with:Adrenal insufficiency, Drinking excessive alcohol, Severe liver disease, Hypopituitarism, Hypothyroidism, Severe infections, Severe heart failure, Chronic kidney (renal) failure, Insulin overdose, Tumors that produce insulin (insulinomas), Starvation.

Sample No :	O0345052C	Collection Date :	16/07/24 08:52	Ack Date :	16/07/2024 09:17	Report Date :	16/07/24 11:10



	ient Name : Mr. AKASH GOUR		x : 24 Ye	ar(s) / Male
JHID	: SHHM.100073	Order D)ate : 16/07	/2024 08:42
Episode	: OP			
Ref. Doctor	: self	Mobile	No : 73046	573068
		DOB	: 15/06	/2000
		Facility	: SEVE MUMI	NHILLS HOSPITAL, BAI
<u>ALT(SGPT) -</u>	SERUM			
SGPT (Alanine Method - IFCC	Transaminase) - SERUM	62.99 ▲ (H)	IU/L	0 - 45
References '				
Total Bilirubin	ook Of Clinical Chemistry And M	lolecular Diagnostics, 6th Ed, Editor	s: Rifai et al. 2018 mg/dl	0 - 2
1)Pack Insert o 2) Tietz Textb	ook Of Clinical Chemistry And M - SERUM n SERUM			0 - 2 0 - 0.4
1)Pack Insert c 2) Tietz Textb Total Bilirubin Method - Diazo Direct Bilirubir Method - Diazotiz	ook Of Clinical Chemistry And M - SERUM n - SERUM ation pin - Calculated	1.25	mg/dl	
1)Pack Insert of 2) Tietz Textb Total Bilirubin Method - Diazo Direct Bilirubir Method - Diazotiz Indirect Bilirub	ook Of Clinical Chemistry And M - SERUM n SERUM ation pin - Calculated ed	1.25 0.57 ▲ (H)	mg/dl mg/dl	

1)Pack Insert of Bio system

2) Tietz Textbook Of Clinical Chemistry And Molecular Diagnostics, 6th Ed, Editors: Rifai et al. 2018



End of Report

Dr.Ritesh Kharche

MD, PGD-HM Consultant Pathologist and Director of Laboratory Services RegNo: 2006/03/1680



Dr.Nipa Dhorda MD Pathologist

RegNo: 91821





: Mr. AKASH GOUR	Age/Sex	: 24 Year(s) / Male
: SHHM.100073	Order Date	: 16/07/2024 08:42
: OP		
: self	Mobile No	:7304673068
	DOB	: 15/06/2000
	Facility	: SEVENHILLS HOSPITAL, MUMBAI
	: SHHM.100073 : OP	: SHHM.100073 Order Date : OP : self Mobile No DOB

Urinalysis

est Name		Result	t	Unit	Bio	logical Reference Interva
Sample No: 00345072D	Collection Date :	16/07/24 10:	01 Ack Date :	16/07/2024 10:22	Report Date :	16/07/24 13:31
Physical Examination						
QUANTITY			40		ml	
Colour			Pale Yellow			
Appearance			Clear			
DEPOSIT			Absent			Absent
рН			Acidic			
Specific Gravity			1.010			
Chemical Examination						
Protein			Absent			Absent
Glucose			Absent			
ketones			Absent			
Blood			NEGATIVE			Negative
Bilirubin			Negative			
Urobilinogen			NORMAL			Normal
NITRITE			Absent			Absent
LEUKOCYTES			Absent			
Microscopic Examination	<u>n</u>					
Pus cells			OCCASIONAL		/HPF	
Epithelial Cells			OCCASIONAL		/HPF	

: Mr. AKASH GOUR	Age/S	ex : 24 Year	r(s) / Male
: SHHM.100073	Order	Date : 16/07/2	2024 08:42
: OP			
: self	Mobile	e No : 730467	3068
	DOB	: 15/06/2	2000
	Facilit	y : SEVENI MUMBA	HILLS HOSPITAL, NI
	Absent	/HPF	Absent
	Absent	/LPF	
	Absent	/HPF	
terials	Absent		
	Absent		
	Absent ▲ (H)		
	: SHHM.100073 : OP : self	 SHHM.100073 OP self Mobile DOB Facilit Absent Absent Absent Absent Absent 	 SHHM.100073 OP self Mobile No Facility SEVENI MUMBA Absent Absent IPF Absent IPF Absent IPF Absent IPF Absent IPF

- End of Report -

Dipa

Dr.Nipa Dhorda MD Pathologist RegNo: 91821



Patient Name Age/Sex UHID	: Mr. AKASH GOUR : 24 Year(s)/Male : SHHM.100073	Order Date Report Date	16/07/2024 08:4216/07/2024 12:31
Ref. Doctor	: self	Facility	: SEVENHILLS HOSPITAL,
Address	 19 A 1 202 RADHA KRISHN SOCIETY, ,Mumbai, Maharashtra, 0 	Mobile	MUMBAI : 7304673068

DIAGNOSTICS REPORT

X-RAY CHEST PA VIEW

Both lungs are clear.

The frontal cardiac dimensions are normal.

The pleural spaces are clear.

Both hilar shadows are normal in position and density.

No diaphragmatic abnormality is seen.

The soft tissues and bony thorax are normal.

IMPRESSION: No pleuroparenchymal lesion is seen.



Dr.Priya Vinod Phayde MBBS,DMRE

RegNo: 2020/11/6493



Arcofemi Healthcare Pvt Ltd

(Formerly known as Arcofemi Healthcare Ltd) F-701A, Lado Sarai, Mehrauli, New Delhi - 110030 Email: wellness@mediwheel.in, Website: www.mediwheel.in Tel: +91-11-41195959, Fax: +91-11-29523020 CIN: U24240DL2011PTC216307

MEDICAL FITNESS CERTIFICATE

(To be signed by a registered medical practitioner holding a Medical degree)

This is to certify that <u>Mr.Akash Gour</u> aged, <u>24yr</u>.Based on the examination, I certify that he is in good dental and physical health and it is free from any physical defects such as deafness, colour blindness, and any chronic or contagious diseases.

Place: Mumbai

Date: 16/07/2024

Kumar BCMR 47093 Name & Signature of

Medical officer