Add: 99, Shivaji Nagar Mahmoorganj, Varanasi

Ph: 9235447795,0542-2223232 CIN: U85110DL2003PLC308206

Patient Name : 23/Aug/2021 09:44:03 : Mr.ALOK KUMAR SRIVASTAVA-PKG1000023 Registered On Age/Gender : 50 Y O M O D /M Collected : 23/Aug/2021 10:20:25 UHID/MR NO : CVAR.0000021288 Received : 23/Aug/2021 10:22:59 Visit ID : CVAR0053242122 Reported : 23/Aug/2021 13:18:53 Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. : Final Report Status

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
rest Name	Nesuit	Offit	bio. Ref. interval	Wethou
Pland Croup (APO 9 Db typing) * or	,			
Blood Group (ABO & Rh typing) * , Blood				
Blood Group	В			
Rh (Anti-D)	POSITIVE			
COMPLETE BLOOD COUNT (CBC) * , Blo	ood			
Haemoglobin	15.60	g/dl	13.5-17.5	PHOTOMETRIC
TLC (WBC)	5,400	/Cu mm	4000-10000	ELECTRONIC
DI O				IMPEDANCE
DLC	70.00	0/	FF 70	FLEATRONIO
Polymorphs (Neutrophils)	70.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	27.00	%	25-40	ELECTRONIC
Lymphocytes	27.00	70	20 10	IMPEDANCE
Monocytes	2.00	%	3-5	ELECTRONIC
				IMPEDANCE
Eosinophils	1.00	%	1-6	ELECTRONIC
Dagarkila	0.00	0/	1	IMPEDANCE
Basophils	0.00	%	< 1	ELECTRONIC IMPEDANCE
ESR				11VII 257 11VO2
Observed	8.00	Mm for 1st hr	r.	
Corrected	4.00	Mm for 1st hr	r. < 9	
PCV (HCT)	42.60	cc %	40-54	
Platelet count				
Platelet Count	1.25	LACS/cu mm	1.5-4.0	ELECTRONIC
				IMPEDANCE
PDW (Platelet Distribution width)	16.30	fL	9-17	ELECTRONIC
D. I. CD (Diatolat Large Call Datio)	nr	0/	25 40	IMPEDANCE ELECTRONIC
P-LCR (Platelet Large Cell Ratio)	nr	%	35-60	IMPEDANCE
PCT (Platelet Hematocrit)	0.15	%	0.108-0.282	ELECTRONIC
,				IMPEDANCE
MPV (Mean Platelet Volume)	nr	fL	6.5-12.0	ELECTRONIC
				IMPEDANCE
RBC Count				
RBC Count	4.54	Mill./cu mm	4.2-5.5	ELECTRONIC
				IMPEDANCE

Add: 99, Shivaji Nagar Mahmoorganj, Varanasi

Ph: 9235447795,0542-2223232 CIN: U85110DL2003PLC308206

Patient Name : 23/Aug/2021 09:44:03 : Mr.ALOK KUMAR SRIVASTAVA-PKG1000023 Registered On Age/Gender : 50 Y O M O D /M Collected : 23/Aug/2021 10:20:25 UHID/MR NO : CVAR.0000021288 Received : 23/Aug/2021 10:22:59 Visit ID : CVAR0053242122 Reported : 23/Aug/2021 13:18:53 Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. : Final Report Status

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Indices (MCV, MCH, MCHC)				
MCV	93.90	fl	80-100	CALCULATED PARAMETER
MCH	34.40	pg	28-35	CALCULATED PARAMETER
MCHC	36.60	%	30-38	CALCULATED PARAMETER
RDW-CV	11.60	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	40.80	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count Absolute Eosinophils Count (AEC)	3,780.00 54.00	/cu mm /cu mm	3000-7000 40-440	



S. M. Sinha (MD Path)

Add: 99, Shivaji Nagar Mahmoorganj, Varanasi

Ph: 9235447795,0542-2223232 CIN: U85110DL2003PLC308206

Patient Name : Mr.ALOK KUMAR SRIVASTAVA-PKG1000023 Registered On : 23/Aug/2021 09:44:04 Age/Gender Collected : 23/Aug/2021 13:37:48 : 50 Y O M O D /M UHID/MR NO : CVAR.0000021288 Received : 23/Aug/2021 13:39:34 Visit ID : CVAR0053242122 Reported : 23/Aug/2021 14:09:27 Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. : Final Report Status

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Glucose Fasting Sample:Plasma	148.80	mg/dl	< 100 Normal 100-125 Pre-diabetes ≥ 126 Diabetes	GOD POD

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

Glucose PP 358.00 mg/dl <140 Normal GOD POD

Sample:Plasma After Meal 140-199 Pre-diabetes

>200 Diabetes

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.



S.N. Sinha (MD Path)

,.... ,

Add: 99, Shivaji Nagar Mahmoorganj, Varanasi

Ph: 9235447795,0542-2223232 CIN: U85110DL2003PLC308206

Patient Name : Mr.ALOK KUMAR SRIVASTAVA-PKG1000023 Registered On : 23/Aug/2021 09:44:04 Collected Age/Gender : 23/Aug/2021 10:20:25 : 50 Y O M O D /M UHID/MR NO : CVAR.0000021288 Received : 24/Aug/2021 10:37:59 Visit ID : CVAR0053242122 Reported : 24/Aug/2021 11:28:36 Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. : Final Report Status

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method

GLYCOSYLATED HAEMOGLOBIN (HBA1C) **, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	7.90	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (Hb-A1c)	63.00	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	180	mg/dl	

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated G8 90 SL TOSOH HPLC Analyser.

^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

Add: 99, Shivaji Nagar Mahmoorganj, Varanasi

Ph: 9235447795,0542-2223232 CIN: U85110DL2003PLC308206

Patient Name : Mr.ALOK KUMAR SRIVASTAVA-PKG1000023 Registered On : 23/Aug/2021 09:44:04 Age/Gender : 50 Y O M O D /M Collected : 23/Aug/2021 10:20:25 UHID/MR NO : CVAR.0000021288 Received : 24/Aug/2021 10:37:59 Visit ID : CVAR0053242122 Reported : 24/Aug/2021 11:28:36 : Dr.Mediwheel - Arcofemi Health Care Ltd. Ref Doctor : Final Report

DEPARTMENT OF BIOCHEMISTRY

Status


MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.
- *A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following nondiabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- *Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- *Pregnancy d. chronic renal failure. Interfering Factors:
- *Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.





Add: 99, Shivaji Nagar Mahmoorganj, Varanasi

Ph: 9235447795,0542-2223232 CIN: U85110DL2003PLC308206

: Mr.ALOK KUMAR SRIVASTAVA-PKG1000023 Registered On Patient Name : 23/Aug/2021 09:44:04 Age/Gender : 50 Y O M O D /M Collected : 23/Aug/2021 10:20:25 UHID/MR NO : CVAR.0000021288 Received : 23/Aug/2021 10:23:00 Visit ID : CVAR0053242122 Reported : 23/Aug/2021 13:21:53 Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. : Final Report Status

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
BUN (Blood Urea Nitrogen) * Sample:Serum	13.40	mg/dL	7.0-23.0	CALCULATED
Creatinine	1.00	mg/dl	0.7-1.3	MODIFIED JAFFES
Sample:Serum e-GFR (Estimated Glomerular Filtration Rate) Sample:Serum	103.00	ml/min/1.73m2	2 - 90-120 Normal - 60-89 Near Normal	CALCULATED
Uric Acid Sample:Serum	6.60	mg/dl	3.4-7.0	URICASE
L.F.T.(WITH GAMMA GT) * , Serum				
SGOT / Aspartate Aminotransferase (AST) SGPT / Alanine Aminotransferase (ALT) Gamma GT (GGT) Protein Albumin Globulin A:G Ratio Alkaline Phosphatase (Total) Bilirubin (Total) Bilirubin (Direct) Bilirubin (Indirect) LIPID PROFILE (MINI) * , Serum Cholesterol (Total)	43.50 50.40 28.00 6.50 4.20 2.30 1.83 52.50 0.80 0.30 0.50	U/L U/L IU/L gm/dl gm/dl U/L mg/dl mg/dl mg/dl	< 35 < 40 11-50 6.2-8.0 3.8-5.4 1.8-3.6 1.1-2.0 42.0-165.0 0.3-1.2 < 0.30 < 0.8	IFCC WITHOUT P5P IFCC WITHOUT P5P OPTIMIZED SZAZING BIRUET B.C.G. CALCULATED CALCULATED IFCC METHOD JENDRASSIK & GROF JENDRASSIK & GROF JENDRASSIK & GROF
HDL Cholesterol (Good Cholesterol) LDL Cholesterol (Bad Cholesterol) VLDL Triglycerides	36.00 87 21.66 108.30	mg/dl mg/dl mg/dl mg/dl	200-239 Borderline High > 240 High 30-70 < 100 Optimal 100-129 Nr. Optimal/Above Optimal 130-159 Borderline High 160-189 High > 190 Very High 10-33 < 150 Normal 150-199 Borderline High	DIRECT ENZYMATIC CALCULATED CALCULATED GPO-PAP

Add: 99, Shivaji Nagar Mahmoorganj, Varanasi

Ph: 9235447795,0542-2223232 CIN: U85110DL2003PLC308206

Patient Name : 23/Aug/2021 09:44:04 : Mr.ALOK KUMAR SRIVASTAVA-PKG1000023 Registered On Age/Gender : 50 Y O M O D /M Collected : 23/Aug/2021 10:20:25 UHID/MR NO : CVAR.0000021288 Received : 23/Aug/2021 10:23:00 Visit ID : CVAR0053242122 Reported : 23/Aug/2021 13:21:53 Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. : Final Report Status

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

200-499 High >500 Very High



S.N. Sinta

Dr.S.N. Sinha (MD Path)

Add: 99, Shivaji Nagar Mahmoorganj, Varanasi

Ph: 9235447795,0542-2223232 CIN: U85110DL2003PLC308206

Patient Name : 23/Aug/2021 09:44:04 : Mr.ALOK KUMAR SRIVASTAVA-PKG1000023 Registered On Age/Gender : 50 Y O M O D /M Collected : 23/Aug/2021 13:37:48 UHID/MR NO : CVAR.0000021288 Received : 23/Aug/2021 13:39:34 Visit ID : CVAR0053242122 Reported : 23/Aug/2021 14:13:14 Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. : Final Report Status

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE * , Urine				
Color	PALE YELLOW			
Specific Gravity	1.015			
Reaction PH	Acidic (6.5)			DIPSTICK
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
		Ü	10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
Cugar	DDECENT ()	ana o 0/	> 500 (++++)	DIDCTICK
Sugar	PRESENT (++)	gms%	< 0.5 (+) 0.5-1.0 (++)	DIPSTICK
			1-2 (+++)	
			> 2 (++++)	
Ketone	ABSENT			DIPSTICK
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Urobilinogen(1:20 dilution)	ABSENT			
Microscopic Examination:				
Epithelial cells	2-3/h.p.f			MICROSCOPIC
				EXAMINATION
Pus cells	0-1/h.p.f			MICROSCOPIC
DDC-	ADCENIT			EXAMINATION
RBCs	ABSENT			MICROSCOPIC EXAMINATION
Cast	ABSENT			LAAMINATION
Crystals	ABSENT			MICROSCOPIC
- , , - , - , - , - , - , - , - , - , -				EXAMINATION
Others	ABSENT			
STOOL, ROUTINE EXAMINATION * , Stool				
Color	BROWNISH			
Consistency	SEMI SOLID			
Reaction (PH)	Basic (8.0)			
Mucus	ABSENT			
Blood	ABSENT			
Worm	ABSENT			
Pus cells	1-2/h.p.f			

Add: 99, Shivaji Nagar Mahmoorganj, Varanasi

Ph: 9235447795,0542-2223232 CIN: U85110DL2003PLC308206

Patient Name : 23/Aug/2021 09:44:04 : Mr.ALOK KUMAR SRIVASTAVA-PKG1000023 Registered On Age/Gender : 50 Y O M O D /M Collected : 23/Aug/2021 13:37:48 UHID/MR NO : CVAR.0000021288 Received : 23/Aug/2021 13:39:34 Visit ID : CVAR0053242122 Reported : 23/Aug/2021 14:13:14 Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. : Final Report Status

ABSENT

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
RBCs	ABSENT			
Ova	ABSENT			
Cysts	ABSENT			
Others	ABSENT			
CLICAD FACTING CTACE *				
SUGAR, FASTING STAGE * , Urine				

gms%

Sugar, Fasting stage

Interpretation: (+) < 0.5

(++)0.5 - 1.0

(+++) 1-2

(++++) > 2

SUGAR, PP STAGE *, Urine

Sugar, PP Stage PRESENT (++)

Interpretation:

< 0.5 gms% (+)

0.5-1.0 gms% (++)

(+++) 1-2 gms%

(++++) > 2 gms%



S.N. Sinta

Dr.S.N. Sinha (MD Path)

Add: 99, Shivaji Nagar Mahmoorganj, Varanasi

Ph: 9235447795,0542-2223232 CIN: U85110DL2003PLC308206

Patient Name : Mr.ALOK KUMAR SRIVASTAVA-PKG1000023 Registered On : 23/Aug/2021 09:44:04 Age/Gender : 50 Y O M O D /M Collected : 23/Aug/2021 10:20:25 UHID/MR NO : CVAR.0000021288 Received : 24/Aug/2021 10:19:59 Visit ID : CVAR0053242122 Reported : 24/Aug/2021 11:33:47 Ref Doctor : Final Report : Dr.Mediwheel - Arcofemi Health Care Ltd. Status

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PSA (Prostate Specific Antigen), Total ** Sample:Serum	0.800	ng/mL	< 2.0	CLIA

Interpretation:

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone.
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

THYROID PROFILE - TOTAL **, Serum

T3, Total (tri-iodothyronine)	114.15	ng/dl	84.61-201.7	CLIA
T4, Total (Thyroxine)	9.62	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	2.12	μIU/mL	0.27 - 5.5	CLIA

Interpretation:

0.3-4.5	μIU/mL	First Trimest	er
0.4 - 4.2	$\mu IU/mL$	Adults	21-54 Years
0.5-4.6	$\mu IU/mL$	Second Trime	ester
0.5 - 8.9	$\mu IU/mL$	Adults	55-87 Years
0.7-64	$\mu IU/mL$	Child(21 wk	- 20 Yrs.)
0.7 - 27	$\mu IU/mL$	Premature	28-36 Week
0.8 - 5.2	$\mu IU/mL$	Third Trimes	ter
1-39	$\mu IU/mL$	Child	0-4 Days
1.7-9.1	$\mu IU/mL$	Child	2-20 Week
2.3-13.2	μIU/mL	Cord Blood	> 37Week

¹⁾ Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.

Add: 99, Shivaji Nagar Mahmoorganj, Varanasi

Ph: 9235447795,0542-2223232 CIN: U85110DL2003PLC308206

Patient Name : Mr.ALOK KUMAR SRIVASTAVA-PKG1000023 Registered On : 23/Aug/2021 09:44:04 Age/Gender : 50 Y O M O D /M Collected : 23/Aug/2021 10:20:25 UHID/MR NO : CVAR.0000021288 Received : 24/Aug/2021 10:19:59 Visit ID : CVAR0053242122 Reported : 24/Aug/2021 11:33:47 Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. : Final Report Status


DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- **3**) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- 6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- **8**) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.





Add: 99, Shivaji Nagar Mahmoorganj, Varanasi

Ph: 9235447795,0542-2223232 CIN: U85110DL2003PLC308206

Patient Name : Mr.ALOK KUMAR SRIVASTAVA-PKG1000023 Registered On : 23/Aug/2021 09:44:05

Age/Gender : 50 Y O M O D /M Collected UHID/MR NO : CVAR.0000021288 Received : N/A

Visit ID : CVAR0053242122 Reported : 23/Aug/2021 11:56:42

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. : Final Report Status

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

- The liver measures 13.1 cm in mid clavicular line. Mild diffuse increase in liver echogenecity seen. No focal lesion is seen. No intra hepatic biliary radicle dilation seen.
- Gall bladder is well distended and is normal.
- Portal vein measures 9.1 mm in caliber. CBD measures 3 mm in caliber.
- Pancreas is normal in size, shape and echogenecity.
- Spleen is normal in size (10.8 cm in its long axis), shape and echogenecity.
- Right kidney is normal in size, shape and echogenecity. No focal lesion or calculus seen. Right pelvicalyceal system is not dilated. Right kidney measures: 9.6 x 4.0 cm.
- Left kidney is normal in size, shape and echogenecity. No focal lesion or calculus seen. Left pelvicalyceal system is not dilated. Left kidney measures: 10.1 x 5.1 cm.
- Urinary bladder is partially filled. Prevoid urine volume 65 cc.
- The prostate is normal in size (40 x 30 x 32 mm / 20 gms), shape and echopattern.
- No free fluid is seen in the abdomen/pelvis.

IMPRESSION:

- Mild grade fatty liver.
- Rest of the abdominal organs are normal.

Please correlate clinically

*** End Of Report ***

(**) Test Performed at Chandan Speciality Lab.

Result/s to Follow:

ECG / EKG, X-RAY DIGITAL CHEST PA, TREAD MILL TEST



Dr. Raveesh Chandra Roy (MD-Radio)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing * 365 Days Open *Facilities Available at Select Location