



BILAM050889321

- / -11

CLIENT CODE: C000138364
CLIENT'S NAME AND ADDRESS:

ACROFEMI HEALTHCARE LTD (MEDIWHEEL)

F-703, LADO SARAI, MEHRAULI

SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

HEMOCI OPIN

SRL LTD

GRAND MALL, OPPOSITE SBI ZONAL OFFICE, SM ROAD, AMBAWADI,

AHMEDABAD, 380015

GUJRAT, INDÍA

Tel: 079-48912999,079-48913999,079-48914999

Email: customercare.ahmedabad@srl.in

120 170

PATIENT NAME: BILAKHSHAH ANAND PATIENT ID:

ACCESSION NO: 0321VC002538 AGE: 32 Years SEX: Male

DRAWN: 26-03-2022 00:00 RECEIVED: 26-03-2022 10:34 REPORTED: 29-03-2022 15:52

1/12

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status <u>Final</u> Results Biological Reference Interval Units

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

BLOOD (COUNTS, EDTA	WHOLE BLOOD
---------	---------------------	-------------

HEMOGLOBIN	14.2		13.0 - 17.0	g/dL
RED BLOOD CELL COUNT	4.56		4.5 - 5.5	mil/μL
WHITE BLOOD CELL COUNT	5.01		4.0 - 10.0	thou/µL
PLATELET COUNT	317		150 - 410	thou/µL
RBC AND PLATELET INDICES				
HEMATOCRIT	42.1		40.0 - 50.0	%
MEAN CORPUSCULAR VOL	92.3		83.0 - 101.0	fL
MEAN CORPUSCULAR HGB.	31.1		27.0 - 32.0	pg
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION	33.7		31.5 - 34.5	g/dL
MENTZER INDEX	20.2			
RED CELL DISTRIBUTION WIDTH	12.9		11.6 - 14.0	%
MEAN PLATELET VOLUME	7.8		6.8 - 10.9	fL
WBC DIFFERENTIAL COUNT - NLR				
SEGMENTED NEUTROPHILS	41		40 - 80	%
LYMPHOCYTES	41	High	20 - 40	%
EOSINOPHILS	08	High	1.0 - 6.0	%
MONOCYTES	10		2.0 - 10.0	%
BASOPHILS	00		0 - 1	%

DIFFERENTIAL COUNT PERFORMED ON: EDTA SMEAR

MORPHOLOGY

RBC NORMOCYTIC NORMOCHROMIC

WBC NORMAL MORPHOLOGY

PLATELETS ADEQUATE

REMARKS NO PREMATURE CELLS ARE SEEN. MALARIAL PARASITE NOT

DETECTED.

ERYTHRO SEDIMENTATION RATE, BLOOD

SEDIMENTATION RATE (ESR) 07 0 - 14 mm at 1 hr

GLUCOSE, FASTING, PLASMA

GLUCOSE, FASTING, PLASMA 92 74 - 99 mg/dL

GLYCOSYLATED HEMOGLOBIN, EDTA WHOLE BLOOD



Page 1 Of 11

Scan to View Report





BILAM050889321

CLIENT CODE: C000138364 **CLIENT'S NAME AND ADDRESS:**

ACCESSION NO: 0321VC002538

ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI

NEW DELHI 110030 DELHI INDIA 8800465156

GRAND MALL, OPPOSITE SBI ZONAL OFFICE,SM ROAD, AMBAWADI, AHMEDABAD, 380015

PATIENT ID:

GUJRAT, INDÍA

Tel: 079-48912999,079-48913999,079-48914999

Email: customercare.ahmedabad@srl.in

PATIENT NAME: BILAKHSHAH ANAND

DRAWN: 26-03-2022 00:00 RECEIVED: 26-03-2022 10:34 29-03-2022 15:52 REPORTED:

SEX: Male

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

AGE: 32 Years

Test Report Status <u>Final</u>	Results 4.4		Biological Reference Interval Units		
GLYCOSYLATED HEMOGLOBIN (HBA1C)			Non-diabetic: < 5.7 Pre-diabetics: 5.7 - 6.4 Diabetics: > or = 6.5 ADA Target: 7.0 Action suggested: > 8.0		
MEAN PLASMA GLUCOSE	79.6		< 116.0	mg/dL	
GLUCOSE, POST-PRANDIAL, PLASMA					
GLUCOSE, POST-PRANDIAL, PLASMA	87		70 - 140	mg/dL	
CORONARY RISK PROFILE (LIPID PROFILE),	SERUM.				
CHOLESTEROL	156		Desirable: < 200 BorderlineHigh: 200 - 239 High: > or = 240	mg/dL	
TRIGLYCERIDES	73		Desirable: < 150 BorderlineHigh: 150 - 199 High: 200 - 499 Very High: > or = 500	mg/dL	
HDL CHOLESTEROL	34	Low	< 40 Low > or = 60 High	mg/dL	
DIRECT LDL CHOLESTEROL	123	High	Optimal: < 100 NearOptimal/AboveOptimal: 100 - 129 BorderlineHigh: 130 - 159 High: 160 - 189 VeryHigh: = 190	mg/dL	
NON HDL CHOLESTEROL	122	u:-b	Desirable: Less than 130 Above Desirable: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very high: > or = 220	mg/dL	
CHOL/HDL RATIO	4.6	_	3.30 - 4.40		
LDL/HDL RATIO	3.6	High	0.5 - 3.0		
VERY LOW DENSITY LIPOPROTEIN	14.6		< or = 30.0	mg/dL	
LIVER FUNCTION PROFILE, SERUM					
BILIRUBIN, TOTAL	1.03		Upto 1.2	mg/dL	
BILIRUBIN, DIRECT	0.31	High	Upto 0.2	mg/dL	
BILIRUBIN, INDIRECT	0.72		0.00 - 1.00	mg/dL	
TOTAL PROTEIN	7.0		6.4 - 8.3	g/dL	
ALBUMIN	5.0		3.5 - 5.2	g/dL	
GLOBULIN	2.0		2.0 - 4.1	g/dL	
ALBUMIN/GLOBULIN RATIO	2.5	High	1.0 - 2.0	RATIO	
ASPARTATE AMINOTRANSFERASE (AST/SGOT)	15		0 - 40	U/L	



Scan to View Details

Page 2 Of 11







BILAM050889321

CLIENT CODE: C000138364 **CLIENT'S NAME AND ADDRESS:**

ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI

NEW DELHI 110030 DELHI INDIA

8800465156

GRAND MALL, OPPOSITE SBI ZONAL OFFICE,SM ROAD, AMBAWADI, AHMEDABAD, 380015

GUJRAT, INDÍA

Tel: 079-48912999,079-48913999,079-48914999

Email: customercare.ahmedabad@srl.in

PATIENT NAME: BILAKHSHAH ANAND

ACCESSION NO: 0321VC002538 AGE: 32 Years SEX: Male

DRAWN: 26-03-2022 00:00 RECEIVED: 26-03-2022 10:34

29-03-2022 15:52 REPORTED:

PATIENT ID:

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

ALANINE AMINOTRANSFERASE (ALT/SGPT) 19 0 - 41 0/L ALKALINE PHOSPHATASE 92 40 - 129 0/L GAMMA GLUTAMYL TRANSFERASE (GGT) 18 8 - 61 0/L LACTATE DEHYDROGENASE 103 Low 135 - 225 0/L SERUM BLOOD UREA NITROGEN BLOOD UREA NITROGEN 7 6 - 20 mg/dL CREATININE, SERUM CREATININE, SERUM CREATININE 0.84 0.70 - 1.30 mg/dL BUN/CREAT RATIO 0.84 0.70 - 1.30 mg/dL BUN/CREAT RATIO 0.85 0.0 - 15.0 BUN/CREAT RATIO 0.5 0.0 - 15.0 BURIC ACID, SERUM URIC ACID, SERUM URIC ACID, SERUM URIC ACID, SERUM 142.6 136 - 145 mmol/L POTASSIUM 1.438 3.50 - 5.10 mmol/L CHLORIDE 104.6 98 - 107 mmol/L CHLORIDE 104.6 98 - 107 mmol/L URINALYSIS COLOR Yellow APPEARANCE Clear PH	Test Report Status <u>Final</u>	Results		Biological Reference Interval Units		
ALKALINE PHOSPHATASE GAMMA GLUTAMYL TRANSFERASE (GGT) 188						
GAMMA GLUTAMYL TRANSFERASE (GGT) 18 8 - 61 U/L LACTATE DEHYDROGENASE 103 Low 135 - 225 U/L SERUM BLOOD UREA NITROGEN V 15 - 225 U/L BLOOD UREA NITROGEN 7 6 - 20 mg/dL CREATININE, SERUM V 0.84 0.70 - 1.30 mg/dL BUN/CREAT RATIO 0.84 0.70 - 1.30 mg/dL BUN/CREAT RATIO 8.33 5.0 - 15.0 TW URIC ACID, SERUM 3.4 - 7.0 mg/dL LECTROLYTES (NA/K/CL), SERUM 142.6 136 - 145 mmol/L CHIORIDE 4.38 3.50 - 5.10 mmol/L URIC ACID 98 - 107 mmol/L URIC ACID 98 - 107 mmol/L URIC ACID 98 - 107 mmol/L CHIORIDE 98 - 107 mmol/L URIC ACID 98 - 107 mmol/L URIC ACID 98 - 107 mmol/L URIC ACID						
LACTATE DEHYDROGENASE 103 Low 135 - 225 U/L SERUM BLOOD UREA NITROGEN 7 6 - 20 mg/dL CREATININE SERUM CREATININE 0.84 0.70 - 1.30 mg/dL BUN/CREAT RATIO 8.33 5 0 - 15.0 mg/dL BUN/CREAT RATIO 8.33 5 0 - 15.0 mg/dL URIC ACID, SERUM URIC ACID 6.5 3.4 - 7.0 mg/dL URIC ACID, SERUM 142.6 3.6 - 145 mmol/L SODIUM 4.38 3.50 - 5.10 mmol/L POTASSIUM 4.38 3.50 - 5.10 mmol/L CHLORIDE 4.66 3 8 - 107 mmol/L URIC ACID, SERUM 4.88 3.50 - 5.10 mmol/L CHLORIDE 4.7 - 7.5 Mmol/L Mmol/L CHLORIDE 4.7 - 7.5 Mmol/L Mmol/L Mmol/L Mmol/L Mmol/L Mmol/L Mmol/L Mmol/L Mmol/L Mm						
SERUM BLOOD UREA NITROGEN 7 6 - 20 mg/dL CREATININE, SERUM 0.84 0.70 - 1.30 mg/dL BUN/CREAT RATIO 8.33 5.0 - 15.0 mg/dL URIC ACID, SERUM URIC ACID 6.5 3.4 - 7.0 mg/dL ELECTROLYTES (NA/K/CL), SERUM 142.6 136- 145 mmol/L POTASSIUM 142.6 136- 145 mmol/L POTASSIUM 142.6 136- 145 mmol/L ENDIAM YSIS CICARO 198- 109 mmol/L COLOR Yellow APPEARANCE Clear PH 5.5 5.5 4.7 - 7.5 SPECIFIC GRAVITY NOT DETECTED NOT DETECTED NOT DETECTED NOT DETECTED NOT DETECTED NOT DET	, ,				•	
BLOOD UREA NITROGEN 7 6 - 20 mg/dL CREATININE, SERUM		103	Low	135 - 225	U/L	
CREATININE, SERUM CREATININE 0.84 0.70 - 1.30 mg/dL BUN/CREAT RATIO 8.33 5.0 - 15.0 URIC ACID, SERUM URIC ACID 6.5 3.4 - 7.0 mg/dL ELECTROLYTES (NA/K/CL), SERUM SODIUM 6.5 136 - 145 mmol/L POTASSIUM 4.38 3.50 - 5.10 mmol/L CHLORIDE 104.6 98 - 107 mmol/L CHLORIDE 104.6 98 - 107 mmol/L CHLORIDE 104.6 98 - 107 mmol/L CHLORIDE 4.7 - 7.5 PREATING TO SERUM PREATING TO SERUM A.7 - 7.5	SERUM BLOOD UREA NITROGEN					
CREATININE 0.84 0.70 - 1.30 mg/dL BUN/CREAT RATIO 8.33 5.0 - 15.0 Common Notes (Common Notes	BLOOD UREA NITROGEN	7		6 - 20	mg/dL	
BUN/CREAT RATIO BUN/CREAT RATIO 8.33 5.0 - 15.0 URIC ACID, SERUM URIC ACID 6.5 3.4 - 7.0 mg/dL ELECTROLYTES (NA/K/CL), SERUM 142.6 136- 145 mmol/L POTASSIUM 4.38 3.50 - 5.10 mmol/L CHLORIDE 104.6 98 - 107 mmol/L URINALYSIS Clear Tellow Tellow Tellow APPEARANCE Clear Felloy 4.7 - 7.5 Tellow S.5 4.7 - 7.5 Tellow SPECIFIC GRAVITY >=1.030 1.003 - 1.035 Tellow	CREATININE, SERUM					
BUN/CREAT RATIO 8.33 5.0 - 15.0 URIC ACID, SERUM URIC ACID 6.5 3.4 - 7.0 mg/dL ELECTROLYTES (NA/K/CL), SERUM 142.6 136 - 145 mmol/L POTASSIUM 1.02.6 1.03.0 1.07 mmol/L URINALYSIS URINALYSIS URINALYSIS Clear FURION COLOR A,7 - 7.5 SPECIFIC GRAVITY 5.5 4.7 - 7.5 SPECIFIC GRAVITY SPECIFIC GRAVITY NOT DETECTED	CREATININE	0.84		0.70 - 1.30	mg/dL	
URIC ACID, SERUM URIC ACID 6.5 3.4 - 7.0 mg/dL ELECTROLYTES (NA/K/CL), SERUM Wellow 136 - 145 mmol/L SODIUM 142.6 136 - 145 mmol/L POTASSIUM 4.38 3.50 - 5.10 mmol/L CHLORIDE 104.6 98 - 107 mmol/L URINALYSIS COLOR Yellow APPEARANCE Clear PH 5.5 4.7 - 7.5 SPECIFIC GRAVITY >=1.030 1.003 - 1.035 GLUCOSE NOT DETECTED NOT DETECTED PROTEIN NOT DETECTED NOT DETECTED KETONES NOT DETECTED NOT DETECTED BLOOD NOT DETECTED NOT DETECTED BLILIRUBIN NOT DETECTED NOT DETECTED UROBILINOGEN NORMAL NORMAL NITITE NOT DETECTED NOT DETECTED PUS CELL (WBC'S) 1-2 0-5 /HPF PUS CELL (WBC'S) 1-2 0-5 /HPF	BUN/CREAT RATIO					
URIC ACID 6.5 3.4 - 7.0 mg/dL ELECTROLYTES (NA/K/CL), SERUM 142.6 136- 145 mmol/L POTASSIUM 4.38 3.50- 5.10 mmol/L CHLORIDE 104.6 98 - 107 mmol/L URINALYSIS COLOR Yellow APPEARANCE Clear PH 5.5 4.7 - 7.5 SPECIFIC GRAVITY >=1.030 1.003 - 1.035 GLUCOSE NOT DETECTED NOT DETECTED PROTEIN NOT DETECTED NOT DETECTED KETONES NOT DETECTED NOT DETECTED BLOOD NOT DETECTED NOT DETECTED BLILRUBIN NOT DETECTED NOT DETECTED UROBILINOGEN NORMAL NORMAL NITRITE NOT DETECTED NOT DETECTED PUS CELL (WBC'S) 1-2 0-5 /HPF EPITHELIAL CELLS DETECTED NOT DETECTED NOT DETECTED	BUN/CREAT RATIO	8.33		5.0 - 15.0		
SODIUM	URIC ACID, SERUM					
SODIUM 142.6 136- 145 mmol/L POTASSIUM 4.38 3.50- 5.10 mmol/L CHLORIDE 104.6 98 - 107 mmol/L URINALYSIS COLOR Yellow Yel	URIC ACID	6.5		3.4 - 7.0	mg/dL	
POTASSIUM 4.38 3.50- 5.10 mmol/L CHLORIDE 104.6 98 - 107 mmol/L URINALYSIS COLOR Yellow APPEARANCE Clear PH 5.5 4.7 - 7.5 SPECIFIC GRAVITY >=1.030 1.003 - 1.035 GLUCOSE NOT DETECTED NOT DETECTED PROTEIN NOT DETECTED NOT DETECTED KETONES NOT DETECTED NOT DETECTED BLOOD NOT DETECTED NOT DETECTED BLIIRUBIN NOT DETECTED NOT DETECTED UROBILINOGEN NOT DETECTED NOT DETECTED UROBILINOGEN NORMAL NORMAL NITRITE NOT DETECTED NOT DETECTED PUS CELL (WBC'S) 1-2 0-5 /HPF EPITHELIAL CELLS DETECTED NOT DETECTED /HPF	ELECTROLYTES (NA/K/CL), SERUM					
CHLORIDE 104.6 98 - 107 mmol/L URINALYSIS COLOR Yellow APPEARANCE Clear PH 5.5 4.7 - 7.5 SPECIFIC GRAVITY >=1.030 1.003 - 1.035 GLUCOSE NOT DETECTED NOT DETECTED PROTEIN NOT DETECTED NOT DETECTED KETONES NOT DETECTED NOT DETECTED BLOOD NOT DETECTED NOT DETECTED BLOOD NOT DETECTED NOT DETECTED BLIIRUBIN NOT DETECTED NOT DETECTED UROBILINOGEN NORMAL NORMAL NITRITE NOT DETECTED NOT DETECTED PUS CELL (WBC'S) 1-2 0-5 /HPF EPITHELIAL CELLS PETECTED NOT DETECTED /HPF	SODIUM	142.6		136- 145	mmol/L	
URINALYSIS COLOR Yellow APPEARANCE Clear PH 5.5 4.7 - 7.5 SPECIFIC GRAVITY >=1.030 1.003 - 1.035 GLUCOSE NOT DETECTED NOT DETECTED PROTEIN NOT DETECTED NOT DETECTED KETONES NOT DETECTED NOT DETECTED BLOOD NOT DETECTED NOT DETECTED BLOOD NOT DETECTED NOT DETECTED BLIRUBIN NOT DETECTED NOT DETECTED UROBILINOGEN NORMAL NORMAL NITRITE NORMAL NORMAL NITRITE PUS CELL (WBC'S) 1-2 0-5 /HPF EPITHELIAL CELLS	POTASSIUM	4.38		3.50- 5.10	mmol/L	
COLOR APPEARANCE Clear PH 5.5 SPECIFIC GRAVITY S=1.030 NOT DETECTED NOT DETECTED PROTEIN KETONES BLOOD NOT DETECTED NOT DETECTED NOT DETECTED BLOOD NOT DETECTED UROBILINOGEN NORMAL NITRITE NOT DETECTED	CHLORIDE	104.6		98 - 107	mmol/L	
APPEARANCE PH 5.5 4.7 - 7.5 SPECIFIC GRAVITY >=1.030 1.003 - 1.035 GLUCOSE NOT DETECTED NOT DETECTED PROTEIN NOT DETECTED NOT DETECTED KETONES NOT DETECTED NOT DETECTED BLOOD NOT DETECTED NOT DETECTED BLIRUBIN NOT DETECTED NOT DETECTED UROBILINOGEN NOT DETECTED NOT DETECTED UROBICINGEN NOT DETECTED NOT DETECTED PUS CELL (WBC'S) 1-2 0-5 /HPF EPITHELIAL CELLS	URINALYSIS					
PH 5.5 4.7 - 7.5 SPECIFIC GRAVITY >=1.030 1.003 - 1.035 GLUCOSE NOT DETECTED NOT DETECTED PROTEIN NOT DETECTED NOT DETECTED KETONES NOT DETECTED NOT DETECTED BLOOD NOT DETECTED NOT DETECTED BILIRUBIN NOT DETECTED NOT DETECTED UROBILINOGEN NORMAL NORMAL NITRITE NOT DETECTED NOT DETECTED PUS CELL (WBC'S) 1-2 0-5 /HPF EPITHELIAL CELLS DETECTED NOT DETECTED /HPF	COLOR	Yellow				
SPECIFIC GRAVITY >=1.030 1.003 - 1.035 GLUCOSE NOT DETECTED NOT DETECTED NOT DETECTED NOT DETECTED KETONES NOT DETECTED NOT DETECTED NOT DETECTED NOT DETECTED BLOOD NOT DETECTED NOT DETECTED NOT DETECTED NOT DETECTED UROBILINOGEN NORMAL NORMAL NORMAL NORMAL NOT DETECTED PUS CELL (WBC'S) DETECTED O-5 /HPF	APPEARANCE	Clear				
GLUCOSE PROTEIN NOT DETECTED NOT DETECTED KETONES NOT DETECTED NOT DETECTED NOT DETECTED BLOOD NOT DETECTED NOT DETECTED BILIRUBIN NOT DETECTED NOT DETECTED UROBILINOGEN NORMAL NITRITE NOT DETECTED	PH	5.5		4.7 - 7.5		
PROTEIN NOT DETECTED NOT DETECTED KETONES NOT DETECTED NOT DETECTED BLOOD NOT DETECTED NOT DETECTED BILIRUBIN NOT DETECTED NOT DETECTED UROBILINOGEN NORMAL NORMAL NITRITE NOT DETECTED NOT DETECTED PUS CELL (WBC'S) 1-2 0-5 /HPF EPITHELIAL CELLS DETECTED NOT DETECTED /HPF	SPECIFIC GRAVITY	>=1.030		1.003 - 1.035		
KETONES BLOOD NOT DETECTED /HPF	GLUCOSE	NOT DETECTED		NOT DETECTED		
BLOOD NOT DETECTED NOT DETECTED BILIRUBIN NOT DETECTED NOT DETECTED UROBILINOGEN NORMAL NORMAL NITRITE NOT DETECTED NOT DETECTED PUS CELL (WBC'S) 1-2 0-5 /HPF EPITHELIAL CELLS DETECTED NOT DETECTED /HPF	PROTEIN	NOT DETECTED		NOT DETECTED		
BILIRUBIN NOT DETECTED NOT DETECTED UROBILINOGEN NORMAL NORMAL NITRITE NOT DETECTED NOT DETECTED PUS CELL (WBC'S) 1-2 0-5 /HPF EPITHELIAL CELLS DETECTED NOT DETECTED /HPF	KETONES	NOT DETECTED		NOT DETECTED		
UROBILINOGEN NORMAL NORMAL NITRITE NOT DETECTED NOT DETECTED PUS CELL (WBC'S) 1-2 0-5 /HPF EPITHELIAL CELLS DETECTED NOT DETECTED /HPF	BLOOD	NOT DETECTED		NOT DETECTED		
NITRITE NOT DETECTED NOT DETECTED PUS CELL (WBC'S) 1-2 0-5 /HPF EPITHELIAL CELLS DETECTED NOT DETECTED /HPF (OCCASIONAL)	BILIRUBIN	NOT DETECTED		NOT DETECTED		
PUS CELL (WBC'S) 1-2 0-5 /HPF EPITHELIAL CELLS DETECTED (OCCASIONAL) NOT DETECTED /HPF	UROBILINOGEN	NORMAL		NORMAL		
EPITHELIAL CELLS DETECTED NOT DETECTED (OCCASIONAL)	NITRITE	NOT DETECTED		NOT DETECTED		
EPITHELIAL CELLS DETECTED (OCCASIONAL) NOT DETECTED /HPF	PUS CELL (WBC'S)	1-2		0-5	/HPF	
	EPITHELIAL CELLS			NOT DETECTED	/HPF	
	ERYTHROCYTES (RBC'S)			NOT DETECTED	/HPF	
CASTS NOT DETECTED	CASTS	NOT DETECTED				
CRYSTALS NOT DETECTED	CRYSTALS	NOT DETECTED				



Scan to View Details

Page 3 Of 11





CLIENT CODE: C000138364
CLIENT'S NAME AND ADDRESS:

ACROFEMI HEALTHCARE LTD (MEDIWHEEL)

F-703, LADO SARAI, MEHRAULI

SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156 SRL LTD

GRAND MALL, OPPOSITE SBI ZONAL OFFICE, SM ROAD, AMBAWADI,

AHMEDABAD, 380015

GUJRAT, INDÍA

Tel: 079-48912999,079-48913999,079-48914999

Email: customercare.ahmedabad@srl.in

PATIENT NAME: BILAKHSHAH ANAND PATIENT ID: BILAM050889321

ACCESSION NO: 0321VC002538 AGE: 32 Years SEX: Male

DRAWN: 26-03-2022 00:00 RECEIVED: 26-03-2022 10:34 REPORTED: 29-03-2022 15:52

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status <u>Final</u> Results Biological Reference Interval Units

BACTERIA NOT DETECTED NOT DETECTED

REMARKS MICROSCOPIC EXAMINATION OF URINE IS CARRIED OUT ON

CENTRIFUGED URINARY SEDIMENT.

THYROID PANEL, SERUM

T3 117.2 80.00 - 200.00 ng/dL
T4 7.10 5.10 - 14.10 μg/dL
TSH 3RD GENERATION 3.380 0.270 - 4.200 μIU/mL

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD

ABO GROUP TYPE A
RH TYPE POSITIVE

XRAY-CHEST

IMPRESSION NO ABNORMALITY DETECTED

TMT OR ECHO

TMT OR ECHO NORMAL

ECG

ECG NORMAL SINUS RHYTHM

MEDICAL HISTORY

RELEVANT PRESENT HISTORY

RELEVANT PAST HISTORY

RELEVANT PERSONAL HISTORY

RELEVANT FAMILY HISTORY

OCCUPATIONAL HISTORY

HISTORY OF MEDICATIONS

NOT SIGNIFICANT

NOT SIGNIFICANT

ANTHROPOMETRIC DATA & BMI

HEIGHT IN METERS1.79mtsWEIGHT IN KGS.80.0Kgs

BMI & Weight Status as follows: kg/sqmts

Below 18.5: Underweight 18.5 - 24.9: Normal 25.0 - 29.9: Overweight 30.0 and Above: Obese

GENERAL EXAMINATION

MENTAL / EMOTIONAL STATE NORMAL

PHYSICAL ATTITUDE NORMAL

GENERAL APPEARANCE / NUTRITIONAL STATUS OVERWEIGHT



Page 4 Of 11



Scan to View Report





BILAM050889321

CLIENT CODE: C000138364 **CLIENT'S NAME AND ADDRESS:**

ACROFEMI HEALTHCARE LTD (MEDIWHEEL)

F-703, LADO SARAI, MEHRAULI

SOUTH WEST DELHI NEW DELHI 110030 **DELHI INDIA** 8800465156

GRAND MALL, OPPOSITE SBI ZONAL OFFICE, SM ROAD, AMBAWADI,

PATIENT ID:

AHMEDABAD, 380015

GUJRAT, INDÍA

Tel: 079-48912999,079-48913999,079-48914999

Email: customercare.ahmedabad@srl.in

PATIENT NAME: BILAKHSHAH ANAND

ACCESSION NO: 0321VC002538 AGE: 32 Years

DRAWN: 26-03-2022 00:00 RECEIVED: 26-03-2022 10:34 29-03-2022 15:52 REPORTED:

SEX: Male

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status Results **Biological Reference Interval** Units <u>Final</u>

BUILT / SKELETAL FRAMEWORK TALL STATURE FACIAL APPEARANCE **NORMAL** NORMAL SKIN UPPER LIMB **NORMAL** LOWER LIMB NORMAL **NECK** NORMAL

NECK LYMPHATICS / SALIVARY GLANDS NOT ENLARGED OR TENDER

NOT ENLARGED THYROID GLAND

TEMPERATURE NORMAL PULSE 82/MIN RESPIRATORY RATE **NORMAL**

CARDIOVASCULAR SYSTEM

BP 120/80 MM HG mm/Hg

(SITTING)

NORMAL **PERICARDIUM** APEX BEAT **NORMAL**

HEART SOUNDS S1, S2 HEARD NORMALLY

MURMURS ABSENT

RESPIRATORY SYSTEM

SIZE AND SHAPE OF CHEST NORMAL MOVEMENTS OF CHEST **SYMMETRICAL BREATH SOUNDS INTENSITY NORMAL**

BREATH SOUNDS QUALITY VESICULAR (NORMAL)

ADDED SOUNDS **ABSENT**

PER ABDOMEN

APPEARANCE NORMAL

NOT PALPABLE **LIVER** NOT PALPABLE **SPLEEN**

CENTRAL NERVOUS SYSTEM

HIGHER FUNCTIONS **NORMAL** CRANIAL NERVES **NORMAL** CEREBELLAR FUNCTIONS NORMAL SENSORY SYSTEM **NORMAL** MOTOR SYSTEM **NORMAL**



Page 5 Of 11







CLIENT CODE: C000138364 **CLIENT'S NAME AND ADDRESS:**

ACROFEMI HEALTHCARE LTD (MEDIWHEEL)

F-703, LADO SARAI, MEHRAULI

SOUTH WEST DELHT **NEW DELHI 110030 DELHI INDIA** 8800465156

GRAND MALL, OPPOSITE SBI ZONAL OFFICE, SM ROAD, AMBAWADI,

AHMEDABAD, 380015

GUJRAT, INDÍA

Tel: 079-48912999,079-48913999,079-48914999

Email: customercare.ahmedabad@srl.in

PATIENT NAME: BILAKHSHAH ANAND PATIENT ID: BILAM050889321

ACCESSION NO: 0321VC002538 AGE: 32 Years SEX: Male

DRAWN: 26-03-2022 00:00 RECEIVED: 26-03-2022 10:34 REPORTED: 29-03-2022 15:52

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status Results **Biological Reference Interval** Units <u>Final</u>

RFFI FXFS NORMAL

MUSCULOSKELETAL SYSTEM

NORMAL SPINE **JOINTS** NORMAL

BASIC EYE EXAMINATION

DISTANT VISION RIGHT EYE WITHOUT GLASSES WITHIN NORMAL LIMIT DISTANT VISION LEFT EYE WITHOUT GLASSES WITHIN NORMAL LIMIT NEAR VISION RIGHT EYE WITHOUT GLASSES WITHIN NORMAL LIMIT NEAR VISION LEFT EYE WITHOUT GLASSES WITHIN NORMAL LIMIT

COLOUR VISION NORMAL

SUMMARY

RELEVANT HISTORY **NOT SIGNIFICANT** RELEVANT GP EXAMINATION FINDINGS NOT SIGNIFICANT RELEVANT LAB INVESTIGATIONS EOSINOPHILS:- HIGH

HDL:- LOW, LDL:- HIGH

RELEVANT NON PATHOLOGY DIAGNOSTICS NO ABNORMALITIES DETECTED

REMARKS / RECOMMENDATIONS 1) EOSINOPHILS:- HIGH

ADV:- S.IGE LEVEL

2) HDL:- LOW, LDL:- HIGH

ADV: - LOW FAT DIET, REGULAR PHYSICAL EXERCISE

Comments

OUR PANEL DOCTORS FOR NON-PATHOLOGY TESTS:-

GENERAL PHYSICIAN: - DR. PRIYANK KAPADIYA (M.B.B.S DNB MEDICINE)

RADIOLOGIST:- DR. KALPANA MODI (M.D.RADIOLOGY) // DR. SAHIL N SHAH (M.D.RADIOLOGY)

Interpretation(s)

BLOOD COUNTS, EDTA WHOLE BLOODThe cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology.

RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13) from Beta thalassaemia trait (<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.

WBC DIFFERENTIAL COUNT - NLR-











BILAM050889321

CLIENT CODE: C000138364

CLIENT'S NAME AND ADDRESS: ACROFEMI HEALTHCARE LTD (MEDIWHEEL)

F-703, LADO SARAI, MEHRAULI

SOUTH WEST DELHT **NEW DELHI 110030 DELHI INDIA** 8800465156

SRL LTD

GRAND MALL, OPPOSITE SBI ZONAL OFFICE, SM ROAD, AMBAWADI,

PATIENT ID:

AHMEDABAD, 380015

GUJRAT, INDÍA

Tel: 079-48912999,079-48913999,079-48914999

Email: customercare.ahmedabad@srl.in

PATIENT NAME: BILAKHSHAH ANAND

ACCESSION NO: 0321VC002538 32 Years AGE: SEX: Male

DRAWN: 26-03-2022 00:00 RECEIVED: 26-03-2022 10:34 REPORTED: 29-03-2022 15:52

REFERRING DOCTOR: SFLF CLIENT PATIENT ID:

Test Report Status Results **Biological Reference Interval** Units <u>Final</u>

The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease.

(Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients; A.-P. Yang, et al.; International Immunopharmacology 84 (2020) 106504 This ratio element is a calculated parameter and out of NABL scope.

ERYTHRO SEDIMENTATION RATE, BLOODErythrocyte sedimentation rate (ESR) is a non - specific phenomena and is clinically useful in the diagnosis and monitoring of disorders associated with an increased production of acute phase reactants. The ESR is increased in pregnancy from about the 3rd month and returns to normal by the 4th week post partum. ESR is influenced by age, sex, menstrual cycle and drugs (eg. corticosteroids, contraceptives). It is especially low (0 -1mm) in polycythaemia, hypofibrinogenemia or congestive cardiac failure and when there are abnormalities of the red cells such as polkilocytosis, spherocytosis or sickle cells.

Reference:

- 1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition
 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin
 3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis, 10th Edition"

GLUCOSE, FASTING, PLASMA-

ADA 2021 guidelines for adults, after 8 hrs fasting is as follows: Pre-diabetics: 100 - 125 mg/dL Diabetic: > or = 126 mg/dL GLYCOSYLATED HEMOGLOBIN, EDTA WHOLE BLOOD-

Glycosylated hemoglobin (GHb) has been firmly established as an index of long-term blood glucose concentrations and as a measure of the risk for the development of complications in patients with diabetes mellitus. Formation of GHb is essentially irreversible, and the concentration in the blood depends on both the life span of the red blood cell (average 120 days) and the blood glucose concentration. Because the rate of formation of GHb is directly proportional to the concentration of glucose in the blood,

the GHb concentration represents the integrated values for glucose over the preceding 6-8 weeks.

Any condition that alters the life span of the red blood cells has the potential to alter the GHb level. Samples from patients with hemolytic anemias will exhibit decreased glycated hemoglobin values due to the shortened life span of the red cells. This effect will depend upon the severity of the anemia. Samples from patients with polycythemia or post-splenectomy may exhibit increased glycated hemoglobin values due to a somewhat longer life span of the red cells.

Glycosylated hemoglobins results from patients with HbSS, HbCC, and HbSC and HbD must be interpreted with caution, given the pathological processes, including anemia, increased red cell turnover, transfusion requirements, that adversely impact HbA1c as a marker of long-term glycemic control. In these conditions, alternative forms of testing such as glycated serum protein (fructosamine) should be considered.

"Targets should be individualized; More or less stringent glycemic goals may be appropriate for individual patients. Goals should be individualized based on duration of diabetes, age/life expectancy, comorbid conditions, known CVD or advanced microvascular complications, hypoglycemia unawareness, and individual patient considerations."

References

- 1. Tietz Textbook of Clinical Chemistry and Molecular Diagnostics, edited by Carl A Burtis, Edward R.Ashwood, David E Bruns, 4th Edition, Elsevier publication, 2006, 879-884.
- 2. Forsham PH. Diabetes Mellitus: A rational plan for management. Postgrad Med 1982, 71,139-154.
- 3. Mayer TK, Freedman ZR: Protein glycosylation in Diabetes Mellitus: A review of laboratory measurements and their clinical utility. Clin Chim Acta 1983, 127, 147-184. GLUCOSE, POST-PRANDIAL, PLASMA-ADA Guidelines for 2hr post prandial glucose levels is only after ingestion of 75grams of glucose in 300 ml water, over a period of 5

CORONARY RISK PROFILE (LIPID PROFILE), SERUM.-

Serum cholesterol is a blood test that can provide valuable information for the risk of coronary artery disease This test can help determine your risk of the build up of plaques in your arteries that can lead to narrowed or blocked arteries throughout your body (atherosclerosis). High cholesterol levels usually don't cause any signs or symptoms, so a cholesterol test is an important tool. High cholesterol levels often are a significant risk factor for heart disease and important for diagnosis of hyperlipoproteinemia, atherosclerosis, hepatic and thyroid diseases.

Serum Triglyceride are a type of fat in the blood. When you eat, your body converts any calories it doesn't need into triglycerides, which are stored in fat cells. High triglyceride levels are associated with several factors, including being overweight, eating too many sweets or drinking too much alcohol, smoking, being sedentary, or having diabetes with elevated blood sugar levels. Analysis has proven useful in the diagnosis and treatment of patients with diabetes mellitus, nephrosis, liver obstruction, other diseases involving lipid metabolism, and various endocrine disorders. In conjunction with high density lipoprotein and total serum cholesterol, a triglyceride determination provides valuable information for the assessment of coronary heart disease risk.It is done in fasting state.

High-density lipoprotein (HDL) cholesterol. This is sometimes called the ""good"" cholesterol because it helps carry away LDL cholesterol, thus keeping arteries open and blood flowing more freely. HDL cholesterol is inversely related to the risk for cardiovascular disease. It increases following regular exercise, moderate alcohol consumption and with oral estrogen therapy. Decreased levels are associated with obesity, stress, cigarette smoking and diabetes mellitus.

SERUM LDL The small dense LDL test can be used to determine cardiovascular risk in individuals with metabolic syndrome or established/progressing coronary artery disease, individuals with triglyceride levels between 70 and 140 mg/dL, as well as individuals with a diet high in trans-fat or carbohydrates. Elevated sdLDL levels are associated with metabolic syndrome and an 'atherogenic lipoprotein profile', and are a strong, independent predictor of cardiovascular disease. Elevated levels of LDL arise from multiple sources. A major factor is sedentary lifestyle with a diet high in saturated fat. Insulin-resistance and pre-diabetes have also been implicated, as has genetic predisposition. Measurement of sdLDL allows the clinician to get a more comprehensive picture of lipid risk factors and tailor treatment accordingly. Reducing LDL levels will reduce the risk of CVD and MI.

Non HDL Cholesterol - Adult treatment panel ATP III suggested the addition of Non-HDL Cholesterol as an indicator of all atherogenic lipoproteins (mainly LDL and VLDL). NICE guidelines recommend Non-HDL Cholesterol measurement before initiating lipid lowering therapy. It has also been shown to be a better marker of risk in both primary



Scan to View Details



Scan to View Report





BILAM050889321

CLIENT CODE: C000138364 **CLIENT'S NAME AND ADDRESS:**

ACROFEMI HEALTHCARE LTD (MEDIWHEEL)

F-703, LADO SARAI, MEHRAULI

SOUTH WEST DELHT **NEW DELHI 110030 DELHI INDIA** 8800465156

ACCESSION NO:

GRAND MALL, OPPOSITE SBI ZONAL OFFICE, SM ROAD, AMBAWADI,

PATIENT ID:

AHMEDABAD, 380015

GUJRAT, INDÍA

Tel: 079-48912999,079-48913999,079-48914999

Email: customercare.ahmedabad@srl.in

PATIENT NAME: BILAKHSHAH ANAND

0321VC002538 32 Years AGE: SEX: Male

DRAWN: 26-03-2022 00:00 RECEIVED: 26-03-2022 10:34 REPORTED: 29-03-2022 15:52

REFERRING DOCTOR: SFLF CLIENT PATIENT ID:

Test Report Status Results **Biological Reference Interval** Units <u>Final</u>

and secondary prevention studies.

Recommendations:

Results of Lipids should always be interpreted in conjunction with the patient's medical history, clinical presentation and other findings.

NON FASTING LIPID PROFILE includes Total Cholesterol, HDL Cholesterol and calculated non-HDL Cholesterol. It does not include triglycerides and may be best used in

patients for whom fasting is difficult. LIVER FUNCTION PROFILE, SERUM-

LIVER FUNCTION PROFILE Bilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. Elevated levels results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors &Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity. ALT test measures the amount of this enzyme in the blood. ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health.AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis.obstruction of bile ducts.cirrhosis.

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Paget's disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilson's disease. GGT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas.Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc. Serum total protein, also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstrom's disease. Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc. Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc

SERUM BLOOD UREA NITROGEN-

Causes of Increased levels

Pre renal

- High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal

• Renal Failure Post Renal

• Malignancy, Nephrolithiasis, Prostatism

Causes of decreased levels

- Liver diseaseSIADH.

CREATININE, SERUM-

Higher than normal level may be due to:

- Blockage in the urinary tract
- Kidney problems, such as kidney damage or failure, infection, or reduced blood flow
 Loss of body fluid (dehydration)
- Muscle problems, such as breakdown of muscle fibers
- Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia)

Lower than normal level may be due to:

- Myasthenia Gravis
- Muscular dystrophy URIC ACID, SERUM-

Causes of Increased levels

- Dietary
 High Protein Intake.
- Prolonged Fasting,Rapid weight loss.
- Gout

Lesch nyhan syndrome.

Type 2 DM.

Metabolic syndrome.



Scan to View Details

Page 8 Of 11



Scan to View Report





BILAM050889321

CLIENT CODE: C000138364 **CLIENT'S NAME AND ADDRESS:**

ACROFEMI HEALTHCARE LTD (MEDIWHEEL)

F-703, LADO SARAI, MEHRAULI

SOUTH WEST DELHT **NEW DELHI 110030 DELHI INDIA** 8800465156

SRL LTD

GRAND MALL, OPPOSITE SBI ZONAL OFFICE, SM ROAD, AMBAWADI,

PATIENT ID:

AHMEDABAD, 380015

GUJRAT, INDÍA

Tel: 079-48912999,079-48913999,079-48914999

Email: customercare.ahmedabad@srl.in

PATIENT NAME: BILAKHSHAH ANAND

ACCESSION NO: 0321VC002538 32 Years AGE: SEX: Male

DRAWN: 26-03-2022 00:00 RECEIVED: 26-03-2022 10:34 REPORTED: 29-03-2022 15:52

REFERRING DOCTOR: SFLF CLIENT PATIENT ID:

Test Report Status Results **Biological Reference Interval** Units <u>Final</u>

Causes of decreased levels

- Low Zinc Intake
- OCP's
- Multiple Sclerosis

Nutritional tips to manage increased Uric acid levels

- Drink plenty of fluids
- Limit animal proteinsHigh Fibre foods

- Vit C Intake
 Antioxidant rich foods

ELECTROLYTES (NA/K/CL), SERUM-

Sodium levels are Increased in dehydration, cushing's syndrome, aldosteronism & decreased in Addison's disease, hypopituitarism,liver disease. Hypokalemia (low K) is common in vomiting, diarrhea, alcoholism, folic acid deficiency and primary aldosteronism. Hyperkalemia may be seen in end-stage renal failure, hemolysis, trauma, Addison's disease, metabolic acidosis, acute starvation, dehydration, and with rapid K infusion. Chloride is increased in dehydration, renal tubular acidosis (hyperchloremia metabolic acidosis), acute renal failure, metabolic acidosis associated with prolonged diarrhea and loss of sodium bicarbonate, diabetes insipidus, adrenocortical hyperfuction, salicylate intoxication and with excessive infusion of isotonic saline or extremely high dietary intake of salt. Chloride is decreased in overhydration, chronic respiratory acidosis, salt-losing nephritis, metabolic alkalosis, congestive heart failure, Addisonian crisis, certain types of metabolic acidosis, persistent gastric secretion and prolonged vomiting,

URINALYSIS-Routine urine analysis assists in screening and diagnosis of various metabolic, urological, kidney and liver disorders

Protein: Elevated proteins can be an early sign of kidney disease. Urinary protein excretion can also be temporarily elevated by strenuous exercise, orthostatic proteinuria, dehydration, urinary tract infections and acute illness with fever

Glucose: Uncontrolled diabetes mellitus can lead to presence of glucose in urine. Other causes include pregnancy, hormonal disturbances, liver disease and certain medications.

Ketones: Uncontrolled diabetes mellitus can lead to presence of ketones in urine. Ketones can also be seen in starvation, frequent vomiting, pregnancy and strenuous exercise.

Blood: Occult blood can occur in urine as intact erythrocytes or haemoglobin, which can occur in various urological, nephrological and bleeding disorders.

Leukocytes: An increase in leukocytes is an indication of inflammation in urinary tract or kidneys. Most common cause is bacterial urinary tract infection.

Nitrite: Many bacteria give positive results when their number is high. Nitrite concentration during infection increases with length of time the urine specimen is retained in bladder prior to collection.

pH: The kidneys play an important role in maintaining acid base balance of the body. Conditions of the body producing acidosis/ alkalosis or ingestion of certain type of food can affect the pH of urine.

Specific gravity: Specific gravity gives an indication of how concentrated the urine is. Increased specific gravity is seen in conditions like dehydration, glycosuria and proteinuria while decreased specific gravity is seen in excessive fluid intake, renal failure and diabetes insipidus.

Bilirubin: In certain liver diseases such as biliary obstruction or hepatitis, bilirubin gets excreted in urine.

Urobilinogen: Positive results are seen in liver diseases like hepatitis and cirrhosis and in cases of hemolytic anemia

THYROID PANEL, SERUM-

Triiodothyronine T3, is a thyroid hormone. It affects almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate. Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH.

Thyroxine T4, Thyroxine's principal function is to stimulate the metabolism of all cells and tissues in the body. Excessive secretion of thyroxine in the body is

hyperthyroidism, and deficient secretion is called hypothyroidism. Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the circulating hormone is free and biologically active. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low.

Below mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3
Levels in TOTAL T4 TSH3G TOTAL T3

Pregnancy (µg/dL) (µIU/mL) (ng/dL) 81 - 190 100 - 260 First Trimester 6.6 - 12.4 0.1 - 2.5 0.2 - 3.0 2nd Trimester 6.6 - 15.5 6.6 - 15.5 0.3 - 3.0 100 - 260 3rd Trimester Below mentioned are the guidelines for age related reference ranges for T3 and T4.

(μg/dL) 1-3 day: 8.2 - 19.9 (ng/dL) New Born: 75 - 260 1 Week: 6.0 - 15.9

NOTE: TSH concentrations in apparently normal euthyroid subjects are known to be highly skewed, with a strong tailed distribution towards higher TSH values. This is well

documented in the pediatric population including the infant age group.

Kindly note: Method specific reference ranges are appearing on the report under biological reference range.

Reference:

- 1. Burtis C.A., Ashwood E. R. Bruns D.E. Teitz textbook of Clinical Chemistry and Molecular Diagnostics, 4th Edition.
- Gowenlock A.H. Varley's Practical Clinical Biochemistry, 6th Edition.
 Behrman R.E. Kilegman R.M., Jenson H. B. Nelson Text Book of Pediatrics, 17th Edition

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-



Page 9 Of 11



Scan to View Report







BILAM050889321

CLIENT CODE: C000138364 **CLIENT'S NAME AND ADDRESS:**

ACROFEMI HEALTHCARE LTD (MEDIWHEEL)

F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI

NEW DELHI 110030 **DELHI INDIA** 8800465156

GRAND MALL, OPPOSITE SBI ZONAL OFFICE, SM ROAD, AMBAWADI,

AHMEDABAD, 380015

GUJRAT, INDÍA

Tel: 079-48912999,079-48913999,079-48914999

Email: customercare.ahmedabad@srl.in

PATIENT NAME: BILAKHSHAH ANAND

ACCESSION NO: 0321VC002538 AGE: 32 Years SEX: Male

DRAWN: 26-03-2022 00:00 RECEIVED: 26-03-2022 10:34

REPORTED: 29-03-2022 15:52

REFERRING DOCTOR: SELF

CLIENT PATIENT ID:

PATIENT ID:

Test Report Status Results **Biological Reference Interval** Units <u>Final</u>

Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same.

The test is performed by both forward as well as reverse grouping methods.

THIS REPORT CARRIES THE SIGNATURE OF OUR LABORATORY DIRECTOR. THIS IS AN INVIOLABLE FEATURE OF OUR LAB MANAGEMENT SOFTWARE. HOWEVER, ALL EXAMINATIONS AND INVESTIGATIONS HAVE BEEN CONDUCTED BY OUR PANEL OF DOCTORS.

Page 10 Of 11



Scan to View Report





BILAM050889321

CLIENT CODE: C000138364
CLIENT'S NAME AND ADDRESS:

ACROFEMI HEALTHCARE LTD (MEDIWHEEL)

F-703, LADO SARAI, MEHRAULI

SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156 SRL LTD

GRAND MALL, OPPOSITE SBI ZONAL OFFICE, SM ROAD, AMBAWADI,

PATIENT ID:

AHMEDABAD, 380015

GUJRAT, INDÍA

Tel: 079-48912999,079-48913999,079-48914999

Email: customercare.ahmedabad@srl.in

PATIENT NAME: BILAKHSHAH ANAND

ACCESSION NO: 0321VC002538 AGE: 32 Years SEX: Male

DRAWN: 26-03-2022 00:00 RECEIVED: 26-03-2022 10:34 REPORTED: 29-03-2022 15:52

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status <u>Final</u> Results Biological Reference Interval Units

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

ULTRASOUND ABDOMEN ULTRASOUND ABDOMEN

NO ABNORMALITIES DETECTED

End Of Report
Please visit www.srlworld.com for related Test Information for this accession

Dr.Priyank Kapadia Physician Dr Kalpana Modi Radiologist Dr.Sahil .N.Shah Consultant Radiologist Dr.Swati M.Shah Consultant Pathologist

CONDITIONS OF LABORATORY TESTING & REPORTING

- 1. It is presumed that the test sample belongs to the patient named or identified in the test requisition form.
- 2. All Tests are performed and reported as per the turnaround time stated in the SRL Directory of services (DOS).
- 3. SRL confirms that all tests have been performed or assayed with highest quality standards, clinical safety & technical integrity.
- 4. A requested test might not be performed if:
- a. Specimen received is insufficient or inappropriate specimen quality is unsatisfactory
 - b. Incorrect specimen type
- c. Request for testing is withdrawn by the ordering doctor or patient $% \left(1\right) =\left(1\right) \left(1$
- d. There is a discrepancy between the label on the specimen container and the name on the test requisition form

- 5. The results of a laboratory test are dependent on the quality of the sample as well as the assay technology.
- 6. Result delays could be because of uncontrolled circumstances. e.g. assay run failure.
- 7. Tests parameters marked by asterisks are excluded from the "scope" of NABL accredited tests. (If laboratory is accredited).
- 8. Laboratory results should be correlated with clinical information to determine Final diagnosis.
- 9. Test results are not valid for Medico- legal purposes.
 10. In case of queries or unexpected test results please call at SRL customer care (Toll free: 1800-222-000). Post proper investigation repeat analysis may be carried out.

SRL Limited

Fortis Hospital, Sector 62, Phase VIII, Mohali 160062



Page 11 Of 11



Scan to View Report