

DEPARTMENT OF LABORATORY MEDICINE

Final Report

Patient Name : Mrs Jyothi S Hegde MRN : 2011000009384 Gender/Age : FEMALE , 59y (01/06/1963)

Collected On : 02/05/2023 11:33 AM Received On : 02/05/2023 01:20 PM Reported On : 02/05/2023 02:42 PM

Barcode : 032305020183 Specimen : Urine Consultant : EXTERNAL(EXTERNAL)

Sample adequacy : Satisfactory Visit No : OP-001 Patient Mobile No : 9632559368

CLINICAL PATHOLOGY

Test	Result	Unit
Urine For Sugar (Post Prandial) (Enzyme Method (GOD POD))	Not Present	-
Urine For Sugar (Fasting) (Enzyme Method (GOD POD))	Not Present	-

Hema S

Dr. Hema S
MD, DNB, Pathology
Associate Consultant

BIOCHEMISTRY

Test	Result	Unit	Biological Reference Interval
Fasting Blood Sugar (FBS) (Colorimetric - Glucose Oxidase Peroxidase)	97	mg/dL	70 to 99 : Normal 100 to 125 : Pre-diabetes =>126 : Diabetes ADA standards 2020
Post Prandial Blood Sugar (PPBS) (Colorimetric - Glucose Oxidase Peroxidase)	91	mg/dL	70 to 139 : Normal 140 to 199 : Pre-diabetes =>200 : Diabetes ADA standards 2020
HBA1C			
HbA1c (HPLC NGSP Certified)	5.1	%	Normal: 4.0-5.6 Prediabetes: 5.7-6.4 Diabetes: => 6.5 ADA standards 2020
Estimated Average Glucose (Calculated)	99.67	-	-

Interpretation:

1. HbA1C above 6.5% can be used to diagnose diabetes provided the patient has symptoms. If the patient does not have symptoms with

Patient Name : Mrs Jyothi S Hegde MRN : 2011000009384 Gender/Age : FEMALE , 59y (01/06/1963)

HbA1C>6.5%, repeat measurement on further sample. If the repeat test result is <6.5%, consider as diabetes high risk and repeat measurement after 6 months.

2. HbA1C measurement is not appropriate in diagnosing diabetes in children, suspicion of type 1 diabetes, symptoms of diabetes for less than 2 months, pregnancy, hemoglobinopathies, medications that may result sudden increase in glucose, anemia, renal failure, HIV infection, malignancies, severe chronic hepatic, and renal disease.

3. Any sample with >15% should be suspected of having a haemoglobin variant.

SERUM CREATININE

Serum Creatinine (Two Point Rate - Creatinine Aminohydrolase)	0.75	mg/dL	0.52-1.04
eGFR (Calculated)	79.1	mL/min/1.73m ²	Indicative of renal impairment < 60 Note:eGFR is inaccurate for Hemodynamically unstable patients eGFR is not applicable for less than 18 years of age.
Blood Urea Nitrogen (BUN) (Endpoint /Colorimetric – Urease)	10	mg/dL	7.0-17.0
Serum Uric Acid (Colorimetric - Uricase, Peroxidase)	5.7	mg/dL	2.5-6.2

LIPID PROFILE (CHOL,TRIG,HDL,LDL,VLDL)

Cholesterol Total (Colorimetric - Cholesterol Oxidase)	171	mg/dL	Desirable: < 200 Borderline High: 200-239 High: > 240
Triglycerides (Colorimetric - Lip/Glycerol Kinase)	87	mg/dL	Normal: < 150 Borderline: 150-199 High: 200-499 Very High: > 500
HDL Cholesterol (HDLC) (Colorimetric: Non HDL Precipitation Phosphotungstic Acid Method)	79 H	mg/dL	40.0-60.0
Non-HDL Cholesterol (Calculated)	92.0	mg/dL	Desirable: < 130 Above Desirable: 130-159 Borderline High: 160-189 High: 190-219 Very High: => 220
LDL Cholesterol (Colorimetric)	75 L	mg/dL	Optimal: < 100 Near to above optimal: 100-129 Borderline High: 130-159 High: 160-189 Very High: > 190
VLDL Cholesterol (Calculated)	17.4	mg/dL	0.0-40.0
Cholesterol /HDL Ratio (Calculated)	2.2	-	0.0-5.0

Patient Name : Mrs Jyothi S Hegde MRN : 2011000009384 Gender/Age : FEMALE , 59y (01/06/1963)

THYROID PROFILE (T3, T4, TSH)

Tri Iodo Thyronine (T3) (Enhanced Chemiluminescence)	1.18	ng/mL	0.97-1.69
Thyroxine (T4) (Enhanced Chemiluminescence)	8.14	µg/dl	5.53-11.0
TSH (Thyroid Stimulating Hormone) (Enhanced Chemiluminescence)	5.542 H	µIU/mL	> 18 Year(s) : 0.4 -4.5 Pregnancy: 1st Trimester: 0.129-3.120 2nd Trimester: 0.274-2.652 3rd Trimester: 0.312-2.947

Interpretation Notes

- TSH levels are subjected to circadian variation, reaching peak levels between 2 - 4.a.m. and at a minimum between 6-10 pm . The variation is of the order of 50% , hence time of the day has influence on the measured serum TSH concentrations. Alteration in concentration of Thyroid hormone binding protein can profoundly affect Total T3 and/or Total T4 levels especially in pregnancy and in patients on steroid therapy. Unbound fraction (Free,T4 /Free,T3) of thyroid hormone is biologically active form and correlate more closely with clinical status of the patient than total T4/T3 concentration.

LIVER FUNCTION TEST(LFT)

Bilirubin Total (Colorimetric -Diazo Method)	0.56	mg/dL	0.2-1.3
Conjugated Bilirubin (Direct) (Dual Wavelength - Reflectance Spectrophotometry)	0.10	mg/dL	0.0-0.3
Unconjugated Bilirubin (Indirect) (Calculated)	0.47	mg/dL	0.0-1.1
Total Protein (Colorimetric - Biuret Method)	7.20	gm/dL	6.3-8.2
Serum Albumin (Colorimetric - Bromo-Cresol Green)	4.50	gm/dL	3.5-5.0
Serum Globulin (Calculated)	2.7	gm/dL	2.0-3.5
Albumin To Globulin (A/G)Ratio (Calculated)	1.67	-	1.0-2.1
SGOT (AST) (Multipoint-Rate With P-5-P (pyridoxal-5-phosphate))	34	U/L	14.0-36.0
SGPT (ALT) (Multipoint-Rate With P-5-P (pyridoxal-5-phosphate))	28	U/L	<35.0
Alkaline Phosphatase (ALP) (Multipoint-Rate - P-nitro Phenyl Phosphate, AMP Buffer)	63	U/L	38.0-126.0
Gamma Glutamyl Transferase (GGT) (Multipoint Rate - L-glutamyl-p-nitroanilide (Szasz Method))	22	U/L	12.0-43.0

Page 3 of 6

Narayana Institute of Cardiac Sciences

(A Unit of Narayana Hrudayalaya Limited) CIN: L85110KA2000PLC027497

Registered Office: 258/A, Bommasandra Industrial Area, Anekal Taluk, Bangalore 560099

Hospital Address: NH Health City, 258/A, Bommasandra Industrial Area, Anekal Taluk, Bangalore 560099

Email: info.nics@narayanahealth.org | www.narayanahealth.org



Appointments
1800-309-0309

Emergencies
97384 97384

Patient Name : Mrs Jyothi S Hegde MRN : 2011000009384 Gender/Age : FEMALE , 59y (01/06/1963)

Interpretation Notes

- Indirect Bilirubin result is a calculated parameter (Indirect Bilirubin = Total Bilirubin - Direct Bilirubin). Indirect bilirubin result includes the delta bilirubin fraction also. Delta Bilirubin is the bilirubin which is covalently bound to albumin. Delta Bilirubin is not expected to be present in healthy adults or neonates.



Mrs. Latha B S
MSc, Mphil, Biochemistry
Incharge, Consultant Biochemistry



Dr. Anushre Prasad
MBBS,MD, Biochemistry
Consultant Biochemistry

HEMATOLOGY

Test	Result	Unit	Biological Reference Interval
Erythrocyte Sedimentation Rate (ESR) (Westergren Method)	29 H	mm/1hr	0.0-19.0

Interpretation Notes

- ESR high - Infections, chronic disorders,, plasma cell dyscrasias.

DISCLAIMER:All the laboratory findings should mandatorily interpreted in correlation with clinical findings by a medical expert

COMPLETE BLOOD COUNT (CBC)

Haemoglobin (Hb%) (Photometric Measurement)	13.7	g/dL	12.0-15.0
Red Blood Cell Count (Electrical Impedance)	4.32	million/ μ l	3.8-4.8
PCV (Packed Cell Volume) / Hematocrit (Calculated)	37.9	%	36.0-46.0
MCV (Mean Corpuscular Volume) (Derived)	87.7	fL	83.0-101.0
MCH (Mean Corpuscular Haemoglobin) (Calculated)	31.7	pg	27.0-32.0
MCHC (Mean Corpuscular Haemoglobin Concentration) (Calculated)	36.1 H	%	31.5-34.5

Page 4 of 6

Narayana Institute of Cardiac Sciences

(A Unit of Narayana Hrudayalaya Limited) CIN: L85110KA2000PLC027497

Registered Office: 258/A, Bommasandra Industrial Area, Anekal Taluk, Bangalore 560099

Hospital Address: NH Health City, 258/A, Bommasandra Industrial Area, Anekal Taluk, Bangalore 560099

Email: info.nics@narayanahealth.org | www.narayanahealth.org



Appointments
1800-309-0309

Emergencies
97384 97384

Patient Name : Mrs Jyothi S Hegde MRN : 2011000009384 Gender/Age : FEMALE , 59y (01/06/1963)

Red Cell Distribution Width (RDW) (Derived)	13.0	%	11.6-14.0
Platelet Count (Electrical Impedance Plus Microscopy)	237	10 ³ /μL	150.0-450.0
Total Leucocyte Count(WBC) (Electrical Impedance)	5.3	10 ³ /μL	4.0-10.0

DIFFERENTIAL COUNT (DC)

Neutrophils (VCS Technology Plus Microscopy)	45.6	%	40.0-75.0
Lymphocytes (VCS Technology Plus Microscopy)	43.4 H	%	20.0-40.0
Monocytes (VCS Technology Plus Microscopy)	8.1	%	2.0-10.0
Eosinophils (VCS Technology Plus Microscopy)	1.9	%	1.0-6.0
Basophils (VCS Technology Plus Microscopy)	1.0	%	0.0-2.0
Absolute Neutrophil Count (Calculated)	2.42	x10 ³ cells/μl	2.0-7.0
Absolute Lymphocyte Count (Calculated)	2.31	x10 ³ cells/μl	1.0-3.0
Absolute Monocyte Count (Calculated)	0.43	x10 ³ cells/μl	0.2-1.0
Absolute Eosinophil Count (Calculated)	0.11	x10 ³ cells/μl	0.02-0.5
Absolute Basophil Count (Calculated)	0.06	-	-

As per the recommendation of International Council for Standardization in Hematology, the differential counts are additionally being reported as absolute numbers.

Interpretation Notes

- Haemoglobin , RBC Count and PCV: If below reference range, indicates Anemia. Further evaluation is suggested .
RBC Indices aid in typing of anemia.
- WBC Count: If below reference range, susceptibility to infection.
If above reference range- Infection*
If very high in lakhs-Leukemia
- Neutrophils -If above reference range-acute infection, mostly bacterial
- Lymphocytes -If above reference range-chronic infection/ viral infection
- Monocytes -If above reference range- TB,Typhoid,UTI
- Eosinophils -If above reference range -Allergy,cough,Common cold,Asthma & worms
- Basophils - If above reference range, Leukemia, allergy
- Platelets: If below reference range- bleeding disorder, Dengue, drug- induced, malignancies
- * In bacterial infection with fever total WBC count increases.




Patient Name : Mrs Jyothi S Hegde MRN : 2011000009384 Gender/Age : FEMALE , 59y (01/06/1963)

Eg Tonsillitis,Sinusitis,Bronchitis,Pneumonia,Appendicitis,UTI -12000-25000 cells/cumm.
In typhoid and viral fever WBC may be normal.

DISCLAIMER:All the laboratory findings should mandatorily interpreted in correlation with clinical findings by a medical expert.

--End of Report-



Dr. Sudarshan Chougule
MBBS, MD, Pathology
Consultant & Head - Hematology & Flow Cytometry

Note

- Abnormal results are highlighted.
- Results relate to the sample only.
- Kindly correlate clinically.
(Fasting Blood Sugar (FBS), -> Auto Authorized)
(CR, -> Auto Authorized)
(LFT, -> Auto Authorized)
(Blood Urea Nitrogen (Bun), -> Auto Authorized)
(Uric Acid, -> Auto Authorized)
(Post Prandial Blood Sugar (PPBS) -> Auto Authorized)



DEPARTMENT OF LABORATORY MEDICINE

Final Report

Patient Name : Mrs Jyothi S Hegde MRN : 2011000009384 Gender/Age : FEMALE , 59y (01/06/1963)

Collected On : 02/05/2023 09:20 AM Received On : 02/05/2023 01:16 PM Reported On : 02/05/2023 02:26 PM

Barcode : 1B2305020022 Specimen : Whole Blood Consultant : EXTERNAL(EXTERNAL)

Sample adequacy : Satisfactory Visit No : OP-001 Patient Mobile No : 9632559368

NARAYANA HRUDAYALAYA BLOOD CENTRE

Test	Result	Unit
BLOOD GROUP & RH TYPING		
Blood Group (Column Agglutination Technology)	B	-
RH Typing (Column Agglutination Technology)	Positive	-



Dr. Prathip Kumar B R
MBBS,MD, Immunohaematology & Blood Transfusion
Consultant

CLINICAL PATHOLOGY

Test	Result	Unit	Biological Reference Interval
URINE ROUTINE & MICROSCOPY			
PHYSICAL EXAMINATION			
Colour	Yellow	-	-
Appearance	Clear	-	-
CHEMICAL EXAMINATION			
pH(Reaction) (pH Indicator Method)	5.0	-	4.5-7.5
Sp. Gravity (Refractive Index)	1.004	-	1.002 - 1.030
Protein (Automated Protein Error Or Ph Indicator)	Not Present	-	Not Present
Urine Glucose (Enzyme Method (GOD POD))	Not Present	-	Not Present

Page 1 of 3

Narayana Institute of Cardiac Sciences

(A Unit of Narayana Hrudayalaya Limited) CIN: L85110KA2000PLC027497

Registered Office: 258/A, Bommasandra Industrial Area, Anekal Taluk, Bangalore 560099

Hospital Address: NH Health City, 258/A, Bommasandra Industrial Area, Anekal Taluk, Bangalore 560099

Email: info.nics@narayanahealth.org | www.narayanahealth.org



Appointments
1800-309-0309

Emergencies
97384 97384

Patient Name : Mrs Jyothi S Hegde MRN : 2011000009384 Gender/Age : FEMALE , 59y (01/06/1963)			
Ketone Bodies (Nitroprusside Method)	Not Present	-	Not Present
Bile Salts (Azo Coupling Method)	Not Present	-	Not Present
Bile Pigment (Bilirubin) (Azo Coupling Method)	Not Present	-	Not Present
Urobilinogen (Azo Coupling Method)	Normal	-	Normal
Urine Leucocyte Esterase (Measurement Of Leukocyte Esterase Activity)	Not Present	-	Not Present
Blood Urine (Peroxidase Reaction)	Not Present	-	Not Present
Nitrite (Gries Method)	Not Present	-	Not Present

MICROSCOPIC EXAMINATION

Pus Cells	0.0	/hpf	0-5
RBC	0.3	/hpf	0-4
Epithelial Cells	0.1	/hpf	0-6
Crystals	0.0	/hpf	0-2
Casts	0.00	/hpf	0-1
Bacteria	0.6	/hpf	0-200
Yeast Cells	0.0	/hpf	0-1
Mucus	Not Present	-	Not Present

Interpretation Notes

- Since the analytical methodology of Urine Microscopy is Flow cytometry based and FDA approved the results of automated urine microscopy which includes RBCs, WBCs Epithelial cells etc are being reported in decimal fraction. Rounding off the value to nearest whole number is suggested.

--End of Report--



Patient Name : Mrs Jyothi S Hegde MRN : 2011000009384 Gender/Age : FEMALE , 59y (01/06/1963)

Hema S

Dr. Hema S
MD, DNB, Pathology
Associate Consultant

Note

- Abnormal results are highlighted.
- Results relate to the sample only.
- Kindly correlate clinically.

