

			LABORATORY REPORT			
Name	:	Mrs. Azimabanu Abbas Mansuri		Reg. No	:	302100948
Sex/Age	:	Female/36 Years		Reg. Date	:	22-Feb-2023 09:07 AM
Ref. By	:			Collected On	:	
Client Name	:	Mediwheel		Report Date	•	22-Feb-2023 02:52 PM

Medical Summary

GENERAL EXAMINATION

Height (cms):164

Weight (kgs):66.0

Blood Pressure: 120/80mmHg

Pulse: 76/Min

No Clubbing/Cynosis/Pallor/PedelOedem

Systemic Examination:

Cardio vascular System - S1,S2 Normal, No Murmur

Respiratory system - AEBE

Central Nervous System - No FND

Abdomen - Soft, Non Tender, No Organomegaly

Epilepsy - N/A


This is an electronically authenticated report

Dr.Jay Soni

M.D, GENERAL MEDICINE

Page 3 of 4

CUROVIS HEALTHCARE PVT. LTD.



Add. 12, Khurshidpark OPP Gandhihall Swithoj rociel
Ahmedabad - 55



Government o wile


ત્રન્યુરી અજમાબાનુ અબ્લ હ Mansuri Azimabanu Abbas જન્મ તારીખ / DOB : 29/12/1986 will Female

3621 9289 7532 単純

Dr. Jay Soni M.D. (General Medicine) Rog. No.: G-23899



of Mangrari go John Hos









Reg. No

302100948

Ref Id

:: PKG10000249 Collected On : 22-Feb-2023 09:07 AM

Name

: Mrs. Azimabanu Abbas Mansuri

Reg. Date

: 22-Feb-2023 09:07 AM

Age/Sex

: 36 Years

I Female Pass. No.

Rosults

Tele No.

: 9601041405

Ref. By

Dispatch At

Location

Sample Type

: EDTA Whole Blood

Parameter

: CHPL

Unit

Biological Ref. Interval

COMPLETE BLOOD COUNT (CBC) Specimen: EDTA blood

Hemoglobin	L 10.9	g/dL	12.5 - 16.0
Hematrocrit (Calculated)	L 34.90	%	37 - 47
RBC Count	4.70	million/cmm	4.2 - 5.4
MCV	L 74.2	fL.	78 - 100
MCH (Calculated)	L 23.3	Pg	27 - 31
MCHC (Calculated)	31.4	%	31 - 35
RDW (Calculated)	12.8	%	11.5 - 14.0
WBC Count	5180	/cmm	4000 - 10500
MPV (Calculated)	9.4	fL.	7.4 - 10.4
•			

DIFFERENTIAL WBC COUNT	[%]		EXPECTED VALUES	[Abs]		EXPECTED VALUES
Neutrophils (%)	58.00	%	42.02 - 75.2	3004	/cmm	2000 - 7000
Lymphocytes (%)	34.90	%	20 - 45	1808	/cmm	1000 - 3000
Eosinophils (%)	1.50	%	0 - 6	280	/cmm	200 - 1000
Monocytes (%)	5.40	%	2 - 10	78	/cmm	20 - 500
Basophils (%)	0.20	%	0 - 1	10	/cmm	0 - 100

PERIPHERAL SMEAR STUDY

RBC Morphology

Mild Microcytic and Hypochromic.

WBC Morphology

TC & DC as above.

PLATELET COUNTS

Platelet Count (Volumetric Impedance)

304000

/cmm

150000 - 450000

Platelets

Platelets are adequate with normal morphology.

Parasites

Malarial parasite is not detected.

Comment

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Generated On:

22-Feb-2023 04:55 PM

Approved On:

22-Feb-2023 12:10 PM

Page 1 of 10

CUROVIS HEALTHCARE PVT. LTD.







: 302100948 Ref Id : PKG10000249 Collected On : 22-Feb-2023 09:07 AM

Name

: Mrs. Azimabanu Abbas Mansuri

/ Female

Reg. Date

: 22-Feb-2023 09:07 AM

Age/Sex

Reg. No

: 36 Years

Pass. No.

Tele No.

: 9601041405

Ref. By

Dispatch At

Location

: CHPL

Sample Type

: EDTA Whole Blood

Parameter

Result

Unit

Biological Ref. Interval

HEMATOLOGY

BLOOD GROUP & RH

Specimen: EDTA and Serum; Method: Forward Reverse Tube Agglutination

ABO

"B"

Rh (D)

Positive

Note

ERYTHROCYTE SEDIMANTATION RATE [ESR]

ESR 1 hour

Infra red mensurement

25

mm/hr

ESR AT 1 hour: 3-12

ERYTHRO SEDIMENTION RATE, BLOOD -

Erythrocyte sedimentation rate (ESR) is a non - specific phenomena and is clinically useful in the diagnosis and monitoring of disorders associated with an increased production of acute phase reactants. The ESR is increased in prenancy from about the 3rd month and returns to normal by the 4th week post partum. ESR is influenced by age, sex, menstrual cycle and drugs (eg. corticosteroids, contraceptives). It is especially low (o-1mm) in polycythaemia, hypofibrinogenemia or or congestive cardiac failure and when there are abnormalities or the red cells such as poikilocytosis, spherocytosis or sickle cells.

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Generated On: 22-Feb-2023 04:55 PM

Approved On:

22-Feb-2023 12:10 PM

Page 2 of 10

CUROVIS HEALTHCARE PVT. LTD.







Reg. No

: 302100948

Ref Id

: PKG10000249 Collected On

: 22-Feb-2023 09:07 AM

Name

: Mrs. Azimabanu Abbas Mansuri

Reg. Date

: 22-Feb-2023 09:07 AM

Age/Sex

1 Female

: 9601041405

: 36 Years

Pass. No.

Tele No.

Ref. By Location

: CHPL

Dispatch At

Sample Type

: Flouride F, Flouride PP

Parameter

Result

Unit

Biological Ref. Interval

FASTING PLASMA GLUCOSE Specimen: Flouride plasma

Fasting Blood Sugar (FBS)

104.30

mg/dL

70 - 110

GOD-POD Method

GOD-POD Mothod

Criteria for the diagnosis of diabetes

1. HbA1c >/= 6.5 *

Or

2. Fasting plasma glucose >126 gm/dL. Fasting is defined as no caloric intake at least for 8 hrs.

3. Two hour plasma glucose >/= 200mg/dL during an oral glucose tolerence test by using a glucose load containing equivalent of 75 gm anhydrous glucose dissolved in water. Or

4. In a patient with classic symptoms of hyperglycemia or hyperglycemic crisis, a random plasma glucose >/= 200 mg/dL.

*In the absence of unequivocal hyperglycemia, criteria 1-3 should be confirmed by repeat testing. American diabetes association. Standards of medical care in diabetes 2011. Diabetes care 2011;34;S11.

POST PRANDIAL PLASMA GLUCOSE

Specimen: Flouride plasma

Post Prandial Blood Sugar (PPBS)

112.9

mg/dL

70 - 140

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Generated On: 22-Feb-2023 04:55 PM

Approved On:

22-Feb-2023 12:59 PM

Page 3 of 10

CUROVIS HEALTHCARE PVT. LTD.







Reg. No

: 302100948

Ref Id

: PKG10000249

Collected On

: 22-Feb-2023 09:07 AM

Name

: Mrs. Azimabanu Abbas Mansuri

Reg. Date

: 22-Feb-2023 09:07 AM

Age/Sex

: 36 Years

1 Female

Pass. No.

Tele No. Dispatch At

: 9601041405

Ref. By Location

: CHPL

Sample Type : Serum

		oumpio Typo	, 00, 4111
Parameter	Result	Unit	Biological Ref. Interval
	Lipid Profile		
Cholesterol	123.00	mg/dL	Desirable: < 200 Boderline High: 200 - 239 High: > 240
Enzymatic, colorimetric method			
Triglyceride	105.70	mg/dL	Normal: < 150 Boderline High: 150 - 199 High: 200 - 499 Very High: > 500
Enzymatic, colorimotric mothod			
HDL Cholesterol	40.40	mg/dL	High Risk : < 40 Low Risk : = 60
Accelerator selective detergent method			
LDL	61.46	mg/dL	Optimal: < 100.0 Near / above optimal: 100-129 Borderline High: 130- 159 High: 160-189 Very High: >190.0
Calculated			
VLDL Calculated	21.14	mg/dL	15 - 35
LDL / HDL RATIO Calculated	1.52		0 - 3.5
Cholesterol /HDL Ratio	3.04		0 - 5.0

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Generated On: 22-Feb-2023 04:55 PM

Approved On:

22-Feb-2023 12:10 PM

Page 4 of 10

CUROVIS HEALTHCARE PVT. LTD.



Parameter





TEST REPORT				REPORT		
Reg. No	: 302100948		Ref Id	: PKG10000249	Collected On	: 22-Feb-2023 09:07 AM
Name	: Mrs. Azima	banu Abbas N	/lansuri		Reg. Date	: 22-Feb-2023 09:07 AM
Age/Sex	: 36 Years	/ Female	Pass. No.	:	Tele No.	: 9601041405
Ref. By	;				Dispatch At	1
Location	: CHPL				Sample Type	: Serum

Result

Unit

BIO - CHEMISTRY						
	LFT WITH GGT					
Total Protein Biurot Reaction	6.94	gm/dL	6.3 - 8.2			
Albumin By Bromocrosol Groon	4.55	g/dL	0 - 4 days: 2.8 - 4.4 4 days - 14 yrs: 3.8 - 5.4 14 - 19 yrs: 3.2 - 4.5 20 - 60 yrs: 3.5 - 5.2 60 - 90 yrs: 3.2 - 4.6 > 90 yrs: 2.9 - 4.5			
Globulin Calculated	2.39	g/dL	2.3 - 3.5			
A/G Ratio Calculated	1.90		0.8 - 2.0			
SGOT UV without P5P	19.20	U/L	0 - 40			
SGPT UV without P5P	17.10	U/L.	0 - 40			
Alakaline Phosphatase p - Nitrophonylphosphate (PNPP)	49.5	U/L	42 - 98			
Total Bilirubin Vanadato Oxidation	0.29	mg/dL	0 - 1.2			
Conjugated Bilirubin	0.10	mg/dL	0.0 - 0.4			
Unconjugated Bilirubin Calculated	0.19	mg/dL	0.0 - 1.1			
GGT SZASZ Mathod	12.70	mg/dL	15 - 73			

This is an electronically authenticated report.

* This test has been out sourced.

SZASZ Mothod

Approved By:

Dr.Keyur Patel

Biological Ref. Interval

M.B.DCP

Generated On: 22-Feb-2023 04:55 PM

Approved On:

22-Feb-2023 02:35 PM

Page 5 of 10

CUROVIS HEALTHCARE PVT. LTD.







Reg. No

: 302100948

Ref Id

: PKG10000249

Collected On

: 22-Feb-2023 09:07 AM

Name Age/Sex

Ref. By

Location

: Mrs. Azimabanu Abbas Mansuri : 36 Years

: CHPL

/ Female

Pass. No.

Reg. Date

: 22-Feb-2023 09:07 AM

Tele No.

: 9601041405

Dispatch At

Sample Type : Serum

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Generated On: 22-Feb-2023 04:55 PM

Approved On:

22-Feb-2023 02:35 PM

Page 6 of 10

CUROVIS HEALTHCARE PVT. LTD.







Reg. No

: 302100948

Ref Id

: PKG10000249

Collected On

: 22-Feb-2023 09:07 AM

Name

: Mrs. Azimabanu Abbas Mansuri

Reg. Date

: 22-Feb-2023 09:07 AM

Age/Sex

: 36 Years

Pass. No.

Tele No.

Unit

: 9601041405

Ref. By

1 Female

Dispatch At

: Serum

Location

Parameter

: CHPL

Sample Type

Biological Ref. Interval

Result **BIO - CHEMISTRY**

Uric Acid

Enzymatic, colorimetric method

2.80

mg/dL

Adult: 2.5 - 6.5

Child: 2.5 - 5.5

Creatinine

Enzymatic Mothod

0.58

mg/dL

Adult: 0.55 - 1.02

Child: 0.5 - 1.0

BUN

UV Mothod

7.30

mg/dL

Adult: 7.0 - 17.0

Child: 5.0 - 18.0

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Generated On:

22-Feb-2023 04:55 PM

Approved On:

22-Feb-2023 12:10 PM

Page 7 of 10

CUROVIS HEALTHCARE PVT. LTD.





: PKG10000249

TEST REPORT

Collected On : 22-Feb-2023 09:07 AM

: 302100948 Name : Mrs. Azimabanu Abbas Mansuri

Reg. Date

: 22-Feb-2023 09:07 AM

Age/Sex

Tele No.

Unit

Reg. No

: 36 Years 1 Female Pass. No.

Ref Id

: 9601041405

Ref. By

: CHPL

Dispatch At

Sample Type

: EDTA Whole Blood

Parameter

Location

Result

Biological Ref. Interval

HEMOGLOBIN A1 C ESTIMATION

Specimen: Blood EDTA

*Hb A1C

5.5

% of Total Hb

Normal: < 5.7 %

Pre-Diabetes: 5.7 % -

Diabetes: 6.5 % or

higher

Boronate Affinity with Fluorescent Quenching

Mean Blood Glucose

111.15

mg/dL

Calculated

Degree of Glucose Control Normal Range:

Poor Control >7.0% *

Good Control 6.0 - 7.0 %**Non-diabetic level < 6.0 %

* High risk of developing long term complication such as retinopathy, nephropathy, neuropathy, cardiopathy, etc.

* Some danger of hypoglycemic reaction in Type I diabetics.

* Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1c levels in this area.

EXPLANATION:-

*Total haemoglobin A1 c is continuously synthesised in the red blood cell throught its 120 days life span. The concentration of HBA1c in the cell reflects the average blood glucose concentration it encounters.

- *The level of HBA1c increases proportionately in patients with uncontrolled diabetes. It reflects the average blood glucose concentration over an extended time period and remains unaffected by short-term fluctuations in blood glucose levels.
- *The measurement of HbA1c can serve as a convenient test for evaluating the adequacy of diabetic control and in preventing various diabetic complications. Because the average half life of a red blood cell is sixty days. HbA1c has been accepted as a measurnment which eflects the mean daily blood glucose concentration, better than fasting blood glucose determination, and the degree of carbohydrate imbalance over the preceding two months.

*It may also provide a better index of control of the diabetic patient without resorting to glucose loading procedures.

HbA1c assay Interferences:

*Errneous values might be obtained from samples with abnormally elevated quantities of other Haemoglobins as a result of either their simultaneous elution with HbA1c(HbF) or differences in their glycation from that of HbA(HbS)

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Generated On: 22-Feb-2023 04:55 PM

Approved On:

22-Feb-2023 02:35 PM

Page 8 of 10

CUROVIS HEALTHCARE PVT. LTD.





Reg. No : 302100948

Ref Id

: PKG10000249

Collected On

: 22-Feb-2023 09:07 AM : 22-Feb-2023 09:07 AM

Name : Mrs. Azimabanu Abbas Mansuri

: 36 Years / Female

Pass. No.

Reg. Date Tele No.

Unit

: 9601041405

Ref. By

Age/Sex

Dispatch At

: Serum

Location

Parameter

: CHPL

Sample Type

Biological Ref. Interval

Result **IMMUNOLOGY**

THYROID FUNCTION TEST

T3 (Triiodothyronine)

CHEMILUMINECENT MICROPARTICLE IMMUNOASSAY

1.46

ng/mL

0.86 - 1.92

Triiodothyronine (T3) is a hormone synthesized and secreted by the thyroid gland in response to the pituitary hormone TSH (thyroid stimulating hormone) and is regulated by a negative feedback mechanism involving the thyroid gland, pituitary gland and hypothalamus.

In the circulation, 99.7% of T3 is reversibly bond to transport proteins, primarily thyroxine-binding globulin (TBG) and to a lesser extent albumin and prealbumin. The remaining unbound T3 is free in the circulation and is metabolically active.

In hypothyroidism and hyperthyroidism, F T3 (free T3) levels parallel changes in total T3 levels. Measuring F T3 is useful in certain conditions such as normal pregnancy and steroid therapy, when altered levels of total T3 occur due to changes in T3 binding proteins, especially TBG.

T4 (Thyroxine)

CHEMILUMINECENT MICROPARTICLE IMMUNOASSAY

8.90

µg/dL

3.2 - 12.6

Thyroxin (T4) is a hormone synthesized and secreted by the thyroid gland in response to the pituitary hormone TSH (thyroid stimulating hormone) and is regulated by a negative feedback mechanism involving the thyroid gland, pituitary gland and hypothalamus. In the circulation, 99.95% of T4 is reversibly bond to transport proteins, primarily thyroxine-binding globulin (TBG) and to a lesser extent albumin and thyroxine-binding prealbumin. The remaining unbound T4 is free in the circulation and is both metabolically active and a precursor to triiodothyronine (T3).

In hypothyroidism and hyperthyroidism, F T4 (free T4) levels parallel changes in total T4 levels. Measuring FT4 is useful in certain conditions such as normal pregnancy and steroid therapy, when altered levels of total T4 occur due to changes in T4 binding proteins, especially TBG.

Limitations:

- 1. The anticonvulsant drug phenytoin may interfere with total and F T4 levels due to competition for TBG binding
- 2.F T4 values may be decreased in patients taking carbamazepine.
- 3. Thyroid autoantibodies in human serum may interfere and cause falsely elevated F T4 results.

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Generated On: 22-Feb-2023 04:55 PM

Approved On:

22-Feb-2023 01:18 PM

Page 9 of 10

CUROVIS HEALTHCARE PVT. LTD.





Reg. No

: 302100948

Ref Id

: PKG10000249 Collected On

: 22-Feb-2023 09:07 AM

Name Age/Sex

1 Female

: Mrs. Azimabanu Abbas Mansuri

Pass. No.

Reg. Date

: 22-Feb-2023 09:07 AM

: 36 Years

Tele No.

: 9601041405

Ref. By

Location

Dispatch At

: Serum

TSH

: CHPL

Sample Type

1.650 uIU/ml

0.35 - 5.50

CHEMILUMINECENT MICROPARTICLE IMMUNOASSAY

Thyroid stimulating hormone (TSH) is synthesized and secreted by the anterior pituitary in response to a negative feedback mechanism involving concentrations of FT3 (free T3) and FT4 (free T4). Additionally, the hypothalamic tripeptide, thyrotropin-relasing hormone (TRH), directly stimulates TSH production. TSH stimulates thyroid cell production and hypertrophy, also stimulate the thyroid gland to synthesize and secrete T3 and T4. Quantification of TSH is significant to differentiate primary (thyroid) from secondary (pituitary) and tertiary (hypothalamus) hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low.

TSH levels During Pregnancy: First Trimester :0.1 to 2.5 µIÚ/mL Second Trimester: 0.2 to 3.0 µIU/mL Third trimester: 0.3 to 3.0 µIU/mL

Referance: Carl A.Burtis, Edward R.Ashwood, David E.Bruns. Tietz Textbook of Clinical Chemistry and Molecular

Diagnostics. 5th Eddition. Philadelphia: WB Sounders, 2012:2170

----- End Of Report -----

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Generated On: 22-Feb-2023 04:55 PM

Approved On:

22-Feb-2023 01:18 PM

Page 10 of 1

CUROVIS HEALTHCARE PVT. LTD.



		NEW MENT DESCRIPTION OF THE PERSON OF THE PE	LABORATORY REPORT			
Name	:	Mrs. Azimabanu Abbas Mansuri		Reg. No	:	302100948
Sex/Age	:	Female/36 Years		Reg. Date	:	22-Feb-2023 09:07 AM
Ref. By	:			Collected On	:	
Client Name	:	Mediwheel	*2	Report Date	:	22-Feb-2023 02:53 PM

Electrocardiogram

Findings

Normal Sinus Rhythm.

Within Normal Limit.



This is an electronically authenticated report

Dr.Jay Soni

M.D, GENERAL MEDICINE

Page 1 of 4

CUROVIS HEALTHCARE PVT. LTD.

AT-1825 Us 1 24: C	25 mm/s 0.05-25 Hz F50 SSF SBS 22.02.2023 03:56:10	25
HEALTHEARE LANGUE	<u>le mm/mV</u> Curavis	
		\$1. \$5 ₇ \$20 23
		24 5% 6% 6%
>)	in the second
		Long since the second
		200 San Alexandra de Caracteria de Caracteri
	<u> </u>	
	T aug.	
18 mm/mV	18 mm/mV	
	Z (0 + 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	
	0TC 414 ms	
	ORS 84 ms 5 (U1) -8.68	
	66 kg PR 128 ms P (II) 8.11	16
	34 vears P 110 ms	34
	intervals: UKS	4
	P 47	135
	tU HR 76/min fixis:	Z4
		300



			LABORATORY REPORT			
Name	:	Mrs. Azimabanu Abbas Mansuri		Reg. No	:	302100948
Sex/Age	:	Female/36 Years		Reg. Date	:	22-Feb-2023 09:07 AM
Ref. By	:	•		Collected On	:	
Client Name	:	Mediwheel		Report Date	:	22-Feb-2023 03:18 PM

USG ABDOMEN

Liver appears normal in size & in echogenicity. No evidence of focal solid or cystic lesion seen. No evidence of dilatation of intra-hepatic billiary or portal radicals. PV is normal in caliber.

Gall bladder is normally distended. No evidence of calculus or mass seen. Gall bladder wall thickness appears normal.

Pancreas Visualized portion appears normal in size and echopattern. No evidence of focal lesions.

Spleen appears normal in size & echopattern.

Both kidneys are normal in size, shape and position. C.M. differentiation on both sides is maintained. No evidence of hydronephrosis, calculus or solid mass on either side.

Urinary bladder is partially distended. No evidence of calculus or mass lesion.

Uterus appears normal. No adnexal mass is seen.

No evidence of ascites.

No evidence of lymph adenopathy.

No evidence of dilated small bowel loops.

COMMENTS:

NO SIGNIFICANT ABNORMALITY DETECTED.

This is an electronically authenticated report

DR DHAVAL PATEL Consultant Radiologist MB, DMRE Reg No:0494

Page 1 of 2

CUROVIS HEALTHCARE PVT. LTD.



	*************		LABORATORY REPORT			
Name	:	Mrs. Azimabanu Abbas Mansuri		Reg. No	;	302100948
Sex/Age	:	Female/36 Years		Reg. Date	:	22-Feb-2023 09:07 AM
Ref. By	:	•		Collected On	:	
Client Name	•	Mediwheel		Report Date		22-Feb-2023 03:19 PM

X RAY CHEST PA
Both lung fields appear clear.
No evidence of any active infiltrations or consolidation.
Cardiac size appears within normal limits.
Both costo-phrenic angles appear free of fluid.
Both domes of diaphragm appear normal.
COMMENT: No significant abnormality is detected.
End Of Report

This is an electronically authenticated report

DR DHAVAL PATEL Consultant Radiologist MB, DMRE Reg No:0494

Julia. ALIMEDARA

Page 2 of 2

CUROVIS HEALTHCARE PVT. LTD.



LABORATORY REPORT Name Mrs. Azimabanu Abbas Mansuri 302100948 Reg. No Sex/Age Female/36 Years Reg. Date 22-Feb-2023 09:07 AM Ref. By **Collected On Client Name** Mediwheel 22-Feb-2023 02:54 PM Report Date

Eye Check - Up

No Eye Complaints

RIGHT EYE

SP: -0.50

CY: -0.50

AX: 97

LEFT EYE

SP:-0.50

CY: ±0.00

AX:00

	Without Glasses	With Glasses
Right Eye	6/5	N.A
Left Eye	6/5	N.A

Near Vision: Right Eye - N/6, Left Eye - N/6

Fundus Examination - Within Normal Limits.

ColorVision: Normal

Comments: Right and left eye laser surgery in 2016.

----- End Of Report -----

AKMIHCA STAND STAN

This is an electronically authenticated report

Dr Kejal Patel MB,DO(Ophth)

Page 4 of 4

CUROVIS HEALTHCARE PVT. LTD.




NAME: - AZIMABANU MANSURI.

ID NO :-

AGE:- 36Y / F

Date: - 22/02/2023

AUDIOGRAM



MODE	Alr Conduction		Bone Conduction		1			
EAR	Maskod	UnWasked		UnMasked	1 1	Threshold In dB	RIGHT	LEFT
LEFT	(X	The parties of the second seco	>	Blue	AIR CONDUCTION	11	11.5
RIGHT	Δ	0	C	<	Red	BONE CONDUCTION		
NO RESPONSE: Add 1 below the respective symbols						SPEECH	**************************************	

Comments:-

Bilateral Hearing Sensitivity Within Normal Limits.



CUROVIS HEALTHCARE PVT. LTD.