



భారత ప్రభుత్వం
Government of India

భారత విశిష్ట గుర్తింపు ప్రాధికార సంస్థ
Unique Identification Authority of India


రిజిస్ట్రేషన్/ Enrolment No.: 0623/04242/11400

Download Date: 02/07/2021

To
మరీదు హర్ష వర్ధన్
Mareedu Harsha Vardhan
C/O: Mareedu Visweswara Rao
25-104, 2nd floor, S-1
sri chakra apartment
Yanamalakuduru
Vijayawada (Rural)
Yanamalakuduru
Krishna Andhra Pradesh - 520007
9700222201

Issue Date: 23/06/2021

Signature Not Verified
Digitally signed by Mareedu Harsha Vardhan
DN: cn=Mareedu Harsha Vardhan, o=UIDAI, ou=UIDAI, email=Mareedu.Harsha.Vardhan@uidai.gov.in, c=IN



మీ ఆధార్ సంఖ్య / Your Aadhaar No. :

6699 0956 9896
VID : 9155 4383 5190 0254

నా ఆధార్, నా గుర్తింపు



భారత ప్రభుత్వం
Government of India



Download Date: 02/07/2021



మరీదు హర్ష వర్ధన్
Mareedu Harsha Vardhan
పూజన తేదీ/DOB: 20/02/1992
పురుషుడు/ MALE

Issue Date: 23/06/2021

6699 0956 9896
VID : 9155 4383 5190 0254

నా ఆధార్, నా గుర్తింపు



సమాచారం

- ఆధార్ ఒక గుర్తింపు మాత్రమే పౌరసత్వం కాదు
- సురక్షితమైన క్యూఆర్ కోడ్ / ఆన్‌లైన్ వెక్స్ ఎం ఎం / ఆన్‌లైన్ ప్రామాణీకరణను ఉపయోగించి గుర్తింపును ధృవీకరించండి.
- ఇది ఎలక్ట్రానిక్ పద్ధతిలో వ్రాయబడిన లేఖ.

INFORMATION

- Aadhaar is a proof of identity, not of citizenship.
- Verify identity using Secure QR Code/ Offline XML/ Online Authentication.
- This is electronically generated letter.

- ఆధార్ దేశవ్యాప్తంగా చెల్లుబాటు అవుతుంది.
- వివిధ ప్రభుత్వ మరియు ప్రభుత్వేతర సేవలను సులువుగా పొందటానికి ఆధార్ మీకు సహాయపడుతుంది.
- ఎల్లప్పుడూ మీ మొబైల్ నెంబర్ మరియు ఇమెయిల్ ఐడీని ఆధార్ లో అప్ డేట్ చేసి ఉంచండి
- ఎమ్ ఆధార్ ఆప్ ఉపయోగించండి - మీ ఆధార్ ను ఎల్లప్పుడూ మీ స్మార్ట్ ఫోన్ లో ఉంచండి.

- Aadhaar is valid throughout the country.
- Aadhaar helps you avail various Government and non-Government services easily.
- Keep your mobile number & email ID updated in Aadhaar.
- Carry Aadhaar in your smart phone - use mAadhaar App.




భారత విశిష్ట గుర్తింపు ప్రాధికార సంస్థ
Unique Identification Authority of India



వినియోగదారు:
నంబర్: మరీదు హర్ష వర్ధన్, 25-104, 2nd floor, S-1, శ్రీ చక్ర అపార్ట్ మెంట్, యనమలకుదురు, విజయవాడ రూరల్, కృష్ణా, ఆంధ్ర ప్రదేశ్ - 520007

Address:
C/O: Mareedu Visweswara Rao, 25-104, 2nd floor, S-1, sri chakra apartment, Yanamalakuduru, Vijayawada (Rural), Krishna, Andhra Pradesh - 520007



6699 0956 9896
VID : 9155 4383 5190 0254

1947 | help@uidai.gov.in | www.uidai.gov.in

M.S. CHOUDARY, MBBS, D.L.O, MS
Registered No: 9747 (A.P. Med. Council)
MAGANTI CLINIC, ADARSH DIAGNOSTICS
D.No: 29-3-23, Flat No: 102
Sri Ranga Heights, Ground Floor
Kaleswara Rao Road, Governorpet
VIJAYAWADA-520 002. Ph: 66646



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. ☎ (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:-M.HARSHAVARDHAN Age:-29/M

BLOOD EXAMINATION REPORT

FASTING BLOOD SUGAR(FBS):	80 mg%	(N.VALUE:60 – 100 mg%)
POST PRANDRLAL BLOOD SUGAR:	132 mg%	(N.VALUE:60-150 mg%)
S.CHOLESTEROL	: 187mg%	(N.VALUE:130 – 250 mg%)
S.TRIGLY CERIDES	: 134 mg%	(N.VALUE:UP TO 175 mg%)
HDL	: 46.7 mg%	(N.VALUE:35 – 55 mg%)
V L D L	: 26.8 mg%	(N.VALUE: UP TO 30 mg%)
LDL	: 113.5	(N.VALUE:UP TO 150 mg%)
UREA	: 29.4mg%	(N.VALUE:10 – 50 mg%)
BUN	: 14.8mg%	(N.VALUE:08 – 20 mg%)
S.CREATININE	: 0.9 mg%	(N.VALUE:0.5 – 1.6 mg%)
S.PROTEINS	: 7.2 gms%	(N.VALUE:6.0 – 8.0 gms%)
ALBUMIN	: 4.4 gms%	(N.VALUE:3.5 – 5.6 gms%)
GLOBULIN	: 2.8 gms%	(N.VALUE:2.0 – 3.6 gms%)
A.G. RATIO	: 1.57	
S.URIC ACID	: 5.1 mg%	(N.VALUE:2.5 – 7.0 mg%)
S.BILIRUBIN	: 0.8 mg%	(N.VALUE: 0.2 – 1.2 mg%)
DIRECT BILIRUBIN	: 0.1 mg%	(N.VALUE:0.0 – 0.2 mg%)
INDIRECT BILIRUBIN	: 0.7 mg%	
S G O T	: 19 IU/ML	(N.VALUE:8 – 35 IU/ML)
S G P T	: 22 IU/ML	(N.VALUE:13 – 40 IU/ML)
S.ALKLINE PHOSPHATESE	: 7.3 KA UNITES	(N.VALUE:4 – 11 KA UNITES)
GGTP	: 14.2 IU/ML	(N.VALUE:4 – 24 IU/ML)
Hbs Ag	: NEGATIVE(-VE)	

Dated at Vijayawada on the 30TH day of MARCH 2022

Mee

(Pathologist/Dr.Inchrge)

ADARSH DIAGNOSTICS

D.No: 29-3-23, Flat No: 102
Sri Ranga Heights, Ground Floor
Kaleswara Rao Road, Governorpet
VIJAYAWADA-520 002. Ph:6664639

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:-M.HARSHAVARDHAN Age:-29/M

URINE EXAMINATION REPORT

MACROSCOPY

QUANTITY	:	8.5ML
APPEARANCE	:	CLEAR
COLOUR	:	PALE YELLOW
SP GRAVITY	:	1.018
REACTION	:	ACIDIC

CHEMICAL

BILE SALTS	:	NEGATIVE(-VE)
BILE PIGEMENTS	:	NEGATIVE(-VE)
UROBILINOGEN	:	NORMAL
ACETONE	:	NEGATIVE(-VE)
OCCULT BLOOD	:	NEGATIVE(-VE)
ALBUMIN	:	NIL
URINE SUGAR	:	NIL

MICRO

R B C	:	NIL
CAST	:	NIL
PUS CELLS	:	2-3/HPF
E P CELLS	:	NIL
CRYSTALS	:	NIL
BACTERIA	:	NIL

Dated at Vijayawada on the 30TH day of MARCH 2022

(Pathologist/Dr.Incharge)

ADARSH DIAGNOSTICS

D.No: 29-3-23, Flat No: 102

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2.D ECHO CARDIOGRAPHY, HOLTER RECORD,
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. ☎ (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:-M.HARSHAVARDHAN Age:-29/M

BLOOD EXAMINATION REPORT

CBC

TEST	RESULT	NORMAL RANGE
HAEMOGLOBIN(HGB)	: 14.6gm%	(12.0 – 16.0 g/100ml)
P C V (HAEMATOCRIT)	: 43.8 gm%	(36 - 48 %)
MCV	: 88.14 CU.MM	(76 - 92 CU MM)
MCH	: 29.10 MM.G	(27 - 32 MM G)
MCHC	: 33.3 %	(30 - 35 %)
RDW	: NORMAL	
M P V	: NORMAL	
INDICES	: NORMAL	
T R B C	: 4.63 miil/cumm	(3.9 – 6.5miil/cumm)
PLATELET COUNT	: 2.1 lakhs/c.mm	(1.5 - 4.0 lakshs/c.mm)
T W B C	: 7,800 cells/cumm	(4,000-10,000cells/cumm)
DIFFERENTIAL COUNT		
NEUTROPHILS	: 65 %	(40 - 74 %)
LYMPHOCYTES	: 31 %	(20 - 45%)
EOSINOPHILS	: 04 %	(2 - 06 %)
MONOCYTES	: ----	(00 - 02 %)
BASOPHILS	: ----	(< 1%)
E S R	: 16 mm/ 1st hour	(02 - 12mm/1 st hour)
GROUP	: "B"	
RH TYPE	: POSITIVE(+VE)	

Dated at Vijayawada on the 30TH day of MARCH 2022

(Pathologist/Dr.Incharge)

ADARSH DIAGNOSTICS

D.No: 29-3-23, Flat No: 102
Sri Ranga Heights, Ground Floor
Kaleswara Rao Road, Governorpet
VIJAYAWADA-520 002. Ph:6664639

X-RAY, ECG, E.E.G, PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTHER RECORD,
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. ☎ (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:-M.HARSHAVARDHAN Age:-29/M

BLOOD EXAMINATION REPORT

*GLYCOSYLATED HEMOGLOBIN TEST : HbA1c
(MEAN BLOOD GLUCOSE LEVEL FOR THE LAST 2 MONTHS)*

RESULT : 5.42 %

IMPRESSION : NON DIABETIC

INTERPRETATION OF TEST :

HbA1c : %OF GLUCOSE CONTROL

>10 % : POOR

9% - 10 % : FAIR

8% - 9% : GOOD

7% - 8% : CONTROL

6% - 7 % : NEAR NORMAL

<6 : NON DIABETIC

Dated at Vijayawada on the 30TH day of MARCH 2022

(Pathologist/DR.Incharge)

ADARSH DIAGNOSTICS

D.No: 29-3-23, Flat No: 102
Sri Ranga Heights, Ground Floor
Kaleswara Rao Road, Governorpet
VIJAYAWADA-520 002. Ph:6664639

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTHER RECORD,
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:-M.HARSHAVARDHAN Age:-29/M

BLOOD EXAMINATION REPORT

T3	:	164 ng/dl
(N.VALUE)	:	70 – 204 ng/dl)
T4	:	7.2 ug/dl
(N.VALUE)	:	5.5 -11.0ug/dl)
THYROID STIMULATING HORMONE TSH	:	2.46 uIU/ml
(N.VALUE)	:	0.35-5.50 uIU/ml)

Dated at Vijayawada on the 30TH day of MARCH 2022

Mee

(Pathologist/Dr.Inchrge)

ADARSH DIAGNOSTICS
D.No: 29-3-23, Flat No: 102
Sri Ranga Heights, Ground Floor
Kaleswara Rao Road, Governorpet
VIJAYAWADA-520 002. Ph:6664639



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. ☎ (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:- M.HARSHA VARDHAN Age:- 30/M

ECG REPORT

RATE	:	74 bpm
RHYTHM	:	SINUS
P	:	NORMAL
P R INTERVAL	:	161 ms
Q R S INTERVAL	:	79 ms
S T SEGEMENT	:	ISO ELECTRIC
T WAVES	:	NORMAL
Q WAVES	:	NIL
HYPERTRPHY	:	NO
QT	:	362 ms
Q R S AXIS	:	39 Deg
IMPRESSION	:	NORMAL ECG

Dated at Vijayawada on the 30th day of MARCH 2022

CONSULTANT CARDIOLOGIST

Dr. MAGANTI S.V.R.K.V. PRASAD
M.B.B.S.;PGDHS;DC(CARDIOLOGY)
Regd. No:14414 (A.P.MED.COUNCIL)
CONSULTANT CARDIOLOGIST
MAGANTI CLINIC
VIJAYAWADA

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY

Born 20-Feb-92 30 Years

Male

Rate 74 Sinus rhythm.....normal P axis, V-rate 50-99
PR 161 . Baseline wander in lead(s) I, II, aVR, V6


QRSD 79
QT 362
QTc 402

--AXIS--
P 71
QRS 39
T 13

12 Lead; Standard Placement

- NORMAL ECG -

Requested by: BOB
Unconfirmed Diagnosis



MAGANTI S.VR.K.V. PRASAD
 B.S;PGDHS;DC(CARDIOLOGY)
 No:14414 (A.P.MED.COUNCIL)
 SULTANT CARDIOLOGIST
 MAGANTI CLINIC
 VIJAYAWADA

Device: Speed: 25 mm/sec Limb: 10 mm/mV Chest: 10.0 mm/mV

F 60~0.15-100 Hz

PH100B CL

P?



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:- M.HARSHA VARDHAN Age:- 30/M

X-RAY CHEST AP VIEW

CARDIAC SIZE IS NORMAL.

LUNG FIELDS ARE CLEAR

BOTH HILA ARE NORMAL

C.P ANGLES ARE CLEAR

NO BONY LESION

IMPRESSION: NORMAL STUDY

Dated at Vijayawada on the 30th day of MARCH 2022

CONSULTANT RADIOLOGIST/Dr.Incharge




DR. G. PRASADA RAO

MBBS, DMRD

Rg. No: 17266

Consulting Radiologist

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY





ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

BOB

PATIENT NAME: M.HARSHA VARDHAN

DATE:30/03/2022

REF. Dr. :

AGE:30 ; SEX:M

2 - D ECHOCARDIOGRAPHY

AORTA : 3.1 CM LEFT ATRIUM: 3.6 CMS
LEFT VENTRICLE : 5.2X3.0 CM IVS: 1.2CM LVPW :1.5 CMS
LVEF:62%
MITRAL VALVE : NORMAL
AORTIC VALVE : NORMAL
TRICUSPID VALVE : NORMAL
PULMONARY VALVE : NORMAL
RIGHT ATRIUM : NORMAL
RIGHT VENTRICLE : NORMAL
PULMONARY ARTERY : NORMAL
PERICARDIUM : NORMAL
IAS : INTACT
IVS : INTACT
OTHERS : NIL
DOPPLER STUDY : MV :E<A /NO TR
AJV:1.3M/SEC PJV:1.6M/SEC
IMPRESSION : NO RWMA
GOOD LV FUNCTION (EF :62%)
NORMAL SIZED CHAMBERS.


CONSULTANT CARDIOLOGIST

Dr. MAGANTI S.V.R.K.V. PRASAD
M.B.B.S;PGDHS;DC(CARDIOLOGY)
Regd. No:14414 (A.P.MED.COUNCIL)
CONSULTANT CARDIOLOGIST
MAGANTI CLINIC
VIJAYAWADA

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY

M.HARSHA VARDHAN 30/M,
05-01-01-024911

Philips Healthcare


01/01/2005 PHILIPS
03:09:49



M.HARSHA VARDHAN 30/M,
05-01-01-024911

Philips Healthcare

01/01/2005 PHILIPS
03:08:27





ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. ☎ (0866) 6664639, Fax : 2431916

BOB

PATIENT NAME: M.HARSHA VARDHAN

DATE:30/03/2022

REF. Dr. :

AGE:30 ; SEX:M

ULTRASONOGRAM OF TOTAL ABDOMEN

LIVER : NORMAL IN SIZE WITH HOMOGENOUS PARENCHYMAL ECHOTEXTURE. NO MASS OR CYST IN LIVER.NO DILATATION OF INTRA HEPATIC BILIARY RADICLES.

GALL BLADDER : NORMAL. NO CALCULI. NO MASS LESION DISTENDED

PANCREAS : NORMAL. NO CALCULI. NO MASS LESION.

C B D : NORMAL. NO CALCULI.

PORTAL VEIN : NORMAL MEASURES 09 MM.

SPLEEN : NORMAL WITH HOMOGENOUS PARENCHYMAL ECHOTEXTURE MEASURED 97 MM.

DIAPHRAGM : BOTH DOMES MOVING WELL WITH RESPIRATION. NO SUB DIAPHRAGMATIC PATHOLOGY.

RIGHT KIDNEY : SIZE 9.3 X 4.6 CMS. NORMAL IN SIZE AND ECHOPATTERN, C.M.D MAINTAINED. P.C.S.NORMAL, NO CALCULI NO HYDRONEPHROSIS. URETER NOT DILATED.

LEFT KIDNEY : SIZE 10.4 X 4.9 CMS. NORMAL IN SIZE AND ECHOPATTERN.C.M.D.MAINTAINED. PCS NORMAL.NO CALCULI NO HYDRONEPHROSIS. URETER NOT DILATED.

URINARY BLADDER : NORMAL .NO CALCULI. NO MASS LESION.

PROSTATE : NORMAL IN SIZE AND ECHOTEXTURE .

OTHERS : NIL.

IMPRESSION : NORMAL STUDY.
TO CORRELATE CLINICALLY.


RADIOLOGIST/Dr.Incharge

ADARSH DIAGNOSTICS

D.No: 29-3-23, Flat No: 102

Sri Ranga Heights, Ground Floor

Kaleswara Rao Road, Governorpet

VIJAYAWADA - 520 002. ☎ (0866) 6664639

X-RAY, ECG, E.E.G, PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTHER RECORD,
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY