| Chandan    |
|------------|
| Since 1991 |

Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road,Aliganj Ph: 9235432681, CIN : U85110DL2003PLC308206



| UHID/MR NO         ::::::::::::::::::::::::::::::::::::  | Patient Name      | : Mr.RAJNEESH            |                     | Registered O   | -   |                                    |
|--|-------------------|--------------------------|---------------------|----------------|---|------------------------------------|
| Visit ID         : 0.4.1001458223         Reported         :: 15/May/2002: 17: 40: 46           DEPARTMENT OF HAELMATOLOGY           DEPARTMENT OF HAELMATOLOGY           MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 VRS           Test Name         Report # Div Mate & FEMALE BELOW 40 VRS           Biood Group (ABO & Rh typing) ** , <i>Blood</i> Blood Group (ABO & Rh typing) ** , <i>Blood</i> B         We find the state of the st  | Age/Gender        | : 42 Y O M O D /M        |                     | Collected      | -   |                                    |
| In the diverse of a stratument of the additional stratument of the addited stratument of the additional stratument of |                   |                          |                     |                | -   |                                    |
| DEPARTMENT OF HAEMATOLOGY<br>MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS           Test Name         Result         Unit         Bio. Ref. Interval         Method           Blood Group (ABO & Rh typing) ** , Blood         B<br>Rh (Anti-D)         B<br>POSITIVE         B         Result         Unit         Bio. Ref. Interval         Method           Complete Blood Count (CBC) ** , Whole Blood         B         B         Rh (Anti-D)         POSITIVE         Somplete Blood Count (CBC) ** , Whole Blood         1 Mor. 10.5-13.5 g/dl<br>1 Mor. 10.5-13.5 g/dl<br>0.5-2 Yr. 10.5-13.5 g/dl<br>0.5-2 Yr. 10.5-13.5 g/dl<br>0.5-2 Yr. 10.5-13.5 g/dl<br>0.5-2 Yr. 10.5-13.5 g/dl<br>6-12 Wr. 11.5-15.5 g/dl<br>1 Z-18 Yr 13.0-16.0 g/dl<br>2 Har Yr. 13.0-16.0 g/dl<br>1 Maie - 13.5-17.5 g/dl<br>Female - 12.0-15.5 g/dl<br>1 Maie - 13.5-17.5 g/dl<br>6-12 Wr. 11.5-15.5 g/dl<br>1 Z-18 Yr. 13.0-16.0 g/dl<br>1 Maie - 13.5-17.5 g/dl<br>1 Z-18 Yr. 13.0-16.0 g/dl<br>1 Z-18 Yr. 13.0-16.0 g/dl<br>1 Maie - 13.5-17.5 g/dl<br>1 EctroNic IMPEDAN<br>DLC           Polymorphs (Neutrophils)         55.00 % 55-70         ELECTRONIC IMPEDAN<br>Blood % 1-6           Dig         Station %   |                   |                          | emi Health Care Lto | -              | -   | 7.40.40                            |
| Test Name     Result     Unit     Bio. Ref. Interval     Method       Blood Group (ABO & Rh typing) ** , Blood     Blood Group     B       Rh ( Anti-D)     POSITIVE       Complete Blood Count (CBC) ** , Whole Blood       Haemoglobin     14.80     g/dl     1 Day-14.5-22.5 g/dl       1 More 10-18.0 g/dl       3 6 Mor 9.5-13.5 g/dl     1.4.80     g/dl       0.5-2 Yr - 10.5-13.5 g/dl       0.6-12 Yr 13.5-15.5 g/dl       12-18 Yr 13.0-16.0       g/dl       Male: 13.5-17.5 g/dl       12-18 Yr 13.0-16.0       g/dl       Monocytes       37.00       90       90       90       90       90       90       91       92.40       92.50       92.61       92.71       92.71       92.72       92.73       92.74       92.74       92.75       92.75       92.75       92.76       92.77       92.77  |                   |                          | DEPARTMENT          | OF HAEMATO     | LOGY  |                                    |
| Biood Group (ABO & Rh typing) ** , Blood           Blood Group B           Biod Group ODSTIVE           Complete Blood Count (CBC) ** , Whole Blood           Haemoglobin         14.80         g/dl         1 Day: 14.5:22.5 g/dl           1 Mon. 10.0-18.0 g/dl         1 Mor. 10.0-18.0 g/dl         1 Mor. 10.0-18.0 g/dl         1 Mor. 10.0-18.0 g/dl           2-6 Yr: 11.5-15.5 g/dl         1 Mor. 10.0-18.0 g/dl         2-6 Yr: 11.5-15.5 g/dl         1 Mor. 10.0-18.0 g/dl           2-6 Yr: 11.5-15.5 g/dl         2-6 Yr: 11.5-15.5 g/dl         1 Mor. 10.0-18.0 g/dl         2-6 Yr: 11.5-15.5 g/dl           TLC (WBC)         5.900.00         /Cu mm         4000-10000         ELECTRONIC IMPEDAN           Duc         12.18 Yr: 13.0-16.0 g/dl         1 Mor. 10.0-18.0 g/dl         1 Mor. 10.0-18.0 g/dl           TLC (WBC)         5.900.00         /Cu mm         4000-10000         ELECTRONIC IMPEDAN           Duc         1.00         % 55-70         ELECTRONIC IMPEDAN           Monocytes         5.00         % 3-5         ELECTRONIC IMPEDAN           Basophils         3.00         % 1-6         ELECTRONIC IMPEDAN           Basophils         3.00         % 1         ELECTRONIC IMPEDAN           POV (Hort)         44.00         cc % 40-54         IMPEDANCE/MICROSC      <  |                   | MEDIWHEEL                | BANK OF BAROD       | DA MALE & FE   | MALE BELOW 40 YRS   | 5                                  |
| Biood Group         B<br>POSITIVE           Complete Blood Count (CBC) ** , whole Blood           Haemoglobin         14.80         g/dl         1 Day-14.5-22.5 g/dl<br>1 Wk-13.5-19.5 g/dl<br>3-6 Mo-9.5-13.5 g/dl<br>12-18 Yr 13.0-16.0<br>g/dl<br>Male-13.5-17.5 g/dl<br>Female-12.0-15.5 g/dl<br>12-18 Yr 13.0-16.0<br>g/dl<br>Male-13.5-17.5 g/dl<br>Female-12.0-15.5 g/dl<br>12-18 Yr 13.0-16.0<br>g/dl<br>Male-13.5-17.5 g/dl<br>Female-12.0-15.5 g/dl<br>EECTRONIC IMPEDAN<br>DLC           Polymorphs (Neutrophils )         55.00         % 55-70         ELECTRONIC IMPEDAN<br>DLC           Polymorphs (Neutrophils )         55.00         % 55-70         ELECTRONIC IMPEDAN<br>EDC           Polymorphs (Neutrophils )         55.00         % 3-5         ELECTRONIC IMPEDAN<br>EDC           Polymorphs (Neutrophils )         55.00         % 3-5         ELECTRONIC IMPEDAN<br>EDC           Doserved         3.00         % 1-6         ELECTRONIC IMPEDAN<br>ESR           Observed         10.00         Mm for 1st hr.         <9           PCV (HCT)         44.00         cc % 40-54         ELECTRONIC IMPEDAN<br>ESR           Platelet count         1.6         LACS/cu mm         1.5-4.0         ELECTRONIC IMPEDAN<br>ELECTRONIC IMPEDAN<br>EDC           PDW (Platelet Distribution width)         18.40         fL         9-17         ELECTRONIC IMPEDAN<br>ELECT   | Test Name         |                          | Result              | Unit           | Bio. Ref. Interval  | Method                             |
| Biood Group         B<br>POSITIVE           Complete Blood Count (CBC) ** , whole Blood           Haemoglobin         14.80         g/dl         1 Day-14.5-22.5 g/dl<br>1 Wk-13.5-19.5 g/dl<br>3-6 Mo-9.5-13.5 g/dl<br>12-18 Yr 13.0-16.0<br>g/dl<br>Male-13.5-17.5 g/dl<br>Female-12.0-15.5 g/dl<br>12-18 Yr 13.0-16.0<br>g/dl<br>Male-13.5-17.5 g/dl<br>Female-12.0-15.5 g/dl<br>12-18 Yr 13.0-16.0<br>g/dl<br>Male-13.5-17.5 g/dl<br>Female-12.0-15.5 g/dl<br>EECTRONIC IMPEDAN<br>DLC           Polymorphs (Neutrophils )         55.00         % 55-70         ELECTRONIC IMPEDAN<br>DLC           Polymorphs (Neutrophils )         55.00         % 55-70         ELECTRONIC IMPEDAN<br>EDC           Polymorphs (Neutrophils )         55.00         % 3-5         ELECTRONIC IMPEDAN<br>EDC           Polymorphs (Neutrophils )         55.00         % 3-5         ELECTRONIC IMPEDAN<br>EDC           Doserved         3.00         % 1-6         ELECTRONIC IMPEDAN<br>ESR           Observed         10.00         Mm for 1st hr.         <9  | Blood Group (Al   | BO & Rh typing) ** , Blo | od                  |                |   |                                    |
| Rh (Anti-D)       POSITIVE         Complete Blood Count (CBC) ** , Whole Blood         Haemoglobin       14.80       g/dl       1 Day-14.5-22.5 g/dl         1 Wk-13.5-19.5 g/dl       1 Wk-13.5-19.5 g/dl       1 Mor-10.018.0 g/dl         3.6 Mor.9.5-13.5 g/dl       0.5-2 Yr-10.5-13.5 g/dl       0.5-2 Yr-10.5-13.5 g/dl         0.5-2 Yr-10.5-13.5 g/dl       0.5-2 Yr-10.5-13.5 g/dl       0.5-2 Yr-10.5-13.5 g/dl         0.7 (dl       1 Male-13.5-17.5 g/dl       1 Halo 0.000         Male-13.5-17.5 g/dl       Female-12.0-15.5 g/dl       1 Halo 0.000         DC       5.900.00       /Cu mm       4000-10000       ELECTRONIC IMPEDAN         DLC       1000       S5.00       %       55-70       ELECTRONIC IMPEDAN         Lymphocytes       37.00       %       25-40       ELECTRONIC IMPEDAN         Lymphocytes       30.00       %       1-6       ELECTRONIC IMPEDAN         Basophils       0.00       %       1       ELECTRONIC IMPEDAN         Basophils       0.00       %       4-6       ELECTRONIC IMPEDAN         ESR       Ummore than the stription width       1.6       LACS/cu ml       1.5-4.0       ELECTRONIC IMPEDAN         PLOR (Platelet Distribution width)       18.40       fL  | • •               | 51 57 7                  |                     |                |   |                                    |
| Complete Blood Count (CBC) ** , Whole Blood           Haemoglobin         14.80         g/dl         1 Day-14.5-22.5 g/dl           1 Wk-13.5-19.5 g/dl         1 Wk-13.5-19.5 g/dl         1 Mo-10.0-18.0 g/dl           0.5-2 Yr-10.5-13.5 g/dl         0.5-2 Yr-10.5-13.5 g/dl         0.5-2 Yr-10.5-13.5 g/dl           0.5-2 Yr-10.5-13.5 g/dl         1-2-18 Yr 13.0-16.0 g/dl         0.5-2 Yr-10.5-15.5 g/dl           12-18 Yr 13.0-16.0 g/dl         5.900.00         /Cu mm         4000-10000         ELECTRONIC IMPEDAN           DLC         5.900.00         /Cu mm         4000-10000         ELECTRONIC IMPEDAN           DLC         5.900.00         % S5-70         ELECTRONIC IMPEDAN           Monocytes         5.00         % 55-70         ELECTRONIC IMPEDAN           Monocytes         5.00         % 3-5         ELECTRONIC IMPEDAN           Basophils         0.00         % 1-6         ELECTRONIC IMPEDAN           Basophils         0.00         % 1         ELECTRONIC IMPEDAN           Platelet count         1.6  | •                 |                          |                     |                |   |                                    |
| Haemoglobin       14.80       g/dl       1 Day-14.5-22.5 g/dl<br>1 Wk-13.5-19.5 g/dl<br>1 Mo-100-18.0 g/dl<br>1 Mo-100-18.0 g/dl<br>3.6 Mo-9,5-13.5 g/dl<br>0.5-2 Yr-10.5-13.5 g/dl<br>0.5-2 Yr-10.5-13.5 g/dl<br>6-12 Yr-11.5-15.5 g/dl<br>12-18 Yr 13.0-16.0<br>g/dl<br>Male: 13.5-17.5 g/dl<br>Female: 12.0-15.5 g/dl<br>Female: 12.0-15.5 g/dl<br>Female: 12.0-15.5 g/dl<br>EcrroNic IMPEDAN<br>DLC         TLC (WBC)       5,900.00       /Cu mm       4000-10000       ELECTRONIC IMPEDAN<br>DLC         Polymorphs (Neutrophils)       55.00       %       55-70       ELECTRONIC IMPEDAN<br>DLC         Polymorphs (Neutrophils)       55.00       %       35-       ELECTRONIC IMPEDAN<br>DLC         Polymorphs (Neutrophils)       55.00       %       35-       ELECTRONIC IMPEDAN<br>DLC         Polymorphs (Neutrophils)       55.00       %       35-       ELECTRONIC IMPEDAN<br>DLC         Polymorphs (Neutrophils)       50.00       %       3-5       ELECTRONIC IMPEDAN<br>DLC         Dobsenved       0.00       %       1       ELECTRONIC IMPEDAN<br>Ecsinophils         Basophils       0.00       %       1       ELECTRONIC IMPEDAN<br>ECRONIC IMPEDAN<br>DLC         Dbserved       10.00       Mm for 1st hr.       <9  |                   |                          |                     |                |   |                                    |
| 1 Wk-13.5-19.5 g/dl           1 Mk-13.5-19.5 g/dl           1 Mk-13.5-19.5 g/dl           0.5-2 Yr-10.5-13.5 g/dl           0.5-2 Yr-10.5-13.5 g/dl           0.5-2 Yr-11.5-15.5 g/dl           6-12 Yr-11.5-15.5 g/dl           1 Uke           1 1 Mk-13.5-17.5 g/dl           6-12 Yr-11.5-15.5 g/dl           1 1 2-18 Yr 13.0-16.0           g/dl           Male-13.5-17.5 g/dl           Female-12.0-15.5 g/dl           Female-12.0-15.5 g/dl           Polymorphs (Neutrophils)           55.00         % 55-70           ELECTRONIC IMPEDAN           Lymphocytes           37.00         % 25-40           ELECTRONIC IMPEDAN           Lomphocytes         5.00           8.300         % 1-6           ELECTRONIC IMPEDAN           Monocytes         5.00           9.00         % 3-5           ELECTRONIC IMPEDAN           Basophils         3.00           9.00         % 40-54           PLC         Y           Observed         10.00           10.00         Mm for 1st hr.           Corrected         6.00           9         Y  | •                 | Count (CBC) ** , Whole   |                     | ,              |   |                                    |
| 1 Mo-10.0-18.0 g/dl<br>3-6 Mo-9.5-13.5 g/dl<br>0.5-2 Yr. 10.5-13.5<br>g/dl<br>2-6 Yr. 11.5-15.5 g/dl<br>12-18 Yr 13.0-16.0<br>g/dl<br>Male-13.5-17.5 g/dl<br>12-18 Yr 13.0-16.0         TLC (WBC)       5,900.00       /Cu mm       4000-10000       ELECTRONIC IMPEDAN         DLC       Electronic IMPEDAN       55.00       %       55-70       ELECTRONIC IMPEDAN         DLC       500       %       55-70       ELECTRONIC IMPEDAN         DLS       500       %       55-70       ELECTRONIC IMPEDAN         Sonocytes       37.00       %       25-40       ELECTRONIC IMPEDAN         Monocytes       5.00       %       3-5       ELECTRONIC IMPEDAN         Basophils       0.00       %       -1-6       ELECTRONIC IMPEDAN         Basophils       0.00       %       -1       ELECTRONIC IMPEDAN         Corrected       6.00       Mm for 1st hr.       -       -         Corrected       6.00       Mm for 1st hr.       -       -         Platelet count       1.6       LACS/cu mm       1.5-4.0       ELECTRONIC IMPEDAN         PDW (Platelet Distribution width)       18.40       fl       9-17       ELECTRONIC IMPEDAN         PLCR (Platelet Large Cell Ratio)       48.60       %       35-60       ELECTRONIC IMPEDAN   | Haemoglobin       |                          | 14.80               | g/dl           |   |                                    |
| 3-6 Mo- 9.5-13.5 g/dl           0.5-2 Yr- 10.5-13.5           g/dl           2-6 Yr- 11.5-15.5 g/dl           6-12 Yr- 11.5-15.5 g/dl           6-12 Yr- 11.5-15.5 g/dl           6-12 Yr- 11.5-15.5 g/dl           12-18 Yr 13.0-16.0           g/dl           Male- 13.5-17.5 g/dl           Female- 12.0-15.5 g/dl           Polymorphs (Neutrophils)           55.00         % 55-70           ELECTRONIC IMPEDAN           Lymphocytes         37.00           Monocytes         5.00           Solo         3-5           ELECTRONIC IMPEDAN           Lymphocytes         37.00           Monocytes         5.00           Solo         3-5           ELECTRONIC IMPEDAN           Eosinophils         3.00           3.00         4           Corrected         6.00           PCV (HCT)         44.00           Created         6.00           Polymetron         1.6           LACS/cu mm         1.5-4.0           ELECTRONIC IMPEDAN           Platelet Count         1.6           LACS/cu mm         1.5-4.0           ELECTRONIC IMPEDAN  |                   |                          |                     |                |   |                                    |
| 0.5-2 Yr- 10.5-13.5         g/dl         2-6 Yr- 11.5-15.5 g/dl         2-6 Yr- 11.5-15.5 g/dl         2-6 Yr- 11.5-15.5 g/dl         2-12 Yr- 11.5-15.5 g/dl         12-18 Yr 13.0-16.0         g/dl         Male- 13.5-17.5 g/dl         12-18 Yr 13.0-16.0         g/dl         Male- 13.5-17.5 g/dl         Female- 12.0-15.5 g/dl         12-18 Yr 13.0-16.0         g/dl         Male- 13.5-17.5 g/dl         Female- 12.0-15.5 g/dl         Female-12.0-15.5 Female-12.0-15.5 Female-12.0-15.5 Female-12.0-15.5 Female-12.0-15.5  |                   |                          |                     |                |   |                                    |
| 2-6 Yr. 11.5-15.5 g/dl           6-12 Yr. 11.5-15.5 g/dl           9/dl           Male- 13.5-17.5 g/dl           Female- 12.0-15.5 g/dl           Female- 12.0-15.5 g/dl           Female- 12.0-15.5 g/dl           Female- 12.0-15.5 g/dl           Polymorphs (Neutrophils)           5.00         % 55-70           ELECTRONIC IMPEDAN           Lymphocytes         37.00         % 25-40           ELECTRONIC IMPEDAN           Cosinophils         3.00         % 3-5           ELECTRONIC IMPEDAN           Basophils         0.00         % 1-6           ESR           Observed         10.00         Mm for 1st hr.           Corrected         6.00         Mm for 1st hr.           Corrected         6.00         Mm for 1st hr.           PCV (HCT)         44.00         cc % 40-54           Platelet count         1.6         LACS/cu mm         1.5-4.0           ELECTRONIC IMPEDAN         IMPEDANCE/MICROSC           PDW (Platelet Distribution width)         18.40         fL         9-17           PLCR (Platelet Large Cell Ratio)         48.60         35-60         ELECTRONIC IMPEDAN           PLCR (Platelet Large Cell Ratio)         48.60   |                   |                          |                     |                |   |                                    |
| 6-12 Yr- 11.5-15.5 g/dl           12-18 Yr 13.0-16.0           g/dl           Male- 13.5-17.5 g/dl           Female- 12.0-15.5 g/dl           Female- 12.0-15.5 g/dl           Polymorphs (Neutrophils)         55.00           %         55-70           Polymorphs (Neutrophils)         55.00           %         55-70           Polymorphs (Neutrophils)         55.00           %         55-70           Basophils         37.00           Basophils         3.00           Basophils         0.00           Mm for 1st hr.            Corrected         6.00           PCV (HCT)         44.00           Cc %         40-54           Platelet count         1.6           LACS/cu mm         1.5-4.0           ELECTRONIC IMPEDAN           PLCR (Platelet Large Cell Ratio)  |                   |                          |                     |                | g/dl  |                                    |
| 12-18 Yr 13.0-16.0<br>g/dl<br>Male- 13.5-17.5 g/dl<br>Female- 12.0-15.5 g/dl<br>Female- 12.0-15.5 g/dlTLC (WBC)5,900.00/Cu mm4000-10000ELECTRONIC IMPEDANDLCPolymorphs (Neutrophils )55.00%55-70ELECTRONIC IMPEDANLymphocytes37.00%25-40ELECTRONIC IMPEDANMonocytes5.00%3-5ELECTRONIC IMPEDANEosinophils3.00%1-6ELECTRONIC IMPEDANBasophils0.00%<1   |                   |                          |                     |                |   |                                    |
| g/dl<br>Male-13.5-17.5 g/dl<br>Female-12.0-15.5 g/dl<br>Female-12.0-15.5 g/dlTLC (WBC)5,900.00/Cu mm4000-10000ELECTRONIC IMPEDANDLCPolymorphs (Neutrophils)55.00%55-70ELECTRONIC IMPEDANLymphocytes37.00%25-40ELECTRONIC IMPEDANMonocytes5.00%3-5ELECTRONIC IMPEDANEosinophils3.00%1-6ELECTRONIC IMPEDANBasophils0.00%<1   |                   |                          |                     |                |   | 7 100                              |
| Male- 13.5-17.5 g/dl<br>Female- 12.0-15.5 g/dlTLC (WBC)5,900.00/Cu mm4000-10000ELECTRONIC IMPEDANDLCPolymorphs (Neutrophils )55.00%55-70ELECTRONIC IMPEDANLymphocytes37.00%25-40ELECTRONIC IMPEDANMonocytes5.00%3-5ELECTRONIC IMPEDANEosinophils3.00%1-6ELECTRONIC IMPEDANBasophils0.00%<1   |                   |                          |                     | 131            |   |                                    |
| Female- 12.0-15.5 g/dl           TLC (WBC)         5,900.00         /Cu mm         4000-10000         ELECTRONIC IMPEDAN           DLC         Electronic impedance         Electronic impedance         Electronic impedance           Polymorphs (Neutrophils )         55.00         %         55-70         ELECTRONIC IMPEDAN           Lymphocytes         37.00         %         25-40         ELECTRONIC IMPEDAN           Monocytes         5.00         %         3-5         ELECTRONIC IMPEDAN           Eosinophils         3.00         %         1-6         ELECTRONIC IMPEDAN           Basophils         0.00         %         1-6         ELECTRONIC IMPEDAN           Corrected         6.00         Mm for 1st hr.         9         2           PotV (HCT)         44.00         cc %         40-54         1           Platelet count         1.6         LACS/cu mm         1.5-4.0         ELECTRONIC IMPEDAN           PDW (Platelet Distribution width)   |                   |                          |                     |                |   |                                    |
| TLC (WBC)         5,900.00         /Cu mm         4000-10000         ELECTRONIC IMPEDAN           DLC         Polymorphs (Neutrophils )         55.00         %         55-70         ELECTRONIC IMPEDAN           Lymphocytes         37.00         %         25-40         ELECTRONIC IMPEDAN           Monocytes         5.00         %         3-5         ELECTRONIC IMPEDAN           Eosinophils         3.00         %         1-6         ELECTRONIC IMPEDAN           Basophils         0.00         %         <1         ELECTRONIC IMPEDAN           Corrected         6.00         Mm for 1st hr.         <9            PCV (HCT)         44.00         cc %         40-54            Platelet count         1.6         LACS/cu mm         1.5-4.0         ELECTRONIC IMPEDAN           PLCR (Platelet Distribution width)         18.40         fl <th< td=""><td></td><td></td><td></td><td></td><td></td><td></td></th<>  |                   |                          |                     |                |   |                                    |
| Polymorphs (Neutrophils )55.00%55-70ELECTRONIC IMPEDANLymphocytes37.00%25-40ELECTRONIC IMPEDANMonocytes5.00%3-5ELECTRONIC IMPEDANEosinophils3.00%1-6ELECTRONIC IMPEDANBasophils0.00%<1   | TLC (WBC)         |                          | 5,900.00            | /Cu mm         | and the second se | ELECTRONIC IMPEDANCE               |
| Lymphocytes37.00%25-40ELECTRONIC IMPEDANMonocytes5.00%3-5ELECTRONIC IMPEDANEosinophils3.00%1-6ELECTRONIC IMPEDANBasophils0.00%<1   | DLC               |                          |                     |                |   |                                    |
| Monocytes5.00%3-5ELECTRONIC IMPEDANEosinophils3.00%1-6ELECTRONIC IMPEDANBasophils0.00%< 1  | Polymorphs (Neu   | utrophils)               | 55.00               | %              | 55-70   | ELECTRONIC IMPEDANCE               |
| Eosinophils3.00%1-6ELECTRONIC IMPEDANBasophils0.00%<1  | Lymphocytes       | (                        | 37.00               | %              | 25-40   | ELECTRONIC IMPEDANCE               |
| Basophils0.00%< 1ELECTRONIC IMPEDANESR0Mm for 1st hr.<Observed10.00Mm for 1st hr.<   | Monocytes         |                          | 5.00                | %              | 3-5   | ELECTRONIC IMPEDANCE               |
| ESRObserved10.00Mm for 1st hr.Corrected6.00Mm for 1st hr.PCV (HCT)44.00cc %Platelet count1.6LACS/cu mmPlatelet Count1.6LACS/cu mmPDW (Platelet Distribution width)18.40fLP-LCR (Platelet Large Cell Ratio)48.60%PCT (Platelet Hematocrit)0.17%0.108-0.282ELECTRONIC IMPEDANMPV (Mean Platelet Volume)11.40fL6.5-12.0ELECTRONIC IMPEDANRBC CountSolower   | Eosinophils       |                          | 3.00                | %              | 1-6   | ELECTRONIC IMPEDANCE               |
| Observed10.00Mm for 1st hr.Corrected6.00Mm for 1st hr. < 9   | Basophils         |                          | 0.00                | %              | < 1   | ELECTRONIC IMPEDANCE               |
| Corrected<br>PCV (HCT)6.00<br>44.00Mm for 1st hr. < 9<br>cc %40-54Platelet count1.6LACS/cu mm1.5-4.0ELECTRONIC<br>IMPEDANCE/MICROSCPDW (Platelet Distribution width)18.40fL9-17ELECTRONIC IMPEDANCEP-LCR (Platelet Large Cell Ratio)48.60%35-60ELECTRONIC IMPEDANCEPCT (Platelet Hematocrit)0.17%0.108-0.282ELECTRONIC IMPEDANCEMPV (Mean Platelet Volume)11.40fL6.5-12.0ELECTRONIC IMPEDANCE  | ESR               |                          |                     |                |   |                                    |
| PCV (HCT)44.00cc %40-54Platelet count1.6LACS/cu mm1.5-4.0ELECTRONIC<br>IMPEDANCE/MICROSCPDW (Platelet Distribution width) <b>18.40</b> fL9-17ELECTRONIC IMPEDANCEPDW (Platelet Large Cell Ratio)48.60%35-60ELECTRONIC IMPEDANCEPCT (Platelet Hematocrit)0.17%0.108-0.282ELECTRONIC IMPEDANCEMPV (Mean Platelet Volume)11.40fL6.5-12.0ELECTRONIC IMPEDANCERBC Count   | Observed          |                          | 10.00               | Mm for 1st hr. |   |                                    |
| Platelet countPlatelet Count1.6LACS/cu mm1.5-4.0ELECTRONIC<br>IMPEDANCE/MICROSCPDW (Platelet Distribution width) <b>18.40</b> fL9-17ELECTRONIC IMPEDANCEP-LCR (Platelet Large Cell Ratio)48.60%35-60ELECTRONIC IMPEDANCEPCT (Platelet Hematocrit)0.17%0.108-0.282ELECTRONIC IMPEDANCEMPV (Mean Platelet Volume)11.40fL6.5-12.0ELECTRONIC IMPEDANCERBC Count  | Corrected         |                          | 6.00                | Mm for 1st hr. | < 9   |                                    |
| Platelet Count1.6LACS/cu mm1.5-4.0ELECTRONIC<br>IMPEDANCE/MICROSOPDW (Platelet Distribution width) <b>18.40</b> fL9-17ELECTRONIC IMPEDANCEP-LCR (Platelet Large Cell Ratio)48.60%35-60ELECTRONIC IMPEDANCEPCT (Platelet Hematocrit)0.17%0.108-0.282ELECTRONIC IMPEDANCEMPV (Mean Platelet Volume)11.40fL6.5-12.0ELECTRONIC IMPEDANCERBC Count  | PCV (HCT)         |                          | 44.00               | cc %           | 40-54   |                                    |
| PDW (Platelet Distribution width) <b>18.40</b> fL9-17ELECTRONIC IMPEDANP-LCR (Platelet Large Cell Ratio)48.60%35-60ELECTRONIC IMPEDANPCT (Platelet Hematocrit)0.17%0.108-0.282ELECTRONIC IMPEDANMPV (Mean Platelet Volume)11.40fL6.5-12.0ELECTRONIC IMPEDANRBC Count   | Platelet count    |                          |                     |                |   |                                    |
| PDW (Platelet Distribution width)18.40fL9-17ELECTRONIC IMPEDANP-LCR (Platelet Large Cell Ratio)48.60%35-60ELECTRONIC IMPEDANPCT (Platelet Hematocrit)0.17%0.108-0.282ELECTRONIC IMPEDANMPV (Mean Platelet Volume)11.40fL6.5-12.0ELECTRONIC IMPEDANRBC Count  | Platelet Count    |                          | 1.6                 | LACS/cu mm     | 1.5-4.0   | ELECTRONIC<br>IMPEDANCE/MICROSCOPI |
| P-LCR (Platelet Large Cell Ratio)48.60%35-60ELECTRONIC IMPEDANPCT (Platelet Hematocrit)0.17%0.108-0.282ELECTRONIC IMPEDANMPV (Mean Platelet Volume)11.40fL6.5-12.0ELECTRONIC IMPEDANRBC Count  | PDW (Platelet Dis | stribution width)        | 18.40               | fL             | 9-17  | ELECTRONIC IMPEDANCE               |
| PCT (Platelet Hematocrit)0.17%0.108-0.282ELECTRONIC IMPEDANMPV (Mean Platelet Volume)11.40fL6.5-12.0ELECTRONIC IMPEDANRBC Count  |                   | -                        | 48.60               | %              | 35-60   | ELECTRONIC IMPEDANCE               |
| RBC Count  | -                 | <b>0</b>                 | 0.17                | %              | 0.108-0.282   | ELECTRONIC IMPEDANCE               |
| RBC Count4.78Mill./cu mm4.2-5.5ELECTRONIC IMPEDAN  | MPV (Mean Plate   | ,                        | 11.40               | fL             | 6.5-12.0  | ELECTRONIC IMPEDANCE               |
|  | RBC Count         |                          | 4.78                | Mill./cu mm    | 4.2-5.5   | ELECTRONIC IMPEDANCE               |





Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road,Aliganj Ph: 9235432681, CIN : U85110DL2003PLC308206



| Patient Name | : Mr.RAJNEESH                              | Registered On | : 15/May/2022 09:07:04 |
|--------------|--|---------------|------------------------|
| Age/Gender   | : 42 Y O M O D /M                          | Collected     | : 15/May/2022 09:24:12 |
| UHID/MR NO   | : CALI.0000034205                          | Received      | : 15/May/2022 13:40:05 |
| Visit ID     | : CALI0014582223                           | Reported      | : 15/May/2022 17:40:46 |
| Ref Doctor   | : Dr.Mediwheel - Arcofemi Health Care Ltd. | Status        | : Final Report         |

### **DEPARTMENT OF HAEMATOLOGY**

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

| Test Name                        | Result   | Unit   | Bio. Ref. Interval | Method               |
|----------------------------------|----------|--------|--------------------|----------------------|
|                                  |          |        |                    |                      |
| Blood Indices (MCV, MCH, MCHC)   |          |        |                    |                      |
| MCV                              | 91.10    | fl     | 80-100             | CALCULATED PARAMETER |
| MCH                              | 31.00    | pg     | 28-35              | CALCULATED PARAMETER |
| MCHC                             | 34.10    | %      | 30-38              | CALCULATED PARAMETER |
| RDW-CV                           | 13.50    | %      | 11-16              | ELECTRONIC IMPEDANCE |
| RDW-SD                           | 51.00    | fL     | 35-60              | ELECTRONIC IMPEDANCE |
| Absolute Neutrophils Count       | 3,245.00 | /cu mm | 3000-7000          |                      |
| Absolute Eosinophils Count (AEC) | 177.00   | /cu mm | 40-440             |                      |



Dr. Anupam Singh M.B.B.S,M.D.(Pathology)

Page 2 of 11







Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681, CIN : U85110DL2003PLC308206



| Patient Name | : Mr.RAJNEESH                              | Registered On | : 15/May/2022 09:  | 07:05  |
|--------------|--|---------------|--------------------|--------|
| Age/Gender   | : 42 Y O M O D /M                          | Collected     | : 15/May/2022 09:: | 24:12  |
| UHID/MR NO   | : CALI.0000034205                          | Received      | : 15/May/2022 13:  | 35:33  |
| Visit ID     | : CALI0014582223                           | Reported      | : 15/May/2022 14:  | 41:03  |
| Ref Doctor   | : Dr.Mediwheel - Arcofemi Health Care Ltd. | Status        | : Final Report     |        |
|              | DEPARTMENT                                 | OF BIOCHEMIST | RY                 |        |
|              | MEDIWHEEL BANK OF BAROD                    | A MALE & FEM  | ALE BELOW 40 YRS   |        |
| Test Name    | Result                                     | Unit          | Bio. Ref. Interval | Method |
|              |  |               |                    |        |

#### GLUCOSE FASTING \*\* , Plasma

| Glucose Fasting | 92.30 |
|-----------------|-------|
|                 |       |

mg/dl < 100 Normal GOD POD 100-125 Pre-diabetes ≥ 126 Diabetes

#### Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
c) I.G.T = Impared Glucose Tolerance.

| Glucose PP **<br>Sample:Plasma After Meal | 101.30 | mg/dl | <140 Normal<br>140-199 Pre-diabetes<br>>200 Diabetes | GOD POD |
|---|--------|-------|--|---------|
|   |        |       | 200 2100000  |         |

#### Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impared Glucose Tolerance.

| GLYCOSYLATED HAEMOGLOBIN (HBA1C)  | ** , EDTA BLOOD |               |             |
|-----------------------------------|-----------------|---------------|-------------|
| Glycosylated Haemoglobin (HbA1c)  | 6.00            | % NGSP        | HPLC (NGSP) |
| Glycosylated Haemoglobin (Hb-A1c) | 42.00           | mmol/mol/IFCC |             |
| Estimated Average Glucose (eAG)   | 125             | mg/dl         |             |

#### Interpretation:

#### NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.





Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681, CIN : U85110DL2003PLC308206



| Patient Name | : Mr.RAJNEESH                              | Registered On | : 15/May/2022 09:07:05 |
|--------------|--|---------------|------------------------|
| Age/Gender   | : 42 Y O M O D /M                          | Collected     | : 15/May/2022 09:24:12 |
| UHID/MR NO   | : CALI.0000034205                          | Received      | : 15/May/2022 13:35:33 |
| Visit ID     | : CALI0014582223                           | Reported      | : 15/May/2022 14:41:03 |
| Ref Doctor   | : Dr.Mediwheel - Arcofemi Health Care Ltd. | Status        | : Final Report         |

### DEPARTMENT OF BIOCHEMISTRY

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Unit

| Test | Name |
|------|------|
|------|------|

Result

Bio. Ref. Interval

val Method

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

| Haemoglobin A1C (%)NGSP | mmol/mol / IFCC Unit | eAG (mg/dl) | <b>Degree of Glucose Control Unit</b> |
|-------------------------|----------------------|-------------|---------------------------------------|
| > 8                     | >63.9                | >183        | Action Suggested*                     |
| 7-8                     | 53.0 -63.9           | 154-183     | Fair Control                          |
| < 7                     | <63.9                | <154        | Goal**                                |
| 6-7                     | 42.1 -63.9           | 126-154     | Near-normal glycemia                  |
| < 6%                    | <42.1                | <126        | Non-diabetic level                    |

\*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. \*\*Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated G8 90 SL TOSOH HPLC Analyser.

#### **<u>Clinical Implications:</u>**

\*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

\*With optimal control, the HbA 1c moves toward normal levels.

\*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated \*Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

\*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

\*Pregnancy d. chronic renal failure. Interfering Factors:

\*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.



Home Sample Collection 1800-419-0002



Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road,Aliganj Ph: 9235432681, CIN : U85110DL2003PLC308206



| Patient Name                                     | : Mr.RAJNEESH                      |                 | Registere    |  | /2022 09:07:05   |
|--|------------------------------------|-----------------|--------------|--|--|
| Age/Gender                                       | : MI.RAJNEESH<br>: 42 Y 0 M 0 D /M |                 | Collected    |  | /2022 09:07:05   |
| UHID/MR NO                                       | : CALI.0000034205                  |                 | Received     |  | /2022 13:35:33   |
| Visit ID   | : CALI0014582223                   |                 | Reported     | -  | /2022 14:41:03   |
| Ref Doctor                                       | : Dr.Mediwheel - Arcofe            | emi Health Care | Ltd. Status  | : Final Re   | eport  |
|  |                                    | DEPARTMEN       | NT OF BIOCH  | IEMISTRY   |  |
|  | MEDIWHEEL                          | BANK OF BAR     | ODA MALE 8   | & FEMALE BELOW   |  |
| Test Name  |                                    | Result          | U            | Init Bio. Ref. Ir  | nterval Method   |
| BUN (Blood Urea Nit<br>Sample:Serum              | rogen) **                          | 20.70           | mg/dL        | 7.0-23.0   | CALCULATED   |
| Creatinine **<br>Sample:Serum                    |                                    | 1.20            | mg/dl        | 0.5-1.3  | MODIFIED JAFFES  |
| e-GFR (Estimated Glo<br>Rate) **<br>Sample:Serum | omerular Filtration                | 66.40           | ml/min/1.73r | n2 - 90-120 Normal<br>- 60-89 Near Norm                              | CALCULATED   |
| Uric Acid **<br>Sample:Serum                     |                                    | 7.40            | mg/dl        | 3.4-7.0  | URICASE  |
| LFT (WITH GAMM                                   | A GT) ** , Serum                   |                 |              |  |  |
| SGOT / Aspartate A                               | minotransferase (AST)              | 23.30           | U/L          | < 35   | IFCC WITHOUT P5P   |
|  | notransferase (ALT)                | 47.40           | U/L          | < 40   | IFCC WITHOUT P5P   |
| Gamma GT (GGT)                                   |                                    | 27.70           | IU/L         | 11-50  | OPTIMIZED SZAZING  |
| Protein  |                                    | 6.53            | gm/dl        | 6.2-8.0  | BIRUET   |
| Albumin  |                                    | 4.18            | gm/dl        | 3.8-5.4  | B.C.G.   |
| Globulin   |                                    | 2.35            | gm/dl        | 1.8-3.6  | CALCULATED   |
| A:G Ratio  |                                    | 1.78            |              | 1.1-2.0  | CALCULATED   |
| Alkaline Phosphata                               | se (Total)                         | 88.00           | U/L          | 42.0-165.0   | IFCC METHOD  |
| Bilirubin (Total)                                |                                    | 1.31            | mg/dl        | 0.3-1.2  | JENDRASSIK & GROF  |
| Bilirubin (Direct)                               | ÷                                  | 0.54            | mg/dl        | < 0.30   | JENDRASSIK & GROF  |
| Bilirubin (Indirect)                             |                                    | 0.77            | mg/dl        | < 0.8  | JENDRASSIK & GROF  |
| LIPID PROFILE ( M                                | INI)**, Serum                      |                 |              |  |  |
| Cholesterol (Total)                              |                                    | 248.00          | mg/dl        | <200 Desirable<br>200-239 Borderline<br>> 240 High                   | CHOD-PAP<br>e High   |
| HDL Cholesterol (Go                              | ood Cholesterol)                   | 68.40           | mg/dl        | 30-70  | DIRECT ENZYMATIC   |
| LDL Cholesterol (Ba                              | d Cholesterol)                     | 139             | mg/dl        | < 100 Optimal<br>100-129 Nr.<br>Optimal/Above Op                     |  |
|  |                                    |                 |              | 130-159 Borderline<br>160-189 High<br>> 190 Very High                | e nigii  |
|  |                                    | 41.08           | mg/dl        | 10-33  | CALCULATED   |
|  |                                    | 205.40          | mg/dl        | < 150 Normal<br>150-199 Borderline<br>200-499 High<br>>500 Very High | GPO-PAP<br>e High Dr. Anupam Singh<br>M.B.B.S.M.D.(Pathology |





Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road,Aliganj Ph: 9235432681, CIN : U85110DL2003PLC308206



| Patient Name | : Mr.RAJNEESH                              | Registered On | : 15/May/2022 09:07:04 |
|--------------|--|---------------|------------------------|
| Age/Gender   | : 42 Y O M O D /M                          | Collected     | : 15/May/2022 12:20:43 |
| UHID/MR NO   | : CALI.0000034205                          | Received      | : 15/May/2022 16:18:18 |
| Visit ID     | : CALI0014582223                           | Reported      | : 15/May/2022 17:13:17 |
| Ref Doctor   | : Dr.Mediwheel - Arcofemi Health Care Ltd. | Status        | : Final Report         |
|              |  |               |                        |

### DEPARTMENT OF CLINICAL PATHOLOGY

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

| Test Name                      | Result          | Unit  | Bio. Ref. Interval        | Method       |
|--------------------------------|-----------------|-------|---------------------------|--------------|
|                                |                 |       |                           |              |
|                                |                 |       |                           |              |
| RINE EXAMINATION, ROUTINE *    | **, Urine       |       |                           |              |
| Color                          | PALE YELLOW     |       |                           |              |
| Specific Gravity               | 1.020           |       |                           |              |
| Reaction PH                    | Acidic (6.0)    |       |                           | DIPSTICK     |
| Protein                        | ABSENT          | mg %  | < 10 Absent               | DIPSTICK     |
|                                |                 |       | 10-40 (+)                 |              |
|                                |                 |       | 40-200 (++)               |              |
|                                |                 |       | 200-500 (+++)             |              |
| C                              | ADCENIT         |       | > 500 (++++)              | DIDCTICK     |
| Sugar                          | ABSENT          | gms%  | < 0.5 (+)<br>0.5-1.0 (++) | DIPSTICK     |
|                                |                 |       | 1-2 (+++)                 |              |
|                                |                 |       | > 2 (++++)                |              |
| Ketone                         | ABSENT          | mg/dl | 0.2-2.81                  | BIOCHEMISTRY |
| Bile Salts                     | ABSENT          |       |                           |              |
| Bile Pigments                  | ABSENT          |       |                           |              |
| Urobilinogen(1:20 dilution)    | ABSENT          |       |                           |              |
| Microscopic Examination:       |                 |       | and the second second     |              |
| pithelial cells                | 1-2/h.p.f       |       |                           | MICROSCOPIC  |
|                                |                 |       |                           | EXAMINATION  |
| Pus cells                      | ABSENT          |       |                           | MICROSCOPIC  |
|                                |                 |       |                           | EXAMINATION  |
| RBCs                           | ABSENT          |       |                           | MICROSCOPIC  |
|                                |                 |       |                           | EXAMINATION  |
| Cast                           | ABSENT          |       |                           |              |
| Crystals                       | CALCIUM OXALATE |       |                           | MICROSCOPIC  |
|                                |                 |       |                           | EXAMINATION  |
| Others                         | ABSENT          |       |                           |              |
| JGAR, FASTING STAGE ** , Urine |                 |       |                           |              |
| Sugar, Fasting stage           | ABSENT          | gms%  |                           |              |

#### Interpretation:

 $\begin{array}{ll} (+) & < 0.5 \\ (++) & 0.5\text{-}1.0 \\ (+++) & 1\text{-}2 \\ (++++) & > 2 \end{array}$ 

Page 6 of 11



1800-419-0002

Mar. 2016



Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road,Aliganj Ph: 9235432681, CIN : U85110DL2003PLC308206



| Pa | atient Name | : Mr.RAJNEESH                              | Registered On | : 15/May/2022 09:07:04 |
|----|-------------|--|---------------|------------------------|
| A  | ge/Gender   | : 42 Y O M O D /M                          | Collected     | : 15/May/2022 12:20:43 |
| U  | HID/MR NO   | : CALI.0000034205                          | Received      | : 15/May/2022 16:18:18 |
| V  | sit ID      | : CALI0014582223                           | Reported      | : 15/May/2022 17:13:17 |
| R  | ef Doctor   | : Dr.Mediwheel - Arcofemi Health Care Ltd. | Status        | : Final Report         |

### DEPARTMENT OF CLINICAL PATHOLOGY

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

| Test Name | Result | Unit | Bio. Ref. Interval | Method |
|-----------|--------|------|--------------------|--------|
|           |        |      |                    |        |

### SUGAR, PP STAGE \*\* , Urine


Sugar, PP Stage

ABSENT

### Interpretation:

| (+)    | < 0.5  gms%  |
|--------|--------------|
| (++)   | 0.5-1.0 gms% |
| (+++)  | 1-2 gms%     |
| (++++) | >2 gms%      |





Page 7 of 11





Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road,Aliganj Ph: 9235432681, CIN : U85110DL2003PLC308206



| Patient Name | : Mr.RAJNEESH                              | Registered On | : 15/May/2022 09:07:04 |
|--------------|--|---------------|------------------------|
| Age/Gender   | : 42 Y O M O D /M                          | Collected     | : 15/May/2022 09:24:12 |
| UHID/MR NO   | : CALI.0000034205                          | Received      | : 15/May/2022 13:03:51 |
| Visit ID     | : CALI0014582223                           | Reported      | : 15/May/2022 13:58:24 |
| Ref Doctor   | : Dr.Mediwheel - Arcofemi Health Care Ltd. | Status        | : Final Report         |

### DEPARTMENT OF IMMUNOLOGY

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

| Test Name                          | Result | Unit         | Bio. Ref. Interval | Method |  |  |  |  |
|------------------------------------|--------|--------------|--------------------|--------|--|--|--|--|
|                                    |        |              |                    |        |  |  |  |  |
| THYROID PROFILE - TOTAL ** , Serum |        |              |                    |        |  |  |  |  |
| T3, Total (tri-iodothyronine)      | 121.30 | ng/dl        | 84.61-201.7        | CLIA   |  |  |  |  |
| T4, Total (Thyroxine)              | 9.48   | ug/dl        | 3.2-12.6           | CLIA   |  |  |  |  |
| TSH (Thyroid Stimulating Hormone)  | 1.40   | μlŪ/mL       | 0.27 - 5.5         | CLIA   |  |  |  |  |
| Interpretation:                    |        | 0.3-4.5 µIU/ | mL First Trimester |        |  |  |  |  |

| 010 110  | per of mild | 1 1100 11111000 |             |
|----------|-------------|-----------------|-------------|
| 0.5-4.6  | µIU/mL      | Second Trim     | ester       |
| 0.8-5.2  | µIU/mL      | Third Trimes    | ter         |
| 0.5-8.9  | µIU/mL      | Adults          | 55-87 Years |
| 0.7-27   | µIU/mL      | Premature       | 28-36 Week  |
| 2.3-13.2 | µIU/mL      | Cord Blood      | > 37Week    |
| 0.7-64   | µIU/mL      | Child(21 wk     | - 20 Yrs.)  |
| 1-39     | µIU/mL      | Child           | 0-4 Days    |
| 1.7-9.1  | µIU/mL      | Child           | 2-20 Week   |
|          |             |                 |             |
|          |             |                 |             |

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

**3**) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

**4**) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.


5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

**6)** In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

**8**) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.





ISO 8001:2015

Page 8 of 11





Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681, CIN : U85110DL2003PLC308206



| Patient Name | : Mr.RAJNEESH                              | Registered On | : 15/May/2022 09:07:05 |
|--------------|--|---------------|------------------------|
| Age/Gender   | : 42 Y O M O D /M                          | Collected     | : N/A                  |
| UHID/MR NO   | : CALI.0000034205                          | Received      | : N/A                  |
| Visit ID     | : CALI0014582223                           | Reported      | : 15/May/2022 15:04:15 |
| Ref Doctor   | : Dr.Mediwheel - Arcofemi Health Care Ltd. | Status        | : Final Report         |

## **DEPARTMENT OF X-RAY**

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

# X-RAY DIGITAL CHEST PA \* (500 mA COMPUTERISED UNIT SPOT FILM DEVICE)

### **DIGITAL CHEST P-A VIEW**

- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Pulmonary parenchyma did not reveal any significant lesion.

### IMPRESSION : NO SIGNIFICANT DIAGNOSTIC ABNORMALITY SEEN.



Dr. Pankaj Kumar Gupta (M.B.B.S D.M.R.D)







Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681, CIN : U85110DL2003PLC308206



| Patient Name | : Mr.RAJNEESH                              | Registered On | : 15/May/2022 09:07:06 |
|--------------|--|---------------|------------------------|
| Age/Gender   | : 42 Y 0 M 0 D /M                          | Collected     | : N/A                  |
| UHID/MR NO   | : CALI.0000034205                          | Received      | : N/A                  |
| Visit ID     | : CALI0014582223                           | Reported      | : 15/May/2022 11:57:15 |
| Ref Doctor   | : Dr.Mediwheel - Arcofemi Health Care Ltd. | Status        | : Final Report         |

### DEPARTMENT OF ULTRASOUND

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

### ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) \*

#### WHOLE ABDOMEN ULTRASONOGRAPHY REPORT

- LIVER
- The liver is normal in size 14.2 cm and shows diffused raised echogenicity of hepatic parenchyma with loss of periportal echoes ..... S/O grade II fatty liver. No focal lesion is seen.

#### PORTAL SYSTEM

- The intra hepatic portal channels are normal.
- The portal vein is not dilated.
- Porta hepatis is normal.

#### **BILIARY SYSTEM**

- The intra-hepatic biliary radicles are normal.
- Common duct is not dilated.
- The gall bladder is normal in size and has regular walls. Lumen of the gall bladder is anechoic.

### PANCREAS

• The pancreas is normal in size and shape and has a normal homogenous echotexture. Pancreatic duct is not dilated.

### KIDNEYS

- Right kidney is normal in size 10.0 x 3.5 cm position and cortical echotexture.Cortico-medullary demarcation is maintained.
- Left kidney is normal in size 9.8 x 5.0 cmposition and cortical echotexture. Cortico-medullary demarcation is maintained.
- The collecting system of both the kidneys are not dilated.

#### SPLEEN

• The spleen is normal in size 9.3 cm and has a normal homogenous echo-texture.

### ILIAC FOSSAE & PERITONEUM

- Scan over the iliac fossae does not reveal any fluid collection or mass.
- No free fluid is noted in peritoneal cavity.
- Bowel loops are normal in caliber and peristalsis.

#### URINARY BLADDER

• The urinary bladder is normal. Bladder wall is normal in thickness and is regular. No calculus is seen.

### PROSTATE

• The prostate gland is normal in size 2.8 x 2.9 x 3.3 cm (volume 14 gms) with smooth outline.



Page 10 of 11



Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681, CIN : U85110DL2003PLC308206



| Patient Nan | e : Mr.RAJNEESH                         | Registered On | : 15/May/2022 09:07:06 |
|-------------|---|---------------|------------------------|
| Age/Gender  | : 42 Y O M O D /M                       | Collected     | : N/A                  |
| UHID/MR NO  | : CALI.0000034205                       | Received      | : N/A                  |
| Visit ID    | : CALI0014582223                        | Reported      | : 15/May/2022 11:57:15 |
| Ref Doctor  | : Dr.Mediwheel - Arcofemi Health Care L | _td. Status   | : Final Report         |

# 

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

### FINAL IMPRESSION

• GRADE II FATTY LIVER.

Adv: Clinico-pathological correlation and follow-up.

\*\*\* End Of Report \*\*\*

(\*\*) Test Performed at Chandan Speciality Lab.

Result/s to Follow: STOOL, ROUTINE EXAMINATION, ECG / EKG



Dr. Pankaj Kumar Gupta (M.B.B.S D.M.R.D)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days.

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing \* 365 Days Open \*Facilities Available at Select Location

Page 11 of 11



