PID No.
 : MED111518042
 Register On
 : 25/02/2023 8:54 AM

 SID No.
 : 423010556
 Collection On
 : 25/02/2023 9:43 AM

 Age / Sex
 : 51 Year(s) / Male
 Report On
 : 25/02/2023 6:50 PM

 Type
 : OP
 Printed On
 : 27/02/2023 10:44 AM

Ref. Dr : MediWheel

Investigation HAEMATOLOGY	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Complete Blood Count With - ESR			
Haemoglobin (EDTA Blood/Spectrophotometry)	15.66	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood)	45.4	%	42 - 52
RBC Count (EDTA Blood)	5.22	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (EDTA Blood)	86.9	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood)	30.0	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood)	34.5	g/dL	32 - 36
RDW-CV (EDTA Blood)	12.6	%	11.5 - 16.0
RDW-SD (EDTA Blood)	38.32	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood)	5160	cells/cu.mm	4000 - 11000
Neutrophils (EDTA Blood)	43.49	%	40 - 75
Lymphocytes (EDTA Blood)	44.22	%	20 - 45
Eosinophils (EDTA Blood)	4.53	%	01 - 06
Monocytes (EDTA Blood)	7.38	%	01 - 10



 PID No.
 : MED111518042
 Register On
 : 25/02/2023 8:54 AM

 SID No.
 : 423010556
 Collection On
 : 25/02/2023 9:43 AM

 Age / Sex
 : 51 Year(s) / Male
 Report On
 : 25/02/2023 6:50 PM

 Type
 : OP
 Printed On
 : 27/02/2023 10:44 AM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Basophils (Blood)	0.37	%	00 - 02
INTERPRETATION: Tests done on Automated Five	Part cell counter. All	abnormal results are	e reviewed and confirmed microscopically.
Absolute Neutrophil count (EDTA Blood)	2.24	10^3 / μ1	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood)	2.28	10^3 / μ1	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood)	0.23	10^3 / μ1	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood)	0.38	10^3 / μ1	< 1.0
Absolute Basophil count (EDTA Blood)	0.02	10^3 / μ1	< 0.2
Platelet Count (EDTA Blood)	234.7	10^3 / μ1	150 - 450
MPV (EDTA Blood)	7.59	fL	7.9 - 13.7
PCT (EDTA Blood/Automated Blood cell Counter)	0.18	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood)	6	mm/hr	< 20



APPROVED BY

 PID No.
 : MED111518042
 Register On
 : 25/02/2023 8:54 AM

 SID No.
 : 423010556
 Collection On
 : 25/02/2023 9:43 AM

 Age / Sex
 : 51 Year(s) / Male
 Report On
 : 25/02/2023 6:50 PM

 Type
 : OP
 Printed On
 : 27/02/2023 10:44 AM

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BIOCHEMISTRY			
Liver Function Test			
Bilirubin(Total) (Serum/DCA with ATCS)	0.67	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.24	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.43	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/ <i>Modified IFCC</i>)	19.81	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/Modified IFCC)	15.44	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	8.20	U/L	< 55
Alkaline Phosphatase (SAP) (Serum/Modified IFCC)	56.8	U/L	56 - 119
Total Protein (Serum/Biuret)	6.75	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	5.31	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	1.44	gm/dL	2.3 - 3.6
A : G RATIO (Serum/Derived)	3.69		1.1 - 2.2



 PID No.
 : MED111518042
 Register On
 : 25/02/2023 8:54 AM

 SID No.
 : 423010556
 Collection On
 : 25/02/2023 9:43 AM

 Age / Sex
 : 51 Year(s) / Male
 Report On
 : 25/02/2023 6:50 PM

 Type
 : OP
 Printed On
 : 27/02/2023 10:44 AM

Ref. Dr : MediWheel

<u>Investigation</u>	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<u>Lipid Profile</u>			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	144.21	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	181.58	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the `usual_circulating level of triglycerides during most part of the day.

F			
HDL Cholesterol (Serum/Immunoinhibition)	32.00	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/Calculated)	75.9	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	36.3	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	112.2	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220



 PID No.
 : MED111518042
 Register On
 : 25/02/2023 8:54 AM

 SID No.
 : 423010556
 Collection On
 : 25/02/2023 9:43 AM

 Age / Sex
 : 51 Year(s) / Male
 Report On
 : 25/02/2023 6:50 PM

 Type
 : OP
 Printed On
 : 27/02/2023 10:44 AM

Ref. Dr : MediWheel

<u>Investigation</u> <u>Observed Unit Biological</u>
<u>Value</u> <u>Reference Interval</u>

INTERPRETATION: 1. Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2. It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio	4.5	Optimal: < 3.3
(Serum/Calculated)		Low Risk: 3.4 - 4.4
		Average Risk: 4.5 - 7.1
		Moderate Risk: 7.2 - 11.0
		High Risk: > 11.0

Triglyceride/HDL Cholesterol Ratio	5.7	Optimal: < 2.5
(TG/HDL)		Mild to moderate risk: 2.5 - 5.0
(0		High Rick: > 50

(Serum/Calculated) High Risk: > 5.0

LDL/HDL Cholesterol Ratio

(Serum/Calculated)

2.4

Optimal: 0.5 - 3.0

Borderline: 3.1 - 6.0

High Risk: > 6.0



 PID No.
 : MED111518042
 Register On
 : 25/02/2023 8:54 AM

 SID No.
 : 423010556
 Collection On
 : 25/02/2023 9:43 AM

 Age / Sex
 : 51 Year(s) / Male
 Report On
 : 25/02/2023 6:50 PM

 Type
 : OP
 Printed On
 : 27/02/2023 10:44 AM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Glycosylated Haemoglobin (HbA1c)			
HbA1C (Whole Blood/HPLC)	5.9	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose 122.63 mg/dL

(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbAlC values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbAlc.

Dr. Atira Mirza (MD)
Consultant Pathologist
KMC: DLH 2018 0000230 KTK
APPROVED BY

 PID No.
 : MED111518042
 Register On
 : 25/02/2023 8:54 AM

 SID No.
 : 423010556
 Collection On
 : 25/02/2023 9:43 AM

 Age / Sex
 : 51 Year(s) / Male
 Report On
 : 25/02/2023 6:50 PM

 Type
 : OP
 Printed On
 : 27/02/2023 10:44 AM

Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed</u> <u>L</u>	<u>Jnit</u> <u>Biological</u>
	Value	Reference Interval

IMMUNOASSAY

THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total 1.09 ng/ml 0.4 - 1.81

(Serum/ECLIA)

INTERPRETATION:

Comment:

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Tyroxine) - Total 5.67 $\mu g/dl$ 4.2 - 12.0

(Serum/ECLIA)

INTERPRETATION:

Comment:

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) 2.62 µIU/mL 0.35 - 5.50

(Serum/ECLIA)

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment:

- 1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.
- 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
- 3. Values&lt 0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.



 PID No.
 : MED111518042
 Register On
 : 25/02/2023 8:54 AM

 SID No.
 : 423010556
 Collection On
 : 25/02/2023 9:43 AM

 Age / Sex
 : 51 Year(s) / Male
 Report On
 : 25/02/2023 6:50 PM

 Type
 : OP
 Printed On
 : 27/02/2023 10:44 AM

Ref. Dr : MediWheel

InvestigationObservedUnitBiologicalValueReference Interval

CLINICAL PATHOLOGY

PHYSICAL EXAMINATION (URINE COMPLETE)

Colour Pale yellow Yellow to Amber

(Urine)

Appearance Clear Clear

(Urine)

Volume(CLU) 25

(Urine)

CHEMICAL EXAMINATION (URINE

COMPLETE)

pH 6.0 4.5 - 8.0

(Urine)

Specific Gravity 1.007 1.002 - 1.035

(Urine)

Ketone Negative Negative

(Urine)

Urobilinogen Normal Normal

(Urine)

Blood Trace Negative

(Urine)

Nitrite Negative Negative

(Urine)

Bilirubin Negative Negative

(Urine)

Protein Negative Negative

(Urine)



 PID No.
 : MED111518042
 Register On
 : 25/02/2023 8:54 AM

 SID No.
 : 423010556
 Collection On
 : 25/02/2023 9:43 AM

 Age / Sex
 : 51 Year(s) / Male
 Report On
 : 25/02/2023 6:50 PM

 Type
 : OP
 Printed On
 : 27/02/2023 10:44 AM

Ref. Dr : MediWheel

InvestigationObservedUnitBiologicalValueReference Interval

Glucose Negative Negative

(Urine/GOD - POD)

Leukocytes(CP) Negative

(Urine)

MICROSCOPIC EXAMINATION

(URINE COMPLETE)

Pus Cells 0-1 /hpf NIL

(Urine)

Epithelial Cells **0-1** /hpf NIL

(Urine)

RBCs 1-3 /HPF NIL

(Urine)

Others

(Urine)

INTERPRETATION: Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.

Casts NIL /hpf NIL

(Urine)

Crystals NIL /hpf NIL

(Urine)

Dr Anusha,K.S Sr.Consultant Pathologist Reg No : 100674

 PID No.
 : MED111518042
 Register On
 : 25/02/2023 8:54 AM

 SID No.
 : 423010556
 Collection On
 : 25/02/2023 9:43 AM

 Age / Sex
 : 51 Year(s) / Male
 Report On
 : 25/02/2023 6:50 PM

 Type
 : OP
 Printed On
 : 27/02/2023 10:44 AM

Ref. Dr : MediWheel

InvestigationObservedUnitBiologicalValueReference Interval

IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING 'O' 'P

(EDTA Blood/Agglutination)

'O' 'Positive'

Dr Anusha.K.S Sr.Consultant Pathologist Reg No : 100674

 PID No.
 : MED111518042
 Register On
 : 25/02/2023 8:54 AM

 SID No.
 : 423010556
 Collection On
 : 25/02/2023 9:43 AM

 Age / Sex
 : 51 Year(s) / Male
 Report On
 : 25/02/2023 6:50 PM

 Type
 : OP
 Printed On
 : 27/02/2023 10:44 AM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BIOCHEMISTRY			
BUN / Creatinine Ratio	9.1		6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	94.12	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine)	Negative		Negative
(Urine - F/GOD - POD)			
Glucose Postprandial (PPBS)	80.46	mg/dL	70 - 140

(Plasma - PP/GOD-PAP)

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

4 mg/dL 7.0 - 21
2 mg/dL 0.9 - 1.3

(Serum/Modified Jaffe)

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc

Uric Acid 4.51 mg/dL 3.5 - 7.2 (Serum/Enzymatic)

Dr. Atira Mirza (MD)
Consultant Pathologist

KMC: DLH 2018 0000230 KTK APPROVED BY

 PID No.
 : MED111518042
 Register On
 : 25/02/2023 8:54 AM

 SID No.
 : 423010556
 Collection On
 : 25/02/2023 9:43 AM

 Age / Sex
 : 51 Year(s) / Male
 Report On
 : 25/02/2023 6:50 PM

 Type
 : OP
 Printed On
 : 27/02/2023 10:44 AM

Ref. Dr : MediWheel

Investigation	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<u>IMMUNOASSAY</u>			
Prostate specific antigen - Total(PSA) (Serum/Manometric method)	0.895	ng/ml	Normal: 0.0 - 4.0 Inflammatory & Non Malignant conditions of Prostate & genitourinary system: 4.01 - 10.0 Suspicious of Malignant disease of Prostate: > 10.0

INTERPRETATION: Analytical sensitivity: 0.008 - 100 ng/mL

PSA is a tumor marker for screening of prostate cancer. Increased levels of PSA are associated with prostate cancer and benign conditions like bacterial infection, inflammation of prostate gland and benign hypertrophy of prostate/ benign prostatic hyperplasia (BPH).

Transient elevation of PSA levels are seen following digital rectal examination, rigorous physical activity like bicycle riding, ejaculation within 24 hours.

PSA levels tend to increase in all men as they age.

Clinical Utility of PSA:

an the early detection of Prostate cancer.

As an aid in discriminating between Prostate cancer and Benign Prostatic disease.

ðΓo detect cancer recurrence or disease progression.



APPROVED BY

-- End of Report --

CLUMAX DIAGNOSTICS



--- A MEDALL COMPANY --CUSTOMER CHECKLIST
Date 25-Feb-2023 8:53 AM

Customer Name: MR.SANJAY ASHOK PRABHU

DOB : 06 Feb 1972

Ref Dr Name : MediWheel

Age :51Y/MALE

Customer Id :MED111518042

Visit ID :423010556

Phone

1 11011

:9591592225

No

Corp Name

: MediWheel

Address

Email Id


.

Package Name: Mediwheel Full Body Health Checkup Male Above 40

S.No	Modality	Study	Accession No	Time	Seq	Signature
1	LAB	BLOOD UREA NITROGEN (BUN)				
2	LAB	CREATININE				
3	LAB	GLUCOSE - FASTING				
4	LAB	GLUCOSE - POSTPRANDIAL (2 HRS)				
5	LAB	GLYCOSYLATED HAEMOGLOBIN (HbA1c)				
6	LAB	URIC ACID				
7	LAB	LIPID PROFILE				
8	LAB	LIVER FUNCTION TEST (LFT)				
9	LAB	TOTAL PROSTATE SPECIFIC ANTIGEN - PSA				
10	LAB	THYROID PROFILE/ TFT(T3, T4, TSH)				
11	LAB	URINE GLUCOSE - FASTING		1000		
12	LAB	URINE GLUCOSE - POSTPRANDIAL (2 Hrs)				
13	LAB	COMPLETE BLOOD COUNT WITH ESR				

14	LAB ,	STOOL ANALYSIS - ROUTINE	
15	LAB	URINE ROUTINE	
16	LAB	BUN/CREATININE RATIO	
17	LAB	BLOOD GROUP & RH TYPE (Forward Reverse)	
18	ECG	ECG	IND13712851138
19	OTHERS	Treadmill / 2D Echo	IND137128514690
20	OTHERS	physical examination	IND137128515279
21	US	ULTRASOUND ABDOMEN	IND137128515292
22	OTHERS	Dental Consultation	IND137128516289
23	OTHERS	EYE CHECKUP	IND137128517756
24	X-RAY	X RAY CHEST	IND137128518659 -
25	OTHERS	Consultation Physician	IND137128518736

Registerd By (HARI.O)



Name	MR.SANJAY ASHOK PRABHU	ID	MED111518042
Age & Gender	51Y/MALE	Visit Date	25 Feb 2023
Ref Doctor Name	MediWheel		

2 D ECHOCARDIOGRAPHIC STUDY

M mode measurement:

AORTA : 3.3cms

LEFT ATRIUM : 3.4cms

AVS :----

LEFT VENTRICLE (DIASTOLE) : 4.1cms

(SYSTOLE) : 2.8cms

VENTRICULAR SEPTUM (DIASTOLE) : 0.9cms

(SYSTOLE) : 1.1cms

POSTERIOR WALL (DIASTOLE) : 0.8cms

(SYSTOLE) : 1.5cms

EDV : 76ml

ESV : 30ml

FRACTIONAL SHORTENING : 32%

EJECTION FRACTION : 61%

EPSS :---

RVID : 1.9cms

DOPPLER MEASUREMENTS:

MITRAL VALVE : E' 0.65 m/s A' 0.51 m/s NO MR

AORTIC VALVE : 0.84 m/s NO AR

TRICUSPID VALVE : E' - m/s A' - m/s NO TR

PULMONARY VALVE : 1.06 m/s NO PR

Name	MR.SANJAY ASHOK PRABHU	ID	MED111518042
Age & Gender	51Y/MALE	Visit Date	25 Feb 2023
Ref Doctor Name	MediWheel		

2D ECHOCARDIOGRAPHY FINDINGS:

Left ventricle : Normal size, Normal systolic function.

No regional wall motion abnormalities.

Left Atrium : Normal.

Right Ventricle : Normal.

Right Atrium : Normal.

Mitral valve : Normal, No mitral valve prolapsed.

Aortic valve : Normal, Trileaflet.

Tricuspid valve : Normal.

Pulmonary valve : Normal.

IAS : Intact.

IVS : Intact.

Pericardium : No pericardial effusion.

IMPRESSION:

- > NORMAL SIZED CARDIAC CHAMBERS.
- > NORMAL LV SYSTOLIC FUNCTION. EF: 61%.
- > NO REGIONAL WALL MOTION ABNORMALITIES.
- > NORMAL VALVES.
- > NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

DR. K.S. SUBRAMANI. MBBS, MD, DM (CARDIOLOGY) FESC SENIOR CONSULTANT INTERVENTIONAL CARDIOLOGIST Kss/vp

Note:

^{*} Report to be interpreted by qualified medical professional.

Name	MR.SANJAY ASHOK PRABHU	ID	MED111518042
Age & Gender	51Y/MALE	Visit Date	25 Feb 2023
Ref Doctor Name	MediWheel		

^{*} To be correlated with other clinical findings.

* Parameters may be subjected to inter and intra observer variations.

* Any discrepancy in reports due to typing errors should be corrected as soon as possible.

Name	MR.SANJAY ASHOK PRABHU	ID	MED111518042
Age & Gender	51Y/MALE	Visit Date	25 Feb 2023
Ref Doctor Name	MediWheel		

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in shape, size and has uniform echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER shows normal shape and has clear contents. Gall bladder wall is of normal thickness. CBD is of normal calibre.

PANCREAS has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

SPLEEN shows normal shape, size and echopattern.

No demonstrable Para -aortic lymphadenopathy.

KIDNEYS move well with respiration and have normal shape, size and echopattern. Cortico- medullary differentiations are well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

·	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	10.4	1.2
Left Kidney	10.3	1.5

URINARY BLADDER shows normal shape and wall thickness. It has clear contents. No evidence of diverticula.

PROSTATE shows normal shape, size and echopattern. It measures 3.2 x 3.2 x 3.6cms (Vol:19cc).

No evidence of ascites / pleural effusion.

IMPRESSION:

> NO SIGNIFICANT ABNORMALITY DETECTED.

DR. APARNA CONSULTANT RADIOLOGIST A/vp

Name	Sanjay ashok prabhu	Customer ID	MED111518042
Age & Gender	51Y/M	Visit Date	Feb 25 2023 8:53AM
Ref Doctor	MediWheel		

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Impression:

No significant abnormality detected.

