

Name : Mrs. SWARUPA DAS (45 /F)

Date : 23/11/2023

Address : 3 B SREE GURU APT, OTHER, NORTH 24 PARGANAS, WEST BENGAL, INDIA

Examined by:

UHID : AMHL.0002251694

Package : MEDIWHEEL - FULL BODY ANNUAL PLUS CHECK ADVANCE
FEMALE HCK

AHC No : AMHLAH187156



CHIEF COMPLAINTS

For corporate health checkup
Urticaria, Rash

PRESENT KNOWN ILLNESS

No history of - Diabetes mellitus,
Hypertension,
Dyslipidemia, Thyroid
disorder



DRUG ALLERGY

NO KNOWN ALLERGY

:23/11/2023



SYSTEMIC REVIEW

Cardiovascular system

- Nil Significant

Respiratory system

- Nil Significant

Gastrointestinal system

- Nil Significant

Genitourinary system

- Nil Significant

Gynaec history

Last menstrual period - 11/11/23; Periods - regular;
No of Children - 1; Deliveries - LSCS

Central nervous system

- Nil Significant

Eyes

- Nil Significant

ENT

- Nil Significant

Musculoskeletal system

Spine and joints
- Nil Significant

Skin

- Nil Significant



Past medical history

Past medical history - nil significant



Surgical history

Caesarian section - 2004



Personal history

Marital status - Married

Diet - Vegetarian

Alcohol - does not consume alcohol

Smoking - No

Chews tobacco - No

Physical activity - Mild



Family history

Father - has expired

Mother - alive

Brothers - 2

Coronary artery
disease - none

Cancer - father

Type - Stomach

PHYSICAL EXAMINATION



General

Height - 146

Weight - 55

BMI - 25.8

Pallor - No

Oedema - no



Cardiovascular system

Heart rate (Per minute) - 90

Rhythm - Regular

- B.P. Sitting

Systolic(mm of Hg) - 126

Name : Mrs. SWARUPA DAS (45 /F)

UHID : AMHL.0002251694

Date : 23/11/2023

Package : MEDIWHEEL - FULL BODY ANNUAL PLUS CHECK ADVANCE FEMALE HCK

AHC No : AMHLAH187156

Diastolic(mm of Hg) - 72
Heart sounds - S1S2+

Respiratory system

Breath sounds - Normal vesicular breath sounds

Abdomen

Organomegaly - No
Tenderness - No

Central nervous system

- No neurological deficit

Ophthalmology consultation

Ophthalmology findings - UCVA:RE:6/12P LE:6/12P
NVA:RE:N8 LE:N8
OCULAR MOVEMENT:WNL
ANT.SEG:WNL
ACCPT: SPECTACLE PWR
RE:-1.50DS(6/6)
LE:-1.00DS(6/6)
ADD(BE):+1.50DSPH(N6)
ADVICE: *Glass Rx.*Review after 1yr/SOS

Printed By : Benazir Begaum

Name : Mrs. SWARUPA DAS (45 /F)

UHID : AMHL.0002251694

Date : 23/11/2023

Package : MEDIWHEEL - FULL BODY ANNUAL PLUS CHECK ADVANCE FEMALE HCK

AHC No : AMHLAH187156

COMPLETE HAEMOGRAM PROFILE

Test Name	Result	Unit	Level	Range
Hemoglobin	8.5 *	g/dl	●	12.0-15.0
RBC COUNT	3.39 *	Million/ ul	●	3.8-4.8
Hematocrit - Hct:	26.8 *	%	●	36-46
MCV	79.2 *	fl	●	83-101
MCH	25.2 *	pg	●	27-32
MCHC	31.8	%	●	31.5-34.5
RDW	17 *	%	●	11.8-14.0
WBC Count	5700	/cu mm	●	4000-10000
Platelet Count	2.64	lacs/cu mm	●	1.5-4.0
Neutrophils	61	%	●	40-80
Lymphocytes	30	%	●	20-40
Monocytes	06	%	●	2-10
Eosinophils	03	%	●	01-06
Basophils	00	%	●	0-0
RBC:	Anisocytosis+, Microcytic Hypochromic.			
Platelets:	Adequate.			
ERYTHROCYTE SEDIMENTATION RATE (ESR)	32 *	mm/1st hr	●	0-20

URINE ROUTINE AND MICROSCOPY

Test Name	Result	Unit	Level	Range
Volume:	40	mL		
Colour:	Pale Straw			
Appearance	Clear			
Specific Gravity	1.005			
pH:	6.0			
Albumin:	Not Detected			
Glucose	Not Detected			
Ketone:	Not Detected			
Bile Pigments	Not Detected			
RBC	Nil	/hpf		
Pus Cells	Occasional/hpf			

Epithelial Cells	1-3
Casts:	Not Found
Crystals:	Not Found

URINE SUGAR - POST PRANDIAL (QUALITATIVE)

Test Name	Result	Unit	Level	Range
URINE GLUCOSE(POST PRANDIAL)	Nil			

URINE SUGAR- FASTING(QUALITATIVE)

Test Name	Result	Unit	Level	Range
URINE GLUCOSE(FASTING)	Nil			

BLOOD GROUPING AND TYPING (ABO AND RH)

Test Name	Result	Unit	Level	Range
ABO Group:	A			
Rh (D) Type:	POSITIVE			

LIVER FUNCTION TEST (PACKAGE)

Test Name	Result	Unit	Level	Range
ALT(SGPT) - SERUM	25	U/L	●	0-35
ALBUMIN - SERUM	4.5	g/dL	●	3.5-5.1
ALKALINE PHOSPHATASE - SERUM	61	U/L	●	33-98
AST (SGOT) - SERUM	26	U/L	●	0-35
BILIRUBIN TOTAL - SERUM	1.0	mg/dL	●	0.3-1.2

LIPID PROFILE TEST (PACKAGE)

Test Name	Result	Unit	Level	Range
CHOLESTEROL - SERUM	185	mg/dL	●	0-200

CREATININE - SERUM

Test Name	Result	Unit	Level	Range
CREATININE - SERUM	0.6	mg/dL	●	0.6-1.1

● Within Normal Range
 ● Borderline High/Low
 ● Out of Range

Name : Mrs. SWARUPA DAS (45 /F)

UHID : AMHL.0002251694

Date : 23/11/2023

Package : MEDIWHEEL - FULL BODY ANNUAL PLUS CHECK ADVANCE FEMALE HCK

AHC No : AMHLAH187156

LIVER FUNCTION TEST (PACKAGE)

Test Name	Result	Unit	Level	Range
GGTP: GAMMA GLUTAMYL TRANSPEPTIDASE - SERUM	8	U/L	●	0-38

GLUCOSE - PLASMA (FASTING)

Test Name	Result	Unit	Level	Range
GLUCOSE - PLASMA (FASTING)	94	mg/dL	●	70-99

GLUCOSE - PLASMA (POST PRANDIAL)

Test Name	Result	Unit	Level	Range
GLUCOSE - PLASMA (POST PRANDIAL)	84	mg/dL	●	70-140

HBA1C (GLYCOSYLATED HAEMOGLOBIN)-WHOLE BLOOD

Test Name	Result	Unit	Level	Range
HBA1C (GLYCOSYLATED HAEMOGLOBIN)-WHOLE BLOOD	4.6	%	●	Nondiabetic : 4 - 5.6 % Prediabetics : 5.7 - 6.4% Diabetes : >= 6.5% ADA Therapeutic goal : <7%

LIPID PROFILE TEST (PACKAGE)

Test Name	Result	Unit	Level	Range
HDL CHOLESTEROL - SERUM	52	mg/dL	●	30-70
LDL CHOLESTEROL -SERUM	123 *	mg/dL	●	0-100
VLDL CHOLESTEROL - SERUM (Calculated)	10	mg/dL	●	0-35

LIVER FUNCTION TEST (PACKAGE)

Test Name	Result	Unit	Level	Range
PROTEIN TOTAL - SERUM	7.7	g/dL	●	6.4-8.3
GLOBULIN: (CALCULATED) - SERUM	3.2	g/dL	●	1.8-3.6

THYROID PROFILE - I(T3,T4 AND TSH)

Test Name	Result	Unit	Level	Range
TOTAL T3: TRI IODOTHYRONINE - SERUM	1.00	ng/ml	●	0.87-1.78
TOTAL T4: THYROXINE - SERUM	9.00	µg/dL	●	5.48-14.28

LIPID PROFILE TEST (PACKAGE)

Test Name	Result	Unit	Level	Range
TRIGLYCERIDES - SERUM	100	mg/dL	●	0-150

THYROID PROFILE - I(T3,T4 AND TSH)

Test Name	Result	Unit	Level	Range
TSH: THYROID STIMULATING HORMONE - SERUM	2.1	µIU/mL		

URIC ACID - SERUM

Test Name	Result	Unit	Level	Range
URIC ACID - SERUM	2.5	mg/dL	●	2.4-5.7

LIVER FUNCTION TEST (PACKAGE)

Test Name	Result	Unit	Level	Range
BILIRUBIN CONJUGATED (DIRECT) - SERUM	0.2	mg/dL	●	0.0-0.2

BUN (BLOOD UREA NITROGEN)

Test Name	Result	Unit	Level	Range
BUN (BLOOD UREA NITROGEN)	6.7 *	mg/dL	●	7.0-18.0

LIVER FUNCTION TEST (PACKAGE)

Test Name	Result	Unit	Level	Range
A/G - RATIO	1.4		●	1.0-2.0

BUN/CREATININE RATIO

Test Name	Result	Unit	Level	Range
BUN/CREATININE RATIO	10.8			

PAP SMEAR /CERVICAL SMEAR

Ref No: AG01.C2308371

● Within Normal Range ● Borderline High/Low ● Out of Range

Name : Mrs. SWARUPA DAS (45 /F)

UHID : AMHL.0002251694

Date : 23/11/2023

Package : MEDIWHEEL - FULL BODY ANNUAL PLUS CHECK ADVANCE FEMALE HCK

AHC No : AMHLAH187156

SPECIMEN TYPE:

Conventional cervical smear (Papanicolaou stain) x 1

SPECIMEN ADEQUACY:

Satisfactory for evaluation without endocervical cells.

INTERPRETATION/RESULT:

Negative for intraepithelial lesion or malignancy, with no organism

ECG

SINUS RHYTHM.

LOW VOLTAGE QRS COMPLEXES.

TREADMILL TEST / STRESS TEST

STRESS TEST IS NEGATIVE FOR PROVOCABLE MYOCARDIAL ISCHAEMIA.

ULTRASOUND SCREENING WHOLE ABDOMEN

* Mild hepatomegaly with grade I fatty liver.

* Bulky uterus with multiple intramural fibroids as detailed above.

Dr. GAURAV JAIN

DNB RESIDENT

In consultation with

X-RAY CHEST PA

Chest skiagram does not reveal any significant abnormality.

X-RAY MAMMOGRAPHY BILATERAL (MHC)



Within Normal Range



Borderline High/Low



Out of Range

Name : Mrs. SWARUPA DAS (45 /F)

UHID : AMHL.0002251694

Date : 23/11/2023

Package : MEDIWHEEL - FULL BODY ANNUAL PLUS CHECK ADVANCE FEMALE HCK

AHC No : AMHLAH187156

Printed By :

AHC Physician / Consultant Internal Medicine

Note :- The Health Check-up examinations and routine investigations have certain limitations and may not be able to detect all the diseases. Any new or persisting symptoms should be brought to the attention of the Consulting Physician. Additional tests, consultations and follow up may be required in some cases.

AICVD RISK SCORE REPORT

RISK STATUS

Low Risk

YOUR SCORE

3

ACCEPTABLE SCORE

4

Your cardiovascular disease risk in the next 10 years is within the Normal limits for your age and gender

The AICVD risk score developed by Apollo Hospitals is a novel artificial intelligence-based risk scoring system that predicts your risk of having Coronary Artery Disease (CAD) related events in the next ten years. This scoring system uses Indian data and has been validated by multiple national and international institutions. This risk score is more than 92% accurate and has been compiled based on your physical parameters, heart health attributes, lifestyle and medical history. **Note:** The risk category is determined through the ratio between guest score and acceptable score at multiple decimal points. The outputs are shown in whole numbers.

Based on your AICVD risk score you are advised the following:

- Follow the guidance and education on **lifestyle and dietary management provided through the ProHealth program. Maintain a healthy BMI (<25). Avoid tobacco in any form and if you are a smoker, stop smoking.**
- Continue with **medications** for high blood pressure, diabetes, or dyslipidemia, if advised by your physician. Maintain HbA1c <7% (<53mmol/mol), blood pressure <140/90mmHg.
- Follow your physician's advice regarding **follow up tests, consults and annual health assessment**

DISCLAIMER

1. This is not a diagnostic tool and it does not guarantee accuracy of the result and cannot be acted upon independently.
2. This risk score and clinical algorithm is a general guideline for physicians. Any additional laboratory investigations, diagnostic imaging, treatment or patient education related to lifestyle management is under the physician 's or cardiologist's discretion.
3. To ensure the information in the report is up to date , accurate and correct, doctor shall be consulted for interpretation of the report.
4. Apollo Hospitals and its staff does not offer any assurance on the information made available or be liable for any loss or damage as the said report is based on the AICVD risk score without any intervention from their side .
5. By usage of the AICVD risk score, it is deemed that the beneficiary of this service has agreed to get the same done at his own risk and further agrees with this disclaimer without any limitation or any clauses or sub-clauses.

The Clinical AI Models and APIs used at Apollo Hospitals are certified by ISO 13485 : 2016 vide certificate no. MD 763515