




290 / MR PRADEEP SINGH / 36 Yrs / M / 10 Cms / 10 Kg / HR 70

Date: 05/11/2023 BP: 127/72 mmHg BLC On Natch On HF 0.05 Hz LF 150 Hz



EMD

RS

DR. NITIZ GOYAL  
M.B.B.S., M.D.

RMC-023319  
(ADD: GEM217220330)(A)Allengers



AGAR MODE, TONK ROAD, JAIPUR Email: sonia.khisa@allengers.net

MR PRADEEP SINGH / 36 Yrs / M / 0 Cms / 0 Kg

Refd By : **MEDI WHEEL** Examined By:

Date: 05 / 11 / 2023  
 Non-Cardiac Pain Angina / Non-Hypercholesterolemia / Non-Diabetic / Negative Estrogen / Non-Athlete

Stage	Time	Duration	Speed(mph)	Elevation	METS	Rate	% THR	BP	RPP	PVC	Comments
Supine	00:09	0:09	00.0	00.0	01.0	067	36 %	127/72	085	00	
Standing	00:16	0:07	00.0	00.0	01.0	065	35 %	127/72	082	00	
Standing	00:40	0:24	00.0	00.0	01.0	075	41 %	127/72	095	00	
HV	00:48	0:08	00.0	00.0	01.0	080	43 %	127/72	101	00	
Warm Up	00:55	0:07	00.0	00.0	01.0	067	36 %	127/72	085	00	
ExStart	01:03	0:08	01.0	00.0	01.0	072	39 %	127/72	091	00	
BRUCE Stage 1	04:03	3:00	01.7	10.0	04.7	111	60 %	127/80	140	00	
BRUCE Stage 2	07:03	3:00	02.5	12.0	07.1	129	70 %	127/80	163	00	
PeakEx	09:24	2:21	03.4	14.0	09.5	157	85 %	127/80	199	00	
Recovery	10:24	1:00	00.0	00.0	01.2	123	67 %	127/80	156	00	
Recovery	11:24	2:00	00.0	00.0	01.0	113	61 %	127/80	143	00	
Recovery	12:46	3:22	00.0	00.0	01.0	108	59 %	143/82	154	00	

**FINDINGS :**

Exercise Time : 08:21  
 Initial HR (ExStrt) : 72 bpm 39% of Target 184  
 Initial BP (ExStrt) : 127/72 (mm/Hg)  
 Max Workload Attained : 9.5 Good response to induced stress  
 Max ST Dep Lead & Avg ST Value : avL & -1.8 mm in Standing  
 Test End Reasons : Test Complete, Heart Rate Achieved

**REPORT :**  
 TEST IS NEGATIVE FOR INDUCIBLE ISCHAEMIA

Max HR Attained 157 bpm 85% of Target 184  
 Max BP Attained 143/82 (mm/Hg)

**DR. NITIZ GOYAL**

M.B.B.S. M.C.

RMC - 023319

Doctor : DR. NITIZ GOYAL



Name : Mr. PRADEEP SINGH SHEKHAWAT

Registration No: 44869

Age/Gender: 36 Y 1 M 17 D/Male

Registered : 05/Nov/2023 10:01AM

Patient ID : 012311050017

Analysed : 05/Nov/2023 02:00PM

BarcodeNo : 10104270

Reported : 05/Nov/2023 02:00PM

Referred By : Self

Panel : MEDI WHEEL (ARCOFEMI  
HEALTHCARE LTD)

## DIGITAL X-RAY CHEST PA VIEW

Soft tissue shadow and bony cages are normal.

Trachea is central.

Bilateral lung field and both CP angle are clear.

Domes of diaphragm are normally placed.

Transverse diameter of heart appears with normal limits.

**IMPRESSION:- NO OBVIOUS ABNORMALITY DETECTED.**

\*\*\* End Of Report \*\*\*

Page 1 of 1



Dr. Neera Mehta  
M.B.B.S., D.M.R.D.  
RMCNO.005807/14853

ALPL policy mandates the film records to be maintained for a period of 3 months only. Kindly collect the films before this period.



# Aakriti Labs

3 Mahatma Gandhi Marg, Gandhi Nagar Mod  
Tonk Road, Jaipur (Raj.) Ph.: 0141-2710661  
www.aakritilabs.com  
CIN NO.: U85195RJ2004PTC019563

Badar  
Jing medi wheels

Dr. RAKESH SHARMA  
M.S. OPTH. B. OPTH  
FICLLP

HX. DOV, interesting (BR)

VIA { 6/60  
5/60

VIA { 6/6  
eglass, 6/36

cornea - (BR) clear

AC - N

Pupil - RRR

lens - N

FN - WNL

Add. ST - 2.00 sph distance 6/6

- 3.00 sph distance 6/24

Dr. RAKESH SHARMA  
M.S. OPTH. B. OPTH  
FICLLP



# Aakriti Labs


3 Mahatma Gandhi Marg, Gandhi Nagar Mod  
Tonk Road, Jaipur (Raj.) Ph.: 0141-2710661  
www.aakritilabs.com  
CIN NO.: U85195RJ2004PTC019563

PATIENT NAME: MR PRADEEP SINGH SHEKHAWAT	AGE & SEX: 36Y/M
REF. by: MEDI WHEEL	DATE: 05/11/2023

## USG: WHOLE ABDOMEN (Male)

- LIVER** : Is normal in size, shape and echogenecity.  
The IHBR and hepatic radicals are not dilated.  
No evidence of focal echopoor/echorich lesion seen.  
Portal vein diameter and common bile duct appear normal.
- GALL** : Is normal in size, shape and echotexture. Walls are smooth and  
**BLADDER** regular with normal thickness. There is no evidence of cholelithiasis.
- PANCREAS** : Is normal in size, shape and echotexture. Pancreatic duct is not dilated.  
**SPLEEN** : Is normal in size, shape and echogenecity. Splenic hilum is not dilated.
- KIDNEYS** : Right Kidney:-Size: 90 x 47 mm, Left Kidney:-Size: 94 x 51 mm.  
**Right kidney is not seen in its fossa, seen lower down in the pelvis.**  
Bilateral Kidneys are normal in size, shape and echotexture,  
corticomedullary differentiation is fair and ratio appears normal.  
Pelvi calyceal system is normal. No evidence of hydronephrosis/ nephrolithiasis.
- URINARY** : Bladder walls are smooth, regular and normal thickness.  
**BLADDER** : No evidence of mass or stone in bladder lumen.
- PROSTATE**: Is normal in size, shape and echotexture,  
measures: 33 x 25 x 22 mm, wt: 10 gms.  
Its capsule is intact and no evidence of focal lesion.
- SPECIFIC** : No evidence of retroperitoneal mass or free fluid seen in peritoneal cavity.  
: NO evidence of lymphadenopathy or mass lesion in retroperitoneum.  
: Visualized bowel loop appear normal. Great vessels appear normal.

**IMPRESSION:- Ectopic right kidney.**

  
DR NEERA MEHTA  
MBBS, DMRD  
RMCNO.005807/14853



MC-5726

**PATIENT NAME : PRADEEP SINGH SHEKHAWAT****REF. DOCTOR : SELF****CODE/NAME & ADDRESS : C000138404**ARCOFEMI HEALTHCARE LTD (MEDIWHEEL  
F-703, F-703, LADO SARAI, MEHRAULISOUTH  
WEST DELHI  
NEW DELHI 110030  
8800465156**ACCESSION NO : 0251WK000316**

PATIENT ID : PRADM221087251

CLIENT PATIENT ID: 012311050017

ABHA NO :

AGE/SEX : 36 Years Male

DRAWN : 05/11/2023 10:01:00

RECEIVED : 05/11/2023 11:01:05

REPORTED : 05/11/2023 15:20:50

**Test Report Status Final****Results****Biological Reference Interval Units****HAEMATOTOLOGY - CDC****MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE****BLOOD COUNTS, EDTA WHOLE BLOOD**

HEMOGLOBIN (HB)	16.2	13.0 - 17.0	g/dL
METHOD : CYANIDE FREE DETERMINATION			
RED BLOOD CELL (RBC) COUNT	5.11	4.5 - 5.5	mil/ $\mu$ L
METHOD : ELECTRICAL IMPEDANCE			
WHITE BLOOD CELL (WBC) COUNT	5.30	4.0 - 10.0	thou/ $\mu$ L
METHOD : ELECTRICAL IMPEDANCE			
PLATELET COUNT	233	150 - 410	thou/ $\mu$ L
METHOD : ELECTRONIC IMPEDANCE			

**RBC AND PLATELET INDICES**

HEMATOCRIT (PCV)	47.9	40 - 50	%
METHOD : CALCULATED PARAMETER			
MEAN CORPUSCULAR VOLUME (MCV)	94.0	83 - 101	fL
METHOD : CALCULATED PARAMETER			
MEAN CORPUSCULAR HEMOGLOBIN (MCH)	31.6	27.0 - 32.0	pg
METHOD : CALCULATED PARAMETER			
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION (MCHC)	33.7	31.5 - 34.5	g/dL
METHOD : CALCULATED PARAMETER			
RED CELL DISTRIBUTION WIDTH (RDW)	12.6	11.6 - 14.0	%
METHOD : CALCULATED PARAMETER			
MENTZER INDEX	18.4		
MEAN PLATELET VOLUME (MPV)	9.9	6.8 - 10.9	fL
METHOD : CALCULATED PARAMETER			

**WBC DIFFERENTIAL COUNT**

NEUTROPHILS	45	40 - 80	%
METHOD : IMPEDANCE WITH HYDRO FOCUS AND MICROSCOPY			
LYMPHOCYTES	<b>45 High</b>	20 - 40	%
METHOD : IMPEDANCE WITH HYDRO FOCUS AND MICROSCOPY			
MONOCYTES	09	2 - 10	%

**Dr. Akansha Jain**  
Consultant Pathologist

Page 1 Of 20



View Details



View Report

**PERFORMED AT :**Agilus Diagnostics Ltd.  
C/O Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road  
Jaipur, 302015  
Rajasthan, India

Patient Ref. No. 775000005347446



MC-5726

**PATIENT NAME : PRADEEP SINGH SHEKHAWAT****REF. DOCTOR : SELF****CODE/NAME & ADDRESS : C000138404**ARCOFEMI HEALTHCARE LTD (MEDIWHEEL  
F-703, F-703, LADO SARAI, MEHRAULISOUTH  
WEST DELHI  
NEW DELHI 110030  
8800465156**ACCESSION NO : 0251WK000316**

PATIENT ID : PRADM221087251

CLIENT PATIENT ID: 012311050017

ABHA NO :

AGE/SEX : 36 Years Male

DRAWN : 05/11/2023 10:01:00

RECEIVED : 05/11/2023 11:01:05

REPORTED : 05/11/2023 15:20:50

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

METHOD : IMPEDANCE WITH HYDRO FOCUS AND MICROSCOPY  
EOSINOPHILS

01

1 - 6

%

METHOD : IMPEDANCE WITH HYDRO FOCUS AND MICROSCOPY  
BASOPHILS

00

0 - 2

%

METHOD : IMPEDANCE WITH HYDRO FOCUS AND MICROSCOPY  
ABSOLUTE NEUTROPHIL COUNT

2.38

2.0 - 7.0

thou/μL

METHOD : CALCULATED PARAMETER

ABSOLUTE LYMPHOCYTE COUNT

2.38

1.0 - 3.0

thou/μL

METHOD : CALCULATED PARAMETER

ABSOLUTE MONOCYTE COUNT

0.48

0.2 - 1.0

thou/μL

METHOD : CALCULATED PARAMETER

ABSOLUTE EOSINOPHIL COUNT

0.05

0.02 - 0.50

thou/μL

METHOD : CALCULATED PARAMETER

ABSOLUTE BASOPHIL COUNT

**0 Low**

0.02 - 0.10

thou/μL

NEUTROPHIL LYMPHOCYTE RATIO (NLR)

1

&lt;b&gt;Interpretation(s)&lt;/b&gt;

BLOOD COUNTS, EDTA WHOLE BLOOD-The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology.

RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(&gt;13) from Beta thalassaemia trait

(&lt;13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.

WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age &lt; 49.5 years old and NLR &lt; 3.3, COVID-19 patients tend to show mild disease.

(Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients ; A.-P. Yang, et al.; International Immunopharmacology 84 (2020) 106504

This ratio element is a calculated parameter and out of NABL scope.

**Dr. Akansha Jain**  
Consultant Pathologist

Page 2 Of 20



View Details



View Report

**PERFORMED AT :**Agilus Diagnostics Ltd.  
C/O Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road  
Jaipur, 302015  
Rajasthan, India

Patient Ref. No. 775000005347446



MC-5726

**PATIENT NAME : PRADEEP SINGH SHEKHAWAT**

**REF. DOCTOR : SELF**

**CODE/NAME & ADDRESS : C000138404**

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL  
F-703, F-703, LADO SARAI, MEHRAULISOUTH  
WEST DELHI  
NEW DELHI 110030  
8800465156

**ACCESSION NO : 0251WK000316**

**PATIENT ID : PRADM221087251**

**CLIENT PATIENT ID: 012311050017**

**ABHA NO :**

**AGE/SEX : 36 Years Male**

**DRAWN : 05/11/2023 10:01:00**

**RECEIVED : 05/11/2023 11:01:05**

**REPORTED : 05/11/2023 15:20:50**

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

**HAE MATOLOGY**

**MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE**

**GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD**

HBA1C	5.1	Non-diabetic: < 5.7 Pre-diabetics: 5.7 - 6.4 Diabetics: > or = 6.5 Therapeutic goals: < 7.0 Action suggested : > 8.0 (ADA Guideline 2021)	%
-------	-----	--	---

METHOD : HIGH PERFORMANCE LIQUID CHROMATOGRAPHY (HPLC)

ESTIMATED AVERAGE GLUCOSE(EAG)	99.7	< 116.0	mg/dL
--------------------------------	------	---------	-------

METHOD : CALCULATED PARAMETER

**Dr. Akansha Jain**  
Consultant Pathologist



View Details



View Report

**PERFORMED AT :**

Agilus Diagnostics Ltd.  
C/O Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road  
Jaipur, 302015  
Rajasthan, India



**Patient Ref. No. 775000005347446**



PATIENT NAME : PRADEEP SINGH SHEKHAWAT

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138404

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL  
F-703, F-703, LADO SARAI, MEHRAULISOUTH  
WEST DELHI  
NEW DELHI 110030  
8800465156

ACCESSION NO : 0251WK000316

PATIENT ID : PRADM221087251

CLIENT PATIENT ID: 012311050017

ABHA NO :

AGE/SEX : 36 Years Male

DRAWN : 05/11/2023 10:01:00

RECEIVED : 05/11/2023 11:01:05

REPORTED : 05/11/2023 15:20:50

Test Report Status **Final**

Results

Biological Reference Interval Units

**MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE**

**ERYTHROCYTE SEDIMENTATION RATE (ESR),WHOLE BLOOD**

E.S.R

02

0 - 14

mm at 1 hr

METHOD : AUTOMATED (PHOTOMETRICAL CAPILLARY STOPPED FLOW KINETIC ANALYSIS)"

<b>Interpretation(s)</b>

GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD-<b>Used For</b> :

1. Evaluating the long-term control of blood glucose concentrations in diabetic patients.
2. Diagnosing diabetes.
3. Identifying patients at increased risk for diabetes (prediabetes).

The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patients metabolic control has remained continuously within the target range.

1. eAG (Estimated average glucose) converts percentage HbA1c to md/dl, to compare blood glucose levels.
2. eAG gives an evaluation of blood glucose levels for the last couple of months.
3. eAG is calculated as eAG (mg/dl) = 28.7 \* HbA1c - 46.7

<b>HbA1c Estimation can get affected due to :</b>

1. Shortened Erythrocyte survival : Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss,hemolytic anemia) will falsely lower HbA1c test results.Fructosamine is recommended in these patients which indicates diabetes control over 15 days.
- 2.Vitamin C & E are reported to falsely lower test results.(possibly by inhibiting glycation of hemoglobin.
3. Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia,uremia, hyperbilirubinemia, chronic alcoholism,chronic ingestion of salicylates & opiates addition are reported to interfere with some assay methods,falsely increasing results.
4. Interference of hemoglobinopathies in HbA1c estimation is seen in

a) Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c.

b) Heterozygous state detected (D10 is corrected for HbS & HbC trait.)

c) HbF > 25% on alternate paltform (Boronate affinity chromatography) is recommended for testing of HbA1c.Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy

ERYTHROCYTE SEDIMENTATION RATE (ESR),WHOLE BLOOD-<b>TEST DESCRIPTION</b> :-

Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic; it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition.CRP is superior to ESR because it is more sensitive and reflects a more rapid change.

<b>TEST INTERPRETATION</b>

<b>Increase</b> in: Infections, Vasculities, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy, Estrogen medication, Aging.

Finding a very accelerated ESR(> 100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease

(Paraproteinemias, Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis).

In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum.

<b>Decreased</b> in: Polycythemia vera, Sickle cell anemia

<b>LIMITATIONS</b>

<b>False elevated</b> ESR : Increased fibrinogen, Drugs(Vitamin A, Dextran etc), Hypercholesterolemia

<b>False Decreased</b> : Poikilocytosis,(SickleCells,spherocytes),Microcytosis, Low fibrinogen, Very high WBC counts, Drugs(Quinine, salicylates)

REFERENCE :

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition;2. Paediatric reference intervals. AACCC Press, 7th edition. Edited by S. Soldin;3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis,10th edition.

Dr. Akansha Jain  
Consultant Pathologist

Page 4 Of 20



View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd.  
C/O Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg,Gandhi Nagar Mod, Tonk Road  
Jaipur, 302015  
Rajasthan, India



Patient Ref. No. 775000005347446

**PATIENT NAME : PRADEEP SINGH SHEKHAWAT**

**REF. DOCTOR : SELF**

**CODE/NAME & ADDRESS : C000138404**

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL  
F-703, F-703, LADO SARAI, MEHRAULISOUTH  
WEST DELHI  
NEW DELHI 110030  
8800465156

**ACCESSION NO : 0251WK000316**

**PATIENT ID : PRADM221087251**

**CLIENT PATIENT ID: 012311050017**

**ABHA NO :**

**AGE/SEX : 36 Years Male**

**DRAWN : 05/11/2023 10:01:00**

**RECEIVED : 05/11/2023 11:01:05**

**REPORTED : 05/11/2023 15:20:50**

**Test Report Status Final**

**Results**

**Biological Reference Interval Units**

**IMMUNOHAEMATOLOGY**

**MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE**

**ABO GROUP & RH TYPE, EDTA WHOLE BLOOD**

**ABO GROUP**

**TYPE O**

METHOD : TUBE AGGLUTINATION

**RH TYPE**

**POSITIVE**

METHOD : TUBE AGGLUTINATION

<b>Interpretation(s)</b>

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same."

The test is performed by both forward as well as reverse grouping methods.

**Dr. Akansha Jain**  
**Consultant Pathologist**

Page 5 Of 20



View Details



View Report

**PERFORMED AT :**

Agilus Diagnostics Ltd.  
C/O Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road  
Jaipur, 302015  
Rajasthan, India



**Patient Ref. No. 775000005347446**



PATIENT NAME : PRADEEP SINGH SHEKHAWAT REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138404 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	ACCESSION NO : 0251WK000316 PATIENT ID : PRADM221087251 CLIENT PATIENT ID: 012311050017 ABHA NO :	AGE/SEX : 36 Years Male DRAWN : 05/11/2023 10:01:00 RECEIVED : 05/11/2023 11:01:05 REPORTED : 05/11/2023 15:20:50
---	--	--


Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

**BIOCHEMISTRY**

**MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE**

**GLUCOSE FASTING,FLUORIDE PLASMA**

FBS (FASTING BLOOD SUGAR) 91 74 - 99 mg/dL  
 METHOD : GLUCOSE OXIDASE



**GLUCOSE, POST-PRANDIAL, PLASMA**

PPBS(POST PRANDIAL BLOOD SUGAR) 101 70 - 140 mg/dL  
 METHOD : GLUCOSE OXIDASE

Dr. Akansha Jain  
Consultant Pathologist



View Details

View Report

**PERFORMED AT :**

Agilus Diagnostics Ltd.  
C/O Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road  
Jaipur, 302015  
Rajasthan, India





MC-5726

**PATIENT NAME : PRADEEP SINGH SHEKHAWAT**

**REF. DOCTOR : SELF**

**CODE/NAME & ADDRESS : C000138404**

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL  
F-703, F-703, LADO SARAI, MEHRAULISOUTH  
WEST DELHI  
NEW DELHI 110030  
8800465156

**ACCESSION NO : 0251WK000316**

**PATIENT ID : PRADM221087251**

**CLIENT PATIENT ID: 012311050017**

**ABHA NO :**

**AGE/SEX : 36 Years Male**

**DRAWN : 05/11/2023 10:01:00**


**RECEIVED : 05/11/2023 11:01:05**

**REPORTED : 05/11/2023 15:20:50**

**Test Report Status Final**

**Results**

**Biological Reference Interval Units**



**LIPID PROFILE WITH CALCULATED LDL**

CHOLESTEROL, TOTAL	<b>247 High</b>	< 200 Desirable 200 - 239 Borderline High >= 240 High	mg/dL
METHOD : CHOLESTEROL OXIDASE			
TRIGLYCERIDES	150	< 150 Normal 150 - 199 Borderline High 200 - 499 High >=500 Very High	mg/dL
METHOD : LIPASE/GPO-PAP NO CORRECTION			
HDL CHOLESTEROL	47	< 40 Low >=60 High	mg/dL
METHOD : DIRECT CLEARANCE METHOD			
CHOLESTEROL LDL	<b>170 High</b>	< 100 Optimal 100 - 129 Near optimal/ above optimal 130 - 159 Borderline High 160 - 189 High >= 190 Very High	mg/dL
NON HDL CHOLESTEROL	<b>200 High</b>	Desirable: Less than 130 Above Desirable: 130 - 159	mg/dL

**Dr. Akansha Jain**  
Consultant Pathologist

Page 7 Of 20



View Details



View Report

**PERFORMED AT :**

Agilus Diagnostics Ltd.  
C/O Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road  
Jaipur, 302015  
Rajasthan, India



**Patient Ref. No. 775000005347446**




MC-5726

**PATIENT NAME : PRADEEP SINGH SHEKHAWAT** **REF. DOCTOR : SELF**

<b>CODE/NAME &amp; ADDRESS</b> : C000138404 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	<b>ACCESSION NO</b> : <b>0251WK000316</b> <b>PATIENT ID</b> : PRADM221087251 <b>CLIENT PATIENT ID</b> : 012311050017 <b>ABHA NO</b> :	<b>AGE/SEX</b> : 36 Years Male <b>DRAWN</b> : 05/11/2023 10:01:00 <b>RECEIVED</b> : 05/11/2023 11:01:05 <b>REPORTED</b> : 05/11/2023 15:20:50
--	--	--

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

METHOD : CALCULATED PARAMETER				
VERY LOW DENSITY LIPOPROTEIN	30.0	</= 30.0		mg/dL
CHOL/HDL RATIO	<b>5.3 High</b>	3.3 - 4.4 Low Risk 4.5 - 7.0 Average Risk 7.1 - 11.0 Moderate Risk > 11.0 High Risk		
LDL/HDL RATIO	<b>3.6 High</b>	0.5 - 3.0 Desirable/Low Risk 3.1 - 6.0 Borderline/Moderate Risk >6.0 High Risk		



**Dr. Akansha Jain**  
Consultant Pathologist



View Details

View Report

**PERFORMED AT :**  
Agilus Diagnostics Ltd.  
C/O Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road  
Jaipur, 302015  
Rajasthan, India





MC-5726

**PATIENT NAME : PRADEEP SINGH SHEKHAWAT**

**REF. DOCTOR : SELF**

**CODE/NAME & ADDRESS : C000138404**

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL  
F-703, F-703, LADO SARAI, MEHRAULISOUTH  
WEST DELHI  
NEW DELHI 110030  
8800465156

**ACCESSION NO : 0251WK000316**

**PATIENT ID : PRADM221087251**

**CLIENT PATIENT ID: 012311050017**

**ABHA NO :**



**AGE/SEX : 36 Years Male**

**DRAWN : 05/11/2023 10:01:00**

**RECEIVED : 05/11/2023 11:01:05**

**REPORTED : 05/11/2023 15:20:50**

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------



**Interpretation(s)**

**Dr. Akansha Jain**  
Consultant Pathologist



View Details



View Report

**PERFORMED AT :**

Agilus Diagnostics Ltd.  
C/O Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road  
Jaipur, 302015  
Rajasthan, India





MC-5726

**PATIENT NAME : PRADEEP SINGH SHEKHAWAT****REF. DOCTOR : SELF****CODE/NAME & ADDRESS : C000138404**ARCOFEMI HEALTHCARE LTD (MEDIWHEEL  
F-703, F-703, LADO SARAI, MEHRAULISOUTH  
WEST DELHI  
NEW DELHI 110030  
8800465156**ACCESSION NO : 0251WK000316****PATIENT ID : PRADM221087251****CLIENT PATIENT ID : 012311050017****ABHA NO :****AGE/SEX : 36 Years Male****DRAWN : 05/11/2023 10:01:00****RECEIVED : 05/11/2023 11:01:05****REPORTED : 05/11/2023 15:20:50****Test Report Status Final****Results****Biological Reference Interval Units**

Serum lipid profile is measured for cardiovascular risk prediction. Lipid Association of India recommends LDL-C as primary target and Non HDL-C as co-primary treatment target.

**Risk Stratification for ASCVD (Atherosclerotic cardiovascular disease) by Lipid Association of India**

Risk Category	
Extreme risk group	A. CAD with > 1 feature of high risk group B. CAD with > 1 feature of Very high risk group or recurrent ACS (within 1 year) despite LDL-C < or = 50 mg/dl or polyvascular disease
Very High Risk	1. Established ASCVD 2. Diabetes with 2 major risk factors or evidence of end organ damage 3. Familial Homozygous Hypercholesterolemia
High Risk	1. Three major ASCVD risk factors. 2. Diabetes with 1 major risk factor or no evidence of end organ damage. 3. CKD stage 3B or 4. 4. LDL >190 mg/dl 5. Extreme of a single risk factor. 6. Coronary Artery Calcium - CAC >300 AU. 7. Lipoprotein a >= 50mg/dl 8. Non stenotic carotid plaque
Moderate Risk	2 major ASCVD risk factors
Low Risk	0-1 major ASCVD risk factors
Major ASCVD (Atherosclerotic cardiovascular disease) Risk Factors	
1. Age > or = 45 years in males and > or = 55 years in females	3. Current Cigarette smoking or tobacco use
2. Family history of premature ASCVD	4. High blood pressure
5. Low HDL	

**Newer treatment goals and statin initiation thresholds based on the risk categories proposed by LAI in 2020.**

Risk Group	Treatment Goals		Consider Drug Therapy	
	LDL-C (mg/dl)	Non-HDL (mg/dl)	LDL-C (mg/dl)	Non-HDL (mg/dl)
Extreme Risk Group Category A	<50 (Optional goal < OR = 30 )	< 80 (Optional goal <OR = 60)	>OR = 50	>OR = 80
Extreme Risk Group Category B	<OR = 30	<OR = 60	> 30	>60
Very High Risk	<50	<80	>OR= 50	>OR= 80
High Risk	<70	<100	>OR= 70	>OR= 100
Moderate Risk	<100	<130	>OR= 100	>OR= 130
Low Risk	<100	<130	>OR= 130*	>OR= 160

\*After an adequate non-pharmacological intervention for at least 3 months.

**References:** Management of Dyslipidaemia for the Prevention of Stroke: Clinical Practice Recommendations from the Lipid Association of India. Current Vascular Pharmacology, 2022, 20, 134-155.

**LIVER FUNCTION PROFILE, SERUM**

BILIRUBIN, TOTAL	0.68	0 - 1	mg/dL
METHOD : DIAZO WITH SULPHANILIC ACID			
BILIRUBIN, DIRECT	0.20	0.00 - 0.25	mg/dL
METHOD : DIAZO WITH SULPHANILIC ACID			
BILIRUBIN, INDIRECT	0.48	0.1 - 1.0	mg/dL
METHOD : CALCULATED PARAMETER			
TOTAL PROTEIN	7.6	6.4 - 8.2	g/dL
METHOD : BIURET REACTION, END POINT			
ALBUMIN	<b>4.6 High</b>	3.8 - 4.4	g/dL
METHOD : BROMOCRESOL GREEN			

**Dr. Akansha Jain**  
**Consultant Pathologist**

Page 10 Of 20



View Details

View Report

**PERFORMED AT :**Agilus Diagnostics Ltd.  
C/O Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road  
Jaipur, 302015  
Rajasthan, India**Patient Ref. No. 77500005347446**



MC-5726

**PATIENT NAME : PRADEEP SINGH SHEKHAWAT**

**REF. DOCTOR : SELF**

**CODE/NAME & ADDRESS : C000138404**

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL  
F-703, F-703, LADO SARAI, MEHRAULISOUTH  
WEST DELHI  
NEW DELHI 110030  
8800465156

**ACCESSION NO : 0251WK000316**

PATIENT ID : PRADM221087251

CLIENT PATIENT ID: 012311050017

ABHA NO :

AGE/SEX : 36 Years Male

DRAWN : 05/11/2023 10:01:00

RECEIVED : 05/11/2023 11:01:05


REPORTED : 05/11/2023 15:20:50

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

GLOBULIN		3.0	2.0 - 4.1	g/dL
METHOD : CALCULATED PARAMETER				
ALBUMIN/GLOBULIN RATIO		1.5	1.0 - 2.1	RATIO
METHOD : CALCULATED PARAMETER				
ASPARTATE AMINOTRANSFERASE (AST/SGOT)		<b>39 High</b>	0 - 37	U/L
METHOD : TRIS BUFFER NO P5P IFCC / SFBC 37° C				
ALANINE AMINOTRANSFERASE (ALT/SGPT)		<b>73 High</b>	0 - 40	U/L
METHOD : TRIS BUFFER NO P5P IFCC / SFBC 37° C				
ALKALINE PHOSPHATASE		77	39 - 117	U/L
METHOD : AMP OPTIMISED TO IFCC 37° C				
GAMMA GLUTAMYL TRANSFERASE (GGT)		<b>69 High</b>	11 - 50	U/L
METHOD : GAMMA GLUTAMYL-3 CARBOXY-4 NITROANILIDE (IFCC) 37° C				
LACTATE DEHYDROGENASE		303	230 - 460	U/L

**BLOOD UREA NITROGEN (BUN), SERUM**

BLOOD UREA NITROGEN		9	5.0 - 18.0	mg/dL
METHOD : UREASE KINETIC				



**Dr. Akansha Jain**  
Consultant Pathologist



View Details



View Report

**PERFORMED AT :**

Agilus Diagnostics Ltd.  
C/O Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road  
Jaipur, 302015  
Rajasthan, India



Patient Ref. No. 775000005347446





MC-5726

**PATIENT NAME : PRADEEP SINGH SHEKHAWAT**

**REF. DOCTOR : SELF**

**CODE/NAME & ADDRESS : C000138404**

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL  
F-703, F-703, LADO SARAI, MEHRAULISOUTH  
WEST DELHI  
NEW DELHI 110030  
8800465156

**ACCESSION NO : 0251WK000316**

**PATIENT ID : PRADM221087251**

**CLIENT PATIENT ID: 012311050017**

**ABHA NO :**

**AGE/SEX : 36 Years Male**

**DRAWN : 05/11/2023 10:01:00**

**RECEIVED : 05/11/2023 11:01:05**

**REPORTED : 05/11/2023 15:20:50**

**Test Report Status Final**

**Results**

**Biological Reference Interval Units**

**CREATININE, SERUM**


**CREATININE**

1.10

0.8 - 1.3

mg/dL

METHOD : ALKALINE PICRATE NO DEPROTEINIZATION



**BUN/CREAT RATIO**

**BUN/CREAT RATIO**

8.18

METHOD : CALCULATED PARAMETER

**URIC ACID, SERUM**

**URIC ACID**

5.4

3.4 - 7.0

mg/dL

METHOD : URICASE PEROXIDASE WITH ASCORBATE OXIDASE

**TOTAL PROTEIN, SERUM**

**TOTAL PROTEIN**

7.6

6.4 - 8.3

g/dL

METHOD : BIURET REACTION, END POINT

**ALBUMIN, SERUM**

**Dr. Akansha Jain**  
Consultant Pathologist



View Details

View Report

**PERFORMED AT :**

Agilus Diagnostics Ltd.  
C/O Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road  
Jaipur, 302015  
Rajasthan, India





MC-5726

**PATIENT NAME : PRADEEP SINGH SHEKHAWAT****REF. DOCTOR : SELF****CODE/NAME & ADDRESS : C000138404**ARCOFEMI HEALTHCARE LTD (MEDIWHEEL  
F-703, F-703, LADO SARAI, MEHRAULISOUTH  
WEST DELHI  
NEW DELHI 110030  
8800465156**ACCESSION NO : 0251WK000316****PATIENT ID : PRADM221087251****CLIENT PATIENT ID: 012311050017****ABHA NO :****AGE/SEX : 36 Years Male****DRAWN : 05/11/2023 10:01:00****RECEIVED : 05/11/2023 11:01:05****REPORTED : 05/11/2023 15:20:50****Test Report Status Final Results Biological Reference Interval Units**ALBUMIN **4.6 High** 3.8 - 4.4 g/dL  
METHOD : BROMOCRESOL GREEN**GLOBULIN**

GLOBULIN 3.0 2.0 - 4.1 g/dL

**ELECTROLYTES (NA/K/CL), SERUM**SODIUM, SERUM 140.5 137 - 145 mmol/L  
METHOD : ION-SELECTIVE ELECTRODEPOTASSIUM, SERUM 4.33 3.6 - 5.0 mmol/L  
METHOD : ION-SELECTIVE ELECTRODECHLORIDE, SERUM 100.0 98 - 107 mmol/L  
METHOD : ION-SELECTIVE ELECTRODE**Interpretation(s)**

Sodium	Potassium	Chloride
<b>Decreased in:</b> CCF, cirrhosis, vomiting, diarrhea, excessive sweating, salt-losing nephropathy, adrenal insufficiency, nephrotic syndrome, water intoxication, SIADH. Drugs: thiazides, diuretics, ACE inhibitors, chlorpropamide, carbamazepine, antidepressants (SSRI), antipsychotics.	<b>Decreased in:</b> Low potassium intake, prolonged vomiting or diarrhea, RTA types I and II, hyperaldosteronism, Cushing's syndrome, osmotic diuresis (e.g., hyperglycemia), alkalosis, familial periodic paralysis, trauma (transient). Drugs: Adrenergic agents, diuretics.	<b>Decreased in:</b> Vomiting, diarrhea, renal failure combined with salt deprivation, over-treatment with diuretics, chronic respiratory acidosis, diabetic ketoacidosis, excessive sweating, SIADH, salt-losing nephropathy, porphyria, expansion of extracellular fluid volume, adrenal insufficiency, hyperaldosteronism, metabolic alkalosis. Drugs: chronic laxative, corticosteroids, diuretics.
<b>Increased in:</b> Dehydration (excessive sweating, severe vomiting or diarrhea), diabetes mellitus, diabetes insipidus, hyperaldosteronism, inadequate water intake. Drugs: steroids, licorice, oral contraceptives.	<b>Increased in:</b> Massive hemolysis, severe tissue damage, rhabdomyolysis, acidosis, dehydration, renal failure, Addison's disease, RTA type IV, hyperkalemic familial periodic paralysis. Drugs: potassium salts, potassium-sparing diuretics, NSAIDs, beta-blockers, ACE inhibitors, high-dose trimethoprim-sulfamethoxazole.	<b>Increased in:</b> Renal failure, nephrotic syndrome, RTA, dehydration, overtreatment with saline, hyperparathyroidism, diabetes insipidus, metabolic acidosis from diarrhea (Loss of HCO <sub>3</sub> <sup>-</sup> ), respiratory alkalosis, hyperadrenocorticism. Drugs: acetazolamide, androgens, hydrochlorothiazide, salicylates.
<b>Interferences:</b> Severe lipemia or hyperproteinemia, if sodium analysis involves a dilution step can cause spurious results. The serum sodium falls about 1.6 mEq/L for each 100 mg/dL increase in blood glucose.	<b>Interferences:</b> Hemolysis of sample, delayed separation of serum, prolonged fist clenching during blood drawing, and prolonged tourniquet placement. Very high WBC/PLT counts may cause spurious. Plasma potassium levels are normal.	<b>Interferences:</b> Test is helpful in assessing normal and increased anion gap metabolic acidosis and in distinguishing hypercalcemia due to hyperparathyroidism (high serum chloride) from that due to malignancy (Normal serum chloride)

**Dr. Akansha Jain**  
**Consultant Pathologist**

Page 13 Of 20



View Details



View Report

**PERFORMED AT :**Agilus Diagnostics Ltd.  
C/O Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road  
Jaipur, 302015  
Rajasthan, India**Patient Ref. No. 775000005347446**



MC-5726

<b>PATIENT NAME : PRADEEP SINGH SHEKHAWAT</b>		<b>REF. DOCTOR : SELF</b>	
<b>CODE/NAME &amp; ADDRESS : C000138404</b>		<b>ACCESSION NO : 0251WK000316</b>	<b>AGE/SEX : 36 Years Male</b>
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156		<b>PATIENT ID : PRADM221087251</b>	<b>DRAWN : 05/11/2023 10:01:00</b>
		<b>CLIENT PATIENT ID: 012311050017</b>	<b>RECEIVED : 05/11/2023 11:01:05</b>
		<b>ABHA NO :</b>	<b>REPORTED : 05/11/2023 15:20:50</b>

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

**Interpretation(s)**  
**GLUCOSE FASTING, FLUORIDE PLASMA-TEST DESCRIPTION**  
 Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and so that no glucose is excreted in the urine.  
 <b>Increased in</b>: Diabetes mellitus, Cushing's syndrome (10 - 15%), chronic pancreatitis (30%). Drugs: corticosteroids, phenytoin, estrogen, thiazides.  
 <b>Decreased in</b>: Pancreatic islet cell disease with increased insulin, insulinoma, adrenocortical insufficiency, hypopituitarism, diffuse liver disease, malignancy (adrenocortical, stomach, fibrosarcoma), infant of a diabetic mother, enzyme deficiency diseases (e.g. galactosemia), Drugs- insulin, ethanol, propranolol; sulfonyleureas, tolbutamide, and other oral hypoglycemic agents.  
 <b>NOTE:</b> While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within individuals. Thus, glycosylated hemoglobin (HbA1c) levels are favored to monitor glycemic control.  
 High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glycosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.  
 GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glycosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc. Additional test HbA1c  
**LIVER FUNCTION PROFILE, SERUM-**  
 <b>Bilirubin</b> is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. <b>Elevated levels</b> results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease. Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors & Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.  
 <b>AST</b> is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity. ALT test measures the amount of this enzyme in the blood. ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health. AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis, obstruction of bile ducts, cirrhosis.  
 <b>ALP</b> is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Pagets disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilsons disease.  
 <b>GGT</b> is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc.  
 <b>Total Protein</b> also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease. Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.  
 <b>Albumin</b> is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.  
**BLOOD UREA NITROGEN (BUN), SERUM-** <b>Causes of Increased</b> levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism)  
 <b>Causes of decreased</b> level include Liver disease, SIADH.  
**CREATININE, SERUM-** <b>Higher than normal level may be due to:</b>  
 • Blockage in the urinary tract, Kidney problems, such as kidney damage or failure, infection, or reduced blood flow, Loss of body fluid (dehydration), Muscle problems, such as breakdown of muscle fibers, Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia)  
 <b>Lower than normal level may be due to:</b> • Myasthenia Gravis, Muscuophy  
**URIC ACID, SERUM-** <b>Causes of Increased levels:</b> -Dietary (High Protein Intake, Prolonged Fasting, Rapid weight loss), Gout, Lesch nyhan syndrome, Type 2 DM, Metabolic syndrome <b>Causes of decreased levels</b> -Low Zinc intake, OCP, Multiple Sclerosis  
**TOTAL PROTEIN, SERUM-** is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin.  
 <b>Higher-than-normal levels may be due to:</b> Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease.  
 <b>Lower-than-normal levels may be due to:</b> Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.  
**ALBUMIN, SERUM-** Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. <b>Low blood albumin levels (hypoalbuminemia) can be caused by:</b> Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.

**Dr. Akansha Jain**  
Consultant Pathologist



View Details



View Report

**PERFORMED AT :**  
Aglus Diagnostics Pvt.  
C/O Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road  
Jaipur, 302015  
Rajasthan, India





MC-5726

PATIENT NAME : PRADEEP SINGH SHEKHAWAT REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138404 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	ACCESSION NO : 0251WK000316 PATIENT ID : PRADM221087251 CLIENT PATIENT ID: 012311050017 ABHA NO :	AGE/SEX : 36 Years Male DRAWN : 05/11/2023 10:01:00 RECEIVED : 05/11/2023 11:01:05 REPORTED : 05/11/2023 15:20:50
---	--	--

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

CLINICAL PATH - URINALYSIS

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

PHYSICAL EXAMINATION, URINE

COLOR	PALE YELLOW
METHOD : GROSS EXAMINATION	
APPEARANCE	CLEAR
METHOD : GROSS EXAMINATION	

CHEMICAL EXAMINATION, URINE

PH	7.0	4.7 - 7.5
METHOD : DOUBLE INDICATOR PRINCIPLE		
SPECIFIC GRAVITY	1.010	1.003 - 1.035
METHOD : IONIC CONCENTRATION METHOD		
PROTEIN	NOT DETECTED	NEGATIVE
METHOD : PROTEIN ERROR OF INDICATORS WITH REFLECTANCE		
GLUCOSE	NOT DETECTED	NEGATIVE
METHOD : GLUCOSE OXIDASE PEROXIDASE / BENEDICTS		
KETONES	NOT DETECTED	NOT DETECTED
METHOD : SODIUM NITROPRUSSIDE REACTION		
BLOOD	NOT DETECTED	NEGATIVE
METHOD : PEROXIDASE ANTI PEROXIDASE		
BILIRUBIN	NOT DETECTED	NOT DETECTED
METHOD : DIPSTICK		
UROBILINOGEN	NORMAL	NORMAL
METHOD : EHRlich REACTION REFLECTANCE		
NITRITE	NOT DETECTED	NOT DETECTED
METHOD : NITRATE TO NITRITE CONVERSION METHOD		
LEUKOCYTE ESTERASE	NOT DETECTED	NOT DETECTED

MICROSCOPIC EXAMINATION, URINE

RED BLOOD CELLS	NOT DETECTED	NOT DETECTED	/HPF
METHOD : MICROSCOPIC EXAMINATION			
PUS CELL (WBC'S)	3-5	0-5	/HPF
METHOD : DIPSTICK, MICROSCOPY			

Dr. Akansha Jain  
Consultant Pathologist



View Details

View Report

PERFORMED AT :

Agilus Diagnostics Ltd.  
C/O Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road  
Jaipur, 302015  
Rajasthan, India



Patient Ref. No. 775000005347446



MC-5726

**PATIENT NAME : PRADEEP SINGH SHEKHAWAT**

**REF. DOCTOR : SELF**

**CODE/NAME & ADDRESS : C000138404**

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL  
F-703, F-703, LADO SARAI, MEHRAULISOUTH  
WEST DELHI  
NEW DELHI 110030  
8800465156

**ACCESSION NO : 0251WK000316**

**PATIENT ID : PRADM221087251**

**CLIENT PATIENT ID: 012311050017**

**ABHA NO :**

**AGE/SEX : 36 Years Male**

**DRAWN : 05/11/2023 10:01:00**

**RECEIVED : 05/11/2023 11:01:05**

**REPORTED : 05/11/2023 15:20:50**

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

EPITHELIAL CELLS		1-2	0-5	/HPF
METHOD : MICROSCOPIC EXAMINATION				
CASTS		NOT DETECTED		
METHOD : MICROSCOPIC EXAMINATION				
CRYSTALS		NOT DETECTED		
METHOD : MICROSCOPIC EXAMINATION				
BACTERIA		NOT DETECTED	NOT DETECTED	
METHOD : MICROSCOPIC EXAMINATION				
YEAST		NOT DETECTED	NOT DETECTED	

**Interpretation(s)**

The following table describes the probable conditions, in which the analytes are present in urine

Presence of	Conditions
Proteins	Inflammation or immune illnesses
Pus (White Blood Cells)	Urinary tract infection, urinary tract or kidney stone, tumors or any kind of kidney impairment
Glucose	Diabetes or kidney disease
Ketones	Diabetic ketoacidosis (DKA), starvation or thirst
Urobilinogen	Liver disease such as hepatitis or cirrhosis
Blood	Renal or genital disorders/trauma
Bilirubin	Liver disease
Erythrocytes	Urological diseases (e.g. kidney and bladder cancer, urolithiasis), urinary tract infection and glomerular diseases
Leukocytes	Urinary tract infection, glomerulonephritis, interstitial nephritis either acute or chronic, polycystic kidney disease, urolithiasis, contamination by genital secretions
Epithelial cells	Urolithiasis, bladder carcinoma or hydronephrosis, ureteric stents or bladder catheters for prolonged periods of time
Granular Casts	Low intratubular pH, high urine osmolality and sodium concentration, interaction with Bence-Jones protein
Hyaline casts	Physical stress, fever, dehydration, acute congestive heart failure, renal diseases

**Dr. Akansha Jain**  
Consultant Pathologist



View Details



View Report

**PERFORMED AT :**

Agilus Diagnostics Ltd.  
C/O Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road  
Jaipur, 302015  
Rajasthan, India





MC-5726

**PATIENT NAME : PRADEEP SINGH SHEKHAWAT**

**REF. DOCTOR : SELF**

**CODE/NAME & ADDRESS : C000138404**

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL  
F-703, F-703, LADO SARAI, MEHRAULISOUTH  
WEST DELHI  
NEW DELHI 110030  
8800465156

**ACCESSION NO : 0251WK000316**

**PATIENT ID : PRADM221087251**

**CLIENT PATIENT ID: 012311050017**

**ABHA NO :**

**AGE/SEX : 36 Years Male**

**DRAWN : 05/11/2023 10:01:00**

**RECEIVED : 05/11/2023 11:01:05**

**REPORTED : 05/11/2023 15:20:50**

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

Calcium oxalate	Metabolic stone disease, primary or secondary hyperoxaluria, intravenous infusion of large doses of vitamin C, the use of vasodilator naftidrofuryl oxalate or the gastrointestinal lipase inhibitor orlistat, ingestion of ethylene glycol or of star fruit (Averrhoa carambola) or its juice
Uric acid	arthritis
Bacteria	Urinary infection when present in significant numbers & with pus cells.
Trichomonas vaginalis	Vaginitis, cervicitis or salpingitis

**Dr. Akansha Jain**  
**Consultant Pathologist**

Page 17 Of 20



View Details



View Report

**PERFORMED AT :**

Agilus Diagnostics Ltd.  
C/O Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road  
Jaipur, 302015  
Rajasthan, India



**Patient Ref. No. 775000005347446**



MC-5726

**PATIENT NAME : PRADEEP SINGH SHEKHAWAT**

**REF. DOCTOR : SELF**

**CODE/NAME & ADDRESS : C000138404**

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL  
F-703, F-703, LADO SARAI, MEHRAULISOUTH  
WEST DELHI  
NEW DELHI 110030  
8800465156

**ACCESSION NO : 0251WK000316**

**PATIENT ID : PRADM221087251**

**CLIENT PATIENT ID: 012311050017**

**ABHA NO :**

**AGE/SEX : 36 Years Male**

**DRAWN : 05/11/2023 10:01:00**

**RECEIVED : 05/11/2023 11:01:05**

**REPORTED : 05/11/2023 15:20:50**

**Test Report Status Final**

**Results**

**Biological Reference Interval Units**

**CLINICAL PATH - STOOL ANALYSIS**

**MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE**

**PHYSICAL EXAMINATION,STOOL**

**COLOUR**

**SAMPLE NOT RECEIVED**

**METHOD : GROSS EXAMINATION**

*Abhishek Sharma*

**Dr. Abhishek Sharma  
Consultant Microbiologist**



[View Details](#)



[View Report](#)

**PERFORMED AT :**

Agilus Diagnostics Ltd.  
C/O Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road  
Jaipur, 302015  
Rajasthan, India



**Patient Ref. No. 775000005347446**



MC-5726

**PATIENT NAME : PRADEEP SINGH SHEKHAWAT****REF. DOCTOR : SELF****CODE/NAME & ADDRESS : C000138404**ARCOFEMI HEALTHCARE LTD (MEDIWHEEL  
F-703, F-703, LADO SARAI, MEHRAULISOUTH  
WEST DELHI  
NEW DELHI 110030  
8800465156**ACCESSION NO : 0251WK000316**

PATIENT ID : PRADM221087251

CLIENT PATIENT ID: 012311050017

ABHA NO :

AGE/SEX : 36 Years Male

DRAWN : 05/11/2023 10:01:00

RECEIVED : 05/11/2023 11:01:05

REPORTED : 05/11/2023 15:20:50

**Test Report Status Final****Results****Biological Reference Interval Units****SPECIALISED CHEMISTRY - HORMONE****MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE****THYROID PANEL, SERUM**

T3	124.44	60.0 - 181.0	ng/dL
METHOD : CHEMILUMINESCENCE			
T4	6.60	4.5 - 10.9	µg/dL
METHOD : CHEMILUMINESCENCE			
TSH (ULTRASENSITIVE)	2.421	0.550 - 4.780	µIU/mL
METHOD : CHEMILUMINESCENCE			

**Interpretation(s)**

**Triiodothyronine T3**, **Thyroxine T4**, and **Thyroid Stimulating Hormone TSH** are thyroid hormones which affect almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate.

Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH.

Excessive secretion of thyroxine in the body is hyperthyroidism, and deficient secretion is called hypothyroidism.

In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hyperthyroidism, TSH levels are low.

Below mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3. Measurement of the serum TT3 level is a more sensitive test for the diagnosis of hyperthyroidism, and measurement of TT4 is more useful in the diagnosis of hypothyroidism. Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the circulating hormone is free and biologically active. It is advisable to detect Free T3, FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.

Sr. No.	TSH	Total T4	FT4	Total T3	Possible Conditions
1	High	Low	Low	Low	(1) Primary Hypothyroidism (2) Chronic autoimmune Thyroiditis (3) Post Thyroidectomy (4) Post Radio-Iodine treatment
2	High	Normal	Normal	Normal	(1) Subclinical Hypothyroidism (2) Patient with insufficient thyroid hormone replacement therapy (3) In cases of Autoimmune/Hashimoto thyroiditis (4). Isolated increase in TSH levels can be due to Subclinical inflammation, drugs like amphetamines, Iodine containing drug and dopamine antagonist e.g. domperidone and other physiological reasons.
3	Normal/Low	Low	Low	Low	(1) Secondary and Tertiary Hypothyroidism
4	Low	High	High	High	(1) Primary Hyperthyroidism (Graves Disease) (2) Multinodular Goitre (3) Toxic Nodular Goitre (4) Thyroiditis (5) Over treatment of thyroid hormone (6) Drug effect e.g. Glucocorticoids, dopamine, T4 replacement therapy (7) First trimester of Pregnancy
5	Low	Normal	Normal	Normal	(1) Subclinical Hyperthyroidism

**Dr. Akansha Jain**  
**Consultant Pathologist**

Page 19 Of 20



View Details



View Report

**PERFORMED AT :**Agilus Diagnostics Ltd.  
C/O Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road  
Jaipur, 302015  
Rajasthan, India**Patient Ref. No. 77500005347446**





MC-5726

**PATIENT NAME : PRADEEP SINGH SHEKHAWAT**

**REF. DOCTOR : SELF**

**CODE/NAME & ADDRESS : C000138404**

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL  
F-703, F-703, LADO SARAI, MEHRAULISOUTH  
WEST DELHI  
NEW DELHI 110030  
8800465156

**ACCESSION NO : 0251WK000316**

**PATIENT ID : PRADM221087251**

**CLIENT PATIENT ID: 012311050017**

**ABHA NO :**

**AGE/SEX : 36 Years Male**

**DRAWN : 05/11/2023 10:01:00**

**RECEIVED : 05/11/2023 11:01:05**

**REPORTED : 05/11/2023 15:20:50**

**Test Report Status Final Results Biological Reference Interval Units**

6	High	High	High	High	(1) TSH secreting pituitary adenoma (2) TRH secreting tumor
7	Low	Low	Low	Low	(1) Central Hypothyroidism (2) Euthyroid sick syndrome (3) Recent treatment for Hyperthyroidism
8	Normal/Low	Normal	Normal	High	(1) T3 thyrotoxicosis (2) Non-Thyroidal illness
9	Low	High	High	Normal	(1) T4 Ingestion (2) Thyroiditis (3) Interfering Anti TPO antibodies

REF: 1. TIETZ Fundamentals of Clinical chemistry 2.Guidlines of the American Thyroid association during pregnancy and Postpartum, 2011.

**NOTE: It is advisable to detect Free T3,FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.**TSH is not affected by variation in thyroid - binding protein. TSH has a diurnal rhythm, with peaks at 2:00 - 4:00 a.m. And troughs at 5:00 - 6:00 p.m. With ultradian variations.

**\*\*End Of Report\*\***

**Please visit [www.agilusdiagnostics.com](http://www.agilusdiagnostics.com) for related Test Information for this accession**

**Dr. Akansha Jain**  
**Consultant Pathologist**

Page 20 Of 20



View Details



View Report

**PERFORMED AT :**

Agilus Diagnostics Ltd.  
C/O Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg,Gandhi Nagar Mod, Tonk Road  
Jaipur, 302015  
Rajasthan, India



**Patient Ref. No. 775000005347446**