

Customer Name	MR.SAKTHIVEL R	Customer ID	VPI175769
Age & Gender	48Y/MALE	Visit Date	12/03/2022
Ref Doctor	MediWheel		

Personal Health Report

General Examination:

Height : 158.0 cms	BP: 140/90 mmhg
Weight : 68.9 kg	Pulse: 84/ min, regular
BMI : 27.5 kg/m ²	

Systemic Examination:

CVS: S1 S2 heard;
 RS : NVBS +.
 Abd : Soft.
 CNS : NAD

Blood report:

HbA1C test- 6.1% Elevated

All other blood parameters are well within normal limits. (Report enclosed).

Urine analysis – Within normal limits.

X-Ray Chest – Normal study.

ECG – Normal ECG.

ECHO- Normal study.

USG Whole abdomen – Fatty liver and Left renal concretions.

Eye Test – Distant and near vision defect.

Vision	Right eye	Left eye
Distant Vision	6/9	6/9
Near Vision	N18	N18
Colour Vision	Normal	Normal



Customer Name	MR.SAKTHIVEL R	Customer ID	VPI175769
Age & Gender	48Y/MALE	Visit Date	12/03/2022
Ref Doctor	MediWheel		


Impression & Advice:

HbA1C test- 6.1% Elevated. To consult a diabetologist for further evaluation and management.

Eye Test – Distant and near vision defect. To consult an ophthalmologist for further evaluation and management.

USG Whole abdomen – Fatty liver and Left renal concretions. To take low fat diet, and high fiber diets. Regular brisk walking for 45 minutes daily, 5 days a week is essential. To consult a nephrologist for further evaluation.

All other health parameters are well within normal limits.



DR. NOOR MOHAMMED RIZWAN A. M.B.B.S, FDM
MHC Physician Consultant

Dr. NOOR MOHAMMED RIZWAN A. M.B.B.S., FDM,
Reg. No : 120325 Consultant Physician
A Medall Health Care and Diagnostics Pvt. Ltd.



Name : Mr. SAKTHIVEL R
PID No. : VPI175769
SID No. : 222005319
Age / Sex : 48 Year(s) / Male
Type : OP
Ref. Dr : MediWheel

Register On : 12/03/2022 10:12 AM
Collection On : 12/03/2022 10:37 AM
Report On : 13/03/2022 3:57 PM
Printed On : 14/03/2022 9:45 AM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

BLOOD GROUPING AND Rh TYPING
(EDTA Blood/Agglutination)

'AB' 'Negative'

INTERPRETATION: Reconfirm the Blood group and Typing before blood transfusion

Complete Blood Count With - ESR

Haemoglobin (EDTA Blood/Spectrophotometry)	15.5	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood/Derived from Impedance)	44.0	%	42 - 52
RBC Count (EDTA Blood/Impedance Variation)	5.11	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (EDTA Blood/Derived from Impedance)	86.1	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood/Derived from Impedance)	30.4	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood/Derived from Impedance)	35.3	g/dL	32 - 36
RDW-CV (EDTA Blood/Derived from Impedance)	13.9	%	11.5 - 16.0
RDW-SD (EDTA Blood/Derived from Impedance)	41.89	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood/Impedance Variation)	6900	cells/cu.mm	4000 - 11000
Neutrophils (EDTA Blood/Impedance Variation & Flow Cytometry)	52.2	%	40 - 75
Lymphocytes (EDTA Blood/Impedance Variation & Flow Cytometry)	38.9	%	20 - 45
Eosinophils (EDTA Blood/Impedance Variation & Flow Cytometry)	2.0	%	01 - 06

DR. FAYIQAH MD(PATH)
CONSULTANT - PATHOLOGIST
REG NO:116685

VERIFIED BY

Dr. E. Saravanan M.D(Path)
Consultant Pathologist
Reg No : 73347

APPROVED BY

The results pertain to sample tested.

Page 1 of 7

Lab Address: MEDALL HEALTHCARE PRIVATE LIMITED, #17, RACE VIEW COLONY, 2ND STREET, RACE COURSE ROAD, GUINDY, CHENNAI, TAMIL NADU, INDIA,.

You can also conveniently view the reports and trends through our App. Scan QR code to download the App.



Please produce bill copy at the time of collecting the reports. Request you to provide your mobile number or customer id during your subsequent visits.

Name : Mr. SAKTHIVEL R
 PID No. : VPI175769
 SID No. : 222005319
 Age / Sex : 48 Year(s) / Male
 Type : OP
 Ref. Dr : MediWheel

Register On : 12/03/2022 10:12 AM
 Collection On : 12/03/2022 10:37 AM
 Report On : 13/03/2022 3:57 PM
 Printed On : 14/03/2022 9:45 AM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Monocytes (EDTA Blood/Impedance Variation & Flow Cytometry)	6.2	%	01 - 10
Basophils (EDTA Blood/Impedance Variation & Flow Cytometry)	0.7	%	00 - 02
INTERPRETATION: Tests done on Automated Five Part cell counter. All abnormal results are reviewed and confirmed microscopically.			
Absolute Neutrophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	3.60	10 ³ / μ l	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	2.68	10 ³ / μ l	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood/Impedance Variation & Flow Cytometry)	0.14	10 ³ / μ l	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.43	10 ³ / μ l	< 1.0
Absolute Basophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.05	10 ³ / μ l	< 0.2
Platelet Count (EDTA Blood/Impedance Variation)	245	10 ³ / μ l	150 - 450
MPV (EDTA Blood/Derived from Impedance)	8.4	fL	7.9 - 13.7
PCT (EDTA Blood/Automated Blood cell Counter)	0.21	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Blood/Automated - Westergren method)	5	mm/hr	< 15
BUN / Creatinine Ratio	9.36		6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	98.0	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: \geq 126

DR. FAYIQAH MD(PATH)
 CONSULTANT - PATHOLOGIST
 REG NO: 116685
 VERIFIED BY

Dr. E. Saravanan M.D(Path)
 Consultant Pathologist
 Reg No : 73347

APPROVED BY

The results pertain to sample tested.

Lab Address: MEDALL HEALTHCARE PRIVATE LIMITED, #17, RACE VIEW COLONY, 2ND STREET, RACE COURSE ROAD, GUINDY, CHENNAI, TAMIL NADU, INDIA,.

You can also conveniently view the reports and trends through our App. Scan QR code to download the App.



Please produce bill copy at the time of collecting the reports. Request you to provide your mobile number or customer id during your subsequent visits.

Name : Mr. SAKTHIVEL R
PID No. : VPI175769
SID No. : 222005319
Age / Sex : 48 Year(s) / Male
Type : OP
Ref. Dr : MediWheel

Register On : 12/03/2022 10:12 AM
Collection On : 12/03/2022 10:37 AM
Report On : 13/03/2022 3:57 PM
Printed On : 14/03/2022 9:45 AM



Investigation

Observed Value Unit

Biological Reference Interval

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine)
(Urine - F/GOD - POD) Negative Negative

Glucose Postprandial (PPBS)
(Plasma - PP/GOD-PAP) 92.1 mg/dL 70 - 140

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti-diabetic medication during treatment for Diabetes.

Urine Glucose(PP-2 hours)
(Urine - PP) Negative Negative

Blood Urea Nitrogen (BUN)
(Serum/Urease UV / derived) 11.7 mg/dL 7.0 - 21

Creatinine
(Serum/Modified Jaffe) 1.25 mg/dL 0.9 - 1.3

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin, cefazolin, ACE inhibitors, angiotensin II receptor antagonists, N-acetylcysteine, chemotherapeutic agent such as flucytosine etc.

Uric Acid
(Serum/Enzymatic) 8.0 mg/dL 3.5 - 7.2

Liver Function Test

Bilirubin(Total)
(Serum/DCA with ATCS) 0.71 mg/dL 0.1 - 1.2

Bilirubin(Direct)
(Serum/Diazotized Sulfanilic Acid) 0.21 mg/dL 0.0 - 0.3

Bilirubin(Indirect)
(Serum/Derived) 0.50 mg/dL 0.1 - 1.0

SGOT/AST (Aspartate Aminotransferase)
(Serum/Modified IFCC) 26.8 U/L 5 - 40

SGPT/ALT (Alanine Aminotransferase)
(Serum/Modified IFCC) 33.0 U/L 5 - 41

DR. FAYIQAH M.D(PATH)
CONSULTANT - PATHOLOGIST
REG NO: 116685

VERIFIED BY

Dr. Esaravanan M.D(Path)
Consultant Pathologist
Reg No: 73347

APPROVED BY

The results pertain to sample tested.

Page 3 of 7

Lab Address: MEDALL HEALTHCARE PRIVATE LIMITED, #17, RACE VIEW COLONY, 2ND STREET, RACE COURSE ROAD, GUINDY, CHENNAI, TAMIL NADU, INDIA.

You can also conveniently view the reports and trends through our App. Scan QR code to download the App.



Please produce bill copy at the time of collecting the reports. Request you to provide your mobile number or customer id during your subsequent visits.

MR. SAKTHIVEL R
 PID No. : VPI175769
 SID No. : 222005319
 Age / Sex : 48 Year(s) / Male
 Type : OP
 Ref. Dr : MediWheel


Register On : 12/03/2022 10:12 AM
 Collection On : 12/03/2022 10:37 AM
 Report On : 13/03/2022 3:57 PM
 Printed On : 14/03/2022 9:45 AM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	78.7	U/L	< 55
Alkaline Phosphatase (SAP) (Serum/Modified IFCC)	64.7	U/L	53 - 128
Total Protein (Serum/Biuret)	7.17	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.40	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	2.77	gm/dL	2.3 - 3.6
A : G RATIO (Serum/Derived)	1.59		1.1 - 2.2
<u>Lipid Profile</u>			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	194.5	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	158.9	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the "usual" circulating level of triglycerides during most part of the day.

HDL Cholesterol
(Serum/Immunoinhibition) **41.8** mg/dL
 Optimal(Negative Risk Factor): >= 60
 Borderline: 40 - 59
 High Risk: < 40


 DR. FAYIQAH MD(PATH)
 CONSULTANT - PATHOLOGIST
 REG NO: 116685
 VERIFIED BY


 Dr. Esaravanan M.D(Path)
 Consultant Pathologist
 Reg No : 73347

APPROVED BY

The results pertain to sample tested.

Lab Address: MEDALL HEALTHCARE PRIVATE LIMITED, #17, RACE VIEW COLONY, 2ND STREET, RACE COURSE ROAD, GUINDY, CHENNAI, TAMIL NADU, INDIA,.

You can also conveniently view the reports and trends through our App. Scan QR code to download the App.



Please produce bill copy at the time of collecting the reports. Request you to provide your mobile number or customer id during your subsequent visits.

Patient Name : **MR. SAKTHIVEL R**
 PID No. : VPI175769
 SID No. : 222005319
 Age / Sex : 48 Year(s) / Male
 Type : OP
 Ref. Dr : **MediWheel**

Register On : 12/03/2022 10:12 AM
 Collection On : 12/03/2022 10:37 AM
 Report On : 13/03/2022 3:57 PM
 Printed On : 14/03/2022 9:45 AM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
LDL Cholesterol (Serum/Calculated)	120.9	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	31.8	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	152.7	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220

INTERPRETATION: 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol.
 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	4.7		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/Calculated)	3.8		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/Calculated)	2.9		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0

Glycosylated Haemoglobin (HbA1c)

HbA1C (Whole Blood/HPLC)	6.1	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5
-----------------------------	-----	---	---

INTERPRETATION: If Diabetes - Good control : 6.1 - 7.0 % , Fair control : 7.1 - 8.0 % , Poor control >= 8.1 %

DR. FAYIQAH MD(PATH)
 CONSULTANT - PATHOLOGIST
 REG NO: 116585

Dr. E. Saravanan M.D(Path)
 Consultant Pathologist
 Reg No : 73347

VERIFIED BY

APPROVED BY

The results pertain to sample tested.

Lab Address: MEDALL HEALTHCARE PRIVATE LIMITED, #17, RACE VIEW COLONY, 2ND STREET, RACE COURSE ROAD, GUINDY, CHENNAI, TAMIL NADU, INDIA.

You can also conveniently view the reports and trends through our App. Scan QR code to download the App.



Please produce bill copy at the time of collecting the reports. Request you to provide your mobile number or customer id during your subsequent visits.

MR. SARTHIVEL R
PID No. : VPI175769
SID No. : 222005319
Age / Sex : 48 Year(s) / Male
Type : OP
Ref. Dr : MediWheel

Register On : 12/03/2022 10:12 AM
Collection On : 12/03/2022 10:37 AM
Report On : 13/03/2022 3:57 PM
Printed On : 14/03/2022 9:45 AM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Estimated Average Glucose (Whole Blood)	128.37	mg/dL	
INTERPRETATION: Comments HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations. Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency, hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values. Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.			
Prostate specific antigen - Total (PSA) (Serum/Manometric method)	2.34	ng/mL	Normal: 0.0 - 4.0 Inflammatory & Non Malignant conditions of Prostate & genitourinary system: 4.01 - 10.0 Suspicious of Malignant disease of Prostate: > 10.0

INTERPRETATION: REMARK : PSA alone should not be used as an absolute indicator of malignancy.

THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total (Serum/Chemiluminescent Immunometric Assay (CLIA))	0.931	ng/ml	0.7 - 2.04
---	-------	-------	------------

INTERPRETATION:

Comment :

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Tyroxine) - Total (Serum/Chemiluminescent Immunometric Assay (CLIA))	8.83	µg/dl	4.2 - 12.0
---	------	-------	------------

INTERPRETATION:

Comment :

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) (Serum/Chemiluminescent Immunometric Assay (CLIA))	2.14	µIU/mL	0.35 - 5.50
---	------	--------	-------------

DR. FAYIQAH MD (PATH)
CONSULTANT - PATHOLOGIST
REG NO: 116685

VERIFIED BY

Dr. E. Saravanan M.D (Path)
Consultant Pathologist
Reg No : 73347

APPROVED BY

The results pertain to sample tested.

Page 6 of 7

Lab Address: MEDALL HEALTHCARE PRIVATE LIMITED, #17, RACE VIEW COLONY, 2ND STREET, RACE COURSE ROAD, GUINDY, CHENNAI, TAMIL NADU, INDIA,.

You can also conveniently view the reports and trends through our App. Scan QR code to download the App.



Please produce bill copy at the time of collecting the reports. Request you to provide your mobile number or customer id during your subsequent visits.

PID No. : VPI175769
SID No. : 222005319
Age / Sex : 48 Year(s) / Male
Type : OP
Ref. Dr : MediWheel

Register On : 12/03/2022 10:12 AM
Collection On : 12/03/2022 10:37 AM
Report On : 13/03/2022 3:57 PM
Printed On : 14/03/2022 9:45 AM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

INTERPRETATION:
Reference range for cord blood - upto 20
1 st trimester: 0.1-2.5
2 nd trimester 0.2-3.0
3 rd trimester : 0.3-3.0
(Indian Thyroid Society Guidelines)

Comment :
1. TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.
2. TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
3. Values $\leq 0.03 \mu\text{IU/mL}$ need to be clinically correlated due to presence of rare TSH variant in some individuals.

Urine Analysis - Routine

COLOUR (Urine)	Pale Yellow		Yellow to Amber
APPEARANCE (Urine)	Clear		Clear
Protein (Urine/Protein error of indicator)	Negative		Negative
Glucose (Urine/GOD - POD)	Negative		Negative
Pus Cells (Urine/Automated - Flow cytometry)	1 - 2	/hpf	NIL
Epithelial Cells (Urine/Automated - Flow cytometry)	1 - 2	/hpf	NIL
RBCs (Urine/Automated - Flow cytometry)	NIL	/hpf	NIL
Casts (Urine/Automated - Flow cytometry)	NIL	/hpf	NIL
Crystals (Urine/Automated - Flow cytometry)	NIL	/hpf	NIL
Others (Urine)	NIL		

INTERPRETATION: Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.

Fayiqah S
DR. FAYIQAH MD(PATH)
CONSULTANT - PATHOLOGIST
REG NO: 116685

Saravanan
Dr. E. Saravanan M.D (Path)
Consultant Pathologist
Reg No : 73347

VERIFIED BY

APPROVED BY

-- End of Report --

The results pertain to sample tested.

Lab Address: MEDALL HEALTHCARE PRIVATE LIMITED, #17, RACE VIEW COLONY, 2ND STREET, RACE COURSE ROAD, GUINDY, CHENNAI, TAMIL NADU, INDIA.

You can also conveniently view the reports and trends through our App. Scan QR code to download the App.



Please produce bill copy at the time of collecting the reports. Request you to provide your mobile number or customer id during your subsequent visits.

Customer Name	MR.SAKTHIVEL R	Customer ID	VPI175769
Age & Gender	48Y/MALE	Visit Date	12/03/2022
Ref Doctor	MediWheel		

DEPARTMENT OF CARDIOLOGY

TRANSTHORACIC RESTING ECHO CARDIOGRAPHY REPORT

**ECHO INDICATION: Assessment
M MODE & 2-D PARAMETERS:**

ACOUSTIC WINDOW : GOOD

LV STUDY

IVS(d)	cm	0.6
IVS(s)	cm	1.0
LPW(d)	cm	1.2
LPW(s)	cm	1.8
LVID(d)	cm	4.3
LVID(s)	cm	3.0
EDV	ml	84
ESV	ml	26
SV	ml	57
EF	%	68
FS	%	31

DOPPLER PARAMETERS

Parameters		Patient Value
LA	cm	2.8
AO	cm	2.3

Valves	Velocity max(m/sec mm/Hg)
AV	0.5/2 m/s
PV	0.7/3 m/s
MV (E)	0.4 m/s
(A)	0.6 m/s
TV (E)	1.0/4 m/s

FINDINGS:

- ❖ No regional wall motion abnormality.
- ❖ Normal left ventricle systolic function.
- ❖ Grade – I LV diastolic dysfunction.
- ❖ Normal chambers dimension.
- ❖ Normal valves.
- ❖ Normal pericardium/Intact septae.
- ❖ No clot/aneurysm.

IMPRESSION:

- ▶ NO REGIONAL WALL MOTION ABNORMALITY.
- ▶ NORMAL LEFT VENTRICLE SYSTOLIC FUNCTION.


**S. VIGNESH M.Sc.,
ECHO TECHNICIAN**











MEDALL

Precision Diagnostics-vadapalani

58/6, Revathy street, Jawarlal nehru road, 100 feet Road, (Former State Election Commission Office),

Customer Name	MR.SAKTHIVEL R	Customer ID	VPI175769
Age & Gender	48Y/MALE	Visit Date	12/03/2022
Ref Doctor	MediWheel		



You can also conveniently view the reports and trends through our App. Scan QR code to download the App.



Please produce bill copy at the time of collecting the reports. Request you to provide your mobile number or customer id during your subsequent visits.

Customer Name	MR.SAKTHIVEL R	Customer ID	VPI175769
Age & Gender	48Y/MALE	Visit Date	12/03/2022
Ref Doctor	MediWheel		

SONOGRAM REPORT

WHOLE ABDOMEN

The liver is normal-sized and shows diffuse fatty changes. No focal lesion is seen.

The gall bladder is normal sized, smooth walled and contains no calculus.

There is no intra or extra hepatic biliary ductal dilatation.

The pancreas shows a normal configuration and echotexture. The pancreatic duct is normal.

The portal vein and IVC are normal.

The spleen is normal.

There is no free or loculated peritoneal fluid.

No para aortic lymphadenopathy is seen.

No abnormality is seen in the region of the adrenal glands.

The right kidney measures 9.3 x 5.0 cm.

The left kidney measures 9.7 x 5.7 cm.

Few concretions of 2 – 3 mm are seen in the left kidney.

Both kidneys are normal in size, shape and position. Cortical echoes are normal bilaterally.

There is no calyceal dilatation.

The ureters are not dilated.

The bladder is smooth walled and uniformly transonic. There is no intravesical mass or calculus.

The prostate measures 3.2 x 3.1 x 3.6 cm (19.4 cc) and is normal sized.



Customer Name	MR.SAKTHIVEL R	Customer ID	VPI175769
Age & Gender	48Y/MALE	Visit Date	12/03/2022
Ref Doctor	MediWheel		

The echotexture is homogeneous.

The seminal vesicles are normal.

Iliac fossae are normal.

IMPRESSION:

- Fatty liver.
- Left renal concretions.






**DR. UMALAKSHMI
SONOLOGIST**



Precision Diagnostics-vadapalani

58/6, Revathy street, Jawarlal nehru road, 100 feet Road, (Former State Election Commission Office),

Customer Name	MR.SAKTHIVEL R	Customer ID	VPI175769
Age & Gender	48Y/MALE	Visit Date	12/03/2022
Ref Doctor	MediWheel		



Name	SAKTHIVEL R	ID	VPI175769
Age & Gender	48Y/M	Visit Date	Mar 12 2022 10:03AM
Ref Doctor	MediWheel		

X- RAY CHEST PA VIEW

- Trachea appears normal.
- Cardiothoracic ratio is within normal limits.
- Bilateral lung fields appear normal.
- Costo and cardiophrenic angles appear normal.
- Visualised bony structures appear normal.
- Extra thoracic soft tissues shadow grossly appears normal.

IMPRESSION:

- *Chest x-ray shows no significant abnormality.*

R. Rama Krishnan
Dr. Rama Krishnan, MD, DNB,
Consultant Radiologist,
Medall Healthcare Pvt Ltd.



AGE

Measurement Results:

QRS 78 ms
 QT/QTcB 418 / 424 ms
 PR 190 ms
 P 128 ms
 RR/PP 962 / 965 ms
 P/QRS/T 54 / 14 / 40 degrees

-90

aUR

aUL

0 I

Interpretation:

12SL - Interpretation:
 Normal sinus rhythm
 Low voltage QRS
 Borderline ECG

II +90 II

aUF

Unconfirmed report.

