

Name	PRABHAKAR AVINASH	ID	MED111087587
Age & Gender	44Year(s)/MALE	Visit Date	5/14/2022 12:00:00 AM
Ref Doctor Name	MediWheel		

2 D ECHOCARDIOGRAPHIC STUDY

M mode measurement:

AORTA	:	3.1cms
LEFT ATRIUM	:	3.8cms
AVS	:	----
LEFT VENTRICLE (DIASTOLE)	:	4.9cms
(SYSTOLE)	:	3.2cms
VENTRICULAR SEPTUM (DIASTOLE)	:	0.9cms
(SYSTOLE)	:	1.3cms
POSTERIOR WALL (DIASTOLE)	:	1.1cms
(SYSTOLE)	:	1.5cms
EDV	:	111ml
ESV	:	42ml
FRACTIONAL SHORTENING	:	34%
EJECTION FRACTION	:	62%
EPSS	:	---
RVID	:	1.9cms

DOPPLER MEASUREMENTS:

MITRAL VALVE	:	E' 0.58 m/s	A' 0.46 m/s	NO MR
AORTIC VALVE	:	1.49 m/s		MILD AR
TRICUSPID VALVE	:	E' 2.56 m/s	A' - m/s	NO TR
PULMONARY VALVE	:	0.63 m/s		NO PR

Name	PRABHAKAR AVINASH	ID	MED111087587
Age & Gender	44Year(s)/MALE	Visit Date	5/14/2022 12:00:00 AM
Ref Doctor Name	MediWheel		

2D ECHOCARDIOGRAPHY FINDINGS:

Left ventricle : Normal size, Normal systolic function.
No regional wall motion abnormalities.

Left Atrium : Normal.

Right Ventricle : Normal.

Right Atrium : Normal.

Mitral valve : Normal, No mitral valve prolapsed.

Aortic valve : Normal, Trileaflet.

Tricuspid valve : Normal.

Pulmonary valve : Normal.

IAS : Intact.

IVS : Intact.

Pericardium : No pericardial effusion.

IMPRESSION:

- **MILD AORTIC REGURGITATION.**
- **NORMAL SIZED CARDIAC CHAMBERS.**
- **NORMAL LV SYSTOLIC FUNCTION. EF: 62%.**
- **NO REGIONAL WALL MOTION ABNORMALITIES.**
- **NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.**

DR. K.S. SUBRAMANI. MBBS, MD, DM (CARDIOLOGY) FESC
SENIOR CONSULTANT INTERVENTIONAL CARDIOLOGIST
Kss/

Note:

*** Report to be interpreted by qualified medical professional.**

Name	PRABHAKAR AVINASH	ID	MED111087587
Age & Gender	44Year(s)/MALE	Visit Date	5/14/2022 12:00:00 AM
Ref Doctor Name	MediWheel		

*** To be correlated with other clinical findings.**

*** Parameters may be subjected to inter and intra observer variations.**

1	OTHERS	Treadmill / 2D Echo ✓	IND131187214690			
2	OTHERS	physical examination	IND131187215279			
3	OTHERS	ULTRASOUND ABDOMEN	IND131187215292			
4	OTHERS	Dental Consultation	IND131187216289			
5	OTHERS	EYE CHECKUP	IND131187217756			
23	X-RAY	X RAY CHEST	IND131187218659			
24	ECG	ELECTROCARDIOGRAM ECG	IND131187218721			
25	OTHERS	Consultation Physician	IND131187218736			

14/May/22

Dental Dept

Registered By

(SONIYA.SA)

→ C/O: - Pt. reported for a regular check-up

O/E:-

- moderate calculus

- Root stump next

- Incomplete RCT

456 regia
11?
6

Adv- Complete oral prophylaxis.
Extraction of root stump
and follow up.

Aishwarya
DELTA DENTAL CARE
155, Cambridge Road,
Ulsoor, Bangalore - 560008
Ph: 080-41706111, Mob: +91 82776 08111





ಶ್ರೀ ಪಾರ್ವತಿ ಆಪ್ಟಿಕ್ಸ್

Mahesh
Mob:8618385220
9901569756

SRI PARVATHI OPTICS

Multi Branded Optical Store

Computerized Eye Testing & Spectacles Clinic

333.8th Main 5th Cross Near Cambridge & Miranda School HAL 3rd Stage
Behind Vishveshvariah Park New Thippasandra, Bangalore - 560075,
Email: parvathiopticals@gmail.com

SPECTACLE PRESCRIPTION

Name: *prabbakae Anish*

No. **527**

Mobil No: *9964160231*

Date: *14/05/22*

Age / Gender *44 y/m*

Ref. No.

	RIGHT EYE				LEFT EYE			
	SPH	CYL	AXIS	VISION	SPH	CYL	AXIS	VISION
DISTANCE	<i>plano</i>			<i>6/6</i>	<i>plano</i>			<i>6/6</i>
NEAR								

PD *71mm*

Advice to use glasses for:

DISTANCE FAR & NEAR READING COMPUTER PURPOSE

We Care Your Eyes

SRI PARVATHI OPTICS

NEW THIPPASANDRA

INCOMPLETED



CALL

CLUMAX DIAGNOSTICS

--- A MEDALL COMPANY ---

Date 14-May-2022 9:24 AM

25

Customer Name : **MR.PRABHAKAR AVINASH**DOB : **05 Oct 1977**Ref Dr Name : **MediWheel**Age : **44Y/MALE**Customer Id : **MED111087587**Visit ID : **422042070**

Email Id :

Phone No : **9964160231**Corp Name : **MediWheel**

Complementary

Address :

Breakfast

HF - 173
 S - 84.4
 BP - 120/80
 Plus - G5

Package Name : **Mediwheel Full Body Health Checkup Male Above 40**

S.No	Modality	Study	Accession No	Time	Seq	Signature
1	LAB	BLOOD UREA NITROGEN (BUN)				
2	LAB	CREATININE				
3	LAB	GLUCOSE - FASTING				
4	LAB	GLUCOSE - POSTPRANDIAL (2 HRS)				
5	LAB	GLYCOSYLATED HAEMOGLOBIN (HbA1c)				
6	LAB	URIC ACID				
7	LAB	LIPID PROFILE				
8	LAB	LIVER FUNCTION TEST (LFT)				
9	LAB	TOTAL PROSTATE SPECIFIC ANTIGEN - PSA				
10	LAB	THYROID PROFILE/ TFT(T3, T4, TSH)				
11	LAB	URINE GLUCOSE - FASTING				
12	LAB	URINE GLUCOSE - POSTPRANDIAL (2 Hrs)				
13	LAB	COMPLETE BLOOD COUNT WITH ESR				
14	LAB	STOOL ANALYSIS - ROUTINE				
15	LAB	URINE ROUTINE				
16	LAB	BUN/CREATININE RATIO				
17	LAB	BLOOD GROUP & RH TYPE				

Name	PRABHAKAR AVINASH	ID	MED111087587
Age & Gender	44Year(s)/MALE	Visit Date	5/14/2022 12:00:00 AM
Ref Doctor Name	MediWheel		

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in shape, size and has uniform echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER shows normal shape and has clear contents. Gall bladder wall is of normal thickness. CBD is of normal calibre.

PANCREAS has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

SPLEEN shows normal shape, size and echopattern. Spleen measures 12.3cms in long axis and 4.6cms in short axis.

No demonstrable Para -aortic lymphadenopathy.

KIDNEYS move well with respiration and have normal shape, size and echopattern. Cortico- medullary differentiations are well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	11.6	1.3
Left Kidney	11.9	1.5

URINARY BLADDER shows normal shape and wall thickness. It has clear contents. No evidence of diverticula.

PROSTATE shows normal shape, size and echopattern. It measures 4.0 x 3.2 x 3.4cms (Vol:22cc).

No evidence of ascites / pleural effusion.

IMPRESSION:

➤ **ESSENTIALLY NORMAL STUDY.**

DR. H.K. ANAND
CONSULTANT RADIOLOGISTS
MS/vp

DR. MEERA S

Name	PRABHAKAR AVINASH	ID	MED111087587
Age & Gender	44Year(s)/MALE	Visit Date	5/14/2022 12:00:00 AM
Ref Doctor Name	MediWheel		

Name	PRABHAKAR AVINASH	Customer ID	MED111087587
Age & Gender	44Y/M	Visit Date	May 14 2022 9:24AM
Ref Doctor	MediWheel		

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.


IMPRESSION:

No significant abnormality detected.

DR. H.K. ANAND

DR. SHWETHA S

DR. CHARUL



DR. APARNA

CONSULTANT RADIOLOGISTS


Name : Mr. PRABHAKAR AVINASH
PID No. : MED111087587 Register On : 14/05/2022 9:24 AM
SID No. : 422042070 Collection On : 14/05/2022 9:40 AM
Age / Sex : 44 Year(s) / Male Report On : 14/05/2022 7:53 PM
Type : OP Printed On : 19/05/2022 1:04 PM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------


HAEMATOLOGY

Complete Blood Count With - ESR

Haemoglobin (EDTA Blood/Spectrophotometry)	15.5	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood)	46.4	%	42 - 52
RBC Count (EDTA Blood)	5.59	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (EDTA Blood)	83.1	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood)	27.7	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood)	33.3	g/dL	32 - 36
RDW-CV (EDTA Blood)	13.3	%	11.5 - 16.0
RDW-SD (EDTA Blood)	38.68	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood)	4700	cells/cu.mm	4000 - 11000
Neutrophils (EDTA Blood)	59.2	%	40 - 75
Lymphocytes (EDTA Blood)	30.4	%	20 - 45
Eosinophils (EDTA Blood)	1.8	%	01 - 06


DR .VANITHA.R.SWAMY MD
Consultant Pathologist
Reg No : 99049

VERIFIED BY


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902


APPROVED BY

Name : Mr. PRABHAKAR AVINASH
PID No. : MED111087587 Register On : 14/05/2022 9:24 AM
SID No. : 422042070 Collection On : 14/05/2022 9:40 AM
Age / Sex : 44 Year(s) / Male Report On : 14/05/2022 7:53 PM
Type : OP Printed On : 19/05/2022 1:04 PM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Monocytes (EDTA Blood)	8.0	%	01 - 10
Basophils (Blood)	0.6	%	00 - 02
INTERPRETATION: Tests done on Automated Five Part cell counter. All abnormal results are reviewed and confirmed microscopically.			
Absolute Neutrophil count (EDTA Blood)	2.78	10 ³ / μ l	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood)	1.43	10 ³ / μ l	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood)	0.08	10 ³ / μ l	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood)	0.38	10 ³ / μ l	< 1.0
Absolute Basophil count (EDTA Blood)	0.03	10 ³ / μ l	< 0.2
Platelet Count (EDTA Blood)	229	10 ³ / μ l	150 - 450
MPV (EDTA Blood)	8.9	fL	7.9 - 13.7
PCT (EDTA Blood/Automated Blood cell Counter)	0.20	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citratd Blood)	8	mm/hr	< 15


DR .VANITHA.R.SWAMY MD
Consultant Pathologist
Reg No : 99049

VERIFIED BY


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902

APPROVED BY


Name : Mr. PRABHAKAR AVINASH
PID No. : MED111087587 Register On : 14/05/2022 9:24 AM
SID No. : 422042070 Collection On : 14/05/2022 9:40 AM
Age / Sex : 44 Year(s) / Male Report On : 14/05/2022 7:53 PM
Type : OP Printed On : 19/05/2022 1:04 PM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

BIOCHEMISTRY


Liver Function Test

Bilirubin(Total) (Serum/DCA with ATCS)	0.57	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.19	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.38	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/Modified IFCC)	24.16	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/Modified IFCC)	31.95	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	25.05	U/L	< 55
Alkaline Phosphatase (SAP) (Serum/Modified IFCC)	111.1	U/L	53 - 128
Total Protein (Serum/Biuret)	7.31	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.53	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	2.78	gm/dL	2.3 - 3.6
A : G RATIO (Serum/Derived)	1.63		1.1 - 2.2



Dr. Arjun C.P
MBBS, MD Pathology
Reg No. KMC 89655

VERIFIED BY



DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902


APPROVED BY

Name : Mr. PRABHAKAR AVINASH
PID No. : MED111087587 **Register On** : 14/05/2022 9:24 AM
SID No. : 422042070 **Collection On** : 14/05/2022 9:40 AM
Age / Sex : 44 Year(s) / Male **Report On** : 14/05/2022 7:53 PM
Type : OP **Printed On** : 19/05/2022 1:04 PM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>Lipid Profile</u>			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	160.61	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	137.60	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500


INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the usual circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	31.15	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/Calculated)	102	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	27.5	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	129.5	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220



Dr. Arjun C.P
 MBBS, MD Pathology
 Reg No: KMC 89655

VERIFIED BY



DR SHAMIM JAVED
 MD PATHOLOGY
 KMC 88902

APPROVED BY

Name : Mr. PRABHAKAR AVINASH
PID No. : MED111087587 **Register On** : 14/05/2022 9:24 AM
SID No. : 422042070 **Collection On** : 14/05/2022 9:40 AM
Age / Sex : 44 Year(s) / Male **Report On** : 14/05/2022 7:53 PM
Type : OP **Printed On** : 19/05/2022 1:04 PM
Ref. Dr : MediWheel


<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

INTERPRETATION: 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol.
 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	5.2		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
---	-----	--	--


Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/Calculated)	4.4		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
--	-----	--	--

LDL/HDL Cholesterol Ratio (Serum/Calculated)	3.3		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0
---	-----	--	---



Dr. Arjun C.P
 MBBS, MD Pathology
 Reg No/KMC 89655

VERIFIED BY



DR SHAMIM JAVED
 MD PATHOLOGY
 KMC 88902

APPROVED BY

Name : Mr. PRABHAKAR AVINASH
PID No. : MED111087587 **Register On** : 14/05/2022 9:24 AM
SID No. : 422042070 **Collection On** : 14/05/2022 9:40 AM
Age / Sex : 44 Year(s) / Male **Report On** : 14/05/2022 7:53 PM
Type : OP **Printed On** : 19/05/2022 1:04 PM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>Glycosylated Haemoglobin (HbA1c)</u>			
HbA1C (Whole Blood/HPLC)	5.6	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control : 6.1 - 7.0 % , Fair control : 7.1 - 8.0 % , Poor control >= 8.1 %


Estimated Average Glucose 114.02 mg/dL
(Whole Blood)

INTERPRETATION: Comments


HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycaemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency, hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.



VERIFIED BY



APPROVED BY

Name : Mr. PRABHAKAR AVINASH
PID No. : MED111087587 **Register On** : 14/05/2022 9:24 AM
SID No. : 422042070 **Collection On** : 14/05/2022 9:40 AM
Age / Sex : 44 Year(s) / Male **Report On** : 14/05/2022 7:53 PM
Type : OP **Printed On** : 19/05/2022 1:04 PM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

IMMUNOASSAY

THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total (Serum/ECLIA)	1.34	ng/ml	0.7 - 2.04
--	------	-------	------------

INTERPRETATION:

Comment :

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Tyroxine) - Total (Serum/ECLIA)	10.48	µg/dl	4.2 - 12.0
--	-------	-------	------------

INTERPRETATION:

Comment :

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) (Serum/ECLIA)	1.76	µIU/mL	0.35 - 5.50
--	------	--------	-------------

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5

2 nd trimester 0.2-3.0

3 rd trimester : 0.3-3.0


(Indian Thyroid Society Guidelines)

Comment :


1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.

2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM.The variation can be of the order of 50%,hence time of the day has influence on the measured serum TSH concentrations.

3.Values&lt;0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.



VERIFIED BY



APPROVED BY

Name : Mr. PRABHAKAR AVINASH
PID No. : MED111087587 Register On : 14/05/2022 9:24 AM
SID No. : 422042070 Collection On : 14/05/2022 9:40 AM
Age / Sex : 44 Year(s) / Male Report On : 14/05/2022 7:53 PM
Type : OP Printed On : 19/05/2022 1:04 PM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

CLINICAL PATHOLOGY

PHYSICAL EXAMINATION (URINE COMPLETE)

Colour (Urine)	Yellow		Yellow to Amber
Appearance (Urine)	Clear		Clear
Volume(CLU) (Urine)	25		

CHEMICAL EXAMINATION (URINE COMPLETE)

pH (Urine)	6.0		4.5 - 8.0
Specific Gravity (Urine)	1.025		1.002 - 1.035
Ketone (Urine)	Negative		Negative
Urobilinogen (Urine)	Normal		Normal
Blood (Urine)	Negative		Negative
Nitrite (Urine)	Negative		Negative
Bilirubin (Urine)	Negative		Negative
Protein (Urine)	Negative		Negative


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902
APPROVED BY

Name : Mr. PRABHAKAR AVINASH
PID No. : MED111087587 **Register On** : 14/05/2022 9:24 AM
SID No. : 422042070 **Collection On** : 14/05/2022 9:40 AM
Age / Sex : 44 Year(s) / Male **Report On** : 14/05/2022 7:53 PM
Type : OP **Printed On** : 19/05/2022 1:04 PM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Glucose (Urine/GOD - POD)	Negative		Negative
Leukocytes(CP) (Urine)	Negative		

MICROSCOPIC EXAMINATION
(URINE COMPLETE)

Pus Cells (Urine)	2-4	/hpf	NIL
Epithelial Cells (Urine)	0-2	/hpf	NIL
RBCs (Urine)	Nil	/hpf	NIL
Others (Urine)	Nil		

INTERPRETATION:Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.

Casts (Urine)	Nil	/hpf	NIL
Crystals (Urine)	Nil	/hpf	NIL


DR SHAMIM JAVED
 MD PATHOLOGY
 KMC 88902
APPROVED BY

Name : Mr. PRABHAKAR AVINASH
PID No. : MED111087587 **Register On** : 14/05/2022 9:24 AM
SID No. : 422042070 **Collection On** : 14/05/2022 9:40 AM
Age / Sex : 44 Year(s) / Male **Report On** : 14/05/2022 7:53 PM
Type : OP **Printed On** : 19/05/2022 1:04 PM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>PHYSICAL EXAMINATION(STOOL COMPLETE)</u>			
Mucus (Stool)	Absent		Absent
Consistency (Stool)	Semi Solid		Semi Solid to Solid
Colour (Stool)	Brown		Brown
Blood (Stool)	Absent		Absent
<u>MICROSCOPIC EXAMINATION(STOOL COMPLETE)</u>			
Ova (Stool)	Nil		NIL
Cysts (Stool)	Nil		NIL
Trophozoites (Stool)	Nil		NIL
RBCs (Stool)	Nil	/hpf	Nil
Pus Cells (Stool)	0-2	/hpf	NIL
Others (Stool)	Nil		
<u>CHEMICAL EXAMINATION(STOOL ROUTINE)</u>			
Reaction (Stool)	Alkaline		Alkaline


DR SHAMIM JAVED
 MD PATHOLOGY
 KMC 88902
APPROVED BY

Name : Mr. PRABHAKAR AVINASH
PID No. : MED111087587 Register On : 14/05/2022 9:24 AM
SID No. : 422042070 Collection On : 14/05/2022 9:40 AM
Age / Sex : 44 Year(s) / Male Report On : 14/05/2022 7:53 PM
Type : OP Printed On : 19/05/2022 1:04 PM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Reducing Substances (Stool/Benedict's)	Negative		Negative


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902
APPROVED BY

Name : Mr. PRABHAKAR AVINASH
PID No. : MED111087587 Register On : 14/05/2022 9:24 AM
SID No. : 422042070 Collection On : 14/05/2022 9:40 AM
Age / Sex : 44 Year(s) / Male Report On : 14/05/2022 7:53 PM
Type : OP Printed On : 19/05/2022 1:04 PM
Ref. Dr : MediWheel

Investigation

Observed
Value


Unit

Biological
Reference Interval

IMMUNOHAEMATOLOGY


BLOOD GROUPING AND Rh TYPING
(EDTA Blood/Agglutination)

'O' Positive'



Dr. Arjun C.P
MBBS, MD Pathology
Reg No:KMC 89655

VERIFIED BY



DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902

APPROVED BY

Name : Mr. PRABHAKAR AVINASH
PID No. : MED111087587 **Register On** : 14/05/2022 9:24 AM
SID No. : 422042070 **Collection On** : 14/05/2022 9:40 AM
Age / Sex : 44 Year(s) / Male **Report On** : 14/05/2022 7:53 PM
Type : OP **Printed On** : 19/05/2022 1:04 PM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>BIOCHEMISTRY</u>			
BUN / Creatinine Ratio	11		6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	88.82	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine) (Urine - F/GOD - POD)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD-PAP)	65.57	mg/dL	70 - 140


INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti-diabetic medication during treatment for Diabetes.


Urine Glucose(PP-2 hours) (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived)	10.9	mg/dL	7.0 - 21
Creatinine (Serum/Modified Jaffe)	0.70	mg/dL	0.9 - 1.3

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid (Serum/Enzymatic)	6.29	mg/dL	3.5 - 7.2
--------------------------------	------	-------	-----------



VERIFIED BY



APPROVED BY

Name : Mr. PRABHAKAR AVINASH
PID No. : MED111087587 Register On : 14/05/2022 9:24 AM
SID No. : 422042070 Collection On : 14/05/2022 9:40 AM
Age / Sex : 44 Year(s) / Male Report On : 14/05/2022 7:53 PM
Type : OP Printed On : 19/05/2022 1:04 PM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>IMMUNOASSAY</u>			
Prostate specific antigen - Total(PSA) (Serum/ <i>Manometric method</i>)	0.348	ng/ml	Normal: 0.0 - 4.0 Inflammatory & Non Malignant conditions of Prostate & genitourinary system: 4.01 - 10.0 Suspicious of Malignant disease of Prostate: > 10.0

INTERPRETATION: Analytical sensitivity: 0.008 - 100 ng/mL

PSA is a tumor marker for screening of prostate cancer. Increased levels of PSA are associated with prostate cancer and benign conditions like bacterial infection, inflammation of prostate gland and benign hypertrophy of prostate/ benign prostatic hyperplasia (BPH).

Transient elevation of PSA levels are seen following digital rectal examination, rigorous physical activity like bicycle riding, ejaculation within 24 hours.


PSA levels tend to increase in all men as they age.

Clinical Utility of PSA:


ÉIn the early detection of Prostate cancer.

ÉAs an aid in discriminating between Prostate cancer and Benign Prostatic disease.

ÉTo detect cancer recurrence or disease progression.



VERIFIED BY



APPROVED BY

-- End of Report --