

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.SARITA ANAND - 116595	Registered On	: 25/Nov/2023 11:37:51
Age/Gender	: 36 Y 8 M 25 D /F	Collected	: N/A
UHID/MR NO	: ALDP.0000131358	Received	: N/A
Visit ID	: ALDP0288682324	Reported	: 26/Nov/2023 12:50:48
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF CARDIOLOGY-ECG MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

ECG / EKG *

1	l. Machnism, Rhythm	Sinus, Regular	
2	2. Atrial Rate	84	/mt
3	3. Ventricular Rate	84	/mt
4	4. P - Wave	Normal	
5	5. P R Interval	Normal	
	5. Q R S Axis : R/S Ratio : Configuration :	Normal Normal Normal	
	7. Q T c Interval	Normal	
8	3. S - T Segment	Normal	
FINAL IMPRESS	9. T – Wave SION	Normal	

ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.SARITA ANAND - 116595	Registered On	: 25/Nov/2023 11:37:48
Age/Gender	: 36 Y 8 M 25 D /F	Collected	: 25/Nov/2023 12:21:08
UHID/MR NO	: ALDP.0000131358	Received	: 25/Nov/2023 12:57:16
Visit ID	: ALDP0288682324	Reported	: 25/Nov/2023 15:25:39
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY

	DEPARTMENT	OF HAEMATO	LOGY				
MEDIWHEE	MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS						
Test Name	Result	Unit	Bio. Ref. Interval	Method			
Blood Group (ABO & Rh typing) * , Blo	ood						
Blood Group	0			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA			
Rh (Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA			
Complete Blood Count (CBC) * , Whole	Blood						
Haemoglobin	12.10	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl				
			2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl				
TLC (WBC) <u>DLC</u>	6,900.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE			
Polymorphs (Neutrophils)	60.00	%	55-70	ELECTRONIC IMPEDANCE			
Lymphocytes	33.00	%	25-40	ELECTRONIC IMPEDANCE			
Monocytes	5.00	%	3-5	ELECTRONIC IMPEDANCE			
Eosinophils	2.00	%	1-6	ELECTRONIC IMPEDANCE			
Basophils ESR	0.00	%	<1	ELECTRONIC IMPEDANCE			
Observed	16.00	Mm for 1st hr.					
Corrected		Mm for 1st hr.	< 20				
PCV (HCT) Platelet count	37.00	%	40-54				
Platelet Count	1.40	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC			
PDW (Platelet Distribution width)	16.70	fL	9-17	ELECTRONIC IMPEDANCE			
P-LCR (Platelet Large Cell Ratio)	-	%	35-60	ELECTRONIC IMPEDANCE			





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.SARITA ANAND - 116595	Registered On	: 25/Nov/2023 11:37:48
Age/Gender	: 36 Y 8 M 25 D /F	Collected	: 25/Nov/2023 12:21:08
UHID/MR NO	: ALDP.0000131358	Received	: 25/Nov/2023 12:57:16
Visit ID	: ALDP0288682324	Reported	: 25/Nov/2023 15:25:39
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	0.19	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	15.00	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	3.99	Mill./cu mm	3.7-5.0	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	93.00	fl	80-100	CALCULATED PARAMETER
MCH	30.20	pg	28-35	CALCULATED PARAMETER
MCHC	32.50	%	30-38	CALCULATED PARAMETER
RDW-CV	14.30	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	49.50	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	4,140.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	138.00	/cu mm	40-440	

AS

Dr.Akanksha Singh (MD Pathology)





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.SARITA ANAND - 116595	Registered On	: 25/Nov/2023 11:37:51
Age/Gender	: 36 Y 8 M 25 D /F	Collected	: 25/Nov/2023 12:21:08
UHID/MR NO	: ALDP.0000131358	Received	: 25/Nov/2023 12:57:16
Visit ID	: ALDP0288682324	Reported	: 25/Nov/2023 13:42:23
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	U	nit	Bio. Ref. Interva	al Method
GLUCOSE FASTING * , <i>Plasma</i> Glucose Fasting	95.70	mg/dl		lormal 5 Pre-diabetes Diabetes	GOD POD
Interpretation: a) Kindly correlate clinically with intake of hypogly	vcemic agents, drug	dosage var	riations and	d other drug inter	actions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

Glucose PP * Sample:Plasma After Meal	110.00	mg/dl	<140 Normal 140-199 Pre-diabetes >200 Diabetes	GOD POD
			>200 Diabetes	

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C)	* , EDTA BLOOD		
Glycosylated Haemoglobin (HbA1c)	4.50	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	26.10	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	84	mg/dl	

Interpretation:

<u>NOTE</u>:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.



1800-419-0002



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.SARITA ANAND - 116595	Registered On	: 25/Nov/2023 11:37:51
Age/Gender	: 36 Y 8 M 25 D /F	Collected	: 25/Nov/2023 12:21:08
UHID/MR NO	: ALDP.0000131358	Received	: 25/Nov/2023 12:57:16
Visit ID	: ALDP0288682324	Reported	: 25/Nov/2023 13:42:23
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
-----------	--------	------	--------------------	--------

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. **Some danger of hypoglycemic reaction in Type 1 diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

<u>Clinical Implications:</u>

*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

*With optimal control, the HbA 1c moves toward normal levels.

*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

*Pregnancy d. chronic renal failure. Interfering Factors:

*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) * Sample:Serum	9.11	mg/dL	7.0-23.0	CALCULATED
Creatinine * Sample:Serum	0.90	mg/dl	0.5-1.20	MODIFIED JAFFES
Uric Acid * Sample:Serum	4.64	mg/dl	2.5-6.0	URICASE

LFT (WITH GAMMA GT) * , Serum



Page 5 of 11



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.SARITA ANAND - 116595	Registered On	: 25/Nov/2023 11:37:51
Age/Gender	: 36 Y 8 M 25 D /F	Collected	: 25/Nov/2023 12:21:08
UHID/MR NO	: ALDP.0000131358	Received	: 25/Nov/2023 12:57:16
Visit ID	: ALDP0288682324	Reported	: 25/Nov/2023 13:42:23
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL	MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS					
Test Name	Result	U	Init Bio. Ref. Int	erval Method		
SGOT / Aspartate Aminotransferase (AST) SGPT / Alanine Aminotransferase (ALT) Gamma GT (GGT) Protein Albumin	17.80 15.00 19.00 7.30 4.60	U/L U/L IU/L gm/dl gm/dl	< 35 < 40 11-50 6.2-8.0 3.4-5.4	IFCC WITHOUT P5P IFCC WITHOUT P5P OPTIMIZED SZAZING BIURET B.C.G.		
Globulin A:G Ratio Alkaline Phosphatase (Total) Bilirubin (Total)	2.70 1.70 100.30 0.60	gm/dl U/L mg/dl	1.8-3.6 1.1-2.0 42.0-165.0 0.3-1.2	CALCULATED CALCULATED IFCC METHOD JENDRASSIK & GROF		
Bilirubin (Direct) Bilirubin (Indirect)	0.30 0.30	mg/dl mg/dl	< 0.30 < 0.8	JENDRASSIK & GROF JENDRASSIK & GROF		
LIPID PROFILE (MINI) * , Serum Cholesterol (Total)	165.00	mg/dl	<200 Desirable 200-239 Borderline > 240 High	CHOD-PAP High		
HDL Cholesterol (Good Cholesterol) LDL Cholesterol (Bad Cholesterol)	60.60 83	mg/dl mg/dl	30-70 < 100 Optimal 100-129 Nr. Optimal/Above Opt 130-159 Borderline 160-189 High > 190 Very High			
VLDL Triglycerides	21.42 107.10	mg/dl mg/dl	10-33 < 150 Normal 150-199 Borderline 200-499 High >500 Very High	CALCULATED GPO-PAP High		

AS

Dr.Akanksha Singh (MD Pathology)





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.SARITA ANAND - 116595	Registered On	: 25/Nov/2023 11:37:50
Age/Gender	: 36 Y 8 M 25 D /F	Collected	: 25/Nov/2023 15:16:52
UHID/MR NO	: ALDP.0000131358	Received	: 25/Nov/2023 15:22:01
Visit ID	: ALDP0288682324	Reported	: 25/Nov/2023 15:32:43
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

IRINE EXAMINATION, ROUTINE * , Urine Color LIGHT YELLOW Specific Gravity 1.010 Reaction PH Acidic (5.0) DIPSTICK Appearance CLEAR Protein ABSENT mg % 10.40 (+) 40-200 (++) 200-500 (++) 200-500 (++) Sugar ABSENT gms% c.05 (+) DIPSTICK Sugar ABSENT gms% c.05 (+) DIPSTICK Bile Salts ABSENT mg/dl 0.1-3.0 BIOCHEMISTRY Bile Salts ABSENT DIPSTICK DIPSTICK Bile Salts ABSENT DIPSTICK DIPSTICK Bile Pigments ABSENT DIPSTICK DIPSTICK Bile Oldinogen (1:20 dilution) ABSENT DIPSTICK DIPSTICK Bilood ABSENT DIPSTICK DIPSTICK Bilood ABSENT DIPSTICK DIPSTICK Bilood ABSENT DIPSTICK DIPSTICK Bilood ABSENT DIPSTICK EXAMINATION REGs 1-3/h.p.f EXAMINATION EXAMINATION	Test Name	Result	Unit	Bio. Ref. Interval	Method
ColorLIGHT YELLOWSpecific Gravity1.010Reaction PHAcidic (5.0)AppearanceCLEARProteinABSENTmg %ABSENTmg %Value40.200 (++) 40.200 (++) 200-500 (++++)SugarABSENTgms%SugarABSENTgms%Bile SaltsABSENTBile PigmentsABSENTBile PigmentsABSENTBile PigmentsABSENTBile OlymentsABSENTBile OlymentsABSENTBile DigmentsABSENTBile OlymentsABSENTBile OlymentsABSENTCastABSENTCastABSENTCastABSENTCastABSENTCastABSENTCastABSENTCastABSENTCastABSENTCastABSENTCastABSENTCastABSENTCastABSENTCastABSENT <t< td=""><td></td><td></td><td></td><td></td><td></td></t<>					
Specific Gravity1.010Reaction PHAcidic (5.0)DIPSTICKAppearanceCLEARDIPSTICKProteinABSENTmg %<10 Absent	URINE EXAMINATION, ROUTINE *	, Urine			
Reaction PHAcidic (5.0)DIPSTICKAppearanceCLEARDIPSTICKProteinABSENTmg %<10 Absent	Color	LIGHT YELLOW			
AppearanceCLEARProteinABSENTmg %<10 Absent	Specific Gravity	1.010			
ProteinABSENTmg % 10-40 (+) 10-40 (+) 200-500 (+++) >500 (+++) >500 (+++) >500 (+++) >500 (+++) >500 (+++) >500 (+++) >500 (+++) >500 (+++) >500 (+++) >2 (++) >2 (+) >2 (+) <td>Reaction PH</td> <td>Acidic (5.0)</td> <td></td> <td></td> <td>DIPSTICK</td>	Reaction PH	Acidic (5.0)			DIPSTICK
SugarABSENTgms%-10-40 (+)40-200 (++)-200-500 (+++)-550 (++++)>500 (++++)-550 (++++)-1-2 (+++)-1-2 (+++)-2 (++++)-2 (++++)-2 (++++)-2 (++++)-2 (++++)Bile SaltsABSENTMICCHEMISTRYBile PigmentsABSENTDIPSTICKBilirubinABSENTDIPSTICKBilirubinABSENTDIPSTICKUrobilinogen(1:20 dilution)ABSENTDIPSTICKNitriteABSENTDIPSTICKBloodABSENTDIPSTICKMicroscopic Examination:Urobilinogen (1:20 dilution)ABSENTPus cells0-2/h.p.fMICROSCOPICRBCsABSENTMICROSCOPICCastABSENTMICROSCOPICCastABSENTMICROSCOPICCrystalsABSENTMICROSCOPICCharlesABSENTMICROSCOPICCastABSENTMICROSCOPICCharlesABSENTMICROSCOPICCastABSENTMICROSCOPICCharlesABSENTMICROSCOPICCastABSENTMICROSCOPICCharlesABSENTMICROSCOPICCastABSENTMICROSCOPICCastABSENTMICROSCOPICCharlesABSENTMICROSCOPICCastABSENTMICROSCOPICCastABSENTMICROSCOPICCastABSENTMICROSCOPICCastABSENTMICROSCOPICCastABSENTMICROSCOPIC <t< td=""><td>Appearance</td><td>CLEAR</td><td></td><td></td><td></td></t<>	Appearance	CLEAR			
SugarABSENTgms%40-200 (++) 200-500 (+++) > 500 (+++) 0.5-1.0 (++) 	Protein	ABSENT	[′] mg %		DIPSTICK
SugarABSENTgms%200-500 (++++) > 500 (++++) 0.5-1.0 (+++) 1.2 (+++) > 2 (++++)DIPSTICKKetoneABSENTmg/dl0.1-3.0BIOCHEMISTRYBile SaltsABSENTmg/dl0.1-3.0BIOCHEMISTRYBile SaltsABSENTmg/dl0.1-3.0DIPSTICKBile SaltsABSENTmg/dlDIPSTICKMICROSCOPICBilirubinABSENTDIPSTICKDIPSTICKLeucocyte EsteraseABSENTDIPSTICKUrobilinogen(1:20 dilution)ABSENTDIPSTICKBloodABSENTDIPSTICKBloodABSENTDIPSTICKBloodABSENTDIPSTICKBloodABSENTDIPSTICKMicroscopic Examination:microscopic Examination:Epithelial cells0-2/h.p.fMicroscopic EXAMINATIONCastABSENTMicroscopic EXAMINATIONCastABSENTMicroscopic EXAMINATIONCastABSENTMicroscopic EXAMINATIONCastABSENTMicroscopic EXAMINATIONCastABSENTMicroscopic EXAMINATIONChersABSENTMicroscopic EXAMINATION					
SugarABSENTgms%>500 (++++) (-0.5 (+) 0.5 1.0 (++) 1-2 (+++) > 2 (++++)DIPSTICKKetoneABSENTmg/dl0.1-3.0BIOCHEMISTRYBile SaltsABSENTJIPSTICKJIPSTICKBile PigmentsABSENTJIPSTICKJIPSTICKBilirubinABSENTJIPSTICKJIPSTICKLeucocyte EsteraseABSENTJIPSTICKUrobilinogen(1:20 dilution)ABSENTJIPSTICKBilodABSENTJIPSTICKBilodABSENTJIPSTICKBilodABSENTJIPSTICKBilodABSENTJIPSTICKBilodABSENTJIPSTICKBilodABSENTJIPSTICKBilodABSENTJIPSTICKBilodABSENTMICROSCOPICEpithelial cells1-3/h.p.fKICROSCOPICRBCsABSENTMICROSCOPICCastABSENTMICROSCOPICCrystalsABSENTMICROSCOPICCharlesABSENTMICROSCOPICCothersABSENTMICROSCOPIC					
SugarABSENTgms%<0.5 (+)DIPSTICK0.5-1.0 (++) 1-2 (+++) >2 (++++)1-2 (+++) >2 (++++)1-2 (+++) >2 (++++)Bile SaltsABSENTmg/dl0.1-3.0BIOCHEMISTRYBile PigmentsABSENTDIPSTICKBill PigmentsABSENTDIPSTICKBillrubinABSENTDIPSTICKLeucocyte EsteraseABSENTDIPSTICKUrobilinogen(1:20 dilution)ABSENTDIPSTICKBilodABSENTDIPSTICKBiodABSENTDIPSTICKBiodABSENTDIPSTICKBiodABSENTDIPSTICKBiodABSENTDIPSTICKBiodABSENTDIPSTICKBiodABSENTDIPSTICKMicroscopic Examination:Microscopic Examination:Epithelial cells0-2/h.p.fMicroscopic ExaminationCastABSENTMicroscopic ExaminationCastABSENTMicroscopic ExaminationCastABSENTMicroscopic ExaminationChersABSENTMicroscopic Examination					
0.5-1.0 (++) 1-2 (+++) > 2 (++++) > 2 (+++) > DIPSTICK DIPSTI	Sugar	ADCENIT	amc ⁰ /		DIDSTICK
Let of the second sec	Sugai	ADJEINI	y111576		DIPSTICK
KetoneABSENTmg/dl0.1-3.0BIOCHEMISTRYBile SaltsABSENTABSENTDIPSTICKBile PigmentsABSENTDIPSTICKBilirubinABSENTDIPSTICKLeucocyte EsteraseABSENTDIPSTICKUrobilinogen(1:20 dilution)ABSENTDIPSTICKNitriteABSENTDIPSTICKBloodABSENTDIPSTICKBloodABSENTDIPSTICKMicroscopic Examination:Urobilinogen (1:20 dilution)MICROSCOPICEpithelial cells0-2/h.p.fMICROSCOPICPus cells1-3/h.p.fMICROSCOPICRBCsABSENTMICROSCOPICCastABSENTMICROSCOPICCastABSENTMICROSCOPICCrystalsABSENTMICROSCOPICOthersABSENTMICROSCOPIC					
KetoneABSENTmg/dl0.1-3.0BIOCHEMISTRYBile SaltsABSENTABSENTDIPSTICKBile PigmentsABSENTDIPSTICKBilirubinABSENTDIPSTICKLeucocyte EsteraseABSENTDIPSTICKUrobilinogen(1:20 dilution)ABSENTDIPSTICKBloodABSENTDIPSTICKBloodABSENTDIPSTICKBloodABSENTDIPSTICKPus cells1-3/h.p.fMICROSCOPIC EXAMINATIONRBCsABSENTMICROSCOPIC EXAMINATIONCastABSENTMICROSCOPIC EXAMINATIONChersABSENTMICROSCOPIC EXAMINATIONOthersABSENTMICROSCOPIC EXAMINATION			CONV.		
Bile SaltsABSENTBile PigmentsABSENTBilirubinABSENTLeucocyte EsteraseABSENTUrobilinogen(1:20 dilution)ABSENTNitriteABSENTBloodABSENTDiPSTICKMicroscopic Examination:Epithelial cells0-2/h.p.fPus cells1-3/h.p.fRBCsABSENTCastABSENTCrystalsABSENTOthersABSENTABSENTMICROSCOPIC EXAMINATION	Ketone	ABSENT	mg/dl		BIOCHEMISTRY
BilirubinABSENTDIPSTICKLeucocyte EsteraseABSENTDIPSTICKUrobilinogen(1:20 dilution)ABSENTDIPSTICKNitriteABSENTDIPSTICKBloodABSENTDIPSTICKMicroscopic Examination:UrobilinogenMICROSCOPICEpithelial cells0-2/h.p.fMICROSCOPICPus cells1-3/h.p.fMICROSCOPICRBCsABSENTMICROSCOPICCastABSENTMICROSCOPICCrystalsABSENTMICROSCOPICOthersABSENTMICROSCOPICCastABSENTMICROSCOPICCharsABSENTMICROSCOPIC <td>Bile Salts</td> <td>ABSENT</td> <td></td> <td></td> <td></td>	Bile Salts	ABSENT			
Leucocyte EsteraseABSENTDIPSTICKUrobilinogen(1:20 dilution)ABSENTDIPSTICKNitriteABSENTDIPSTICKBloodABSENTDIPSTICKMicroscopic Examination:Epithelial cells0-2/h.p.fMICROSCOPIC EXAMINATIONPus cells1-3/h.p.fRBCsABSENTMICROSCOPIC EXAMINATIONCastABSENTMICROSCOPIC EXAMINATIONCastABSENTMICROSCOPIC EXAMINATIONChersABSENTMICROSCOPIC EXAMINATION	Bile Pigments	ABSENT		Call Car	
Urobilinogen(1:20 dilution)ABSENTDIPSTICKNitriteABSENTDIPSTICKBloodABSENTDIPSTICKMicroscopic Examination:Epithelial cells0-2/h.p.fMICROSCOPIC EXAMINATIONPus cells1-3/h.p.fRBCsABSENTMICROSCOPIC EXAMINATIONCastABSENTMICROSCOPIC EXAMINATIONCastABSENTMICROSCOPIC EXAMINATIONChersABSENTMICROSCOPIC EXAMINATION	Bilirubin	ABSENT			DIPSTICK
NitriteABSENTDIPSTICKBloodABSENTDIPSTICKBloodABSENTDIPSTICKMicroscopic Examination:Epithelial cells0-2/h.p.fMICROSCOPIC EXAMINATIONPus cells1-3/h.p.fRBCsABSENTMICROSCOPIC EXAMINATIONCastABSENTCrystalsABSENTMICROSCOPIC EXAMINATIONOthersABSENT	Leucocyte Esterase	ABSENT			DIPSTICK
Blood Microscopic Examination:ABSENTDIPSTICKEpithelial cells0-2/h.p.fMICROSCOPIC EXAMINATIONPus cells RBCs1-3/h.p.f ABSENTMICROSCOPIC EXAMINATIONCast CrystalsABSENT ABSENTMICROSCOPIC EXAMINATIONOthersABSENTMICROSCOPIC EXAMINATION	Urobilinogen(1:20 dilution)	ABSENT			
Microscopic Examination:Epithelial cells0-2/h.p.fMICROSCOPIC EXAMINATIONPus cells1-3/h.p.fMICROSCOPIC EXAMINATIONRBCsABSENTMICROSCOPIC EXAMINATIONCast crystalsABSENT ABSENTMICROSCOPIC EXAMINATIONOthersABSENTMICROSCOPIC EXAMINATION	Nitrite	ABSENT			DIPSTICK
Epithelial cells0-2/h.p.fMICROSCOPIC EXAMINATIONPus cells1-3/h.p.fRBCsABSENTMICROSCOPIC EXAMINATIONCast CrystalsABSENT ABSENT ABSENTMICROSCOPIC EXAMINATIONOthersABSENTMICROSCOPIC EXAMINATION	Blood	ABSENT			DIPSTICK
Pus cells1-3/h.p.fRBCsABSENTMICROSCOPIC EXAMINATIONCastABSENTMICROSCOPIC EXAMINATIONCastABSENTMICROSCOPIC EXAMINATIONOthersABSENTMICROSCOPIC EXAMINATION	Microscopic Examination:				
Pus cells1-3/h.p.fRBCsABSENTMICROSCOPIC EXAMINATIONCastABSENTMICROSCOPIC EXAMINATIONCastABSENTMICROSCOPIC EXAMINATIONOthersABSENTMICROSCOPIC EXAMINATION	Epithelial cells	0-2/h.p.f			MICROSCOPIC
RBCsABSENTMICROSCOPIC EXAMINATIONCastABSENTMICROSCOPIC EXAMINATIONCrystalsABSENTMICROSCOPIC EXAMINATIONOthersABSENTEXAMINATION	-				EXAMINATION
CastABSENTCrystalsABSENTOthersABSENTMICROSCOPIC EXAMINATION	Pus cells	1-3/h.p.f			
CastABSENTCrystalsABSENTOthersABSENTABSENTMICROSCOPIC EXAMINATION	RBCs	ABSENT			MICROSCOPIC
CrystalsABSENTMICROSCOPIC EXAMINATIONOthersABSENTEXAMINATION					EXAMINATION
Others ABSENT EXAMINATION					
Others ABSENT	Crystals	ABSENT			
		, 45e			EXAMINATION
Urine Microscopy is done on centrifuged urine sediment.	Others	ABSENT			
	Urine Microscopy is done on centrifug	ed urine sediment.			

SUGAR, FASTING STAGE * , Urine

Sugar, Fasting stage	ABSENT	gms%	





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.SARITA ANAND - 116595	Registered On	: 25/Nov/2023 11:37:50
Age/Gender	: 36 Y 8 M 25 D /F	Collected	: 25/Nov/2023 15:16:52
UHID/MR NO	: ALDP.0000131358	Received	: 25/Nov/2023 15:22:01
Visit ID	: ALDP0288682324	Reported	: 25/Nov/2023 15:32:43
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Interpretation:				
(+) < 0.5				
(++) 0.5-1.0				
(+++) 1-2				
(++++) > 2		5		
UGAR, PP STAGE * , Urine				
Sugar, PP Stage	ABSENT			
Textormundo d'ou se anno 1997				
Interpretation: (+) < 0.5 gms%				
(++) 0.5-1.0 gms%				
(+++) 1-2 gms%		1 1 × 1		
(++++) > 2 gms%				
			and a state of the	

AS

Dr.Akanksha Singh (MD Pathology)

Page 8 of 11









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.SARITA ANAND - 116595	Registered On	: 25/Nov/2023 11:37:51
Age/Gender	: 36 Y 8 M 25 D /F	Collected	: 25/Nov/2023 12:21:08
UHID/MR NO	: ALDP.0000131358	Received	: 25/Nov/2023 12:57:16
Visit ID	: ALDP0288682324	Reported	: 25/Nov/2023 15:31:26
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL * , Serum				
T3, Total (tri-iodothyronine)	97.00	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	5.00	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	3.900	μIU/mL	0.27 - 5.5	CLIA

Interpretation:

0.3-4.5	µIU/mL	First Trimester
0.5-4.6	µIU/mL	Second Trimester
0.8-5.2	µIU/mL	Third Trimester
0.5-8.9	µIU/mL	Adults 55-87 Years
0.7-27	µIU/mL	Premature 28-36 Week
2.3-13.2	µIU/mL	Cord Blood > 37Week
0.7-64	µIU/mL	Child(21 wk - 20 Yrs.)
1-39	µIU/mL	Child 0-4 Days
1.7-9.1	µIU/mL	Child 2-20 Week

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr.Akanksha Singh (MD Pathology)



Home Sample Collection 1800-419-0002



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.SARITA ANAND - 116595	Registered On	: 25/Nov/2023 11:37:52
Age/Gender	: 36 Y 8 M 25 D /F	Collected	: N/A
UHID/MR NO	: ALDP.0000131358	Received	: N/A
Visit ID	: ALDP0288682324	Reported	: 25/Nov/2023 15:32:09
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

X-RAY DIGITAL CHEST PA *

<u>X-RAY REPORT</u> (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) <u>CHEST P-A VIEW</u>

- Both lung field did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

Please correlare clinically.

Croth

DR K N SINGH (MBBS, DMRE)

Page 10 of 11









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.SARITA ANAND - 116595	Registered On	: 25/Nov/2023 11:37:52
Age/Gender	: 36 Y 8 M 25 D /F	Collected	: N/A
UHID/MR NO	: ALDP.0000131358	Received	: N/A
Visit ID	: ALDP0288682324	Reported	: 25/Nov/2023 13:46:03
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

LIVER: - Normal in size (14.0 cm), shape and echogenicity. No focal lesion is seen. No intra hepatic biliary radicle dilation seen.

GALL BLADDER :- Well distended, walls are normal. No e/o calculus / focal mass lesion/ pericholecystic fluid.

CBD :- Normal in calibre at porta.

PORTAL VEIN: - Normal in calibre and colour uptake at porta.

PANCREAS: - Head is visualised, normal in size & echopattern. No e/o ductal dilatation or calcification. Rest of pancreas is obscured by bowel gas.

SPLEEN: - Normal in size, shape and echogenicity.

RIGHT KIDNEY: - Normal in size (9.3 cm), shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

LEFT KIDNEY: - Normal in size (9.1 cm), shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

URINARY BLADDER :- Normal in shape, outline and distension. No e/o wall thickening / calculus.

UTERUS :- Anteverted, and is normal in size (9.2 x 2.9 x 4.5 cm). No focal myometrial lesion seen. Endometrium is normal in thickness 7.5 mm.

OVARIES :- Bilateral ovaries are normal in size, shape and echogenicity.

Visualized bowel loops are normal in caliber. No para-aortic lymphadenopathy

No free fluid is seen in the abdomen/pelvis.

IMPRESSION : No significant abnormality seen.

Please correlate clinically.

*** End Of Report ***



Cont

DR K N SINGH (MBBS, DMRE)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing * *365 Days Open*

Page 11 of 11



