



Name: NIMISHA KEVIN PATEL	Ward:	OPD
Lab ID 00000318	Registration on:	28/10/2023 08:51:00
Age & Sex: 33 Year Female	Reported on:	14:54:19
Reference: VELOCITY HOSPITAL	Sample Type:	BLOOD & URINE

CBC ESR			
Test	Observed Value	Unit	Biological Reference Interval
		<i>(</i>).	
Haemoglobin	10.97 L	g/dL	12.0 - 16.0
Total RBC	5.46 H	mill./cm	4.00 - 5.20
Total WBC	7870	/cmm	4000 - 11000
Platelet Count	378900	/cmm	150000 - 450000
НСТ	36.9	%	36.0 - 48.0
MCV	67.6 L	fL	80.0 - 100.0
MCH	20.1 L	pg	27.0 - 32.0
MCHC	29.7 L	g/dL	31.5 - 36.0
DIFFERENTIAL COUNT			
Neutrophils	71 H	%	40 - 70
Lymphocytes	25	%	20 - 40
Eosinophils	02	%	02-05
Monocytes	02	%	01-07
Basophils	00	%	00 - 02
Band Cells	00	%	0.0 - 6.0
ABSOLUTE DIFFERNTIAL COUNT			
Neutrophils	5588	/cumm	2000 - 7000
Lymphocytes	1968	/cumm	1000 - 3000
Eosinophils	157	/cumm	20 - 500
Monocytes	157	/cumm	
Basophils	0	/cumm	0 - 100
GLR / NLR	2.8		
(Neutrophil/Lymphocyte Ratio)			
M ENTZER INDEX	12.4		
RDW-CV	14.0	%	11.1 - 14.1
RDW-SD	37.9	fl	
MPV	8.7	fl	
РСТ	0.33	%	





Name:	NIMISHA KEVIN PATEL		Ward:	OPD
Lab ID	00000318		Registration on:	28/10/2023 08:51:00
Age & Sex	33 Year Female		Reported on:	14:54:20
Reference	: VELOCITY HOSPITAL		Sample Type:	BLOOD & URINE
PDW	/	16.8	%	

PERIPHERAL SM EAR EXAM INATION

RBC Morphology	Hypochroi	Hypochromia (+), M icrocytosis (+), Anisocytosis (+),		
WBC Morphology	Appear no	Appear normal,Immature cells are not seen .		
Platelets in Smear	Adequate.	Adequate.		
Malarial Parasites	Not Detec	ted.		
Note	Hb electro	phoresis is advised to rule out	t thalassemia as Mentzer index	
	is <13. (lo	w HB, high RBC count and low	v MCV) .	
<u>ESR</u> AFTER 1 HOUR	17	mm/hr	0.0 - 20.0	





Name:	NIMISHA KEVIN PATEL	Ward:	OPD
Lab ID	00000318	Registration on:	28/10/2023 08:51:00
Age & Sex	33 Year Female	Reported on:	14:54:20
Reference	VELOCITY HOSPITAL	Sample Type:	BLOOD & URINE

BLOOD GROUP

Test

Observed Value Unit

Biological Reference Interval

Blood Group Rh Factor "B" POSITIVE







Name:	NIMISHA KEVIN PATEL	Ward:	OPD
Lab ID	00000318	Registration on:	28/10/2023 08:51:00
Age & Sex	33 Year Female	Reported on:	14:54:20
Reference:	VELOCITY HOSPITAL	Sample Type:	BLOOD & URINE

BLOOD GLUCOSE TEST

Test	Observed Value	Unit	Biological Reference Interval
Sample	FLOURIDE PLASM	1A	
FASTING (FBS)			
Blood Sugar-F	78.3	mg/dL	70.00-110.00





Name: NI	IMISHA KEVIN PATEL	Ward:	OPD
Lab ID 0	0000318	Registration on:	28/10/2023 08:51:00
Age & Sex: 33	3 Year Female	Reported on:	14:54:20
Reference: VE	ELOCITY HOSPITAL	Sample Type:	BLOOD & URINE

HEMOGLOBIN A1c TEST

Test	Observed Value	Unit	Biological Reference Interval
<u>HbA1c</u>	4.66	%	> 8 : Action Suggested 7-8 : Good control < 7 : Goal 6.2-7 : Near Normal Glycemia < 6.2 : Non-diabetic Level
Mean Blood Glucose	87.0	mg/dL	80.0 - 140.0

Importance of HbA1c - Glycated Hb. in Diabetes Mellitus

• HbA1c, also known as Glycated Hemoglobin is the most important test for the assessment of long term blood glucose control (also called glycemic control)

• HbA1c reflects mean blood glucose concentration over past 6-8 weeks and provides amuch better indication of long term glycemic control than blood glucose determination

• HbA1c is formed by non-enzymatic reaction between glucose and Hb., this reaction is irreversible and therefore remains unaffected by short term fluctuations in blood glucose levels.

• Long term complications of diabetes such as retinopathy-eye complications, nephropathy-kidney complications and neuropathy-nerve complications, are potentially serious and can lead to blindness, kidney failure etc.

• Glycemic control monitored by HbA1c measurement using HPLC method-(Gold Standard) is considered most important. (Ref. National Glycohemoglobin Standardization Program -NGSP).





Name:	NIMISHA KEVIN PATEL	Ward:	OPD
Lab ID	00000318	Registration on:	28/10/2023 08:51:00
Age & Sex:	33 Year Female	Reported on:	14:54:20
Reference:	VELOCITY HOSPITAL	Sample Type:	BLOOD & URINE

LIPID PROFILE			
Test	Observed Value	Unit	Biological Reference Interval
Sample	Fasting Blood Se	erum	
Cholesterol	164.8	mg/dL	<200 Desirable 200-229 Borderline >240 High
Triglyceride	66.1	mg/dL	<150 Normal 150-199 Borderline 200-499 High >=500 Very High
HDL Cholesterol	37.7 L	mg/dL	Male : 35-80 Female : 42-88
VLDL	13.22	mg/dL	0.00 - 30.00
LDL Cholesterol	113.88	mg/dL	 < 130 : Optimal 130 - 159 : Borderline High 160 - 189 : High >= 190 : Very High
LDL Chol. / HDL Chol. Ratio	3.02		1.0 - 3.4
Cholesterol / HDL Chol. Ratio	4.4 H		0 - 3.5
Total Lipid	502.5	mg/dl	400.0 - 1000.0





SPECTRA DIAGNOSTIC



Name:	NIMISHA KEVIN PATEL	Ward:	OPD
Lab ID	00000318	Registration on:	28/10/2023 08:51:00
Age & Sex	33 Year Female	Reported on:	14:54:20
Reference:	VELOCITY HOSPITAL	Sample Type:	BLOOD & URINE

RENAL FUNCTION TEST

Test		Unit	
S. Creatinine	0.80	mg/dL	0.5-1.30
Bl. Urea	21.0	mg/dL	10.0 - 40.0
BUN	9.8	mg/dl	6.0 - 22.0
Uric Acid	4.15	mg/dL	2.6 - 6.0
PROTEINS			
Total Protein	7.0	g/dL	6.0 - 8.0
Albumin	3.80	g/dL	3.50 - 5.50
Globulin	3.2	g/dL	2.5 - 4.0
A/G Ratio	1.2		





SPECTRA DIAGNOSTIC



Name:	NIMISHA KEVIN PATEL	Ward: OPD
Lab ID	00000318	Registration on: 28/10/2023 08:51:00
Age & Sex	33 Year Female	Reported on: 14:54:20
Reference	VELOCITY HOSPITAL	Sample Type: BLOOD & URINE

LIVER FUNCTION TEST

Test	Observed Value	Unit	Biological Reference Interval
<u>BILIRUBIN</u>			
Total Bilirubin	0.5	mg/dL	0.00 - 1.20
Direct Bilirubin	0.2	mg/dL	0.00 - 0.40
Indirect Bilirubin	0.30	mg/dL	0.00 - 1.00
SGPT(ALT)	12.5	U/L	0.0 - 40.0
SGOT (AST)	18.5	U/L	0.0 - 46.0
Alkaline Phosphatase	215.0	U/L	64.0 - 306.0
PROTEINS			
Total Protein	7.0	g/dL	6.0 - 8.0
Albumin	3.80	g/dL	3.50 - 5.50
Globulin	3.2	g/dL	2.5 - 4.0
A/G Ratio	1.2		





Name:	NIMISHA KEVIN PATEL	Ward:	OPD
Lab ID	00000318	Registration on:	28/10/2023 08:51:00
Age & Sex	33 Year Female	Reported on:	14:54:20
Reference:	VELOCITY HOSPITAL	Sample Type:	BLOOD & URINE

URINE ANALYSIS

Test	Observed Value	Unit	Biological Reference Interval
Sample	Fresh Urine		
PHYSICAL EXAM INATION			
Quantity	10.0	mL	
Colour	Pale-Yellow		
Appearance	Clear		Clear
рН	6.0		
Specific Gravity	1.015		
Sediments	Absent		Absent
CHEMICAL EXAMINATION			
Protein (Albumin)	Absent		Absent
Sugar	Absent		Absent
Bile Salts	Absent		Absent
Bile Pigment	Absent		Absent
Ketone	Absent		Absent
Occult Blood	Absent		Absent
Nitrite	Absent		Absent
Leukocyte Esterase	Absent		Absent
Urobilinogen	Normal		Normal
MICROSCOPIC EXAMINATION			
Pus Cells	Occasional	/hpf	Absent
Red Blood Cells	Absent	/hpf	Absent
Epithelial Cells	3-5	/hpf	Absent
Crystals	Absent		Absent
Amorphous material	Absent		Absent
Casts	Absent		Absent
Yeast	Absent		Absent
Bacteria	Absent		Absent

--- End of Report ---











SURAT LAB : 3rd Floor, Vanita Vishram Building, Above Bank of Baroda, Athwa Circle, SURAT - 395 001 Ph. : 0261-3099099 | Mo : 09714971114 | Email : unipathlab.surat@gmail.com | Website : www.unipath.in CIN : U85195GJ2009PLC057059

		TEST REPORT		
Reg. No.	: 31000731705	Reg. Date: 28-Oct-2023 10:24 Ref.No:	Approved On	: 28-Oct-2023 11:05
Name	: NIMISHA KEV	IN PATEL	Collected On	: 28-Oct-2023 10:24
Age	: 33 Years	Gender: Female Pass. No. :	Dispatch At	:
Ref. By	:		Tele No.	:
Location	: SPECTRA DIA	GNOSTIC @ LP SAVANI ROAD		

Test Name	Results	Units	Bio. Ref. Interval	
THYROID FUNCTION TEST				
T3 (triiodothyronine), Total	1.48	ng/mL	0.6 - 1.81	
T4 (Thyroxine),Total Method:CLIA	9.2	µg/dL	4.5 - 12.6	
TSH (Thyroid stimulating hormone)	2.215	µIU/mL	0.55 - 4.78	

Sample Type:Serum

Comments:

Thyroid stimulating hormone (TSH) is synthesized and secreted by the anterior pituitary in response to a negative feedback mechanism involving concentrations of FT3 (free T3) and FT4 (free T4). Additionally, the hypothalamic tripeptide, thyrotropin-relasing hormone (TRH), directly stimulates TSH production. TSH stimulates thyroid cell production and hypertrophy, also stimulate the thyroid gland to synthesize and secrete T3 and T4. Quantification of TSH is significant to differentiate primary (thyroid) from secondary (pituitary) and tertiary (hypothalamus) hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low.

TSH levels During Pregnancy :

- First Trimester : 0.1 to 2.5 µIU/mL
- Second Trimester : 0.2 to 3.0 µIU/mL
- Third trimester : 0.3 to 3.0 µIU/mL

Referance : Carl A.Burtis, Edward R.Ashwood, David E.Bruns. Tietz Textbook of Clinical Chemistry and Molecular Diagnostics. 5th Eddition. Philadelphia: WB Sounders, 2012:2170

----- End Of Report -----

Test done from collected sample.

This is an electronically authenticated report.



Approved by: Dr. Dhaval Bamania

Pathologist G-16880

Approved On: 28-Oct-2023 1Page 1 of 1

Generated On: 28-Oct-2023 11:10