Patient Name	Mr. SURESH CHAND JAJU	Lab No	416967	ALL AND A
UHID	295772	Collection Date	25/02/2023 5:01PM	
Age/Gender	51 Yrs/Male	Receiving Date	25/02/2023 5:12PM	
IP/OP Location	O-OPD	Report Date	25/02/2023 7:01PM	
Referred By	Dr. EHCC Consultant	Report Status	Final	MC-2561
Mobile No.	9828386564			

### HEMATOLOGY

Test Name	Result	Unit	Biological Ref. Ra	nge
CBC (COMPLETE BLOOD COUNT)				Sample: WHOLE BLOOD EDTA
HAEMOGLOBIN	14.0	g/dl	13.0 - 17.0	
PACKED CELL VOLUME(PCV)	44.1	%	40.0 - 50.0	
MCV	90.2	fl	82 - 92	
MCH	28.6	pg	27 - 32	
MCHC	31.7 L	g/dl	32 - 36	
RBC COUNT	4.89	millions/cu.mm	4.50 - 5.50	
TLC (TOTAL WBC COUNT)	5.06	10^3/ uL	4 - 10	
DIFFERENTIAL LEUCOCYTE COUNT				
NEUTROPHILS	65.2	%	40 - 80	
LYMPHOCYTE	23.5	%	20 - 40	
EOSINOPHILS	2.2	%	1 - 6	
MONOCYTES	8.7	%	2 - 10	
BASOPHIL	0.4 L	%	1 - 2	
PLATELET COUNT	3.03	lakh/cumm	1.50 - 4.50	

HAEMOGLOBIN :- Method:-SLS HemoglobinMethodology by Cell Counter.Interpretation:-Low-Anemia, High-Polycythemia. MCV :- Method:- Calculation bysysmex. MCH :- Method:- Calculation bysysmex. MCHC :- Method:- Calculation bysysmex.

RBC COUNT :- Method:-Hydrodynamicfocusing.Interpretation:-Low-Anemia,High-Polycythemia.

TLC (TOTAL WBC COUNT) :- Method:-Optical Detectorblock based on Flowcytometry.Interpretation:-High-Leucocytosis, Low-Leucopenia.

NEUTROPHILS :- Method: Optical detectorblock based on Flowcytometry

LYMPHOCYTS :- Method: Optical detectorblock based on Flowcytometry

EOSINOPHILS :- Method: Optical detectorblock based on Flowcytometry

MONOCYTES :- Method: Optical detectorblock based on Flowcytometry BASOPHIL :- Method: Optical detectorblock based on Flowcytometry

PLATELET COUNT :- Method:-Hydrodynamicfocusing method.Interpretation:-Low-Thrombocytopenia, High-Thrombocytosis.

HCT: Method:- Pulse Height Detection. Interpretation:-Low-Anemia, High-Polycythemia. NOTE: CH- CRITICAL HIGH, CL: CRITICAL LOW, L: LOW, H: HIGH

\*\*End Of Report\*\*

#### **RESULT ENTERED BY : Mr. MAHENDRA KUMAR**

**Dr. SURENDRA SINGH CONSULTANT & HOD** MBBS | MD | PATHOLOGY



Dr. ASHISH SHARMA CONSULTANT MBBS | MD | INCHARGE PATHOLOGY

Page: 1 Of 1

Patient Name UHID Age/Gender IP/OP Location	Mr. SURESH CHAND JAJU 40000939 51 Yrs/Male O-OPD			Lab No Collection Date Receiving Date Report Date	4001101 25/02/2023 9:52 25/02/2023 10:0 25/02/2023 4:13	3AM
Referred By	Dr. DIWANSHU KHATANA			Report Status	Final	
Mobile No.	9828386564					
			BIOCHEMIST	RY		
Test Name		Result	Unit	Biolo	gical Ref. Range	
BLOOD GLUCOSE (F	ASTING)					Sample: Fl. Plasma
BLOOD GLUCOSE FA	STING	85.2				
Method: Hexokinase Interpretation:-Di various diseases.	e assay. Lagnosis and monitoring of	treatment in o	diabetes mellitu	s and evaluation of	carbohydrate metabol	ism in
BLOOD GLUCOSE (P	<u>P)</u>					Sample: PLASMA
BLOOD GLUCOSE (PI	Р)	95.0	mg/dl	Pre – Diabe	etic: - < 140 mg/dl etic: - 140-199 mg/dl >=200 mg/dl	
Method: Hexokinase Interpretation:-Di various diseases.	e assay. Lagnosis and monitoring of	treatment in c	diabetes mellitu	s and evaluation of	carbohydrate metabol	ism in

THYROID T3 T4 TSH				Sample: Serum
Т3	1.24	ng/mL	0.970 - 1.690	
Τ4	4.86 L	ug/dl	5.53 - 11.00	
TSH	3.113	μIU/mL	0.40 - 4.05	

**RESULT ENTERED BY : NEETU SHARMA** 

Con and the con

Dr. MUDITA SHARMA

Patient Name UHID	Mr. SURESH CHAND JAJU 40000939	Lab No Collection Date	4001101 25/02/2023 9:52AM
Age/Gender	51 Yrs/Male	Receiving Date	25/02/2023 10:03AM
IP/OP Location	O-OPD	Report Date	25/02/2023 4:13PM
Referred By	Dr. DIWANSHU KHATANA	Report Status	Final
Mobile No.	9828386564		

### BIOCHEMISTRY

T3:- Method: ElectroChemiLuminescence ImmunoAssay - ECLIA

Interpretation:-The determination of T3 is utilized in the diagnosis of T3-hyperthyroidism the detection of early stages of hyperthyroidism and for indicating a diagnosis of thyrotoxicosis factitia.

T4:- Method: ElectroChemiLuminescence ImmunoAssay - ECLIA

Interpretation:-The determination of T4 assay employs acompetitive test principle with an antibody specifically directed against T4.

TSH - THYROID STIMULATING HORMONE :- ElectroChemiLuminescenceImmunoAssay - ECLIA

Interpretation:-The determination of TSH serves as theinitial test in thyroid diagnostics. Even very slight changes in theconcentrations of the free thyroid hormones bring about much greater oppositechanges in the TSH levels.

#### LFT (LIVER FUNCTION TEST)

BILIRUBIN TOTAL	0.80	mg/dl	0.00 - 1.20
BILIRUBIN INDIRECT	0.66	mg/dl	0.20 - 1.00
BILIRUBIN DIRECT	0.14	mg/dl	0.00 - 0.40
SGOT	28.9	U/L	0.0 - 40.0
SGPT	31.0	U/L	0.0 - 40.0
TOTAL PROTEIN	7.06	g/dl	6.6 - 8.7
ALBUMIN	3.99	g/dl	3.5 - 5.2
GLOBULIN	3.1		1.8 - 3.6
ALKALINE PHOSPHATASE	53.1	U/L	41 - 137
A/G RATIO	1.3 L	Ratio	1.5 - 2.5
GGTP	19.9	U/L	10.0 - 55.0

#### **RESULT ENTERED BY : NEETU SHARMA**

MBBS | MD | PATHOLOGY

Sample: Serum

Patient Name	Mr. SURESH CHAND JAJU	Lab No	4001101
UHID	40000939	Collection Date	25/02/2023 9:52AM
Age/Gender	51 Yrs/Male	Receiving Date	25/02/2023 10:03AM
IP/OP Location	O-OPD	Report Date	25/02/2023 4:13PM
Referred By	Dr. DIWANSHU KHATANA	Report Status	Final
Mobile No.	9828386564		

#### BIOCHEMISTRY

**BILIRUBIN TOTAL** :- Method: DPD assay. Interpretation:-Total Bilirubin measurements are used in the diagnosis and treatment of various liver diseases, and of haemolytic and metabolic disorders in adults and newborns. Both obstruction damage to hepatocellular structive.

**BILIRUBIN DIRECT** :- Method: Diazo method Interpretation:-Determinations of direct bilirubin measure mainly conjugated, water soluble bilirubin.

SGOT - AST :- Method: IFCC without pyridoxal phosphate activation. Interpretation:-SGOT(AST) measurements are used in the diagnosis and treatment of certain types of liver and heart disease.

SGPT - ALT :- Method: IFCC without pyridoxal phosphate activation. Interpretation:-SGPT(ALT) Ratio Is Used For Differential Diagnosis In Liver Diseases.

TOTAL PROTEINS :- Method: Biuret colorimetric assay. Interpretation:-Total protein measurements are used in the diagnosis and treatment of a variety of liver and kidney diseases and bone marrow as well as metabolic and nutritional disorder. ALBUMIN :- Method: Colorimetric (BCP) assay. Interpretation:-For Diagnosis and monitoring of liver diseases, e.g. liver cirrhosis, nutritional status.

ALKALINE PHOSPHATASE :- Method: Colorimetric assay according to IFCC. Interpretation:-Elevated serum ALT is found in hepatitis, cirrhosis, obstructive jaundice, carcinoma of the liver, and chronic alcohol abuse. ALT is only slightly elevated in patients who have an uncomplicated myocardial infarction. GCTP-GAMMA GLUTAWIL TRANSPEPTIDASE :- Method: Enzymetic colorimetric assay. Interpretation:-y-glutamyltransferase is used in the diagnosis and monitoring of hepatobiliary disease. Enzymatic activity of GGT is often the only parameter with increased values when testing for such diseases and is one of the most sensitive indicator known.

#### LIPID PROFILE

TOTAL CHOLESTEROL	202		<200 mg/dl :- Desirable 200-240 mg/dl :- Borderline >240 mg/dl :- High
HDL CHOLESTEROL	45.4		High Risk :-<40 mg/dl (Male), <40 mg/dl (Female) Low Risk :->=60 mg/dl (Male), >=60 mg/dl (Female)
LDL CHOLESTEROL	165.2		Optimal :- <100 mg/dl Near or Above Optimal :- 100-129 mg/dl Borderline :- 130-159 mg/dl High :- 160-189 mg/dl Very High :- >190 mg/dl
CHOLESTERO VLDL	22	mg/dl	10 - 50
TRIGLYCERIDES	107.7		Normal :- <150 mg/dl Border Line:- 150 - 199 mg/dl High :- 200 - 499 mg/dl Very high :- > 500 mg/dl
CHOLESTEROL/HDL RATIO	4.4	%	

#### **RESULT ENTERED BY : NEETU SHARMA**

Concerto to

**Dr. MUDITA SHARMA** 

Patient Name UHID	Mr. SURESH CHAND JAJU 40000939	Lab No Collection Date	4001101 25/02/2023 9:52AM
Age/Gender	51 Yrs/Male	Receiving Date	25/02/2023 10:03AM
IP/OP Location	O-OPD	Report Date	25/02/2023 4:13PM
Referred By	Dr. DIWANSHU KHATANA	Report Status	Final
Mobile No.	9828386564		

#### BIOCHEMISTRY

CHOLESTEROL TOTAL :- Method: CHOD-PAP enzymatic colorimetric assay.

interpretation:-The determination of the individual total cholesterol (TC) level is used for screening purposes while for a better risk assessment it is necessary to measure additionally lipid & lipoprotein metabolic disorders.

HDL CHOLESTEROL :- Method:-Homogenous enzymetic colorimetric method. Interpretation:-HDL-cholesterol has a protective against coronary heart disease, while reduced HDL-cholesterol concentrations, particularly in conjunction with elevated triglycerides, increase the cardiovascular disease.

LDL CHOLESTEROL :- Method: Homogenous enzymatic colorimetric assay. Interpretation:-LDL play a key role in causing and influencing the progression of atherosclerosis and in particular coronary sclerosis. The LDL are derived form VLDL rich in TG by the action of various lipolytic enzymes and are

Synthesized in the liver. CHOLESTEROL VLDL :- Method: VLDL Calculative

Interpretation:-High triglycerde levels also occur in various diseases of liver, kidneys and pancreas.

DM, nephrosis, liver obstruction.

CHOLESTEROL/HDL RATIO :- Method: Cholesterol/HDL Ratio Calculative

### **RENAL PROFILE TEST**

UREA	13.6 L	mg/dl	16.60 - 48.50
BUN	6.3	mg/dl	6 - 20
CREATININE	0.95	mg/dl	0.60 - 1.10
SODIUM	141.1	mmol/L	136 - 145
POTASSIUM	4.49	mmol/L	3.50 - 5.50
CHLORIDE	101.1	mmol/L	98 - 107
URIC ACID	5.36	mg/dl	3.5 - 7.2
CALCIUM	9.27	mg/dl	8.60 - 10.30

**RESULT ENTERED BY : NEETU SHARMA** 

Dr. MUDITA SHARMA

MBBS | MD | PATHOLOGY

Sample: Serum

Patient Name	Mr. SURESH CHAND JAJU	Lab No	4001101
UHID	40000939	Collection Date	25/02/2023 9:52AM
Age/Gender	51 Yrs/Male	Receiving Date	25/02/2023 10:03AM
IP/OP Location	O-OPD	Report Date	25/02/2023 4:13PM
Referred By	Dr. DIWANSHU KHATANA	Report Status	Final
Mobile No.	9828386564		

#### BIOCHEMISTRY

CREATININE - SERUM :- Method:-Jaffe method, Interpretation:-To differentiate acute and chronic kidneydisease. URIC ACID :- Method: Enzymatic colorimetric assay. Interpretation:- Elevated blood concentrations of uricacid are renal diseases with decreased excretion of waste products, starvation, drug abuse and increased alcohol consume.

SODIUM :- Method: ISE electrode. Interpretation:-Decrease: Prolonged vomiting or diarrhea, diminished reabsorption in the

kidney and excessive fluid retention. Increase: excessive fluid loss, high salt intake andkidney reabsorption. POTASSIUM :- Method: ISE electrode. Intrpretation:-Low level: Intake excessive loss formbodydue to diarrhea, vomiting

chabitat in Action in the interference renal reabsorption as well as forms of acidosisand alkalosis.

Increase: dehydration, kidney failure, some form ofacidosis, high dietary or parenteral chloride intake, and salicylate poisoning.

. UREA:- Method: Urease/GLDH kinetic assay. Interpretation:-Elevations in blood urea nitrogenconcentration are seen in inadequate renal perfusion, shock, diminished bloodvolume, chronic nephritis, nephrosclerosis, tubular necrosis, glomerularnephritis and UTI.

CALCIUM TOTAL :- Method: O-Cresolphthaleine complexone. Interpretation:-Increase in serum PTH or vit-D are usuallyassociated with hypercalcemia. Increased serum calcium levels may also beobserved in multiple myeloma and other neoplastic diseases. Hypocalcemia may

beobserved in hypoparathyroidism, nephrosis, and pancreatitis.

HBA1C

5.5

%

< 5.7% Nondiabetic 5.7-6.4% Pre-diabetic > 6 4% Indicate Diabetes

Known Diabetic Patients

< 7 % Excellent Control

7 - 8 % Good Control > 8 % Poor Control

Method : - High - performance liquid chromatography HPLC Interpretation:-Monitoring long term glycemic control, testing every 3 to 4 months is generally sufficient. The approximate relationship between HbAlC and mean blood glucose values during the preceding 2 to 3 months.

**RESULT ENTERED BY : NEETU SHARMA** 

and the top

**Dr. MUDITA SHARMA** 

MBBS | MD | PATHOLOGY

Page: 5 Of 12

Sample: WHOLE BLOOD EDTA

	5626566561		
Mobile No.	9828386564		
Referred By	Dr. DIWANSHU KHATANA	Report Status	Final
IP/OP Location	O-OPD	Report Date	25/02/2023 4:13PM
Age/Gender	51 Yrs/Male	Receiving Date	25/02/2023 10:03AM
UHID	40000939	Collection Date	25/02/2023 9:52AM
Patient Name	Mr. SURESH CHAND JAJU	Lab No	4001101

### **BLOOD BANK INVESTIGATION**

Test Name	Result	Unit	Biological Ref. Range
BLOOD GROUPING	"O" Rh Positive		

**BLOOD GROUPING** 

Note :

Both forward and reverse grouping performed.
Test conducted on EDTA whole blood.

**RESULT ENTERED BY : NEETU SHARMA** 

....

Dr. MUDITA SHARMA

Patient Name	Mr. SURESH CHAND JAJU	Lab No	4001101
UHID	40000939	Collection Date	25/02/2023 9:52AM
Age/Gender	51 Yrs/Male	Receiving Date	25/02/2023 10:03AM
IP/OP Location	O-OPD	Report Date	25/02/2023 4:13PM
Referred By	Dr. DIWANSHU KHATANA	Report Status	Final
Mobile No.	9828386564		

### **CLINICAL PATHOLOGY**

	CLIN			
Test Name	Result	Unit	Biological Ref. Range	
URINE SUGAR (POST PRANDIAL)				Sample: Urine
URINE SUGAR (POST PRANDIAL)	NEGATIVE			
URINE SUGAR (RANDOM)				Sample: Urine
URINE SUGAR (RANDOM)	NEGATIVE			
<b>ROUTINE EXAMINATION - URINE</b>				Sample: Urine
PHYSICAL EXAMINATION				
VOLUME	20	ml		
COLOUR	PALE YELLOW		P YELLOW	
APPEARANCE	CLEAR		CLEAR	
CHEMICAL EXAMINATION				
PH	7.0		5.5 - 7.0	
SPECIFIC GRAVITY	1.000		1.016-1.022	
PROTEIN	NEGATIVE		NEGATIVE	
SUGAR	NEGATIVE		NEGATIVE	
BILIRUBIN	NEGATIVE		NEGATIVE	
BLOOD	NEGATIVE			
KETONES	NEGATIVE		NEGATIVE	
NITRITE	NEGATIVE		NEGATIVE	
UROBILINOGEN	NEGATIVE		NEGATIVE	
LEUCOCYTE	NEGATIVE		NEGATIVE	
MICROSCOPIC EXAMINATION				
WBCS/HPF	1-2	/hpf	0 - 3	
RBCS/HPF	0-0	/hpf	0 - 2	
EPITHELIAL CELLS/HPF	1-2	/hpf	0 - 1	
CASTS	NIL		NIL	
CRYSTALS	NIL		NIL	

### **RESULT ENTERED BY : NEETU SHARMA**

enveres to

Dr. MUDITA SHARMA

Patient Name UHID	Mr. SURESH CHAND JAJU 40000939	Lab No Collection Date	4001101 25/02/2023 9:52AM
Age/Gender	51 Yrs/Male	Receiving Date	25/02/2023 10:03AM
IP/OP Location	O-OPD	Report Date	25/02/2023 4:13PM
Referred By	Dr. DIWANSHU KHATANA	Report Status	Final
Mobile No.	9828386564		

### **CLINICAL PATHOLOGY**

BACTERIA	NIL	NIL
OHTERS	NIL	NIL

Methodology:-Glucose: GOD-POD, Bilirubin: Diazo-Azo-coupling reaction with a diazonium, Ketone: Nitro Pruside reaction, Specific Gravity: Proton re;ease from ions, Blood: Psuedo-Peroxidase activity oh Haem moiety, pH: Methye Red-Bromothymol Blue (Double indicator system), Protein: H+ Release by buffer, microscopic & chemical method. interpretation: Diagnosis of Kidney function, UTI, Presence of Protein, Glucoses, Blood. Vocubulary syntax: Kit insert

**RESULT ENTERED BY : NEETU SHARMA** 

Concerte Co

Dr. MUDITA SHARMA

Patient Name	Mr. SURESH CHAND JAJU	Lab No	4001101
UHID	40000939	Collection Date	25/02/2023 9:52AM
Age/Gender	51 Yrs/Male	Receiving Date	25/02/2023 10:03AM
IP/OP Location	O-OPD	Report Date	25/02/2023 4:13PM
Referred By	Dr. DIWANSHU KHATANA	Report Status	Final
Mobile No.	9828386564		
HEMATOLOGY			

Test Name	Result	Unit	Biological Ref. Range
ESR (ERYTHROCYTE SEDIMENTATION RATE)	08	mm/1st hr	0 - 15

Method:-Modified Westergrens. Interpretation:-Increased in infections, sepsis, and malignancy.

**RESULT ENTERED BY : NEETU SHARMA** 

....

Dr. MUDITA SHARMA

Patient Name	Mr. SURESH CHAND JAJU	Lab No	4001101
UHID	40000939	Collection Date	25/02/2023 9:52AM
Age/Gender	51 Yrs/Male	Receiving Date	25/02/2023 10:03AM
<b>IP/OP</b> Location	O-OPD	Report Date	25/02/2023 4:13PM
Referred By	Dr. DIWANSHU KHATANA	Report Status	Final
Mobile No.	9828386564		

Unit

Test Name

Result

**Biological Ref. Range** 

# **USG REPORT - ABDOMEN AND PELVIS**

### LIVER:

Is normal in size (125 mm) and diffuse increased echogenicity.

No obvious focal lesion seen. No intrahepatic biliary radical dilatation seen.

### GALL BLADDER:

**Partially distended** with no obvious wall thickening/pericholecystic fat stranding/fluid. No obvious calculus/polyp/mass seen within.

### PANCREAS:

Obscured by bowel gases.

SPLEEN:

Appears normal in size and it shows uniform echo texture. It measures 83 mm in long axis.

### RIGHT KIDNEY:

Right kidney measures 105 x 44 mm.

The shape, size and contour of the right kidney appear normal.

Corticomedullary differentiation is maintained.

A calculus size 3.9 mm is seen in interpolar calyx.

**RESULT ENTERED BY : NEETU SHARMA** 

Patient Name UHID	Mr. SURESH CHAND JAJU 40000939	Lab No Collection Date	4001101 25/02/2023 9:52AM
Age/Gender	51 Yrs/Male	Receiving Date	25/02/2023 10:03AM
<b>IP/OP</b> Location	O-OPD	Report Date	25/02/2023 4:13PM
Referred By	Dr. DIWANSHU KHATANA	Report Status	Final
Mobile No.	9828386564		

USG

Mildly prominent right pelvicalyceal system, likely due to overdistended urinary bladder.

# LEFT KIDNEY:

Left kidney measures 101 x 50 mm.

The shape, size and contour of the left kidney appear normal.

Corticomedullary differentiation is maintained. No evidence of pelvicalyceal dilatation.

# Few concretions seen at lower polar calyces.

# URINARY BLADDER:

**Overdistended.** Is normal in contour. No intraluminal echoes are seen. No calculus or diverticulum is seen.

# PROSTATE:

Measures 32 x 26 x 40 mm with 18 cc volume. Normal

RIGHT ILIAC FOSSA:

No focal fluid collections seen.

**IMPRESSION:** 

Grade 1 fatty infiltration of liver.

Right renal calculus and left renal concretions.

**RESULT ENTERED BY : NEETU SHARMA** 

Rundad

Dr. RENU JADIYA MBBS, DNB RADIOLOGIST

Patient Name	Mr. SURESH CHAND JAJU	Lab No	4001101
UHID	40000939	Collection Date	25/02/2023 9:52AM
Age/Gender	51 Yrs/Male	Receiving Date	25/02/2023 10:03AM
IP/OP Location	O-OPD	Report Date	25/02/2023 4:13PM
Referred By	Dr. DIWANSHU KHATANA	Report Status	Final
Mobile No.	9828386564		

X Ray

Unit

**Test Name** 

Result

**Biological Ref. Range** 

## X-RAY - CHEST PA VIEW

### **OBSERVATION:**

The trachea is central.

The mediastinal and cardiac silhouette are normal.

Cardiothoracic ratio is normal.

Cardiophrenic and costophrenic angles are normal.

Both hila are normal.

The lung fields are clear.

Bones of the thoracic cage are normal.

Soft tissues of the chest wall are normal.

**IMPRESSION:** 

No significant abnormality seen.

\*\*End Of Report\*\*

**RESULT ENTERED BY : NEETU SHARMA** 

Rundad

Dr. RENU JADIYA MBBS, DNB RADIOLOGIST

Page: 12 Of 12

Patient Name	Mr. SURESH CHAND JAJU	Lab No	416967	अग्रामाधन अग्राम् अग्रामाधन
UHID	295772	Collection Date	25/02/2023 5:01PM	
Age/Gender	51 Yrs/Male	Receiving Date	25/02/2023 5:12PM	125 U.S. 124
IP/OP Location	O-OPD	Report Date	25/02/2023 7:01PM	MC-2561
Referred By	Dr. EHCC Consultant	Report Status	Final	
Mobile No.	9828386564			
BIOCHEMISTRY				

Test Name	Result	Unit	Biological Ref. Range	
				Sample: Serum
PSA (TOTAL)	0.34	ng/mL	0.00 - 4.00	

Total (Free + complexed) PSA - Prostate specific antigen (tPSA)

Method : ElectroChemiLuminescence ImmunoAssay - ECLIA Interpretation:-PSA determinations are employed are the monitoring of progress and efficiency of therapy in patients with prostate carcinoma or receiving hormonal therapy.

\*\*End Of Report\*\*

**RESULT ENTERED BY : Mr. PANKAJ SHUKLA** 

Dr. SURENDRA SINGH **CONSULTANT & HOD** MBBS | MD | PATHOLOGY



Dr. ASHISH SHARMA CONSULTANT MBBS | MD | INCHARGE PATHOLOGY