





CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

	~~~
7/3, SRINARAYANI ARCADE 1ST FLOOR, ABOVE BATA SHOWRO	UМ
BROOKEFIELD MAIN ROAD, KUNDALAHALLI	
BANGALORE, 560066	
KARNATAKA, INDIA	
el : 9111591115, Fax : CIN - U74899PB1995PLC045956	
mail : wellness.itpl@srl.in	

PATIENT NAME : RAJ RAGINI		PATIENT ID : RAJRF16099775
ACCESSION NO : 0075VG001434	AGE : 24 Years SEX : Female	
DRAWN : 22/07/2022 08:03	RECEIVED : 22/07/2022 08:05	REPORTED : 23/07/2022 11:13
REFERRING DOCTOR : SELF		CLIENT PATIENT ID :

Test Report Status <u>Final</u> Results Biological Reference Interval Un
--------------------------------------------------------------------------

### MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

BLOOD COUNTS,EDTA WHOLE BLOOD			
HEMOGLOBIN	12.6	12.0 - 15.0	g/dL
RED BLOOD CELL COUNT	4.05	3.8 - 4.8	mil/µL
WHITE BLOOD CELL COUNT	7.0	4.0 - 10.0	thou/µL
PLATELET COUNT	341	150 - 410	thou/µL
<b>RBC AND PLATELET INDICES</b>			
HEMATOCRIT	39.6	36 - 46	%
MEAN CORPUSCULAR VOL	98	83 - 101	fL
MEAN CORPUSCULAR HGB.	31.2	27.0 - 32.0	pg
MEAN CORPUSCULAR HEMOGLOBIN	32.0	31.5 - 34.5	g/dL
CONCENTRATION MENTZER INDEX	24.2		
RED CELL DISTRIBUTION WIDTH	12.8	11.6 - 14.0	%
MEAN PLATELET VOLUME	8.6	6.8 - 10.9	fL
WBC DIFFERENTIAL COUNT - NLR			
SEGMENTED NEUTROPHILS	55	40 - 80	%
ABSOLUTE NEUTROPHIL COUNT	3.85	2.0 - 7.0	thou/µL
LYMPHOCYTES	32	20 - 40	%
ABSOLUTE LYMPHOCYTE COUNT	2.24	1.0 - 3.0	thou/µL
NEUTROPHIL LYMPHOCYTE RATIO (NLR)	1.7		
EOSINOPHILS	5	1 - 6	%
ABSOLUTE EOSINOPHIL COUNT	0.35	0.02 - 0.50	thou/µL
MONOCYTES	8	2 - 10	%
ABSOLUTE MONOCYTE COUNT	0.56	0.2 - 1.0	thou/µL
BASOPHILS	0	0 - 2	%
DIFFERENTIAL COUNT PERFORMED ON:	EDTA SMEAR		
MORPHOLOGY			


MORPHOLOGY

RBC

WBC

PLATELETS

IMPRESSION













RAJRF16099775

CLIENT CODE : C000138382

CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd 7/3, SRINARAYANI ARCADE 1ST FLOOR, ABOVE BATA SHOWROOM BROOKEFIELD MAIN ROAD, KUNDALAHALLI BANGALORE, 560066 KARNATAKA, INDIA Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Email : wellness.itpl@srl.in

PATIENT ID :

CLIENT PATIENT ID :

23/07/2022 11:13

REPORTED :

# PATIENT NAME : RAJ RAGINI

ACCESSIO	N NO :	0075VG001434	AGE :	24 Ye	ears	SEX : Female	
DRAWN :	22/07/	2022 08:03	RECE	IVED :	22/07,	/2022 08:05	

REFERRING DOCTOR : SELF

Test Report Status	<u>Final</u>	Results		Biological Reference Inter	val Units
ERYTHRO SEDIMENT	ATION RATE, BLOO	DD			
SEDIMENTATION RATE	(ESR)	05		0 - 20	mm at 1 hr
METHOD : MODIFIED WEST	ERGREN				
GLUCOSE, FASTING,	PLASMA				
GLUCOSE, FASTING, P	LASMA	93		74 - 99	mg/dL
METHOD : SPECTROPHOTON	IETRY HEXOKINASE				
GLYCOSYLATED HEM	OGLOBIN, EDTA W	HOLE BLOOD			
GLYCOSYLATED HEMO	GLOBIN (HBA1C)	5.0		Non-diabetic: < 5.7 Pre-diabetics: 5.7 - 6.4 Diabetics: > or = 6.5 ADA Target: 7.0 Action suggested: > 8.0	%
METHOD : PARTICLE-ENHAN	ICED TURBIDIMETRIC INHI	BITION IMMUNOASSAY(PETINIA)			
MEAN PLASMA GLUCOS	SE	96.8		< 116.0	mg/dL
METHOD : PARTICLE-ENHAN	ICED TURBIDIMETRIC INHI	BITION IMMUNOASSAY(PETINIA)			
GLUCOSE, POST-PRA	NDIAL, PLASMA				
GLUCOSE, POST-PRAN METHOD : SPECTROPHOTON	•	98		70 - 139	mg/dL
CORONARY RISK PR	OFILE (LIPID PRO	FILE), SERUM.			
CHOLESTEROL		190		< 200 Desirable 200 - 239 Borderline High >/= 240 High	mg/dL
METHOD : SPECTROPHOTON	IETRY, CHOLESTEROL OXID	ASE ESTERASE PEROXIDASE		, 5	
TRIGLYCERIDES		163	High	< 150 Normal 150 - 199 Borderline High 200 - 499 High >/=500 Very High	mg/dL
METHOD : LIPOPROTEIN LIP	ASE (LPL), GLYCEROL KINA	ASE (GK)		· · · ·	
HDL CHOLESTEROL		52		< 40 Low >/=60 High	mg/dL
METHOD : DIRECT HDL, PEG	GME				
DIRECT LDL CHOLESTE		117		< 100 Optimal 100 - 129 Near or above opti 130 - 159 Borderline High 160 - 189 High >/= 190 Very High	mg/dL mal
METHOD : DIRECT ENZYME		· • -		<b>_</b>	
NON HDL CHOLESTERC	DL	138	High	Desirable: Less than 130 Above Desirable: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very high: > or = 220	mg/dL











CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI 110030 DELHI INDIA 8800465156

### SRL Ltd 7/3, SRINARAYANI ARCADE 1ST FLOOR, ABOVE BATA SHOWROOM BROOKEFIELD MAIN ROAD, KUNDALAHALLI BANGALORE, 560066 KARNATAKA, INDIA Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956 Email : wellness.itpl@srl.in

CLIENT PATIENT ID :

REPORTED :

## PATIENT NAME : RAJ RAGINI

PATIENT ID : RAJRF16099775

23/07/2022 11:13

ACCESSIO	N NO :	0075VG001434	AGE :	24 Years	SEX : Female
DRAWN :	22/07/	2022 08:03	RECE	IVED : 22	/07/2022 08:05

### REFERRING DOCTOR : SELF

Test Report Status <u>Final</u>	Results		<b>Biological Reference Inter</b>	val Units
METHOD : CALCULATED PARAMETER CHOL/HDL RATIO	3.7		3.3 - 4.4 Low Risk 4.5 - 7.0 Average Risk 7.1 - 11.0 Moderate Risk > 11.0 High Risk	
METHOD : CALCULATED PARAMETER				
LDL/HDL RATIO	2.3		0.5 - 3.0 Desirable/Low Risk 3.1 - 6.0 Borderline/Moderat >6.0 High Risk	e Risk
METHOD : CALCULATED PARAMETER				
VERY LOW DENSITY LIPOPROTEIN	32.6	High	= 30.0</td <td>mg/dL</td>	mg/dL
LIVER FUNCTION PROFILE, SERUM				
BILIRUBIN, TOTAL METHOD : SPECTROPHOTOMETRY	0.40		0.2 - 1.0	mg/dL
BILIRUBIN, DIRECT	0.10		0.0 - 0.2	mg/dL
METHOD : SPECTROPHOTOMETRY				
BILIRUBIN, INDIRECT	0.30		0.1 - 1.0	mg/dL
METHOD : CALCULATED PARAMETER				
TOTAL PROTEIN	7.6		6.4 - 8.2	g/dL
METHOD : SPECTROPHOTOMETRY, MODIFIED BIURET				
ALBUMIN	4.1		3.4 - 5.0	g/dL
METHOD : SPECTROPHOTOMETRIC - BROMOCRESOL GREEN (BC	CG)			
GLOBULIN	3.5		2.0 - 4.1	g/dL
METHOD : CALCULATED PARAMETER				
ALBUMIN/GLOBULIN RATIO	1.2		1.0 - 2.1	RATIO
METHOD : CALCULATED PARAMETER				
ASPARTATE AMINOTRANSFERASE (AST/SGOT)	20		15 - 37	U/L
METHOD : SPECTROPHOTOMETRY, UV WITH PYRIDOXAL -5-PH	OSPHATE			
ALANINE AMINOTRANSFERASE (ALT/SGPT)	29		< 34.0	U/L
METHOD : SPECTROPHOTOMETRY, UV WITH PYRIDOXAL -5-PH	OSPHATE			
ALKALINE PHOSPHATASE	89		30 - 120	U/L
METHOD : SPECTROPHOTOMETRY				
GAMMA GLUTAMYL TRANSFERASE (GGT)	18		5 - 55	U/L
METHOD : SPECTROPHOTOMETRY, G-GLUTAMYL-CARBOXY-NITF				
LACTATE DEHYDROGENASE	199	High	100 - 190	U/L
METHOD : SPECTROPHOTOMETRY				
SERUM BLOOD UREA NITROGEN				
BLOOD UREA NITROGEN	8		6 - 20	mg/dL











RAJRF16099775

CLIENT CODE : C000138382

CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI 110030 DELHI INDIA 8800465156

SRL Ltd 7/3, SRINARAYANI ARCADE 1ST FLOOR, ABOVE BATA SHOWROOM BROOKEFIELD MAIN ROAD, KUNDALAHALLI BANGALORE, 560066 KARNATAKA, INDIA Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956 Email : wellness.itpl@srl.in

PATIENT ID :

CLIENT PATIENT ID :

23/07/2022 11:13

REPORTED :

## PATIENT NAME : RAJ RAGINI

ACCESSIO	N NO :	0075VG001434	AGE :	24 Years	SEX : Female
DRAWN :	22/07/	/2022 08:03	RECE	IVED : 22/0	7/2022 08:05

REFERRING DOCTOR : SELF

	SEE				
Test Report Status	Final	Results	Biological Reference In	terval Units	
CDEATININE SEDUM					
CREATININE, SERUM CREATININE		0.62	0.60 - 1.10	mg/dL	
METHOD : SPECTROPHOTON	IFTRIC, IAFFE'S KINETICS	0.02	0.00 - 1.10	nig/uL	
<b>BUN/CREAT RATIO</b>					
BUN/CREAT RATIO		12.90	5.00 - 15.00		
URIC ACID, SERUM					
URIC ACID		4.0	2.6 - 6.0	mg/dL	
METHOD : SPECTROPHOTON	IETRY			0.	
TOTAL PROTEIN, SEP	RUM				
TOTAL PROTEIN		7.6	6.4 - 8.2	g/dL	
METHOD : SPECTROPHOTON	IETRY, MODIFIED BIURET				
ALBUMIN, SERUM					
ALBUMIN		4.1	3.4 - 5.0	g/dL	
	1ETRIC - BROMOCRESOL GREEN (BCG)				
GLOBULIN					
GLOBULIN		3.5	2.0 - 4.1	g/dL	
METHOD : CALCULATED PAR					
ELECTROLYTES (NA/ SODIUM	K/CL), SERUM	140.8	137 - 145	mmal/l	
				mmol/L	
POTASSIUM		4.20	3.6 - 5.0	mmol/L	
CHLORIDE		107.0	98 - 107	mmol/L	
PHYSICAL EXAMINA	IION, URINE				
COLOR		PALE YELLOW			
APPEARANCE		CLEAR	1 002 1 025		
SPECIFIC GRAVITY		1.015	1.003 - 1.035		
CHEMICAL EXAMINA	TION, URINE	5.0			
PH		5.0	4.7 - 7.5		
PROTEIN		NOT DETECTED	NOT DETECTED		
GLUCOSE		NOT DETECTED	NOT DETECTED		
KETONES		NOT DETECTED	NOT DETECTED		
BLOOD		NOT DETECTED	NOT DETECTED		
BILIRUBIN		NOT DETECTED	NOT DETECTED		
UROBILINOGEN		NORMAL	NORMAL		
NITRITE		NOT DETECTED	NOT DETECTED		











CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

### SRL Ltd 7/3, SRINARAYANI ARCADE 1ST FLOOR, ABOVE BATA SHOWROOM BROOKEFIELD MAIN ROAD, KUNDALAHALLI BANGALORE, 560066 KARNATAKA, INDIA Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Email : wellness.itpl@srl.in

## PATIENT ID : RAJRF16099775

ACCESSIO	N NO :	0075VG001434	AGE :	24 Ye	ears	SEX : Female
DRAWN :	22/07/	2022 08:03	RECE	IVED :	22/07	/2022 08:05

REPORTED : 23/07/2022 11:13

CLIENT PATIENT ID :

### REFERRING DOCTOR : SELF

PATIENT NAME : RAJ RAGINI

Test Report Status <u>Final</u>	Results	Biological Reference Inter	val Units
LEUKOCYTE ESTERASE	NOT DETECTED	NOT DETECTED	
MICROSCOPIC EXAMINATION, URINE			
PUS CELL (WBC'S)	2-3	0-5	/HPF
EPITHELIAL CELLS	1-2	0-5	/HPF
ERYTHROCYTES (RBC'S)	NOT DETECTED	NOT DETECTED	/HPF
CASTS	NOT DETECTED		,
CRYSTALS	NOT DETECTED		
BACTERIA	NOT DETECTED	NOT DETECTED	
YEAST	NOT DETECTED	NOT DETECTED	
THYROID PANEL, SERUM	-		
ТЗ	124.1	80 - 200	ng/dL
Τ4	7.36	5.1 - 14.1	µg/dL
TSH 3RD GENERATION	3.030	0.270 - 4.200	µIU/mL
STOOL: OVA & PARASITE			
COLOUR	SAMPLE NOT RECEIVED		
CONSISTENCY	SAMPLE NOT RECEIVED		
ODOUR	SAMPLE NOT RECEIVED		
MUCUS	SAMPLE NOT RECEIVED	NOT DETECTED	
VISIBLE BLOOD	SAMPLE NOT RECEIVED	ABSENT	
POLYMORPHONUCLEAR LEUKOCYTES	SAMPLE NOT RECEIVED	0 - 5	/HPF
RED BLOOD CELLS	SAMPLE NOT RECEIVED	NOT DETECTED	/HPF
MACROPHAGES	SAMPLE NOT RECEIVED	NOT DETECTED	
CHARCOT-LEYDEN CRYSTALS METHOD : MICROSCOPIC EXAMINATION	SAMPLE NOT RECEIVED	NOT DETECTED	
TROPHOZOITES	SAMPLE NOT RECEIVED	NOT DETECTED	
CYSTS	SAMPLE NOT RECEIVED	NOT DETECTED	
OVA	SAMPLE NOT RECEIVED		
LARVAE	SAMPLE NOT RECEIVED	NOT DETECTED	
ADULT PARASITE	SAMPLE NOT RECEIVED		
OCCULT BLOOD	SAMPLE NOT RECEIVED	NOT DETECTED	
REMARK	SAMPLE NOT RECEIVED		
ABO GROUP & RH TYPE, EDTA WHOLE BLOO	DD		
ABO GROUP	TYPE O		

POSITIVE



RH TYPE









CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

7/3, SRINARAYANI ARCADE 1ST FLOOR, ABOVE BATA SHOWROOM
BROOKEFIELD MAIN ROAD, KUNDALAHALLI
BANGALORE, 560066
KARNATAKA, INDIA
Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956
Email : wellness.itpl@srl.in

#### PATIENT ID : PATIENT NAME : RAJ RAGINI RAJRF16099775 ACCESSION NO : 0075VG001434 AGE: 24 Years SEX : Female DRAWN: 22/07/2022 08:03 RECEIVED : 22/07/2022 08:05 REPORTED : 23/07/2022 11:13 REFERRING DOCTOR : SELF CLIENT PATIENT ID : **Test Report Status** Results **Biological Reference Interval** Units **Final XRAY-CHEST** BOTH THE LUNG FIELDS ARE CLEAR »»

CDI 1+d

""	BOTH THE LONG FILLDS	ARL CLLAR
»»	BOTH THE COSTOPHREN	IC AND CARIOPHRENIC ANGELS ARE CLEAR
»»	BOTH THE HILA ARE NO	RMAL
»»	CARDIAC AND AORTIC S	HADOWS APPEAR NORMAL
»»	BOTH THE DOMES OF TH	IE DIAPHRAM ARE NORMAL
»»	VISUALIZED BONY THOR	RAX IS NORMAL
IMPRESSION	NORMAL	
METHOD : MICROSCOPIC EXAMINATION		
ECG		
ECG	WITHIN NORMAL LIMITS	
MEDICAL HISTORY		
RELEVANT PRESENT HISTORY	NOT SIGNIFICANT	
RELEVANT PAST HISTORY	NOT SIGNIFICANT	
RELEVANT PERSONAL HISTORY	NOT SIGNIFICANT	
MENSTRUAL HISTORY (FOR FEMALES)	NOT SIGNIFICANT	
LMP (FOR FEMALES)	11.07.2022	
OBSTETRIC HISTORY (FOR FEMALES)	NOT SIGNIFICANT	
RELEVANT FAMILY HISTORY	NOT SIGNIFICANT	
OCCUPATIONAL HISTORY	NOT SIGNIFICANT	
HISTORY OF MEDICATIONS	NOT SIGNIFICANT	
ANTHROPOMETRIC DATA & BMI		
HEIGHT IN METERS	1.53	mts
WEIGHT IN KGS.	54	Kgs
BMI	23	BMI & Weight Status as follows: kg/sqmts Below 18.5: Underweight 18.5 - 24.9: Normal 25.0 - 29.9: Overweight 30.0 and Above: Obese

## **GENERAL EXAMINATION**

MENTAL / EMOTIONAL STATE	NORMAL
PHYSICAL ATTITUDE	NORMAL
GENERAL APPEARANCE / NUTRITIONAL STATUS	HEALTHY
BUILT / SKELETAL FRAMEWORK	AVERAGE
FACIAL APPEARANCE	NORMAL









SRL Ltd

BANGALORE, 560066 KARNATAKA, INDIA

Email : wellness.itpl@srl.in



# CLIENT CODE : C000138382

CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110020 NEW DELHI 110030 DELHI INDIA 8800465156

## PATIENT NAME : RAJ RAGINI

PATIENT ID : RAJRF16099775

ACCESSION N	: 00	0075VG00143	<b>4</b> AG	E: 24`	Years	SEX :	Female
DRAWN: 2	2/07/2	2022 08:03	F	RECEIVED	: 22/07	/2022	08:05

REPORTED : 23/07/2022 11:13

CLIENT PATIENT ID :

7/3, SRINARAYANI ARCADE 1ST FLOOR, ABOVE BATA SHOWROOM

Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956

BROOKEFIELD MAIN ROAD, KUNDALAHALLI

### REFERRING DOCTOR : SELF

Test Report Status <u>Final</u>	Results	Biological Reference Interval Units
SKIN	NORMAL	
UPPER LIMB	NORMAL	
LOWER LIMB	NORMAL	
NECK	NORMAL	
NECK LYMPHATICS / SALIVARY GLANDS	NOT ENLARGED OR TEN	IDER
THYROID GLAND	NOT ENLARGED	
CAROTID PULSATION	NORMAL	
BREAST (FOR FEMALES)	NORMAL	
TEMPERATURE	NORMAL	
PULSE	REGULAR, ALL PERIPHE	RAL PULSES WELL FELT
RESPIRATORY RATE	NORMAL	
CARDIOVASCULAR SYSTEM		
BP	120/62	mm/Hg
PERICARDIUM	NORMAL	
BASIC EYE EXAMINATION		
DISTANT VISION RIGHT EYE WITHOUT GLASS	ES 6/9	
DISTANT VISION LEFT EYE WITHOUT GLASSES	5 6/9	
NEAR VISION RIGHT EYE WITHOUT GLASSES	N/8	
NEAR VISION LEFT EYE WITHOUT GLASSES	N/8	
COLOUR VISION	NORMAL	
BASIC DENTAL EXAMINATION		
TEETH	CARIES	
GUMS	GINGIVITIS	
SUMMARY		
RELEVANT HISTORY	NOT SIGNIFICANT	
RELEVANT GP EXAMINATION FINDINGS	NOT SIGNIFICANT	
RELEVANT LAB INVESTIGATIONS	BODERLINE DYSLIPEDI ADVICE DIET AND EXCERCISE	МІА
RELEVANT NON PATHOLOGY DIAGNOSTICS	NO ABNORMALITIES DE	TECTED
REMARKS / RECOMMENDATIONS	NONE	
FITNESS STATUS		
FITNESS STATUS	FIT (AS PER REQUESTE	D PANEL OF TESTS)











**CLIENT'S NAME AND ADDRESS :** ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHT NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd 7/3, SRINARAYANI ARCADE 1ST FLOOR, ABOVE BATA SHOWROOM BROOKEFIELD MAIN ROAD, KUNDALAHALLI BANGALORE, 560066 KARNATAKA, INDIA Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Email : wellness.itpl@srl.in

Test Report Status Final	Results	Biological Reference Interval Units
REFERRING DOCTOR : SELF		CLIENT PATIENT ID :
DRAWN : 22/07/2022 08:03	RECEIVED : 22/07/2022 08:05	REPORTED : 23/07/2022 11:13
ACCESSION NO : 0075VG001434	AGE : 24 Years SEX : Female	
PATIENT NAME : RAJ RAGINI		PATIENT ID : RAJRF16099775

#### Comments

*NOTE: NON PATHOLOGY TESTS ARE REVIEWED BY Consultant Physician: Dr.RITESH RAJ MBBS,CCEBDM Radiologist : Dr.THILAK BABU Dental Doctor: Dr Ashish sinha BDS,

#### Interpretation(s)

BLOOD COUNTS, EDTA WHOLE BLOOD-The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology. **RBC AND PLATELET INDICES-**

Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13) from Beta thalassaemia trait (<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.

WBC DIFFERENTIAL COUNT - NLR-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease.

(Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients ; A.-P. Yang, et al.; International Immunopharmacology 84 (2020) 106504 This ratio element is a calculated parameter and out of NABL scope.

ERYTHRO SEDIMENTATION RATE, BLOOD-Erythrocyte sedimentation rate (ESR) is a non - specific phenomena and is clinically useful in the diagnosis and monitoring of disorders associated with an increased production of acute phase reactants. The ESR is increased in pregnancy from about the 3rd month and returns to normal by the 4th week post partum. ESR is influenced by age, sex, menstrual cycle and drugs (eg. corticosteroids, contraceptives). It is especially low (0 -1mm) in polycythaemia, hypofibrinogenemia or congestive cardiac failure and when there are abnormalities of the red cells such as poikilocytosis, spherocytosis or sickle cells.

Reference :

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin

The reference for the adult reference range is "Practical Haematology by Dacie and Lewis, 10th Edition"

GLUCOSE, FASTING, PLASMA-ADA 2021 guidelines for adults, after 8 hrs fasting is as follows:

Pre-diabetics: 100 - 125 mg/dL Diabetic: > or = 126 mg/dL

GLYCOSYLATED HEMOGLOBIN, EDTA WHOLE BLOOD-

Glycosylated hemoglobin (GHb) has been firmly established as an index of long-term blood glucose concentrations and as a measure of the risk for the development of complications in patients with diabetes mellitus. Formation of GHb is essentially irreversible, and the concentration in the blood depends on both the life span of the red blood cell (average 120 days) and the blood glucose concentration. Because the rate of formation of GHb is directly proportional to the concentration of glucose in the blood, the GHb concentration represents the integrated values for glucose over the preceding 6-8 weeks. Any condition that alters the life span of the red blood cells has the potential to alter the GHb level. Samples from patients with hemolytic anemias will exhibit decreased

glycated hemoglobin values due to the shortened life span of the red cells. This effect will depend upon the severity of the anemia. Samples from patients with polycythemia or post-splenectomy may exhibit increased glycated hemoglobin values due to a somewhat longer life span of the red cells.

Glycosylated hemoglobins results from patients with HbSS, HbCC, and HbSC and HbD must be interpreted with caution, given the pathological processes, including anemia, increased red cell turnover, transfusion requirements, that adversely impact HbA1c as a marker of long-term glycemic control. In these conditions, alternative forms of testing such as glycated serum protein (fructosamine) should be considered.

'Targets should be individualized; More or less stringent glycemic goals may be appropriate for individual patients. Goals should be individualized based on duration of diabetes, age/life expectancy, comorbid conditions, known CVD or advanced microvascular complications, hypoglycemia unawareness, and individual patient considerations."

References

1. Tietz Textbook of Clinical Chemistry and Molecular Diagnostics, edited by Carl A Burtis, Edward R.Ashwood, David E Bruns, 4th Edition, Elsevier publication, 2006, 879-884.

2. Forsham PH. Diabetes Mellitus: A rational plan for management. Postgrad Med 1982, 71,139-154.

3. Mayer TK, Freedman ZR: Protein glycosylation in Diabetes Mellitus: A review of laboratory measurements and their clinical utility. Clin Chim Acta 1983, 127, 147-184. GLUCOSE, POST-PRANDIAL, PLASMA-ADA Guidelines for 2hr post prandial glucose levels is only after ingestion of 75grams of glucose in 300 ml water, over a period of 5 minutes.

CORONARY RISK PROFILE (LIPID PROFILE), SERUM.-Serum cholesterol is a blood test that can provide valuable information for the risk of coronary artery disease This test











**CLIENT'S NAME AND ADDRESS :** ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHT NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd
7/3, SRINARAYANI ARCADE 1ST FLOOR, ABOVE BATA SHOWROOM
BROOKEFIELD MAIN ROAD, KUNDALAHALLI
BANGALORE, 560066
KARNATAKA, INDIA
Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956
Email : wellness.itpl@srl.in

Test Report Status Final	Results	Biological Reference Interval Units
REFERRING DOCTOR : SELF		CLIENT PATIENT ID :
DRAWN : 22/07/2022 08:03	RECEIVED : 22/07/2022 08:05	REPORTED : 23/07/2022 11:13
ACCESSION NO : 0075VG001434	AGE : 24 Years SEX : Female	
PATIENT NAME : RAJ RAGINI		PATIENT ID : RAJRF16099775

can help determine your risk of the build up of plagues in your arteries that can lead to narrowed or blocked arteries throughout your body (atherosclerosis). High cholesterol levels usually don't cause any signs or symptoms, so a cholesterol test is an important tool. High cholesterol levels often are a significant risk factor for heart disease and important for diagnosis of hyperlipoproteinemia, atherosclerosis, hepatic and thyroid diseases.

Serum Triglyceride are a type of fat in the blood. When you eat, your body converts any calories it doesn't need into triglycerides, which are stored in fat cells. High triglyceride levels are associated with several factors, including being overweight, eating too many sweets or drinking too much alcohol, smoking, being sedentary, or having diabetes with elevated blood sugar levels. Analysis has proven useful in the diagnosis and treatment of patients with diabetes mellitus, nephrosis, liver obstruction, other diseases involving lipid metabolism, and various endocrine disorders. In conjunction with high density lipoprotein and total serum cholesterol, a triglyceride determination provides valuable information for the assessment of coronary heart disease risk. It is done in fasting state.

High-density lipoprotein (HDL) cholesterol. This is sometimes called the ""good"" cholesterol because it helps carry away LDL cholesterol, thus keeping arteries open and blood flowing more freely. HDL cholesterol is inversely related to the risk for cardiovascular disease. It increases following regular exercise, moderate alcohol consumption and with oral estrogen therapy. Decreased levels are associated with obesity, stress, cigarette smoking and diabetes mellitus.

SERUM LDL The small dense LDL test can be used to determine cardiovascular risk in individuals with metabolic syndrome or established/progressing coronary artery disease, individuals with triglyceride levels between 70 and 140 mg/dL, as well as individuals with a diet high in trans-fat or carbohydrates. Elevated sdLDL levels are associated with metabolic syndrome and an 'atherogenic lipoprotein profile', and are a strong, independent predictor of cardiovascular disease. Elevated levels of LDL arise from multiple sources. A major factor is sedentary lifestyle with a diet high in saturated fat. Insulin-resistance and pre-diabetes have also been implicated, as has genetic predisposition. Measurement of sdLDL allows the clinician to get a more comprehensive picture of lipid risk factors and tailor treatment accordingly. Reducing LDL levels will reduce the risk of CVD and MI.

Non HDL Cholesterol - Adult treatment panel ATP III suggested the addition of Non-HDL Cholesterol as an indicator of all atherogenic lipoproteins (mainly LDL and VLDL). NICE guidelines recommend Non-HDL Cholesterol measurement before initiating lipid lowering therapy. It has also been shown to be a better marker of risk in both primary and secondary prevention studies.

Recommendations:

Results of Lipids should always be interpreted in conjunction with the patient's medical history, clinical presentation and other findings.

NON FASTING LIPID PROFILE includes Total Cholesterol, HDL Cholesterol and calculated non-HDL Cholesterol. It does not include triglycerides and may be best used in patients for whom fasting is difficult. LIVER FUNCTION PROFILE, SERUM-

## LIVER FUNCTION PROFILE

Bilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. Elevated levels results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors & Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity. ALT test measures the amount of this enzyme in the blood. ALT is found mainly in the liver, but also in smaller amounts in the kidneys,heart,muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health.AST levels increase during acute hepatitis,sometimes due to a viral infection,ischemia to the liver,chronic hepatitis, obstruction of bile ducts, cirrhosis.

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Paget's disease,Rickets,Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatasia,Malnutrition,Protein deficiency,Wilson's disease.GGT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas.It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc. Serum total protein, also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstrom's disease. Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc. Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance,malnutrition and wasting etc SERUM BLOOD UREA NITROGEN-

Causes of Increased levels

Pre renal

• High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal Renal Failure

Post Renal

Malignancy, Nephrolithiasis, Prostatism



Scan to View Details

Page 9 Of 13 回論会 Scan to View Report







**CLIENT'S NAME AND ADDRESS :** ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHT NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd
7/3, SRINARAYANI ARCADE 1ST FLOOR, ABOVE BATA SHOWROOM
BROOKEFIELD MAIN ROAD, KUNDALAHALLI
BANGALORE, 560066
KARNATAKA, INDIA
Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956
Email : wellness.itpl@srl.in

PATIENT NAME : RAJ RAGINI		PATIENT ID : RAJRF16099775
ACCESSION NO : 0075VG001434	AGE : 24 Years SEX : Female	
DRAWN : 22/07/2022 08:03	RECEIVED : 22/07/2022 08:05	REPORTED : 23/07/2022 11:13
REFERRING DOCTOR : SELF		CLIENT PATIENT ID :

**Test Report Status** Results Biological Reference Interval Units Final

Causes of decreased levels

 Liver disease STADH.

CREATININE, SERUM-

Higher than normal level may be due to: • Blockage in the urinary tract

· Kidney problems, such as kidney damage or failure, infection, or reduced blood flow

Loss of body fluid (dehydration)

Muscle problems, such as breakdown of muscle fibers

• Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia)

Lower than normal level may be due to:

 Myasthenia Gravis Muscular dystrophy URIC ACID. SERUM-Causes of Increased levels DietaryHigh Protein Intake. Prolonged Fasting, Rapid weight loss

Gout

Lesch nyhan syndrome. Type 2 DM. Metabolic syndrome.

Causes of decreased levels

Low Zinc Intake
OCP's

Multiple Sclerosis

Nutritional tips to manage increased Uric acid levels

 Drink plenty of fluids Limit animal proteins

High Fibre foods

Vit C Intake
Antioxidant rich foods

TOTAL PROTEIN, SERUM-

Serum total protein, also known as total protein, is a biochemical test for measuring the total amount of protein in serum...Protein in the plasma is made up of albumin and alobulin

Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstrom's disease Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc. ALBUMIN, SERUM-

Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance,malnutrition and wasting etc. ELECTROLYTES (NA/K/CL), SERUM-

Sodium levels are Increased in dehydration, cushing's syndrome, aldosteronism & decreased in Addison's disease, hypopituitarism, liver disease. Hypokalemia (low K) is common in vomiting, diarrhea, alcoholism, folic acid deficiency and primary aldosteronism. Hyperkalemia may be seen in end-stage renal failure, hemolysis, trauma, Addison's disease, metabolic acidosis, acute starvation, dehydration, and with rapid K infusion. Chloride is increased in dehydration, renal tubular acidosis (hyperchloremia metabolic acidosis), acute renal failure, metabolic acidosis associated with prolonged diarrhea and loss of sodium bicarbonate, diabetes insipidus, adrenocortical hyperfuction, salicylate intoxication and with excessive infusion of isotonic saline or extremely high dietary intake of salt. Chloride is decreased in overhydration, chronic respiratory acidosis, salt-losing nephritis, metabolic alkalosis, congestive heart failure, Addisonian crisis, certain types of metabolic acidosis, persistent gastric secretion and prolonged vomiting, MICROSCOPIC EXAMINATION, URINE-

Routine urine analysis assists in screening and diagnosis of various metabolic, urological, kidney and liver disorders

Protein: Elevated proteins can be an early sign of kidney disease. Urinary protein excretion can also be temporarily elevated by strenuous exercise, orthostatic proteinuria, dehydration, urinary tract infections and acute illness with fever

Glucose: Uncontrolled diabetes mellitus can lead to presence of glucose in urine. Other causes include pregnancy, hormonal disturbances, liver disease and certain medications.

Ketones: Uncontrolled diabetes mellitus can lead to presence of ketones in urine. Ketones can also be seen in starvation, frequent vomiting, pregnancy and strenuous exercise.

Blood: Occult blood can occur in urine as intact erythrocytes or haemoglobin, which can occur in various urological, nephrological and bleeding disorders. Leukocytes: An increase in leukocytes is an indication of inflammation in urinary tract or kidneys. Most common cause is bacterial urinary tract infection.



Page 10 Of 13 3 £iş i i Rede Scan to View Report







**CLIENT'S NAME AND ADDRESS :** ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHT NEW DELHI 110030 DELHI INDIA 8800465156

7/3, SRINARAYANI ARCADE 1ST FLOOR, ABOVE BATA SHOWROOM
BROOKEFIELD MAIN ROAD, KUNDALAHALLI
BANGALORE, 560066
KARNATAKA, INDIA
Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956
Email : wellness.itpl@srl.in

Test Report Status <u>Final</u>	Results	Biological Reference Interval Units
REFERRING DOCTOR : SELF		CLIENT PATIENT ID :
DRAWN : 22/07/2022 08:03	RECEIVED : 22/07/2022 08:05	REPORTED : 23/07/2022 11:13
ACCESSION NO : 0075VG001434	AGE : 24 Years SEX : Female	
PATIENT NAME : RAJ RAGINI		PATIENT ID : RAJRF16099775

Nitrite: Many bacteria give positive results when their number is high. Nitrite concentration during infection increases with length of time the urine specimen is retained in bladder prior to collection.

pH: The kidneys play an important role in maintaining acid base balance of the body. Conditions of the body producing acidosis/ alkalosis or ingestion of certain type of food can affect the pH of urine.

Specific gravity: Specific gravity gives an indication of how concentrated the urine is. Increased specific gravity is seen in conditions like dehydration, glycosuria and proteinuria while decreased specific gravity is seen in excessive fluid intake, renal failure and diabetes insipidus.

Bilirubin: In certain liver diseases such as biliary obstruction or hepatitis, bilirubin gets excreted in urine. Urobilinogen: Positive results are seen in liver diseases like hepatitis and cirrhosis and in cases of hemolytic anemia

THYROID PANEL, SERUM-

Trilodo FARLEY SERVICE String to the service of the concentrations of T3, and T4 in the blood inhibit the production of TSH.

Thyroxine T4, Thyroxine's principal function is to stimulate the metabolism of all cells and tissues in the body. Excessive secretion of thyroxine in the body is hyperthyroidism, and deficient secretion is called hypothyroidism. Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low.

Below mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3

Levels in	TOTAL T4	TSH3G	TOTAL T3		
Pregnancy	(µg/dL)	(µIU/mL)	(ng/dL)		
First Trimester	6.6 - 12.4	0.1 - 2.5	81 - 190		
2nd Trimester	6.6 - 15.5	0.2 - 3.0	100 - 260		
3rd Trimester	6.6 - 15.5	0.3 - 3.0	100 - 260		
Below mentioned are the guidelines for age related reference ranges for T3 and T4.					
Т3		T4			
(ng/dL)		(µg/dL)			
New Born: 75 - 26	50 1-3 da	ay: 8.2 - 19.9			
. 1 Week: 6.0 - 15.9					

NOTE: TSH concentrations in apparently normal euthyroid subjects are known to be highly skewed, with a strong tailed distribution towards higher TSH values. This is well documented in the pediatric population including the infant age group.

Kindly note: Method specific reference ranges are appearing on the report under biological reference range.

#### Reference:

1. Burtis C.A., Ashwood E. R. Bruns D.E. Teitz textbook of Clinical Chemistry and Molecular Diagnostics, 4th Edition.

Gowenlock A.H. Varley's Practical Clinical Biochemistry, 6th Edition.
 Behrman R.E. Kilegman R.M., Jenson H. B. Nelson Text Book of Pediatrics, 17th Edition

STOOL: OVA & PARASITE-

Acute infective diarrhoea and gastroenteritis (diarrhoea with vomiting) are major causes of ill health and premature death in developing countries. Loss of water and electrolytes from the body can lead to severe dehydration which if untreated, can be rapidly fatal in young children, especially that are malnourished, hypoglycaemic, and generally in poor health.

Laboratory diagnosis of parasitic infection is mainly based on microscopic examination and the gross examination of the stool specimen. Depending on the nature of the parasite, the microscopic observations include the identification of cysts, ova, trophozoites, larvae or portions of adult structure. The two classes of parasites that cause human infection are the Protozoa and Helminths. The protozoan infections include amoebiasis mainly caused by Entamoeba histolytica and giardiasis caused by Giardia lamblia. The common helminthic parasites are Trichuris trichiura, Ascaris lumbricoides, Strongyloides stercoralis, Taenia sp. etc ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-

Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same.

The test is performed by both forward as well as reverse grouping methods.

MEDICAL

THIS REPORT CARRIES THE SIGNATURE OF OUR LABORATORY DIRECTOR. THIS IS AN INVIOLABLE FEATURE OF OUR LAB MANAGEMENT SOFTWARE. HOWEVER, ALL EXAMINATIONS AND INVESTIGATIONS HAVE BEEN CONDUCTED BY OUR PANEL OF DOCTORS.

FITNESS STATUS-

Conclusion on an individual's Fitness, which is commented upon mainly for Pre employment cases, is based on multi factorial findings and does not depend on any one single parameter. The final Fitness assigned to a candidate will depend on the Physician's findings and overall judgement on a case to case basis, details of the candidate's past and personal history; as well as the comprehensiveness of the diagnostic panel which has been requested for .These are then further correlated with details of the job under consideration to eventually fit the right man to the right job.

Basis the above, SRL classifies a candidate's Fitness Status into one of the following categories:











**CLIENT'S NAME AND ADDRESS :** ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd 7/3, SRINARAYANI ARCADE 1ST FLOOR, ABOVE BATA SHOWROOM BROOKEFIELD MAIN ROAD, KUNDALAHALLI BANGALORE, 560066 KARNATAKA, INDIA Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Email : wellness.itpl@srl.in

Test Report Status <u>Final</u>	Results	Biological Reference Interval Units
REFERRING DOCTOR : SELF		CLIENT PATIENT ID :
DRAWN : 22/07/2022 08:03	RECEIVED : 22/07/2022 08:05	REPORTED : 23/07/2022 11:13
ACCESSION NO : 0075VG001434	AGE : 24 Years SEX : Female	
PATIENT NAME : RAJ RAGINI		PATIENT ID : RAJRF16099775

• Fit (As per requested panel of tests) - SRL Limited gives the individual a clean chit to join the organization, on the basis of the General Physical Examination and the specific test panel requested for.

specific test panel requested for.
Fit (with medical advice) (As per requested panel of tests) - This indicates that although the candidate can be declared as FIT to join the job, minimal problems have been detected during the Pre- employment examination. Examples of conditions which could fall in this category could be cases of mild reversible medical abnormalities such as height weight disproportions, borderline raised Blood Pressure readings, mildly raised Blood sugar and Blood Lipid levels, Hematuria, etc. Most of these relate to sedentary lifestyles and come under the broad category of life style disorders. The idea is to caution an individual to bring about certain lifestyle changes as well as seek a Physician's consultation and counseling in order to bring back to normal the mildly deranged parameters. For all purposes the individual is FIT to join the job.
Fitness on Hold (Temporary Unfit) (As per requested panel of tests) - Candidate's reports are kept on hold when either the diagnostic tests or the physical findings reveal the presence of a medical condition which warrants further tests, counseling and/or specialist opinion, on the basis of which a candidate can either be placed into Fit, Fit (With Medical Advice), or Unfit category. Conditions which may fall into this category could be high blood pressure, abnormal ECG, heart murmurs, abnormal vision, grossly elevated blood sugars, etc.

elevated blood sugars, etc.

• Unfit (As per requested panel of tests) - An unfit report by SRL Limited clearly indicates that the individual is not suitable for the respective job profile e.g. total color blindness in color related jobs.











**CLIENT'S NAME AND ADDRESS :** ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

#### SRL Ltd 7/3, SRINARAYANI ARCADE 1ST FLOOR, ABOVE BATA SHOWROOM BROOKEFIELD MAIN ROAD, KUNDALAHALLI BANGALORE, 560066 KARNATAKA, INDIA Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Email : wellness.itpl@srl.in

Test Report Status Final	Results	Biological Reference Interval Units
REFERRING DOCTOR : SELF		CLIENT PATIENT ID :
DRAWN : 22/07/2022 08:03	RECEIVED : 22/07/2022 08:05	REPORTED : 23/07/2022 11:13
ACCESSION NO : 0075VG001434	AGE : 24 Years SEX : Female	
PATIENT NAME : RAJ RAGINI		PATIENT ID : RAJRF16099775

## MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

## **ULTRASOUND ABDOMEN ULTRASOUND ABDOMEN**

NORMAL ABDOMEN & PELVIC SCAN.

**End Of Report** Please visit www.srlworld.com for related Test Information for this accession





Dr. Anamika Pal Lab Head

Dr. Prajwal A, MD CONSULTANT BIOCHEMIST (SECTION HEAD)

**CONDITIONS OF LABORATORY TESTING & REPORTING** 1. It is presumed that the test sample belongs to the patient

named or identified in the test requisition form. 2. All Tests are performed and reported as per the turnaround time stated in the SRL Directory of services (DOS).

3. SRL confirms that all tests have been performed or assayed with highest quality standards, clinical safety & technical integrity.

4. A requested test might not be performed if:

a. Specimen received is insufficient or inappropriate specimen quality is unsatisfactory

b. Incorrect specimen type

c. Request for testing is withdrawn by the ordering doctor or patient

d. There is a discrepancy between the label on the specimen container and the name on the test requisition form

5. The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. 6. Result delays could be because of uncontrolled circumstances. e.g. assay run failure.

7. Tests parameters marked by asterisks are excluded from the "scope" of NABL accredited tests. (If laboratory is accredited).

8. Laboratory results should be correlated with clinical information to determine Final diagnosis.

Test results are not valid for Medico- legal purposes. 10. In case of gueries or unexpected test results please call at SRL customer care (Toll free: 1800-222-000). Post proper investigation repeat analysis may be carried out.

SRL Limited Fortis Hospital, Sector 62, Phase VIII, Mohali 160062

