

Aashka Hospitals Ltd.

Between Sargasan and Reliance Cross Roads  
Sargasan, Gandhinagar - 382421, Gujarat, India  
Phone: 079-29750750, +91-7575006000 / 9000  
Emergency No.: +91-7575007707 / 9879752777  
www.aashkahospitals.in  
CIN: L85110GJ2012PLC072647

 **aashka**  
H O S P I T A L



DR. TAPAS RAVAL  
MBBS . D.O  
(FELLOW IN PHACO & MEDICAL  
RATINA)  
REG.NO.G-21350

UHID:	00922046	Date:	09-12-2016	Time:	
Patient Name:	Arpan Prajapati				
		Age / Sex:	163.c.m		
		Height:	63.3		
		Weight:			
History:	cp- Round chert.				
Allergy History:					
Nutritional Screening:	Well-Nourished / Malnourished / Obese				
Examination:	G/S NMZ-G/S				
Diagnosis:					

Rx						
No	Dosage Form	Name of drug (IN BLOCK LETTERS ONLY)	Dose	Route	Frequency	Duration

Eye examination:

	RIGHT			LEFT		
	S	C	A	S	C	A
D						
N						

Other Advice:

(N)

Follow-up:

Consultant's Sign:

Aashka Hospitals Ltd.

Between Sargasan and Reliance Cross Roads  
Sargasan, Gandhinagar - 382421, Gujarat, India  
Phone: 079-29750750, +91-7575006000 / 9000  
Emergency No.: +91-7575007707 / 9879752777  
www.aashkahospitals.in  
CIN: L85110GJ2012PLC072647



**aashka**  
HOSPITAL



DR. SEJAL J AMIN  
B.D.S, M.D.S (PERIODONTIST)  
IMPLANTOLOGIST  
REG NO: A-12942

UHID:	00923096	Date:	9/9/23	Time:	
Patient Name:	Ms. Arpan Pawjarpoti	Age / Sex:	31 / M	Height:	
		Weight:			
Chief Complain:					
History:	Routine dental check-up.				
Allergy History:					
Nutritional Screening:	Well-Nourished / Malnourished / Obese				
Examination:	-				
Extra oral:	-				
Intra oral - Teeth Present:	Skin ++ Caries +				
Teeth Absent:					
Diagnosis:					

Rx						
No	Dosage Form	Name of drug (IN BLOCK LETTERS ONLY)	Dose	Route	Frequency	Duration

Other Advice:

Adv L

Sanding

Follow-up:

Consultant's Sign:



प्रति,

समन्वयक,

Mediwheel (Arcofemi Healthcare Limited)

हेल्पलाइन नंबर: 011-41195959

महोदय/ महोदया,

विषय: बैंक ऑफ़ बड़ौदा के कर्मचारियों के लिए वार्षिक स्वास्थ्य जांच।

हम आपको सूचित करना चाहते हैं कि हमारे कर्मचारी जिनका विवरण निम्नानुसार हैं हमारे करार के अनुसार आपके द्वारा उपलब्ध कराई गई कैशलेस वार्षिक स्वास्थ्य जांच सुविधा का लाभ लेना चाहते हैं।

कर्मचारी विवरण	
नाम	MR. PRAJAPATI ARPAN
क.कू.संख्या	112548
पदनाम	DIGITAL LENDING
कार्य का स्थान	GANDHINAGAR,RO GANDHINAGAR
जन्म की तारीख	08-01-1992
स्वास्थ्य जांच की प्रस्तावित तारीख	09-09-2023
बुकिंग संदर्भ सं.	23S112548100066694E

यह अनुमोदन/ संस्तुति पत्र तभी वैध माना जाएगा जब इसे बैंक ऑफ़ बड़ौदा के कर्मचारी आईडी कार्ड की प्रति के साथ प्रस्तुत किया जाएगा। यह अनुमोदन पत्र दिनांक 17-08-2023 से 31-03-2024 तक मान्य है। इस पत्र के साथ किए जाने वाले चिकित्सा जांच की सूची अनुलग्नक के रूप में दी गई है। कृपया नोट करें कि उक्त स्वास्थ्य जांच हमारी टाई-अप व्यवस्था के अनुसार कैशलेस सुविधा है। हम अनुरोध करते हैं कि आप हमारे कर्मचारी के स्वास्थ्य जांच संबंधी आवश्यकताओं पर उचित कार्रवाई करें तथा इस संबंध में अपनी सर्वोच्च प्राथमिकता तथा सर्वोत्तम संसाधन उपलब्ध कराएं। उपर्युक्त सारणी में दी गई कर्मचारी कूट संख्या एवं बुकिंग संदर्भ संख्या का उल्लेख अनिवार्य रूप से इनवॉइस में किया जाना चाहिए।

हम इस संबंध में आपके सहयोग की अपेक्षा करते हैं।

भवदीय,

हस्ता/-

(मुख्य महाप्रबंधक)

मानव संसाधन प्रबंधन विभाग

बैंक ऑफ़ बड़ौदा

(नोट: यह कंप्यूटर द्वारा जनरेट किया गया पत्र है। हस्ताक्षर की आवश्यकता नहीं है। कृपया किसी भी स्पष्टीकरण के लिए Mediwheel (Arcofemi Healthcare Limited) से संपर्क करें।)





LETTER OF APPROVAL / RECOMMENDATION

To,

The Coordinator,  
Mediwheel (Arcofemi Healthcare Limited)  
Helpline number: 011- 41195959

Dear Sir / Madam,

**Sub: Annual Health Checkup for the employees of Bank of Baroda**

This is to inform you that the following employee wishes to avail the facility of Cashless Annual Health Checkup provided by you in terms of our agreement.

PARTICULARS	EMPLOYEE DETAILS
NAME	MR. PRAJAPATI ARPAN
EC NO.	112548
DESIGNATION	DIGITAL LENDING
PLACE OF WORK	GANDHINAGAR,RO GANDHINAGAR
BIRTHDATE	08-01-1992
PROPOSED DATE OF HEALTH CHECKUP	09-09-2023
BOOKING REFERENCE NO.	23S112548100066694E

This letter of approval / recommendation is valid if submitted along with copy of the Bank of Baroda employee id card. This approval is valid from **17-08-2023** till **31-03-2024** The list of medical tests to be conducted is provided in the annexure to this letter. Please note that the said health checkup is a **cashless facility** as per our tie up arrangement. We request you to attend to the health checkup requirement of our employee and accord your top priority and best resources in this regard. The EC Number and the booking reference number as given in the above table shall be mentioned in the invoice, invariably.

We solicit your co-operation in this regard.

Yours faithfully,

Sd/-

**Chief General Manager  
HRM Department  
Bank of Baroda**

(Note: This is a computer generated letter. No Signature required. For any clarification, please contact Mediwheel (Arcofemi Healthcare Limited))







बैंक ऑफ़ बड़ोदा  
Bank of Baroda

नाम

Name Arpan Chimanbhai Prajapati

कर्मचारी कूट क्र.

112548

Employee Code No.

जारीकर्ता प्राधिकारी

Issuing Authority



धारक के हस्ताक्षर

Signature of Holder



આધાર યોજના માટે - આધાર

4400 6861 7756



પુરૂષ / Male

જન્મ વર્ષ / Year of Birth : 1992

Arpan Prajapati

અર્પણ પ્રજાપતિ

Government of India

ભારત સરકાર





1800 300 1947

1947



help@uidai.gov.in



www.uidai.gov.in

WWW

4400 6861 7756

સરનામું:

S/O: ચીમનભાઈ પ્રજાપતી, પ્લોટ  
no-140/1, કોલ ટેક હોસ્પિટલ પાસે,  
સેક્ટર-3આ, ગાંધીનગર, ગાંધીનગર  
સેક્ટર 5, ગુજરાત, 382006

Address:  
S/O: Chimanbhai Prajapati, plot  
no-140/1, near high tech hospital,  
Sector-3A, Gandhinagar,  
(gandhinagar) Sector 6, Gujarat,  
382006

Unique Identification Authority of India

ભારતીય ઇલેક્ટ્રોનિક્સ ઓથોરિટી





**Aashka Hospitals Ltd.**

Between Sargasan and Reliance Cross Roads  
Sargasan, Gandhinagar - 382421, Gujarat, India  
Phone: 079-29750750, +91-7575006000 / 9000  
Emergency No.: +91-7575007707 / 9879752777  
www.aashkahospitals.in  
CIN: L85110GJ2012PLC072647

 **aashka**  
H O S P I T A L



**PATIENT NAME: MR. ARPAN PRAJAPATI**

**GENDER/AGE: Male / 31 Years**

**DOCTOR:**

**OPDNO: 00923076**

**DATE: 09/09/23**

**X-RAY CHEST PA**

Both lung fields show increased broncho-vascular markings.  
**No evidence of collapse, consolidation, mediastinal lymph adenopathy, soft tissue infiltration or pleural effusion is seen.**

Both hilar shadows and C.P. angles are normal.

Heart shadow appears normal in size. Aorta appears normal.

Bony thorax and both domes of diaphragm appear normal.

No evidence of cervical rib is seen on either side.

  
**DR. SNEHAL PRAJAPATI**  
CONSULTANT RADIOLOGIST





09.09.2023 10:43:08 AM

AASHKA HOSPITAL, LTD.

SARGASAN

GANDHINAGAR

Technician:  
Ordering Ph:  
Referring Ph:  
Attending Ph:


QRS : 96 ms  
QT / QTcBaz : 346 / 386 ms  
PR : 152 ms  
p : 114 ms  
RR / PP : 802 / 800 ms  
p / QRS / T : 68 / 77 / 49 degrees

Normal sinus rhythm  
Normal ECG

Location: 1  
Order Number:  
Indication:  
Medication 1:  
Medication 2:  
Medication 3:

Room:

75 bpm  
-- / -- mmHg







## LABORATORY REPORT

Name : ARPAN PRAJAPATI

Ref.By : HOSPITAL

Bill. Loc. : Aashka hospital

Sex/Age : Male / 31 Years

Case ID : 30902200329

Dis. At :

Pt. ID : 2963003

Pt. Loc :

Reg Date and Time : 09-Sep-2023 08:35

Sample Type :

Mobile No : 8460160131

Sample Date and Time : 09-Sep-2023 08:35

Sample Coll. By :

Ref Id1 : 00923076

Report Date and Time :

Acc. Remarks : Normal

Ref Id2 : 023244776

### Abnormal Result(s) Summary

Test Name	Result Value	Unit	Reference Range
<b>Blood Glucose Fasting &amp; Postprandial</b>			
Plasma Glucose - F	108.94	mg/dL	70 - 100
<b>Haemogram (CBC)</b>			
Haemoglobin	11.8	G%	13.00 - 17.00
RBC (Electrical Impedance)	6.04	millions/cu mm	4.50 - 5.50
PCV(Calc)	38.35	%	40.00 - 50.00
MCV (RBC histogram)	63.5	fL	83.00 - 101.00
MCH (Calc)	19.5	pg	27.00 - 32.00
MCHC (Calc)	30.7	gm/dL	31.50 - 34.50
Eosinophil	12.0	%	1.00 - 6.00
Eosinophil	758	/µL	20.00 - 500.00
<b>Lipid Profile</b>			
Cholesterol	201.12	mg/dL	110 - 200
HDL Cholesterol	44.8	mg/dL	48 - 77
Chol/HDL	4.49	0 - 4.1	
LDL Cholesterol	142.54	mg/dL	65 - 100

Abnormal Result(s) Summary End

Note:(LL-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)

## CONDITIONS OF REPORTING

1. All laboratory investigations have their limitations which are imposed by the limits of sensitivity and specificity of individual assay procedures as well as the quality of the specimen received by the laboratory. Isolated laboratory investigations never confirm the final diagnosis of the disease, but only help in arriving at a diagnosis in conjunction with clinical presentation and other related investigations.
2. The result(s) relate only to the sample(s) received.
3. The test report shall not be reproduced except in full, without written approval of the Neuberg Suprattech Reference Laboratory (NSRL).
4. For any query in the report, it is suggested to contact the concerned laboratory personnel as suggested in the table to help carry out follow-up action (rechecking, repeat sampling, reflex/confirmatory testing, etc.). Neuberg Suprattech Reference Laboratories (NSRL) follows a procedure of retaining & preserving samples after testing for a stipulated period. After the retention period of the sample, a fresh specimen is requested.
5. Report results are for the information of the referring doctor only.
6. For tests performed on specimens received from non - Neuberg Suprattech Reference Laboratory (NSRL) locations (within and outside Ahmedabad) it is presumed that the specimen belongs to the patient named or identified, such verification having been carried out at the point of generation of the said specimen.
7. A test requested might yield 'INCOMPLETE RESULTS' for various technical reasons and this response will appear against the test name followed by detailed comment at the end of the report. It is expected that a fresh specimen will be sent for the purpose of reporting on the same parameter(s).
8. Neuberg Suprattech Reference Laboratories (NSRL) Ahmedabad is accredited by ICMR and NABL for COVID-19 testing.

Lab Reports & Advisory Services	Contact Numbers
Biochemistry & Immunology	079-40408120
Microbiology	079-40408145
Histopathology & Cytology	079-40408132
Hematology & Clinical Pathology	079-40408114
Flow Cytometry, Coagulation & Electrophoresis	079-40408117
Genetics	079-40408161
Other Services	Contact Numbers
Marketing, Clinical Trials & Corporate Affairs : Dr. Ameet Shukla	7698009812
Marketing - Laboratories : Mr. Sunil Panchal	9824002011
Billing & Accounts : Mr. Pravin Patel	9824728315
Visits (Home / Hospital for Sample Collection) & General Information : Mrs. Sonal Shah	9824408721
Sample Transport / Pick-up & Report Dispatch : Mr. Suchit Chauhan	7698009903

Any query may also be directed online on [contact@suprattechlabs.com](mailto:contact@suprattechlabs.com) with attention to the concerned personnel.

### Neuberg Suprattech Branches in Ahmedabad

Sindhu Bhevan - Ph : 079-61618111, 6357244307, Bapunagar - 635678001/22.  
Maninagar - 079-40408282, 25450802, Bopal - 02717-235881/82, Gota - 6357244303  
Bhuyangdev - 9879624264

### Neuberg Suprattech Collection Centers in Ahmedabad

Shohibaug - 079-25630134, Shyomal - 079-26743434, Paldi - 6359900406

Neuberg Suprattech Reference Laboratories  
"KEDAR" Opposite Krupa Petrol Pump,  
Near Parimal Garden, Ahmedabad - 380006  
Phone : 079-40408181 / 61618181  
Email : [contact@suprattechlabs.com](mailto:contact@suprattechlabs.com)  
Website : [www.neubergsuprattech.com](http://www.neubergsuprattech.com)

Regd. Office :  
Neuberg Suprattech Reference Laboratories Private Limited  
(Previously known as Suprattech Micropath Laboratory & Research Institute Pvt.Ltd)  
Triviron Saphthagiri Bhawan, 15, IV Street  
Abhiramapuram, Chennai - 600018, Tamil Nadu  
CIN : U65195TN2013PTC151947



## LABORATORY REPORT

Name : **ARPAN PRAJAPATI**  
 Ref.By : **HOSPITAL**  
 Bill. Loc. : **Aashka hospital**

Sex/Age : **Male / 31 Years**  
 Dis. At :  
 Case ID : **30902200329**  
 Pt. ID : **2963003**  
 Pt. Loc :

Reg Date and Time : **09-Sep-2023 08:35** Sample Type : **Whole Blood EDTA**  
 Sample Date and Time : **09-Sep-2023 08:35** Sample Coll. By :  
 Report Date and Time : **09-Sep-2023 09:20** Acc. Remarks : **Normal**

Mobile No : **8460160131**  
 Ref Id1 : **00923076**  
 Ref Id2 : **023244776**

TEST	RESULTS	UNIT	BIOLOGICAL REF. INTERVAL	REMARKS
------	---------	------	--------------------------	---------

### HAEMOGRAM REPORT

HB AND INDICES				
Haemoglobin	L	11.8	G%	13.00 - 17.00
RBC (Electrical Impedance)	H	6.04	millions/cumm	4.50 - 5.50
PCV(Calc)	L	38.35	%	40.00 - 50.00
MCV (RBC histogram)	L	63.5	fL	83.00 - 101.00
MCH (Calc)	L	19.5	pg	27.00 - 32.00
MCHC (Calc)	L	30.7	gm/dL	31.50 - 34.50
RDW (RBC histogram)		14.50	%	11.00 - 16.00

### TOTAL AND DIFFERENTIAL WBC COUNT (Flowcytometry)

Total WBC Count		6320	/μL	4000.00 - 10000.00
Neutrophil	[%]	54.0	%	EXPECTED VALUES 40.00 - 70.00 [Abs] 3413
Lymphocyte		29.0	%	20.00 - 40.00 1833
Eosinophil	H	12.0	%	1.00 - 6.00 H 758
Monocytes		4.0	%	2.00 - 10.00 253
Basophil		1.0	%	0.00 - 2.00 63

### PLATELET COUNT (Optical)

Platelet Count		225000	/μL	150000.00 - 410000.00
Neut/Lympho Ratio (NLR)		1.86		0.78 - 3.53

### SMEAR STUDY

RBC Morphology	Microcytic hypochromic RBCs.
WBC Morphology	Eosinophilia
Platelet	Platelets are adequate in number.
Parasite	Malarial Parasite not seen on smear.

Note:(LL-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)



**Dr. Shreya Shah**  
 M.D. (Pathologist)

**Dr. Manoj Shah**  
 M.D. (Path. & Bact)

Printed On : 09-Sep-2023 13:55



## CONDITIONS OF REPORTING

1. All laboratory investigations have their limitations which are imposed by the limits of sensitivity and specificity of individual assay procedures as well as the quality of the specimen received by the laboratory. Isolated laboratory investigations never confirm the final diagnosis of the disease, but only help in arriving at a diagnosis in conjunction with clinical presentation and other related investigations.
2. The result(s) relate only to the sample(s) received.
3. The test report shall not be reproduced except in full, without written approval of the Neuberg Suprattech Reference Laboratory (NSRL).
4. For any query in the report, it is suggested to contact the concerned laboratory personnel as suggested in the table to help carry out follow-up action (rechecking, repeat sampling, reflex/confirmatory testing, etc.). Neuberg Suprattech Reference Laboratories (NSRL) follows a procedure of retaining & preserving samples after testing for a stipulated period. After the retention period of the sample, a fresh specimen is requested.
5. Report results are for the information of the referring doctor only.
6. For tests performed on specimens received from non - Neuberg Suprattech Reference Laboratory (NSRL) locations (within and outside Ahmedabad) it is presumed that the specimen belongs to the patient named or identified, such verification having been carried out at the point of generation of the said specimen.
7. A test requested might yield 'INCOMPLETE RESULTS' for various technical reasons and this response will appear against the test name followed by detailed comment at the end of the report. It is expected that a fresh specimen will be sent for the purpose of reporting on the same parameter(s).
8. Neuberg Suprattech Reference Laboratories (NSRL) Ahmedabad is accredited by ICMR and NABL for COVID-19 testing.

Lab Reports & Advisory Services	Contact Numbers
Biochemistry & Immunology	079-40408120
Microbiology	079-40408145
Histopathology & Cytology	079-40408132
Hematology & Clinical Pathology	079-40408114
Flow Cytometry, Coagulation & Electrophoresis	079-40408117
Genetics	079-40408161
Other Services	Contact Numbers
Marketing, Clinical Trials & Corporate Affairs : Dr. Ameer Shukla	7698009812
Marketing - Laboratories : Mr. Sunil Panchal	9824002011
Billing & Accounts : Mr. Pravin Patel	9824728315
Visits (Home / Hospital for Samples Collection) & General Information : Mrs. Sonal Shah	9824408721
Sample Transport / Pick-up & Report Dispatch : Mr. Suchit Chauhan	7698009903

Any query may also be directed online on [contact@suprattechlabs.com](mailto:contact@suprattechlabs.com) with attention to the concerned personnel.

### Neuberg Suprattech Branches in Ahmedabad

Sindhu Bhevan - Ph : 079-61618111, 6357244307, Bapunagar - 635672001/22  
Maninagar - 079-40408282, 25450802, Bopal - 02717-235881/82, Goro - 6357244303  
Shuyongdev - 9879624264

### Neuberg Suprattech Collection Centers in Ahmedabad

Shahiboug - 079-25630134, Shyamal - 079-26743434, Paldi - 6359900406

Neuberg Suprattech Reference Laboratories  
"KEDAP" Opposite Krupa Petrol Pump,  
Near Perimal Garden, Ahmedabad - 390006  
Phone : 079-40408181 / 61618181  
Email : [contact@suprattechlabs.com](mailto:contact@suprattechlabs.com)  
Website : [www.neubergsuprattech.com](http://www.neubergsuprattech.com)

Regd. Office :  
Neuberg Suprattech Reference Laboratories Private Limited  
(Previously known as Suprattech Microtech Laboratory & Research Institute Pvt Ltd)  
Trivitron Saphthagiri Bhanvan, 15, IV Street  
Abhiromapuram, Chennai - 600018, Tamil Nadu  
CIN : U85195TN2013PTC151947



## LABORATORY REPORT

Name : ARPAN PRAJAPATI

Ref.By : HOSPITAL

Bill. Loc. : Aashka hospital

Sex/Age : Male / 31 Years

Case ID : 30902200329

Dis. At :

Pt. ID : 2963003

Pt. Loc :

Reg Date and Time : 09-Sep-2023 08:35

Sample Type : Whole Blood EDTA

Mobile No : 8460160131

Sample Date and Time : 09-Sep-2023 08:35

Sample Coll. By :

Ref Id1 : 00923076

Report Date and Time : 09-Sep-2023 12:07

Acc. Remarks : Normal

Ref Id2 : 023244776

TEST

RESULTS

UNIT

BIOLOGICAL REF RANGE

REMARKS

ESR

Westergren Method

06

mm after 1hr 3 - 15

Note: (LL-VeryLow, L-Low, H-High, HH-VeryHigh ,A-Abnormal)

Dr. Manoj Shah  
M.D. (Path. & Bact.)

Dr. Shreya Shah  
M.D. (Pathologist)

Page 3 of 13

Printed On : 09-Sep-2023 13:55



## CONDITIONS OF REPORTING

1. All laboratory investigations have their limitations which are imposed by the limits of sensitivity and specificity of individual assay procedures as well as the quality of the specimen received by the laboratory. Isolated laboratory investigations never confirm the final diagnosis of the disease, but only help in arriving at a diagnosis in conjunction with clinical presentation and other related investigations.
2. The result(s) relate only to the sample(s) received.
3. The test report shall not be reproduced except in full, without written approval of the Neuberg Suprattech Reference Laboratory (NSRL).
4. For any query in the report, it is suggested to contact the concerned laboratory personnel as suggested in the table to help carry out follow-up action (rechecking, repeat sampling, reflex, confirmatory testing, etc.). Neuberg Suprattech Reference Laboratories (NSRL) follows a procedure of retaining & preserving samples after testing for a stipulated period. After the retention period of the sample, a fresh specimen is requested.
5. Report results are for the information of the referring doctor only.
6. For tests performed on specimens received from non - Neuberg Suprattech Reference Laboratory (NSRL) locations (within and outside Ahmedabad) it is presumed that the specimen belongs to the patient named or identified, such verification having been carried out at the point of generation of the said specimen.
7. A test requested might yield **INCOMPLETE RESULTS** for various technical reasons and this response will appear against the test name followed by detailed comment at the end of the report. It is expected that a fresh specimen will be sent for the purpose of reporting on the same parameter(s).
8. Neuberg Suprattech Reference Laboratories (NSRL) Ahmedabad is accredited by ICMR and NABL for COVID-19 testing.

Lab Reports & Advisory Services	Contact Numbers
Biochemistry & Immunology	079-40408120
Microbiology	079-40408145
Histopathology & Cytology	079-40408132
Hematology & Clinical Pathology	079-40408114
Flow Cytometry, Coagulation & Electrophoresis	079-40408117
Genetics	079-40408161
Other Services	Contact Numbers
Marketing, Clinical Trials & Corporate Affairs : Dr. Ameer Shukla	7698009812
Marketing - Laboratories : Mr. Sunil Fanchal	9824002011
Billing & Accounts : Mr. Pravin Patel	9824728315
Visits (Home / Hospital for Sample Collection) & General Information : Mrs. Sonal Shah	9824408721
Sample Transport / Pick-up & Report Dispatch : Mr. Suchit Chauhan	7698009903

Any query may also be directed online on [contact@suprattechlabs.com](mailto:contact@suprattechlabs.com) with attention to the concerned personnel.

### Neuberg Suprattech Branches in Ahmedabad

Sindhu Bhavan - Ph : 079-61618111, 6357244307, Bapunagar - 635678001/22,  
Maninagar - 079-40408282, 25450802, Bopal - 02717-235881/82, Gota - 6357244303  
Bhuyangdev - 9879624264

Shohibaug - 079-25630734, Shyamal - 079-26743434, Paldi - 6359900406

Neuberg Suprattech Reference Laboratories  
"KEDAR" Opposite Krupa Petrol Pump,  
Near Parimal Garden, Ahmedabad - 380006  
Phone : 079-40408181 / 61618181  
Email : [contact@suprattechlabs.com](mailto:contact@suprattechlabs.com)  
Website : [www.neubergsuprattech.com](http://www.neubergsuprattech.com)

Regd. Office :  
Neuberg Suprattech Reference Laboratories Private Limited  
(Previously known as Suprattech Microtech Laboratory & Research Institute Pvt Ltd)  
Trivifron Saphthagiri Bhowan, 15, IV Street  
Abhiramapuram, Chennai - 600018, Tamil Nadu  
CIN : U65195TN2013PTC151947





## LABORATORY REPORT

Name : ARPAN PRAJAPATI

Ref.By : HOSPITAL

Bill. Loc. : Aashka hospital

Sex/Age : Male / 31 Years

Case ID : 30902200329

Dis. At :

Pt. ID : 2963003

Pt. Loc :

Reg Date and Time : 09-Sep-2023 08:35

Sample Type : Whole Blood EDTA

Mobile No : 8460160131

Sample Date and Time : 09-Sep-2023 08:35

Sample Coll. By :

Ref Id1 : O0923076

Report Date and Time : 09-Sep-2023 09:23

Acc. Remarks : Normal

Ref Id2 : O23244776

TEST

RESULTS

UNIT

BIOLOGICAL REF RANGE

REMARKS

### HAEMATOTOLOGY INVESTIGATIONS

### BLOOD GROUP AND RH TYPING (Erythrocyte Magnetized Technology) (Both Forward and Reverse Group )

ABO Type

Rh Type

O

POSITIVE

Note:(LL-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)

**Dr. Shreya Shah**  
M.D. (Pathologist)

**Dr. Manoj Shah**  
M.D. (Path. & Bact.)

Page 4 of 13

Printed On : 09-Sep-2023 13:55



## CONDITIONS OF REPORTING

- All laboratory investigations have their limitations which are imposed by the limits of sensitivity and specificity of individual assay procedures as well as the quality of the specimen received by the laboratory. Isolated laboratory investigations never confirm the final diagnosis of the disease, but only help in arriving at a diagnosis in conjunction with clinical presentation and other related investigations.
- The result(s) relate only to the sample(s) received.
- The test report shall not be reproduced except in full, without written approval of the Neuberg Suprattech Reference Laboratory (NSRL).
- For any query in the report, it is suggested to contact the concerned laboratory personnel as suggested in the table to help carry out follow-up action (rechecking, repeat sampling, reflex/confirmatory testing, etc.). Neuberg Suprattech Reference Laboratories (NSRL) follows a procedure of retaining & preserving samples after testing for a stipulated period. After the retention period of the sample, a fresh specimen is requested.
- Report results are for the information of the referring doctor only.
- For tests performed on specimens received from non - Neuberg Suprattech Reference Laboratory (NSRL) locations (within and outside Ahmedabad) it is presumed that the specimen belongs to the patient named or identified, such verification having been carried out at the point of generation of the said specimen.
- A test requested might yield 'INCOMPLETE RESULTS' for various technical reasons and this response will appear against the test name followed by detailed comment at the end of the report. It is expected that a fresh specimen will be sent for the purpose of reporting on the same parameter(s).
- Neuberg Suprattech Reference Laboratories (NSRL) Ahmedabad is accredited by ICMR and NABL for COVID-19 testing.

Lab Reports & Advisory Services	Contact Numbers
Biochemistry & Immunology	079-40408120
Microbiology	079-40408145
Histopathology & Cytology	079-40408132
Hematology & Clinical Pathology	079-40408114
Flow Cytometry, Coagulation & Electrophoresis	079-40408117
Genetics	079-40408161
Other Services	Contact Numbers
Marketing, Clinical Trials & Corporate Affairs : Dr. Ameer Shukla	7698009812
Marketing - Laboratories : Mr. Sunil Panchal	9824002011
Billing & Accounts : Mr. Pravin Patel	9824728315
Visits (Home / Hospital for Sample Collection) & General Information : Mrs. Sonal Shah	9824408721
Sample Transport / Pick-up & Report Dispatch : Mr. Suchit Chauhan	7698009903

Any query may also be directed online on [contact@suprattechlabs.com](mailto:contact@suprattechlabs.com) with attention to the concerned personnel.

### Neuberg Suprattech Branches in Ahmedabad

Sindhu Bhavan - Ph : 079-61618111, 6357244307, Bapunagar - 635678001/22,  
 Maninagar - 079-40408222, 25450802, Bopal - 02717-235881/82, Gota - 6357244303  
 Bhuyongdev - 9879624264

### Neuberg Suprattech Collection Centers in Ahmedabad

Shahibaug - 079-25630134, Shyamal - 079-26743434, Paldi - 6359900406

Neuberg Suprattech Reference Laboratories  
 "KEDAR" Opposite Krupa Petrol Pump,  
 Near Parimal Garden, Ahmedabad - 380006  
 Phone : 079-40408181 / 61618181  
 Email : [contact@suprattechlabs.com](mailto:contact@suprattechlabs.com)  
 Website : [www.neubergsuprattech.com](http://www.neubergsuprattech.com)

Regd. Office :  
 Neuberg Suprattech Reference Laboratories Private Limited  
 (Previously known as Suprattech Microtech Laboratory & Research Institute Pvt Ltd)  
 Trivitron Saphthagiri Bhawan, 15, IV Street  
 Abhiromapuram, Chennai - 600018, Tamil Nadu  
 CIN : U85195TN2013PTC151947



## LABORATORY REPORT

Name : ARPAN PRAJAPATI

Ref.By : HOSPITAL

Bill. Loc. : Aashka hospital

Sex/Age : Male / 31 Years

Case ID : 30902200329

Dis. At :

Pt. ID : 2963003

Pt. Loc :

Reg Date and Time : 09-Sep-2023 08:35 Sample Type : Spot Urine

Sample Date and Time : 09-Sep-2023 08:35 Sample Coll. By :

Mobile No : 8460160131

Report Date and Time : 09-Sep-2023 11:25 Acc. Remarks : Normal

Ref Id1 : 00923076

Ref Id2 : 023244776

TEST	RESULTS	UNIT	BIOLOGICAL REF RANGE	REMARKS
<b>URINE EXAMINATION (STRIP METHOD AND FLOWCYTOMETRY)</b>				
<u>Physical examination</u>				
Colour	Pale yellow			
Transparency	Clear			
<u>Chemical Examination By Sysmex UC-3500</u>				
Sp.Gravity	1.015		1.005 - 1.030	
pH	6.00		5 - 8	
Leucocytes (ESTERASE)	Negative		Negative	
Protein	Negative		Negative	
Glucose	Negative		Negative	
Ketone Bodies Urine	Negative		Negative	
Urobilinogen	Negative		Negative	
Bilirubin	Negative		Negative	
Blood	Negative		Negative	
Nitrite	Negative		Negative	
<u>Flowcytometric Examination By Sysmex UF-5000</u>				
Leucocyte	Nil	/HPF	Nil	
Red Blood Cell	Nil	/HPF	Nil	
Epithelial Cell	Present +	/HPF	Present(+)	
Bacteria	Nil	/ul	Nil	
Yeast	Nil	/ul	Nil	
Cast	Nil	/LPF	Nil	
Crystals	Nil	/HPF	Nil	

Note:(L-L-Very Low,L-Low,H-High,HH-Very High ,A-Abnormal)



Dr. Manoj Shah

M.D. (Path. & Bact.)

Printed On : 09-Sep-2023 13:55

Page 5 of 13



## CONDITIONS OF REPORTING

1. All laboratory investigations have their limitations which are imposed by the limits of sensitivity and specificity of individual assay procedures as well as the quality of the specimen received by the laboratory. Isolated laboratory investigations never confirm the final diagnosis of the disease, but only help in arriving at a diagnosis in conjunction with clinical presentation and other related investigations.
2. The result(s) relate only to the sample(s) received.
3. The test report shall not be reproduced except in full, without written approval of the Neuberg Suprattech Reference Laboratory (NSRL).
4. For any query in the report, it is suggested to contact the concerned laboratory personnel as suggested in the table to help carry out follow-up action (rechecking, repeat sampling, reflex/confirmatory testing, etc.). Neuberg Suprattech Reference Laboratories (NSRL) follows a procedure of retaining & preserving samples after testing for a stipulated period. After the retention period of the sample, a fresh specimen is requested.
5. Report results are for the information of the referring doctor only.
6. For tests performed on specimens received from non - Neuberg Suprattech Reference Laboratory (NSRL) locations (within and outside Ahmedabad) it is presumed that the specimen belongs to the patient named or identified, such verification having been carried out at the point of generation of the said specimen.
7. A test requested might yield 'INCOMPLETE RESULTS' for various technical reasons and this response will appear against the test name followed by detailed comment at the end of the report. It is expected that a fresh specimen will be sent for the purpose of reporting on the same parameter(s).
8. Neuberg Suprattech Reference Laboratories (NSRL) Ahmedabad is accredited by ICMR and NABL for COVID-19 testing.

Lab Reports & Advisory Services	Contact Numbers
Biochemistry & Immunology	079-40408120
Microbiology	079-40408145
Histopathology & Cytology	079-40408132
Hematology & Clinical Pathology	079-40408114
Flow Cytometry, Coagulation & Electrophoresis	079-40408117
Genetics	079-40408161
Other Services	Contact Numbers
Marketing, Clinical Trials & Corporate Affairs : Dr. Ameeg Shukla	7698009812
Marketing - Laboratories : Mr. Sunil Panchal	9824002011
Billing & Accounts : Mr. Pravin Patel	9824728315
Visits (Home / Hospital for Sample Collection) & General Information : Mrs. Sonal Shah	9824408721
Sample Transport / Pick-up & Report Dispatch : Mr. Suchit Chauhan	7698009903

Any query may also be directed online on [contact@suprattechlabs.com](mailto:contact@suprattechlabs.com) with attention to the concerned personnel.

### Neuberg Suprattech Branches in Ahmedabad

Sindhu Bhavan - Ph : 079-61618111, 6357244307, Bapunagar - 635678001/22,

Maninagar - 079-40408282, 25450802, Bopal - 02717-235881/82, Gota - 6357244303

Shuyongdev - 9879624264

### Neuberg Suprattech Collection Centers in Ahmedabad

Shohibaug - 079-25630134, Shyamal - 079-26743424, Paldi - 6359900406

Neuberg Suprattech Reference Laboratories  
"KEDAR" Opposite Krupa Petrol Pump,  
Near Parimal Garden, Ahmedabad - 380006  
Phone : 079-40408181 / 61618181  
Email : [contact@suprattechlabs.com](mailto:contact@suprattechlabs.com)  
Website : [www.neubergsuprattech.com](http://www.neubergsuprattech.com)

Regd. Office :  
Neuberg Suprattech Reference Laboratories Private Limited  
(Previously known as Suprattech Microtech Laboratory & Research Institute Pvt Ltd)  
Trivitron Saphthagiri Bhawan, 15, IV Street  
Abhiramapuram, Chennai - 600018, Tamil Nadu  
CIN : U85195TN2013PTC151947



## LABORATORY REPORT

Name : ARPAN PRAJAPATI

Ref By : HOSPITAL

Bill. Loc. : Aashka hospital

Sex/Age : Male / 31 Years

Dis. At :

Case ID : 30902200329

Pt. ID : 2963003

Pt. Loc :

Reg Date and Time : 09-Sep-2023 08:35 Sample Type : Spot Urine

Sample Date and Time : 09-Sep-2023 08:35 Sample Coll. By :

Mobile No : 8460160131

Report Date and Time : 09-Sep-2023 11:25 Acc. Remarks : Normal

Ref Id1 : O0923076

Ref Id2 : O23244776

Parameter	Unit	Expected value	Result/Notations				
			Trace	+	++	+++	++++
pH	-	4.6-8.0					
SG	-	1.003-1.035					
Protein	mg/dL	Negative (<10)	10	25	75	150	500
Glucose	mg/dL	Negative (<30)	30	50	100	300	1000
Bilirubin	mg/dL	Negative (0.2)	0.2	1	3	6	-
Ketone	mg/dL	Negative (<5)	5	15	50	150	-
Urobilinogen	mg/dL	Negative (<1)	1	4	8	12	-

Parameter	Unit	Expected value	Result/Notations				
			Trace	+	++	+++	++++
Leukocytes (Strip)	/micro L	Negative (<10)	10	25	100	500	-
Nitrite(Strip)	-	Negative	-	-	-	-	-
Erythrocytes(Strip)	/micro L	Negative (<5)	10	25	50	150	250
Pus cells (Microscopic)	/hpf	<5	-	-	-	-	-
Red blood cells(Microscopic)	/hpf	<2	-	-	-	-	-
Cast (Microscopic)	/lpf	<2	-	-	-	-	-

Note: (L-VeryLow, L-Low, H-High, HH-VeryHigh ,A-Abnormal)



Dr. Manoj Shah  
M.D. (Path. & Bact.)

Page 6 of 13

Printed On : 09-Sep-2023 13:55



## CONDITIONS OF REPORTING

1. All laboratory investigations have their limitations which are imposed by the limits of sensitivity and specificity of individual assay procedures as well as the quality of the specimen received by the laboratory. Isolated laboratory investigations never confirm the final diagnosis of the disease, but only help in arriving at a diagnosis in conjunction with clinical presentation and other related investigations.
2. The result(s) relate only to the sample(s) received.
3. The test report shall not be reproduced except in full, without written approval of the Neuberg Suprattech Reference Laboratory (NSRL).
4. For any query in the report, it is suggested to contact the concerned laboratory personnel as suggested in the table to help carry out follow-up action (rechecking, repeat sampling, reflex/confirmatory testing, etc.). Neuberg Suprattech Reference Laboratories (NSRL) follows a procedure of retaining & preserving samples after testing for a stipulated period. After the retention period of the sample, a fresh specimen is requested.
5. Report results are for the information of the referring doctor only.
6. For tests performed on specimens received from non - Neuberg Suprattech Reference Laboratory (NSRL) locations (within and outside Ahmedabad) it is presumed that the specimen belongs to the patient named or identified, such verification having been carried out at the point of generation of the said specimen.
7. A test requested might yield 'INCOMPLETE RESULTS' for various technical reasons and this response will appear against the test name followed by detailed comment at the end of the report. It is expected that a fresh specimen will be sent for the purpose of reporting on the same parameter(s).
8. Neuberg Suprattech Reference Laboratories (NSRL) Ahmedabad is accredited by ICMR and NABL for COVID-19 testing.

Lab Reports & Advisory Services	Contact Numbers
Biochemistry & Immunology	079-40408120
Microbiology	079-40408145
Histopathology & Cytology	079-40408132
Hematology & Clinical Pathology	079-40408114
Flow Cytometry, Coagulation & Electrophoresis	079-40408117
Genetics	079-40408161
Other Services	Contact Numbers
Marketing, Clinical Trials & Corporate Affairs : Dr. Ameet Shukla	7698009812
Marketing - Laboratories : Mr. Sunil Panchal	9824002011
Billing & Accounts : Mr. Pravin Patel	9824728315
Visits (Home / Hospital for Sample Collection) & General Information : Mrs. Sonal Shah	9824408721
Sample Transport / Pick-up & Report Dispatch : Mr. Suchit Chauhan	7698009903

Any query may also be directed online on [contact@suprattechlabs.com](mailto:contact@suprattechlabs.com) with attention to the concerned personnel.

### Neuberg Suprattech Branches in Ahmedabad

Sindhu Bhavan - Ph : 079-61618111, 6357244307, Bapunagar - 635678001/22,  
Maninagar - 079-40408282, 25450802, Bopal - 02717-235881/82, Gola - 6357244303  
Bhuyangdev - 9879624264

Shahibaug - 079-25630134, Shyomal - 079-26743434, Paldi - 6359900406

Neuberg Suprattech Reference Laboratories  
"KRDAR" Opposite Krupa Petrol Pump,  
Near Parimal Garden, Ahmedabad - 380006  
Phone : 079-40408161 / 61618181  
Email : [contact@suprattechlabs.com](mailto:contact@suprattechlabs.com)  
Website : [www.neubergsuprattech.com](http://www.neubergsuprattech.com)

Regd. Office :  
Neuberg Suprattech Reference Laboratories Private Limited  
(Previously known as Suprattech Microtech Laboratory & Research Institute Pvt Ltd)  
Trivikron Sapthagiri Bhawan, 15, IV Street  
Abhiramapuram, Chennai - 600018, Tamil Nadu  
CIN : U85195TN2013PTC151947



## LABORATORY REPORT

Name : ARPAN PRAJAPATI

Ref.By : HOSPITAL

Bill. Loc. : Aashka hospital

Sex/Age : Male / 31 Years

Case ID : 30902200329

Dis. At :

Pt. ID : 2963003

Pt. Loc :

Reg Date and Time : 09-Sep-2023 08:35

Sample Type : Plasma Fluoride F, Plasma Fluoride PP

Mobile No : 8460160131

Sample Date and Time : 09-Sep-2023 08:35

Sample Coll. By :

Ref Id1 : 00923076

Report Date and Time : 09-Sep-2023 13:50

Acc. Remarks : Normal

Ref Id2 : 023244776

TEST RESULTS UNIT BIOLOGICAL REF RANGE REMARKS

### BIOCHEMICAL INVESTIGATIONS

#### Blood Glucose Level (Fasting & Post Prandial)

<b>Plasma Glucose - F</b> <i>Photometric,Hexokinase</i>	H	108.94	mg/dL	70 - 100
<b>Plasma Glucose - PP</b> <i>Photometric,Hexokinase</i>		110.5	mg/dL	70.0 - 140.0

Reference range has been changed as per recent guidelines of ISPAD 2018.

<100 mg/dL : Normal level

100-<126 mg/dL: Impaired fasting glucoseer guidelines

>=126 mg/dL: Probability of Diabetes, Confirm as per guidelines

Note:(LL-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)

**Dr. Manoj Shah**  
M.D. (Path. & Bact.)

**Dr. Shreya Shah**  
M.D. (Pathologist)

Page 7 of 13

Printed On : 09-Sep-2023 13:55









## LABORATORY REPORT



Name : **ARPAN PRAJAPATI**

Ref.By : **HOSPITAL**

Bill. Loc. : **Aashka hospital**

Sex/Age : **Male / 31 Years**

Dis. At :

Pt. Loc :

Case ID : **30902200329**

Pt. ID : **2963003**

Pt. Loc :

Mobile No : **8460160131**

Ref Id1 : **O0923076**

Ref Id2 : **O23244776**

Reg Date and Time : **09-Sep-2023 08:35** Sample Type : **Serum**

Sample Date and Time : **09-Sep-2023 08:35** Sample Coll. By :

Report Date and Time : **09-Sep-2023 10:39** Acc. Remarks : **Normal**

### TEST

RESULTS UNIT BIOLOGICAL REF RANGE REMARKS

### BIOCHEMICAL INVESTIGATIONS

#### Lipid Profile

<b>Cholesterol</b> <i>Colorimetric, CHOD-POD</i>	H	201.12	mg/dL	110 - 200
<b>HDL Cholesterol</b>	L	44.8	mg/dL	48 - 77
<b>Triglyceride</b> <i>Glycerol Phosphate Oxidase</i>		68.90	mg/dL	<150
<b>VLDL</b> <i>Calculated</i>		13.78	mg/dL	10 - 40
<b>Chol/HDL</b> <i>Calculated</i>	H	4.49		0 - 4.1
<b>LDL Cholesterol</b> <i>Calculated</i>	H	142.54	mg/dL	65 - 100

#### NEW ATP III GUIDELINES (MAY 2001), MODIFICATION OF NCEP

LDL CHOLESTEROL	CHOLESTEROL	HDL CHOLESTEROL	TRIGLYCERIDES
Optimal <100	Desirable <200	Low <40	Normal <150
Near Optimal 100-129	Border Line 200-239	High >60	Border High 150-199
Borderline 130-159	High >240		High 200-499
High 160-189			

- LDL Cholesterol level is primary goal for treatment and varies with risk category and assessment
- For LDL Cholesterol level Please consider direct LDL value
- Risk assessment from HDL and Triglyceride has been revised. Also LDL goals have changed.
- Detail test interpretation available from the lab
- All tests are done according to NCEP guidelines and with FDA approved kits.
- LDL Cholesterol level is primary goal for treatment and varies with risk category and assessment

Note: (LL-VeryLow, L-Low, H-High, HH-VeryHigh, A-Abnormal)



**Dr. Manoj Shah**  
M.D. (Path. & Bact.)

**Dr. Shreya Shah**  
M.D. (Pathologist)

Printed On : 09-Sep-2023 13:55



## CONDITIONS OF REPORTING

1. All laboratory investigations have their limitations which are imposed by the limits of sensitivity and specificity of individual assay procedures as well as the quality of the specimen received by the laboratory. Isolated laboratory investigations never confirm the final diagnosis of the disease, but only help in arriving at a diagnosis in conjunction with clinical presentation and other related investigations.
2. The results relate only to the sample(s) received.
3. The test report shall not be reproduced except in full, without written approval of the Neuberg Suprattech Reference Laboratory (NSRL).
4. For any query in the report, it is suggested to contact the concerned laboratory personnel as suggested in the table to help carry out follow-up action (rechecking, repeat sampling, reflex/confirmatory testing, etc.). Neuberg Suprattech Reference Laboratories (NSRL) follows a procedure of retaining & preserving samples after testing for a stipulated period. After the retention period of the sample, a fresh specimen is requested.
5. Report results are for the information of the referring doctor only.
6. For tests performed on specimens received from non - Neuberg Suprattech Reference Laboratory (NSRL) locations (within and outside Ahmedabad) it is presumed that the specimen belongs to the patient named or identified, such verification having been carried out at the point of generation of the said specimen.
7. A test requested might yield INCOMPLETE RESULTS for various technical reasons and this response will appear against the test name followed by detailed comment at the end of the report. It is expected that a fresh specimen will be sent for the purpose of reporting on the same parameter(s).
8. Neuberg Suprattech Reference Laboratories (NSRL) Ahmedabad is accredited by ICMR and NABL for COVID-19 testing.

Lab Reports & Advisory Services	Contact Numbers
Biochemistry & Immunology	079-40408120
Microbiology	079-40408145
Histopathology & Cytology	079-40408132
Hematology & Clinical Pathology	079-40408114
Flow Cytometry, Coagulation & Electrophoresis	079-40408117
Genetics	079-40408161
Other Services	Contact Numbers
Marketing, Clinical Trials & Corporate Affairs : Dr. Ameet Shukla	7698009812
Marketing - Laboratories : Mr. Sunil Fanchal	9824002011
Billing & Accounts : Mr. Pravin Patel	9824728315
Visits (Home / Hospital for Sample Collection) & General Information : Mrs. Sonal Shah	9824408721
Sample Transport / Pick-up & Report Dispatch : Mr. Suchit Chauhan	7698009903

Any query may also be directed online on [contact@suprattechlabs.com](mailto:contact@suprattechlabs.com) with attention to the concerned personnel.

### Neuberg Suprattech Branches in Ahmedabad

Sindhu Bhawan - Ph : 079-61618111, 6357244307, Bapunagar - 635678001/22,  
Maninagar - 079-40408282, 25450802, Bopal - 02717-235881/82, Gota - 6357244303  
Bhuyongdev - 9879624264

Shahibaug - 079-25630134, Shyamal - 079-26743434, Paldi - 6359900406

Neuberg Suprattech Reference Laboratories  
"KEDAR" Opposite Krupa Petrol Pump,  
Near Perimal Garden, Ahmedabad - 380006  
Phone : 079-40408181 / 61618181  
Email : [contact@suprattechlabs.com](mailto:contact@suprattechlabs.com)  
Website : [www.neubergsuprattech.com](http://www.neubergsuprattech.com)

Regd. Office :  
Neuberg Suprattech Reference Laboratories Private Limited  
(Previously known as Suprattech Micropath Laboratory & Research Institute Pvt Ltd)  
Trivitron Saphthagiri Bhawan, 15, IV Street  
Abhiramapuram, Chennai - 600018, Tamil Nadu  
CIN : U85195TN2013PTC151947



## LABORATORY REPORT

Name : ARPAN PRAJAPATI

Ref.By : HOSPITAL

Bill. Loc. : Aashka hospital

Sex/Age : Male / 31 Years

Dis. At :

Case ID : 30902200329

Pt. ID : 2963003

Pt. Loc :

Reg Date and Time : 09-Sep-2023 08:35 Sample Type : Serum

Sample Date and Time : 09-Sep-2023 08:35 Sample Coll. By :

Report Date and Time : 09-Sep-2023 11:00 Acc. Remarks : Normal

Mobile No : 8460160131

Ref Id1 : 00923076

Ref Id2 : 023244776

TEST	RESULTS	UNIT	BIOLOGICAL REF RANGE	REMARKS
------	---------	------	----------------------	---------

### BIOCHEMICAL INVESTIGATIONS

#### Liver Function Test

<b>S.G.P.T.</b> <i>UV with Psp</i>	42.77	U/L	16 - 63	
<b>S.G.O.T.</b> <i>UV with PSp</i>	27.03	U/L	15 - 37	
<b>Alkaline Phosphatase</b> <i>Enzymatic, PNPP-AMP</i>	111.42	U/L	46 - 116	
<b>Gamma Glutamyl Transferase</b> <i>L-Gamma-glutamyl-3-carboxy-4-nitroanilide Substrate</i>	23.29	U/L	0 - 55	
<b>Proteins (Total)</b> <i>Colorimetric, Biuret</i>	7.60	gm/dL	6.40 - 8.30	
<b>Albumin</b> <i>Bromocresol purple</i>	4.59	gm/dL	3.4 - 5	
<b>Globulin</b> <i>Calculated</i>	3.01	gm/dL	2 - 4.1	
<b>A/G Ratio</b> <i>Calculated</i>	1.5		1.0 - 2.1	
<b>Bilirubin Total</b> <i>Photometry</i>	0.58	mg/dL	0.3 - 1.2	
<b>Bilirubin Conjugated</b> <i>Diazotization reaction</i>	0.22	mg/dL	0 - 0.50	
<b>Bilirubin Unconjugated</b> <i>Calculated</i>	0.36	mg/dL	0 - 0.8	

Note:(LL-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)

**Dr. Manoj Shah**  
M.D. (Path. & Bact.)

**Dr. Shreya Shah**  
M.D. (Pathologist)

Printed On : 09-Sep-2023 13:55







## LABORATORY REPORT

Name : ARPAN PRAJAPATI

Ref.By : HOSPITAL

Bill. Loc. : Aashka hospital

Sex/Age : Male / 31 Years

Case ID : 30902200329

Dis. At :

Pt. ID : 2963003

Pt. Loc :

Reg Date and Time : 09-Sep-2023 08:35

Sample Type : Serum

Mobile No : 8460160131

Sample Date and Time : 09-Sep-2023 08:35

Sample Coll. By :

Ref Id1 : O0923076

Report Date and Time : 09-Sep-2023 10:39

Acc. Remarks : Normal

Ref Id2 : O23244776

TEST	RESULTS	UNIT	BIOLOGICAL REF RANGE	REMARKS
BUN (Blood Urea Nitrogen) GLDH	12.3	mg/dL	8.90 - 20.60	
Creatinine	1.03	mg/dL	0.50 - 1.50	
Uric Acid Uricase	5.81	mg/dL	3.5 - 7.2	

Note:(L-L-VeryLow,L-Low,H-High,HH+VeryHigh ,A-Abnormal)



**Dr. Manoj Shah**  
M.D. (Path. & Bact.)

**Dr. Shreya Shah**  
M.D. (Pathologist)

Printed On : 09-Sep-2023 13:55



## CONDITIONS OF REPORTING

1. All laboratory investigations have their limitations which are imposed by the limits of sensitivity and specificity of individual assay procedures as well as the quality of the specimen received by the laboratory. Isolated laboratory investigations never confirm the final diagnosis of the disease, but only help in arriving at a diagnosis in conjunction with clinical presentation and other related investigations.
2. The result(s) relate only to the sample(s) received.
3. The test report shall not be reproduced except in full, without written approval of the Neuberg Supratech Reference Laboratory (NSRL).
4. For any query in the report, it is suggested to contact the concerned laboratory personnel as suggested in the table to help carry out follow-up action (rescheduling, repeat sampling, reflex/confirmatory testing, etc.). Neuberg Supratech Reference Laboratories (NSRL) follows a procedure of retaining & preserving samples after testing for a stipulated period. After the retention period of the sample, a fresh specimen is requested.
5. Report results are for the information of the referring doctor only.
6. For tests performed on specimens received from non - Neuberg Supratech Reference Laboratory (NSRL) locations (within and outside Ahmedabad) it is presumed that the specimen belongs to the patient named or identified, such verification having been carried out at the point of generation of the said specimen.
7. A test requested might yield INCOMPLETE RESULTS for various technical reasons and this response will appear against the test name followed by detailed comment at the end of the report. It is expected that a fresh specimen will be sent for the purpose of reporting on the same parameter(s).
8. Neuberg Supratech Reference Laboratories (NSRL) Ahmedabad is accredited by ICMR and NABL for COVID-19 testing.

Lab Reports & Advisory Services	Contact Numbers
Biochemistry & Immunology	079-40408120
Microbiology	079-40408145
Histopathology & Cytology	079-40408132
Hematology & Clinical Pathology	079-40408114
Flow Cytometry, Coagulation & Electrophoresis	079-40408117
Genetics	079-40408161
<b>Other Services</b>	<b>Contact Numbers</b>
Marketing, Clinical Trials & Corporate Affairs : Dr. Ameer Shukla	7698009812
Marketing - Laboratories : Mr. Sunil Panchal	9824002011
Billing & Accounts : Mr. Pravin Patel	9824728315
Visits (Home / Hospital for Sample Collection) & General Information : Mrs. Sonel Shah	9824408721
Sample Transport / Pick-up & Report Dispatch : Mr. Suchit Chauhan	7698009903

Any query may also be directed online on [contact@supratechlabs.com](mailto:contact@supratechlabs.com) with attention to the concerned personnel.

### Neuberg Supratech Branches in Ahmedabad

Sindhu Bhawan - Ph : 079-61618111, 6357244307, Bapunagar - 635678001/22,  
Maninagar - 079-40408282, 25450802, Bopal - 02717-235881/82, Gota - 6357244303  
Bhuyangdev - 9879624264

Neuberg Supratech Collection Centers in Ahmedabad  
Shahibaug - 079-25630134, Shyamal - 079-26743434, Paldi - 6359900406

Neuberg Supratech Reference Laboratories  
"KEDAR" Opposite Krupa Petrol Pump,  
Near Parimal Garden, Ahmedabad - 380006  
Phone : 079-40408181 / 61618181  
Email : [contact@supratechlabs.com](mailto:contact@supratechlabs.com)  
Website : [www.neubergsupratech.com](http://www.neubergsupratech.com)

Regd. Office :  
Neuberg Supratech Reference Laboratories Private Limited  
(Previously known as Supratech Micropath Laboratory & Research Institute Pvt Ltd)  
Trivikron Saphthagiri Bhawan, 15, IV Street  
Abhiramapuram, Chennai - 600018, Tamil Nadu  
CIN : U65195TN2013PTC151947



## LABORATORY REPORT

Name : ARPAN PRAJAPATI

Ref.By : HOSPITAL

Bill. Loc. : Aashka hospital

Sex/Age : Male / 31 Years Case ID : 30902200329

Dis. At : Pt. ID : 2963003

Pt. Loc :

Reg Date and Time : 09-Sep-2023 08:35 Sample Type : Whole Blood EDTA Mobile No : 8460160131  
 Sample Date and Time : 09-Sep-2023 08:35 Sample Coll. By : Ref Id1 : 00923076  
 Report Date and Time : 09-Sep-2023 11:44 Acc. Remarks : Normal Ref Id2 : 023244776

TEST	RESULTS	UNIT	BIOLOGICAL REF RANGE	REMARKS
------	---------	------	----------------------	---------

### Glycated Haemoglobin Estimation


HbA1C	5.58	% of total Hb	<5.7: Normal 5.7-6.4: Prediabetes >=6.5: Diabetes	
Estimated Avg Glucose (3 Mths) <i>Calculated</i>	113.45	mg/dL	Not available	

Please Note change in reference range as per ADA 2021 guidelines.

Interpretation :

HbA1C level reflects the mean glucose concentration over previous 8-12 weeks and provides better indication of long term glycemic control. Levels of HbA1C may be low as result of shortened RBC life span in case of hemolytic anemia. Increased HbA1C values may be found in patients with polycythemia or post splenectomy patients. Patients with Homozygous forms of rare variant Hb(CC,SS,EE,SC) HbA1c can not be quantitated as there is no HbA. In such circumstances glycemic control can be monitored using plasma glucose levels or serum Fructosamine. The A1c target should be individualized based on numerous factors, such as age, life expectancy, comorbid conditions, duration of diabetes, risk of hypoglycemia or adverse consequences from hypoglycemia, patient motivation and adherence.

Note:(L-L-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)



Dr. Manoj Shah  
M.D. (Path. & Bact.)

Dr. Shreya Shah  
M.D. (Pathologist)

Printed On : 09-Sep-2023 13:55



## CONDITIONS OF REPORTING

- All laboratory investigations have their limitations which are imposed by the limits of sensitivity and specificity of individual assay procedures as well as the quality of the specimen received by the laboratory. Isolated laboratory investigations never confirm the final diagnosis of the disease, but only help in arriving at a diagnosis in conjunction with clinical presentation and other related investigations.
- The result(s) relate only to the sample(s) received.
- The test report shall not be reproduced except in full, without written approval of the Neuberg Suprattech Reference Laboratory (NSRL).
- For any query in the report, it is suggested to contact the concerned laboratory personnel as suggested in the table to help carry out follow-up action (rechecking, repeat sampling, reflex/confirmatory testing, etc.). Neuberg Suprattech Reference Laboratories (NSRL) follows a procedure of retaining & preserving samples after testing for a stipulated period. After the retention period of the sample, a fresh specimen is requested.
- Report results are for the information of the referring doctor only.
- For tests performed on specimens received from non - Neuberg Suprattech Reference Laboratory (NSRL) locations (within and outside Ahmedabad) it is presumed that the specimen belongs to the patient named or identified, such verification having been carried out at the point of generation of the said specimen.
- A test requested might yield **INCOMPLETE RESULTS** for various technical reasons and this response will appear against the test name followed by detailed comment at the end of the report. It is expected that a fresh specimen will be sent for the purpose of reporting on the same parameter(s).
- Neuberg Suprattech Reference Laboratories (NSRL) Ahmedabad is accredited by ICMR and NABL for COVID-19 testing.

Lab Reports & Advisory Services	Contact Numbers
Biochemistry & Immunology	079-40408120
Microbiology	079-40408145
Histopathology & Cytology	079-40408132
Hematology & Clinical Pathology	079-40408114
Flow Cytometry, Coagulation & Electrophoresis	079-40408117
Genetics	079-40408161
Other Services	Contact Numbers
Marketing, Clinical Trials & Corporate Affairs : Dr. Ameer Shukla	7698009812
Marketing - Laboratories : Mr. Sunil Panchal	9824002011
Billing & Accounts : Mr. Pravin Pate	9824728815
Visits (Home / Hospital for Sample Collection) & General Information : Mrs. Sonal Shah	9824408721
Sample Transport / Pick-up & Report Dispatch : Mr. Suchit Chauhan	7698009903

Any query may also be directed online on [contact@suprattechlabs.com](mailto:contact@suprattechlabs.com) with attention to the concerned personnel.

### Neuberg Suprattech Branches in Ahmedabad

Sindhu Bhavan - Ph : 079-61618111, 6357244307, Bapunagar - 635678001/22,  
 Maninagar - 079-40408282, 25450802, Bopal - 02717-235881/82, Gota - 6357244303  
 Bhuyangdev - 9879624264

Neuberg Suprattech Collection Centers in Ahmedabad  
 Shahibaug - 079-25630134, Shyamal - 079-26743434, Paldi - 6359900406

Neuberg Suprattech Reference Laboratories  
 "IKEDAR" Opposite Krupa Petrol Pump,  
 Near Parimal Garden, Ahmedabad - 380006  
 Phone : 079-40408161 / 61618181  
 Email : [contact@suprattechlabs.com](mailto:contact@suprattechlabs.com)  
 Website : [www.neubergsuprattech.com](http://www.neubergsuprattech.com)

Regd. Office :  
 Neuberg Suprattech Reference Laboratories Private Limited  
(Previously known as Suprattech Micropath Laboratory & Research Institute Pvt Ltd)  
 Trivikron Saphthagiri Bhawan, 15, IV Street  
 Abhiramapuram, Chennai - 600018, Tamil Nadu  
 CIN : U85195TN2013PTC151947





## LABORATORY REPORT

Name : ARPAN PRAJAPATI

Ref.By : HOSPITAL

Bill. Loc. : Aashka hospital

Sex/Age : Male / 31 Years

Dis. At :

Case ID : 30902200329

Pt. ID : 2963003

Pt. Loc :

Reg Date and Time : 09-Sep-2023 08:35

Sample Type : Serum

Mobile No : 8460160131

Sample Date and Time : 09-Sep-2023 08:35

Sample Coll. By :

Ref Id1 : 00923076

Report Date and Time : 09-Sep-2023 10:02

Acc. Remarks : Normal

Ref Id2 : 023244776

TEST	RESULTS	UNIT	BIOLOGICAL REF RANGE	REMARKS
<b>Thyroid Function Test</b>				
Triiodothyronine (T3)	98.88	ng/dL	70 - 204	
Thyroxine (T4) <i>C/M/A</i>	8.76	ng/dL	4.87 - 11.72	
TSH <i>C/M/A</i>	2.21	µIU/mL	0.4 - 4.2	

### INTERPRETATIONS

- Circulating TSH measurement has been used for screening for euthyroidism, screening and diagnosis for hyperthyroidism & hypothyroidism. Suppressed TSH (<0.01 µIU/mL) suggests a diagnosis of hyperthyroidism and elevated concentration (>7 µIU/mL) suggest hypothyroidism. TSH levels may be affected by acute illness and several medications including dopamine and glucocorticoids. Decreased (low or undetectable) in Graves disease. Increased in TSH secreting pituitary adenoma (secondary hyperthyroidism), PRTH and in hypothalamic disease thyrotropin (tertiary hyperthyroidism). Elevated in hypothyroidism (along with decreased T4) except for pituitary & hypothalamic disease.
- Mild to modest elevations in patient with normal T3 & T4 levels indicates impaired thyroid hormone reserves & incipient hypothyroidism (subclinical hypothyroidism).
- Mild to modest decrease with normal T3 & T4 indicates subclinical hyperthyroidism.
- Degree of TSH suppression does not reflect the severity of hyperthyroidism, therefore, measurement of free thyroid hormone levels is required in patient with a suppressed TSH level.

### CAUTIONS

Sick, hospitalized patients may have falsely low or transiently elevated thyroid stimulating hormone. Some patients who have been exposed to animal antigens, either in the environment or as part of treatment or imaging procedure, may have circulating antianimal antibodies present. These antibodies may interfere with the assay reagents to produce unreliable results.

### TSH ref range in pregnancy

First trimester

Second trimester

Third trimester


### Reference range (microIU/ml)

0.24 - 2.00

0.43-2.2

0.8-2.5

Note: (LL-VeryLow, L-Low, H-High, HH-VeryHigh ,A-Abnormal)



Dr. Manoj Shah  
M.D. (Path. & Bact.)

Dr. Shreya Shah  
M.D. (Pathologist)

Printed On : 09-Sep-2023 13:55



## CONDITIONS OF REPORTING

1. All laboratory investigations have their limitations which are imposed by the limits of sensitivity and specificity of individual assay procedures as well as the quality of the specimen received by the laboratory. Isolated laboratory investigations never confirm the final diagnosis of the disease, but only help in arriving at a diagnosis in conjunction with clinical presentation and other related investigations.
2. The result(s) relate only to the sample(s) received.
3. The test report shall not be reproduced except in full, without written approval of the Neuberg Suprattech Reference Laboratory (NSRL).
4. For any query in the report, it is suggested to contact the concerned laboratory personnel as suggested in the table to help carry out follow-up action (rechecking, repeat sampling, reflex/confirmatory testing, etc.). Neuberg Suprattech Reference Laboratories (NSRL) follows a procedure of retaining & preserving samples after testing for a stipulated period, after the retention period of the sample, a fresh specimen is requested.
5. Report results are for the information of the referring doctor only.
6. For tests performed on specimens received from non - Neuberg Suprattech Reference Laboratory (NSRL) locations (within and outside Ahmedabad) it is presumed that the specimen belongs to the patient named or identified, such verification having been carried out at the point of generation of the said specimen.
7. A test requested might yield INCOMPLETE RESULTS for various technical reasons and this response will appear against the test name followed by detailed comment at the end of the report. It is expected that a fresh specimen will be sent for the purpose of reporting on the same parameter(s).
8. Neuberg Suprattech Reference Laboratories (NSRL) Ahmedabad is accredited by ICMR and NABL for COVID-19 testing.

Lab Reports & Advisory Services	Contact Numbers
Biochemistry & Immunology	079-40408120
Microbiology	079-40408145
Histopathology & Cytology	079-40408132
Hematology & Clinical Pathology	079-40408114
Flow Cytometry, Coagulation & Electrophoresis	079-40408117
Genetics	079-40408161
Other Services	Contact Numbers
Marketing, Clinical Trials & Corporate Affairs : Dr. Ameer Shukla	7698009812
Marketing - Laboratories : Mr. Sunil Panchol	9824002011
Billing & Accounts : Mr. Provin Patel	9824728315
Visits (Home / Hospital for Sample Collection) & General Information : Mrs. Sonal Shah	9824408721
Sample Transport / Pick-up & Report Dispatch : Mr. Suchit Chauhan	7698009903

Any query may also be directed online on [contact@suprattechlabs.com](mailto:contact@suprattechlabs.com) with attention to the concerned personnel.

### Neuberg Suprattech Branches in Ahmedabad

Sindhu Bhawan - Ph : 079-61618111, 6357244307, 8apunagar - 635678001/22,  
Maninagar - 079-40408282, 25450802, Bopal - 02717-235881/82, Gota - 6357244303  
Shuyangdev - 9879624264

Shohibaug - 079-25630134, Shyamal - 079-26743434, Paldi - 6359900406

Neuberg Suprattech Reference Laboratories  
"KEDAR" Opposite Krupa Petrol Pump,  
Near Parimal Garden, Ahmedabad - 380006  
Phone : 079-40408181 / 61618181  
Email : [contact@suprattechlabs.com](mailto:contact@suprattechlabs.com)  
Website : [www.neubergsuprattech.com](http://www.neubergsuprattech.com)

Regd. Office :  
Neuberg Suprattech Reference Laboratories Private Limited  
(Previously known as Suprattech Allerpeth Laboratory & Research Institute Pvt Ltd)  
Trivitron Saphthagiri Bhawan, 15, IV Street  
Abhiramapuram, Chennai - 600018, Tamil Nadu  
CIN : U85195TN2013PTCT151947



## LABORATORY REPORT

Name : **ARPAN PRAJAPATI**

Ref.By : **HOSPITAL**

Bill. Loc. : **Aashka hospital**

Sex/Age : **Male / 31 Years**

Case ID : **30902200329**

Dis. At :

Pt. ID : **2963003**

Pt. Loc :

Reg Date and Time	: 09-Sep-2023 08:35	Sample Type	: Serum
Sample Date and Time	: 09-Sep-2023 08:35	Sample Coll. By	:
Report Date and Time	: 09-Sep-2023 10:02	Acc. Remarks	: Normal
Mobile No	: 8460160131	Ref Id1	: O0923076
		Ref Id2	: O23244776

**Interpretation Note:**

Ultra sensitive-thyroid-stimulating hormone (TSH) is a highly effective screening assay for thyroid disorders. In patients with an intact pituitary-thyroid axis, s-TSH provides a physiologic indicator of the functional level of thyroid hormone activity. Increased s-TSH indicates inadequate thyroid hormone, and suppressed s-TSH indicates excess thyroid hormone. Transient s-TSH abnormalities may be found in seriously ill, hospitalized patients, and setting to assess thyroid function. However, even in these patients, s-TSH works better than total thyroxine (an alternative screening test), when the s-TSH result is abnormal, appropriate follow-up tests T4 & free T3 levels should be performed. If TSH is between 5.0 to 10.0 & free T4 & free T3 level are normal then it is considered as subclinical hypothyroidism which should be followed up after 4 weeks & if TSH is > 10 & free T4 & free T3 level are normal then it is considered as overt hypothyroidism.

Serum triiodothyronine (T3) levels often are depressed in sick and hospitalized patients, caused in part by the biochemical shift to the production of reverse T3. Therefore, T3 generally is not a reliable predictor of hypothyroidism. However, in a small subset of hyperthyroid patients, hypothyroidism may be caused by overproduction of T3 (T3 toxicosis). To help diagnose and monitor this subgroup, T3 is measured on all specimens with suppressed s-TSH and normal FT4 concentrations.

Normal ranges of TSH & thyroid hormones vary according trimester in pregnancy.  
TSH ref range in Pregnancy  
Reference range (microIU/ml)

First trimester 0.24 - 2.00

Second trimester 0.43-2.2

Third trimester 0.8-2.5

	T3	T4	TSH
Normal Thyroid function	N	N	N
Primary Hypothyroidism	↑	↑	↓
Secondary Hypothyroidism	↑	↑	↑
Grave's Thyroiditis	↑	↑	↑
T3 Thyrotoxicosis	↑	N	N/↓
Primary Hypothyroidism	↓	↓	↑
Secondary Hypothyroidism	↓	↓	↓
Subclinical Hypothyroidism	N	N	↑
Patient on treatment	N	N/↑	↓

----- End Of Report -----

# For test performed on specimens received or collected from non-NSRL locations, it is presumed that the specimen belongs to the patient named or identified as labeled on the container/test request and such verification has been carried out at the point generation of the said specimen by the sender. NSRL will be responsible Only for the analytical part of test carried out. All other responsibility will be of referring Laboratory.

Note:(LL-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)



**Dr. Manoj Shah**  
M.D. (Path. & Bact.)

**Dr. Shreya Shah**  
M.D. (Pathologist)

Printed On : 09-Sep-2023 13:55





Aashka Hospitals Ltd.

Between Sargasan and Reliance Cross Roads

Sargasan, Gandhinagar - 382421, Gujarat, India

Phone: 079-29750750, +91-7575006000 / 9000

Emergency No.: +91-7575007707 / 9879752777

www.aashkahospitals.in

CIN: L85110GJ2012PLC072647

 **aashka**  
H O S P I T A L



PATIENT NAME: MR. ARPAN PRAJAPATI

GENDER/AGE: Male / 31 Years

DOCTOR: DR. HASIT JOSHI

OPDNO: O0923076

DATE: 09/09/23

## 2D-ECHO

MITRAL VALVE	: NORMAL
AORTIC VALVE	: NORMAL
TRICUSPID VALVE	: NORMAL
PULMONARY VALVE	: NORMAL
AORTA	: 29mm
LEFT ATRIUM	: 30mm
LV Dd / Ds	: 41/27mm
IVS / LVPW / D	: 10/9mm
IVS	: INTACT
IAS	: INTACT
RA	: NORMAL
RV	: NORMAL
PA	: NORMAL
PERICARDIUM	: NORMAL
VEL	: PEAK MEAN
M/S	: Gradient mm Hg Gradient mm Hg
MITRAL	: 0.7/0.5m/s
AORTIC	: 1.0m/s
PULMONARY	: 0.7m/s
COLOUR DOPPLER	: NO MR/AR/TR
RVSP	:
CONCLUSION	: NORMAL LV SIZE / SYSTOLIC FUNCTION.

CARDIOLOGIST

DR. HASIT JOSHI (9825012235)





**Aashka Hospitals Ltd.**

Between Sargasan and Reliance Cross Roads  
Sargasan, Gandhinagar - 382421, Gujarat, India  
Phone: 079-29750750, +91-7575006000 / 9000  
Emergency No.: +91-7575007707 / 9879752777  
www.aashkahospitals.in  
CIN: L85110GJ2012PLC072647

 **aashka**  
H O S P I T A L



**PATIENT NAME: MR. ARPAN PRAJAPATI**

**GENDER/AGE: Male / 31 Years**

**DOCTOR:**

**OPDNO: O0923076**

**DATE: 09/09/23**

### SONOGRAPHY OF ABDOMEN AND PELVIS

**LIVER:** Liver appears normal in size and shows normal parenchymal echoes. No evidence of focal or diffuse lesion is seen. No evidence of dilated IHBR is seen. Intrahepatic portal radicles appear normal. No evidence of solid or cystic mass lesion is seen.

**GALL BLADDER:** Gall bladder is physiologically distended and appears normal. No evidence of calculus or changes of cholecystitis are seen. No evidence of pericholecystic fluid collection is seen. CBD appears normal.

**PANCREAS:** Pancreas appears normal in size and shows normal parenchymal echoes. No evidence of pancreatitis or pancreatic mass lesion is seen.

**SPLEEN:** Spleen appears normal in size and shows normal parenchymal echoes. No evidence of focal or diffuse lesion is seen.

**KIDNEYS:** Both kidneys are normal in size, shape and position. Both renal contours are smooth. Cortical and central echoes appear normal. Bilateral cortical thickness appears normal. No evidence of renal calculus, hydronephrosis or mass lesion is seen on either side. No evidence of perinephric fluid collection is seen.

Right kidney measures about 9.9 x 4.2 cms in size.

Left kidney measures about 10.2 x 4.1 cms in size.

No evidence of suprarenal mass lesion is seen on either side.

**Aorta, IVC and para aortic region** appears normal.  
No evidence of ascites is seen.

**BLADDER:** Bladder is normally distended and appears normal. No evidence of bladder calculus, diverticulum or mass lesion is seen. Prevoid bladder volume measures about 120 cc.

**PROSTATE:** Prostate appears normal in size and shows normal parenchymal echoes. No evidence of pathological calcification or solid or cystic mass lesion is seen.  
Prostate volume measures about 14 cc.

**COMMENT:** Normal sonographic appearance of liver, GB; Pancreas, spleen, kidneys, bladder and prostate.



**DR. SNEHAL PRAJAPATI**  
CONSULTANT RADIOLOGIST

