

LETTER OF APPROVAL / RECOMMENDATION

To,

The Coordinator, Mediwheel (Arcofemi Healthcare Limited) Helpline number: 011- 41195959

7505194624

Dear Sir / Madam,

Sub: Annual Health Checkup for the employees of Bank of Baroda

This is to inform you that the following employee wishes to avail the facility of Cashless Annual Health Checkup provided by you in terms of our agreement.

PARTICULARS	EMPLOYEE DETAILS
NAME	MR. YADAV KANHAIYA
EC NO.	76530
DESIGNATION	SINGLE WINDOW OPERATOR A
PLACE OF WORK	ALLAHABAD, ALLAHABAD MAIN
BIRTHDATE	02-03-1973
PROPOSED DATE OF HEALTH CHECKUP	25-08-2023
BOOKING REFERENCE NO.	23S76530100067630E

This letter of approval / recommendation is valid if submitted along with copy of the Bank of Baroda employee id card. This approval is valid from **24-08-2023** till **31-03-2024** The list of medical tests to be conducted is provided in the annexure to this letter. Please note that the said health checkup is a **cashless facility** as per our tie up arrangement. We request you to attend to the health checkup requirement of our employee and accord your top priority and best resources in this regard. The EC Number and the booking reference number as given in the above table shall be mentioned in the invoice, invariably.

We solicit your co-operation in this regard.

Yours faithfully,

Sd/-

Chief General Manager HRM Department Bank of Baroda

(Note: This is a computer generated letter. No Signature required. For any clarification, please contact Mediwheel (Arcofemi Healthcare Limited))



• 1



प्रति,

समन्वयक, Mediwheel (Arcofemi Healthcare Limited) हेल्पलाइन नंबर: 011-41195959

महोदय/ महोदया,

विषय: बैंक ऑफ़ बड़ौदा के कर्मचारियों के लिए वार्षिक स्वास्थ्य जांच।

हम आपको सूचित करना चाहते हैं कि हमारे कर्मचारी जिनका विवरण निम्नानुसार हैं हमारे करार के अनुसार आपके द्वारा उपलब्ध कराई गई कैशलेस वार्षिक स्वास्थ्य जांच सुविधा का लाभ लेना चाहते हैं।

	कर्मचारी विवरण
नाम	MR. YADAV KANHAIYA
क.कू.संख्या	76530
पदनाम	SINGLE WINDOW OPERATOR A
कार्य का स्थान	ALLAHABAD, ALLAHABAD MAIN
जन्म की तारीख	02-03-1973
स्वास्थ्य जांच की प्रस्तावित तारीख	25-08-2023
बुकिंग संदर्भ सं.	23S76530100067630E

यह अनुमोदन/ संस्तुति पत्र तभी वैध माना जाएगा जब इसे बैंक ऑफ़ बड़ौदा के कर्मचारी आईडी कार्ड की प्रति के साथ प्रस्तुत किया जाएगा। यह अनुमोदन पत्र दिनांक 24-08-2023 से 31-03-2024 तक मान्य है। इस पत्र के साथ किए जाने वाले चिकित्सा जांच की सूची अनुलग्नक के रूप में दी गई है। कृपया नोट करें कि उक्त स्वास्थ्य जांच हमारी टाई-अप व्यवस्था के अनुसार कैशलेस सुविधा है। हम अनुरोध करते हैं कि आप हमारे कर्मचारी के स्वास्थ्य जांच संबंधी आवश्यकताओं पर उचित कार्रवाई करें तथा इस संबंध में अपनी सर्वोच्च प्राथमिकता तथा सर्वोत्तम संसाधन उपलब्ध कराएं। उपर्युक्त सारणी में दी गई कर्मचारी कूट संख्या एवं बुकिंग संदर्भ संख्या का उल्लेख अनिवार्य रूप से इनवॉइस में किया जाना चाहिए।


हम इस संबंध में आपके सहयोग की अपेक्षा करते हैं।


भवदीय,


हस्ता/-(मुख्य महाप्रबंधक) मानव संसाधन प्रबंधन विभाग बैंक ऑफ़ बडौदा


(नोट: यह कंप्यूटर द्वारा जनरेट किया गया पत्र है। हस्ताक्षर की आवश्यकता नहीं है। कृपया किसी भी स्पष्टीकरण के लिए Mediwheel (Arcofemi Healthcare Limited) से संपर्क करें।)


Hitervices Hitervices Medicastions Medica	Mr. KANHAIYA YADAV 4de/Sex · 50/M	ş		ID: 15377 Httmt:/			TREADMILL TE Protocol: BRUC	EST SUMMARY F	REPORT			
FMAGE STATURE STATURE STATURE STATURE STATURE STATURE STATURE STATURE STATURE Mart STATURE STATURE Mart STATURE Mart Mart </th <th>ef by MEDIWHEE dication1 : dication2 : dication3 :</th> <th></th> <th></th> <th>Recorded : 25-8</th> <th>-2023 11:18</th> <th></th> <th>History: Medication1 : Medication3 :</th> <th>F</th> <th></th> <th></th> <th></th> <th></th>	ef by MEDIWHEE dication1 : dication2 : dication3 :			Recorded : 25-8	-2023 11:18		History: Medication1 : Medication3 :	F				
83 00 9 87 1000 9 87 11000 9 11 11000 95 11 11 11000 95 11 11 11000 95 11 11 11000 95 11 11 11000 95 11 11 11000 11 00 12000 135 00 11 13000 200 01 00 110 14 14070 201 00 110 14 14070 201 00 110 104 1200 00 00 00 110 11670 120 00 00 00 00 110 104 11670 120 00 00 00 100 100 105 11670 100 00 00 00 100 100 105 11670 120 00 00 00 100 100 10	PHASE	PHASE TIME	STAGE TIME	SPEED (Km./Hr.)	GRADE (%)	H.R. (BPM)	B.P. (mmHg)	RPP X100		ST LEVEL (mm) V2	VS	METS
101 11070 11 001 13 133 120700 135 004 10 144 14070 200 01 03 144 14070 201 00 01 03 144 14070 201 00 01 03 144 14070 201 00 01 03 144 14070 201 00 01 03 144 14670 120 01 03 03 105 11670 120 07 03 03 11670 120 07 03 03 03 11670 120 07 03 03 03 1168 11670 120 07 03 03 03 1170 120 120 07 03 03 04 10 1180 11870 120 120 120 120 10 10 10 1180 11870 120 120 120 10	SUPINE HYPERVENT SUPINE STANDING	0:30	0:30			ଞ୍ଚିଷ୍ଟର	0/0 110/70 110/70 110/70	<u> </u>	2222	6 6 6 0 6 6 6 0 7	23555	
14 14070 201 00 06 10 10 104 11670 120 0.7 0.9 0.6 1.0 11 10 120 0.7 0.9 0.6 0.6 0.6 11 120 0.7 0.9 0.7 0.9 0.6 0.6 11 120 0.7 0.9 0.7 0.9 0.6 0.6 11 120 0.7 0.9 0.7 0.9 0.6 0.6 11 11.6 1.20 0.7 0.9 0.7 0.9 0.6 11 11.6 1.20 0.7 0.9 0.7 0.9 0.6 11 11.6 1.20 0.7 0.9 0.7 0.9 0.6 11 11.6 1.20 1.20 0.7 0.9 0.6 0.6 12 12 12 12 12 12 12 12 12 13 12 12 12 12 12 12 12 12 1	STAGE 1 STAGE 2 STAGE 3 STAGE 4	2:59 6:00 9:01 10:32	52 52 52 52 52 52 52 52 52 52 52 52 52 5	2 70 4 00 5.40 6.70	10.00 14.00 16.00	015 10 10 10 10 10 10 10 10 10 10 10 10 10	110/70 120/70 130/70 140/70	111 135 209 209	0000	1 1 0 0 0 0 4 0 0 0 4 0	0.0 1 1.2 0.0 8 0.2	4.80 7.10 10.00 11,99
100 120 0.7 0.9 0.9 0.7 0.9 0.9 0.7 0.9 0.9 0.7 0.9 0.9 0.9 0.9 0.9 0.9 0.9 0.9 0.9 0.9	PEAK EXER	10:41	1:38			144	140/70	201	0.0	0.6	1.0	12.19
	RECOVERY	2:59	2:59	00.0	0:00	104	116/70	120	0.7	0.9	0.6	
and the second s	ESULTS earcise Duration ax Heart Rate ax Blood Pressure ax Work Load eason of Terminatio		0.41 Minutes 14 bpm 84 % of 1070 mmHg 2.19 METS chieved THR	target heart rate 1	m dda V							as.
	IPRESSIONS DOD EFFORT TOL D ANGINAVARYTT ST IS NEGATIVE I	ERANCE, NO HMIA'S, NO SI FOR EXERCIS	RMAL IONOTRO IGNIFICANT ST SE INDUCED RE	PIC AND CHRON CHANGES AT PEA VERSIBLE ISCHE	OTROPIC RESPO KK OF TEST. MIA	7	Fear					
						2.	Contraction of the second seco	į				
								Į				

















4.4







ŝ



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206



Patient Name	: Mr.Kanhaiya yadav	Registered On	: 25/Aug/2023 09:52:36
Age/Gender	: 50 Y 5 M 24 D /M	Collected	: 25/Aug/2023 10:02:04
UHID/MR NO	: ALDP.0000108298	Received	: 25/Aug/2023 10:09:49
	: ALDP0153772324	Reported	: 25/Aug/2023 12:17:27
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY

MED	DIWHEEL BANK OF E	BARODA MALE	ABOVE 40 YRS	
Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) * , /	Blood			
Blood Group	0			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh (Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC) * , Who	ble Blood			
Haemoglobin	13.10	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl	1
			Male- 13.5-17.5 g/dl	A
TLC (WBC) <u>DLC</u>	4,600.00	/Cu mm	Female- 12.0-15.5 g/d 4000-10000	ILECTRONIC IMPEDANCE
Polymorphs (Neutrophils)	53.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	36.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	8.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	3.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils ESR	0.00	%	<1	ELECTRONIC IMPEDANCE
Observed Corrected	8.00	Mm for 1st hr. Mm for 1st hr.		
PCV (HCT) Platelet count	40.00	%	40-54	
Platelet Count	1.51	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	17.10	fL	9-17	ELECTRONIC IMPEDANCE





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206



Patient Name	: Mr.KANHAIYA YADAV	Registered On	: 25/Aug/2023 09:52:36
Age/Gender	: 50 Y 5 M 24 D /M	Collected	: 25/Aug/2023 10:02:04
UHID/MR NO	: ALDP.0000108298	Received	: 25/Aug/2023 10:09:49
Visit ID	: ALDP0153772324	Reported	: 25/Aug/2023 12:17:27
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
P-LCR (Platelet Large Cell Ratio)	44.50	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.19	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	12.50	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.28	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)		*		
MCV	93.90	fl	80-100	CALCULATED PARAMETER
MCH	30.60	pg	28-35	CALCULATED PARAMETER
MCHC	32.60	%	30-38	CALCULATED PARAMETER
RDW-CV	12.90	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	46.40	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	2,438.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	138.00	/cu mm	40-440	

AS





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206



Patient N	ame : Mr.KANHAIYA YADAV	Registered On	: 25/Aug/2023 09:52:38
Age/Gend	der : 50 Y 5 M 24 D /M	Collected	: 25/Aug/2023 10:02:04
UHID/MR	NO : ALDP.0000108298	Received	: 25/Aug/2023 10:09:49
Visit ID	: ALDP0153772324	Reported	: 25/Aug/2023 12:15:06
Ref Docto	r : Dr.Mediwheel - Arcofemi Health Care	Ltd. Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Ur	nit Bio. Ref. Inter	val Method
GLUCOSE FASTING * , Plasma Glucose Fasting	94.70	mg/dl	< 100 Normal	GOD POD
			100-125 Pre-diabetes ≥ 126 Diabetes	
Interpretation: a) Kindly correlate clinically with intake of hypogly	ycemic agents, drug	dosage vari	iations and other drug int	eractions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
c) LCT - Inverse d Cheven Talwards

c) I.G.T = Impared Glucose Tolerance.

Glucose PP * Sample:Plasma After Meal	106.00	mg/dl	<140 Normal 140-199 Pre-diabetes >200 Diabetes	GOD POD
			>200 Diabetes	

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impared Glucose Tolerance.

Glycosylated Haemoglobin (HbA1c)	5.60	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	37.70	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	114	mg/dl	

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206



Patient Name	: Mr.KANHAIYA YADAV	Registered On	: 25/Aug/2023 09:52:38
Age/Gender	: 50 Y 5 M 24 D /M	Collected	: 25/Aug/2023 10:02:04
UHID/MR NO	: ALDP.0000108298	Received	: 25/Aug/2023 10:09:49
Visit ID	: ALDP0153772324	Reported	: 25/Aug/2023 12:15:06
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
-----------	--------	------	--------------------	--------

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. **Some danger of hypoglycemic reaction in Type 1 diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

<u>Clinical Implications:</u>

*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

*With optimal control, the HbA 1c moves toward normal levels.

*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

*Pregnancy d. chronic renal failure. Interfering Factors:

*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) * Sample:Serum	9.57	mg/dL	7.0-23.0	CALCULATED
Creatinine * Sample:Serum	1.10	mg/dl	Serum 0.7-1.3 Spot Urine-Male- 20- 275 Female-20-320	MODIFIED JAFFES
Uric Acid * Sample:Serum	6.26	mg/dl	3.4-7.0	URICASE





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206



Patient Name	: Mr.Kanhaiya yadav	Registered On	: 25/Aug/2023 09:52:38
Age/Gender	: 50 Y 5 M 24 D /M	Collected	: 25/Aug/2023 10:02:04
UHID/MR NO	: ALDP.0000108298	Received	: 25/Aug/2023 10:09:49
Visit ID	: ALDP0153772324	Reported	: 25/Aug/2023 12:15:06
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

Test Name	Result	I	Unit	Bio. Ref. Interva	al Method
LFT (WITH GAMMA GT) * , Serum					
SGOT / Aspartate Aminotransferase (AST)	51.50	U/L	< 35		IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	57.40	U/L	< 40		IFCC WITHOUT P5P
Gamma GT (GGT)	26.60	IU/L	11-50)	OPTIMIZED SZAZING
Protein	7.40	gm/dl	6.2-8	.0	BIURET
Albumin	4.30	gm/dl	3.4-5	.4	B.C.G.
Globulin	3.10	gm/dl	1.8-3	.6	CALCULATED
A:G Ratio	1.39		1.1-2	.0	CALCULATED
Alkaline Phosphatase (Total)	92.10	U/L	42.0-	165.0	IFCC METHOD
Bilirubin (Total)	1.60	mg/dl	0.3-1	.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.50	mg/dl	< 0.30)	JENDRASSIK & GROF
Bilirubin (Indirect)	1.10	mg/dl	< 0.8		JENDRASSIK & GROF
LIPID PROFILE (MINI) * , Serum					
Cholesterol (Total)	206.00	mg/dl		Desirable 39 Borderline High High	CHOD-PAP
HDL Cholesterol (Good Cholesterol)	62.80	mg/dl	30-70	U	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	101	mg/dl		Optimal 29 Nr.	CALCULATED
			Optim 130-1 160-1	nal/Above Optimal 59 Borderline High 89 High Very High	
VLDL	42.28	mg/dl	10-33	}	CALCULATED
Triglycerides	211.40	mg/dl	150-1 200-4	Normal 99 Borderline High 99 High Very High	GPO-PAP





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206



Patient Name	: Mr.KANHAIYA YADAV	Registered On	: 25/Aug/2023 09:52:38
Age/Gender	: 50 Y 5 M 24 D /M	Collected	: 25/Aug/2023 14:40:39
UHID/MR NO	: ALDP.0000108298	Received	: 25/Aug/2023 15:40:40
Visit ID	: ALDP0153772324	Reported	: 25/Aug/2023 19:30:16
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
JRINE EXAMINATION, ROUTINE * , Urine				
Color	LIGHT YELLOW			
Specific Gravity	1.010			
Reaction PH	Acidic (6.0)			DIPSTICK
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
			10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
C	ADCENT		> 500 (++++)	DIDCTICK
Sugar	ABSENT	gms%	< 0.5 (+) 0.5-1.0 (++)	DIPSTICK
			1-2 (+++)	
			> 2 (++++)	
Ketone	ABSENT	mg/dl	0.2-2.81	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Urobilinogen(1:20 dilution)	ABSENT			
Microscopic Examination:				
Epithelial cells	0-2/h.p.f			MICROSCOPIC
				EXAMINATION
Pus cells	0-2/h.p.f			
RBCs	ABSENT			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
				EXAMINATION
Others	ABSENT			
Urine Microscopy is done on centrifuged urine				

SUGAR, FASTING STAGE * , Urine

Sugar, Fasting stage	ABSENT	gms%
Interpretation:		

 $\begin{array}{ll} (+) & < 0.5 \\ (++) & 0.5\text{-}1.0 \\ (+++) & 1\text{-}2 \end{array}$

Page 6 of 11

ŝ

ar.





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206



Patient Name	: Mr.KANHAIYA YADAV	Registered On	: 25/Aug/2023 09:52:38
Age/Gender	: 50 Y 5 M 24 D /M	Collected	: 25/Aug/2023 14:40:39
UHID/MR NO	: ALDP.0000108298	Received	: 25/Aug/2023 15:40:40
Visit ID	: ALDP0153772324	Reported	: 25/Aug/2023 19:30:16
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
(++++) > 2				
SUGAR, PP STAGE * , Urine				
Sugar, PP Stage	ABSENT			
Interpretation: (+) < 0.5 gms%				

AS





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206



Patient Name	: Mr.KANHAIYA YADAV	Registered On	: 25/Aug/2023 09:52:40
Age/Gender	: 50 Y 5 M 24 D /M	Collected	: 25/Aug/2023 10:02:04
UHID/MR NO	: ALDP.0000108298	Received	: 26/Aug/2023 10:04:45
Visit ID	: ALDP0153772324	Reported	: 26/Aug/2023 11:43:54
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

PSA (Prostate Specific Antigen), Total ** 0.630 n	ng/mL	< 3.0	CLIA

Interpretation:

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone⁻
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

Dr. Anupam Singh (MBBS MD Pathology)







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206



Patient Name	: Mr.KANHAIYA YADAV	Registered On	: 25/Aug/2023 09:52:38
Age/Gender	: 50 Y 5 M 24 D /M	Collected	: 25/Aug/2023 10:02:04
UHID/MR NO	: ALDP.0000108298	Received	: 25/Aug/2023 10:09:49
Visit ID	: ALDP0153772324	Reported	: 25/Aug/2023 13:29:31
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF IMMUNOLOGY

Test Name	Result	Unit	Bio. Ref. Interva	I Method
THYROID PROFILE - TOTAL * , Serum				
T3, Total (tri-iodothyronine)	160.00	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	6.10	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	2.60	μIU/mL	0.27 - 5.5	CLIA
Interpretation:				
		0.3-4.5 μIU/ı	mL First Trimes	ster
		0.5-4.6 μIU/1	mL Second Trin	nester
		0.8-5.2 μIU/1	mL Third Trime	ster
		0.5-8.9 μIU/ı	mL Adults	55-87 Years
		0.7-27 μIU/ı		28-36 Week
		2.3-13.2 μIU/1	mL Cord Blood	> 37Week

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.

0.7-64

1-39

1.7-9.1

µIU/mL

µIU/mL

µIU/mL

Child(21 wk - 20 Yrs.)

0-4 Days

2-20 Week

Child

Child

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206



Patient Name	: Mr.Kanhaiya yadav	Registered On	: 25/Aug/2023 09:52:39
Age/Gender	: 50 Y 5 M 24 D /M	Collected	: N/A
UHID/MR NO	: ALDP.0000108298	Received	: N/A
Visit ID	: ALDP0153772324	Reported	: 25/Aug/2023 12:47:11
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA *

<u>X-RAY REPORT</u> (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) <u>CHEST P-A VIEW</u>

- Both lung field did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

Please correlare clinically.

Nidhikant.

Dr Nidhikant (MBBS, DMRD, DNB)

Page 10 of 11





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206



Patient Name	: Mr.KANHAIYA YADAV	Registered On	: 25/Aug/2023 09:52:39
Age/Gender	: 50 Y 5 M 24 D /M	Collected	: N/A
UHID/MR NO	: ALDP.0000108298	Received	: N/A
	: ALDP0153772324	Reported	: 25/Aug/2023 11:08:41
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

LIVER: - Normal in size (12.1 cm), shape and **shows diffuse increase in the liver parenchymal echogenicity suggestive of grade I fatty changes**. No focal lesion is seen. No intra hepatic biliary radicle dilation seen.

GALL BLADDER :- Well distended, walls are normal. No e/o calculus / focal mass lesion/ pericholecystic fluid.

CBD :- Normal in calibre at porta.

PORTAL VEIN: - Normal in calibre and colour uptake at porta.

PANCREAS: - Head is visualised, normal in size & echopattern. No e/o ductal dilatation or calcification. Rest of pancreas is obscured by bowel gas.

SPLEEN: - Normal in size, shape and echogenicity.

RIGHT KIDNEY: - Normal in size, shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

LEFT KIDNEY: - Normal in size, shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

URINARY BLADDER :- Normal in shape, outline and distension. No e/o wall thickening / calculus.

PROSTATE :- Enlarged in size (3.5 x 4.1 x 3.6 cm vol - 27.7 cc), with normal shape and echo pattern.


Visualized bowel loops are normal in caliber. No para-aortic lymphadenopathy

No free fluid is seen in the abdomen/pelvis.

IMPRESSION:

- Grade I fatty liver.
- Grade I prostatomegaly.

Please correlate clinically



Page 11 of 11



Chandan Diagnostic



Age / Gender:50/MalePatient ID:ALDP0153772324Patient Name:Mr.KANHAIYA YADAV

Date and Time: 25th Aug 23 10:41 AM

