



Hiranandani  
HOSPITAL

(A Fortis Network Hospital)

Hiranandani Fortis Hospital  
Mini Seashore Road,  
Sector 10 - A, Vashi,  
Navi Mumbai - 400 703.  
Tel. : +91-22-3919 9222  
Fax : +91-22-3919 9220/21  
Email : vashi@vashihospital.com

### BMI CHART

Date: 30/3/21

Name: Mr. Gajanan Yawade Age: 52 yrs Sex: M / F

BP: 130/80 mmHg Height (cms): 168 cm Weight(kgs): 83kg BMI: \_\_\_\_\_

WEIGHT lbs	100	105	110	115	120	125	130	135	140	145	150	155	160	165	170	175	180	185	190	195	200	205	210	215
kgs	45.5	47.7	50.0	52.3	54.5	56.8	59.1	61.4	63.6	65.9	68.2	70.5	72.7	75.0	77.3	79.5	81.8	84.1	86.4	88.6	90.9	93.2	95.5	97.7
HEIGHT in/cm	Underweight				Healthy				Overweight				Obese				Extremely Obese							
5'0" - 152.4	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
5'1" - 154.9	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	36	37	38	39	40
5'2" - 157.4	18	19	20	21	22	22	23	24	25	26	27	28	29	30	31	32	33	33	34	35	36	37	38	39
5'3" - 160.0	17	18	19	20	21	22	23	24	24	25	26	27	28	29	30	31	32	32	33	34	35	36	37	38
5'4" - 162.5	17	18	18	19	20	21	22	23	24	24	25	26	27	28	29	30	31	31	32	33	34	35	36	37
5'5" - 165.1	16	17	18	19	20	20	21	22	23	24	25	25	26	27	28	29	30	30	31	32	33	34	35	35
5'6" - 167.6	16	17	17	18	19	20	21	21	22	23	24	25	25	26	27	28	29	29	30	31	32	33	34	34
5'7" - 170.1	15	16	17	18	18	19	20	21	22	22	23	24	25	25	26	27	28	29	29	30	31	32	33	33
5'8" - 172.7	15	16	16	17	18	19	19	20	21	22	22	23	24	25	25	26	27	28	28	29	30	31	32	32
5'9" - 176.2	14	15	16	17	17	18	19	20	20	21	22	22	23	24	25	25	26	27	28	28	29	30	31	31
5'10" - 177.8	14	15	15	16	17	18	18	19	20	20	21	22	23	23	24	25	25	26	27	28	28	29	30	30
5'11" - 180.3	14	14	15	16	16	17	18	18	19	20	21	21	22	23	23	24	25	25	26	27	28	28	29	30
6'0" - 182.8	13	14	14	15	16	17	17	18	19	19	20	21	21	22	23	23	24	25	25	26	27	27	28	29
6'1" - 185.4	13	13	14	15	15	16	17	17	18	19	19	20	21	21	22	23	23	24	25	25	26	27	27	28
6'2" - 187.9	12	13	14	14	15	16	16	17	18	18	19	19	20	21	21	22	23	23	24	25	25	26	27	27
6'3" - 190.5	12	13	13	14	15	15	16	16	17	18	18	19	20	20	21	21	22	23	23	24	25	25	26	26
6'4" - 193.0	12	12	13	14	14	15	15	16	17	17	18	18	19	20	20	21	22	22	23	23	24	25	25	26

**Doctors Notes:**

---



---



---



---



---



---



UHID	12381846	Date	30/03/2023		
Name	Mr. Gajanan Tawade	Sex	Male	Age	52
OPD	Opthal 14	Health Check Up			

Ch. No.

Drug allergy: → Not known  
 Sys illness: → No.

H14. HTW (since 20-25 yrs).

U.K. → m 6/60 (Bluf)  
 → c 6/60

Ref. → R - 5.00 / -1.50 x 90°. 6/6  
 → L - 5.00 / -1.00 x 90°. 6/6

Add → +2.50 → W6

J.O.A. → R → 12.9.  
 → L → 13.4

Apply.  
 (Same as P.H.P.)

*[Handwritten Signature]*



UHID	12381846	Date	30/03/2023		
Name	Mr. Gajanan Tawade	Sex	Male	Age	52
OPD	Dental 12 7387696540	Health Check Up			

Drug allergy:  
 Sys illness:

Impacted  $\frac{+}{8}$

Cervical abrasion  $\frac{+}{4}$

stains ++      Calculus ++

Treatment

Adv. surgical removal  $\frac{+}{8}$

Adv. OPG.

Adv. oral prophylaxis.

Pr. Diksha Kheke



PATIENT NAME : MR.GAJANAN TAWADE

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000045507 - FORTIS  
 FORTIS VASHI-CHC -SPLZD  
 FORTIS HOSPITAL # VASHI,  
 MUMBAI 440001

ACCESSION NO : 0022WC005972  
 PATIENT ID : FH.12381846  
 CLIENT PATIENT ID: UID:12381846  
 ABHA NO :

AGE/SEX : 52 Years Male  
 DRAWN : 30/03/2023 09:19:00  
 RECEIVED : 30/03/2023 09:22:08  
 REPORTED : 30/03/2023 13:56:19

CLINICAL INFORMATION :

UID:12381846 REQNO-1453322  
 CORP-OPD  
 BILLNO-150123OPCR018467  
 BILLNO-150123OPCR018467

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

HAEMATOLOGY - CBC

CBC-5, EDTA WHOLE BLOOD

BLOOD COUNTS, EDTA WHOLE BLOOD

HEMOGLOBIN (HB)	14.9	13.0 - 17.0	g/dL
METHOD : SPECTROPHOTOMETRY			
RED BLOOD CELL (RBC) COUNT	5.34	4.5 - 5.5	mil/ $\mu$ L
METHOD : ELECTRICAL IMPEDANCE			
WHITE BLOOD CELL (WBC) COUNT	6.26	4.0 - 10.0	thou/ $\mu$ L
METHOD : DOUBLE HYDRODYNAMIC SEQUENTIAL SYSTEM(DHSS)CYTOMETRY			
PLATELET COUNT	243	150 - 410	thou/ $\mu$ L
METHOD : ELECTRICAL IMPEDANCE			

RBC AND PLATELET INDICES

HEMATOCRIT (PCV)	44.2	40 - 50	%
METHOD : CALCULATED PARAMETER			
MEAN CORPUSCULAR VOLUME (MCV)	82.8 Low	83 - 101	fL
METHOD : CALCULATED PARAMETER			
MEAN CORPUSCULAR HEMOGLOBIN (MCH)	27.8	27.0 - 32.0	pg
METHOD : CALCULATED PARAMETER			
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION(MCHC)	33.6	31.5 - 34.5	g/dL
METHOD : CALCULATED PARAMETER			
RED CELL DISTRIBUTION WIDTH (RDW)	13.3	11.6 - 14.0	%
METHOD : CALCULATED PARAMETER			
MENTZER INDEX	15.5		
MEAN PLATELET VOLUME (MPV)	10.5	6.8 - 10.9	fL
METHOD : CALCULATED PARAMETER			

WBC DIFFERENTIAL COUNT

NEUTROPHILS	55	40 - 80	%
METHOD : FLOWCYTOMETRY			
LYMPHOCYTES	31	20 - 40	%
METHOD : FLOWCYTOMETRY			

*Akta Dubey*

Dr.Akta Dubey  
 Counsultant Pathologist



View Details



View Report

PERFORMED AT :

SRL Ltd  
 HIRANANDANI HOSPITAL-VASHI, MINI SEASHORE ROAD, SECTOR 10,  
 NAVI MUMBAI, 400703  
 MAHARASHTRA, INDIA  
 Tel : 022-39199222,022-49723322,  
 CIN - U74899PB1995PLC045956  
 Email : -



Patient Ref. No. 22000000837505



PATIENT NAME : MR.GAJANAN TAWADE

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000045507 - FORTIS  
 FORTIS VASHI-CHC -SPLZD  
 FORTIS HOSPITAL # VASHI,  
 MUMBAI 440001

ACCESSION NO : 0022WC005972  
 PATIENT ID : FH.12381846  
 CLIENT PATIENT ID: UID:12381846  
 ABHA NO :

AGE/SEX : 52 Years Male  
 DRAWN : 30/03/2023 09:19:00  
 RECEIVED : 30/03/2023 09:22:08  
 REPORTED : 30/03/2023 13:56:19

CLINICAL INFORMATION :

UID:12381846 REQNO-1453322  
 CORP-OPD  
 BILLNO-150123OPCR018467  
 BILLNO-150123OPCR018467

Test Report Status	Final	Results	Biological Reference Interval	Units
MONOCYTES		6	2 - 10	%
METHOD : FLOWCYTOMETRY				
EOSINOPHILS		8 High	1 - 6	%
METHOD : FLOWCYTOMETRY				
BASOPHILS		0	0 - 2	%
METHOD : FLOWCYTOMETRY				
ABSOLUTE NEUTROPHIL COUNT		3.44	2.0 - 7.0	thou/ $\mu$ L
METHOD : CALCULATED PARAMETER				
ABSOLUTE LYMPHOCYTE COUNT		1.94	1.0 - 3.0	thou/ $\mu$ L
METHOD : CALCULATED PARAMETER				
ABSOLUTE MONOCYTE COUNT		0.38	0.2 - 1.0	thou/ $\mu$ L
METHOD : CALCULATED PARAMETER				
ABSOLUTE EOSINOPHIL COUNT		0.50	0.02 - 0.50	thou/ $\mu$ L
METHOD : CALCULATED PARAMETER				
ABSOLUTE BASOPHIL COUNT		0 Low	0.02 - 0.10	thou/ $\mu$ L
METHOD : CALCULATED PARAMETER				
NEUTROPHIL LYMPHOCYTE RATIO (NLR)		1.7		
<b>MORPHOLOGY</b>				
RBC		PREDOMINANTLY NORMOCYTIC NORMOCHROMIC		
WBC		NORMAL MORPHOLOGY		
PLATELETS		ADEQUATE		

Interpretation(s)

RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13) from Beta thalassaemia trait (<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.  
 WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease.  
 (Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients ; A.-P. Yang, et al.; International Immunopharmacology 84 (2020) 106504  
 This ratio element is a calculated parameter and out of NABL scope.

Dr.Akta Dubey  
 Consultant Pathologist



View Details



View Report

PERFORMED AT :

SRL Ltd  
 HIRANANDANI HOSPITAL-VASHI, MINI SEASHORE ROAD, SECTOR 10,  
 NAVI MUMBAI, 400703  
 MAHARASHTRA, INDIA  
 Tel : 022-39199222,022-49723322,  
 CIN - U74899PB1995PLC045956  
 Email : -



Patient Ref. No. 22000000837505



PATIENT NAME : MR.GAJANAN TAWADE

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000045507 - FORTIS  
 FORTIS VASHI-CHC -SPLZD  
 FORTIS HOSPITAL # VASHI,  
 MUMBAI 440001

ACCESSION NO : 0022WC005972  
 PATIENT ID : FH.12381846  
 CLIENT PATIENT ID: UID:12381846  
 ABHA NO :

AGE/SEX : 52 Years Male  
 DRAWN : 30/03/2023 09:19:00  
 RECEIVED : 30/03/2023 09:22:08  
 REPORTED : 30/03/2023 13:56:19

CLINICAL INFORMATION :

UID:12381846 REQNO-1453322  
 CORP-OPD  
 BILLNO-150123OPCR018467  
 BILLNO-150123OPCR018467

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

HAEMATOLOGY

**ERYTHROCYTE SEDIMENTATION RATE (ESR),WHOLE BLOOD**

E.S.R	10	0 - 14	mm at 1 hr
-------	----	--------	------------

METHOD : WESTERGREN METHOD

Interpretation(s)

ERYTHROCYTE SEDIMENTATION RATE (ESR),WHOLE BLOOD-TEST DESCRIPTION :-

Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic; it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition.CRP is superior to ESR because it is more sensitive and reflects a more rapid change.

TEST INTERPRETATION

**Increase** in: Infections, Vasculitides, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy, Estrogen medication, Aging.

Finding a very accelerated ESR(>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias, Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis).

In pregnancy BRI in first trimester is 0-48 mm/hr(52 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum.

**Decreased** in: Polycythemia vera, Sickle cell anemia

LIMITATIONS

**False elevated ESR** : Increased fibrinogen, Drugs(Vitamin A, Dextran etc), Hypercholesterolemia

**False Decreased** : Poikilocytosis,(SickleCells,spherocytes),Microcytosis, Low fibrinogen, Very high WBC counts, Drugs(Quinine, salicylates)

REFERENCE :

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition;2. Paediatric reference intervals. AACCPress, 7th edition. Edited by S. Soldin;3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis,10th edition.

*Dubey*

Dr.Akta Dubey  
 Counsultant Pathologist



View Details



View Report

PERFORMED AT :

SRL Ltd  
 HIRANANDANI HOSPITAL-VASHI, MINI SEASHORE ROAD, SECTOR 10,  
 NAVI MUMBAI, 400703  
 MAHARASHTRA, INDIA  
 Tel : 022-39199222,022-49723322,  
 CIN - U74899PB1995PLC045956  
 Email : -



Patient Ref. No. 22000000837505



<b>PATIENT NAME : MR.GAJANAN TAWADE</b>		<b>REF. DOCTOR : SELF</b>	
<b>CODE/NAME &amp; ADDRESS :</b> C000045507 - FORTIS FORTIS VASHI-CHC -SPLZI FORTIS HOSPITAL # VASHI, MUMBAI 440001	<b>ACCESSION NO :</b> 0022WC005972	<b>AGE/SEX :</b> 52 Years Male	<b>DRAWN :</b> 30/03/2023 09:19:00
	<b>PATIENT ID :</b> FH.12381846	<b>RECEIVED :</b> 30/03/2023 09:22:08	<b>REPORTED :</b> 30/03/2023 13:56:19
	<b>CLIENT PATIENT ID :</b> UID:12381846		
	<b>ABHA NO :</b>		

**CLINICAL INFORMATION :**  
 UID:12381846 REQNO-1453322  
 CORP-OPD  
 BILLNO-150123OPCR018467  
 BILLNO-150123OPCR018467

Test Report Status	Results	Biological Reference Interval	Units
--------------------	---------	-------------------------------	-------

**IMMUNOHAEMATOLOGY**

**ABO GROUP & RH TYPE, EDTA WHOLE BLOOD**

<b>ABO GROUP</b> METHOD : TUBE AGGLUTINATION	TYPE A
<b>RH TYPE</b> METHOD : TUBE AGGLUTINATION	POSITIVE

**Comments**

**Interpretation(s)**  
 ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-  
 Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.  
 Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same."  
 The test is performed by both forward as well as reverse grouping methods.

*Akta Dubey*  
**Dr.Akta Dubey**  
 Counsultant Pathologist



View Details



View Report

**PERFORMED AT :**  
 SRL Ltd  
 HIRANANDANI HOSPITAL-VASHI, MINI SEASHORE ROAD, SECTOR 10,  
 NAVI MUMBAI, 400703  
 MAHARASHTRA, INDIA  
 Tel : 022-39199222,022-49723322,  
 CIN - U74899PB1995PLC045956  
 Email : -



**Patient Ref. No. 22000009837505**



PATIENT NAME : MR.GAJANAN TAWADE

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000045507 - FORTIS  
 FORTIS VASHI-CHC -SPLZD  
 FORTIS HOSPITAL # VASHI,  
 MUMBAI 440001

ACCESSION NO : **0022WC005972**  
 PATIENT ID : FH.12381846  
 CLIENT PATIENT ID: UID:12381846  
 ABHA NO :

AGE/SEX : 52 Years Male  
 DRAWN : 30/03/2023 09:19:00  
 RECEIVED : 30/03/2023 09:22:08  
 REPORTED : 30/03/2023 13:56:19

CLINICAL INFORMATION :

UID:12381846 REQNO-1453322  
 CORP-OPD  
 BILLNO-150123OPCR018467  
 BILLNO-150123OPCR018467

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

BIOCHEMISTRY

**LIVER FUNCTION PROFILE, SERUM**

BILIRUBIN, TOTAL METHOD : JENDRASSIK AND GROFF	0.75	0.2 - 1.0	mg/dL
BILIRUBIN, DIRECT METHOD : JENDRASSIK AND GROFF	0.17	0.0 - 0.2	mg/dL
BILIRUBIN, INDIRECT METHOD : CALCULATED PARAMETER	0.58	0.1 - 1.0	mg/dL
TOTAL PROTEIN METHOD : BIURET	7.2	6.4 - 8.2	g/dL
ALBUMIN METHOD : BCP DYE BINDING	4.1	3.4 - 5.0	g/dL
GLOBULIN METHOD : CALCULATED PARAMETER	3.1	2.0 - 4.1	g/dL
ALBUMIN/GLOBULIN RATIO METHOD : CALCULATED PARAMETER	1.3	1.0 - 2.1	RATIO
ASPARTATE AMINOTRANSFERASE (AST/SGOT) METHOD : UV WITH P5P	18	15 - 37	U/L
ALANINE AMINOTRANSFERASE (ALT/SGPT) METHOD : UV WITH P5P	39	< 45.0	U/L
ALKALINE PHOSPHATASE METHOD : PNPP-ANP	83	30 - 120	U/L
GAMMA GLUTAMYL TRANSFERASE (GGT) METHOD : GAMMA GLUTAMYL CARBOXY 4-NITROANTILIDE	41	15 - 85	U/L
LACTATE DEHYDROGENASE METHOD : LACTATE -PYRUVATE	142	100 - 190	U/L

**GLUCOSE FASTING, FLUORIDE PLASMA**

FBS (FASTING BLOOD SUGAR) METHOD : HEXOKINASE	129 High	74 - 99	mg/dL
--	----------	---------	-------

**GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD**

*Akta Dubey*

Dr.Akta Dubey  
 Counsultant Pathologist



View Details



View Report

PERFORMED AT :

SRL Ltd  
 HIRANANDANI HOSPITAL-VASHI, MINI SEASHORE ROAD, SECTOR 10,  
 NAVI MUMBAI, 400703  
 MAHARASHTRA, INDIA  
 Tel : 022-39199222, 022-49723322,  
 CIN - U74099PB1995PLC045956  
 Email : -



Patient Ref. No. 22000000837505





PATIENT NAME : MR.GAJANAN TAWADE

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000045507 - FORTIS  
 FORTIS VASHI-CHC -SPLZD  
 FORTIS HOSPITAL # VASHI,  
 MUMBAI 440001

ACCESSION NO : 0022WC005972  
 PATIENT ID : FH.12381846  
 CLIENT PATIENT ID: UID:12381846  
 ABHA NO :

AGE/SEX : 52 Years Male  
 DRAWN : 30/03/2023 09:19:00  
 RECEIVED : 30/03/2023 09:22:08  
 REPORTED : 30/03/2023 13:56:19

CLINICAL INFORMATION :

UID:12381846 REQNO-1453322  
 CORP-OPD  
 BILLNO-150123OPCR018467  
 BILLNO-150123OPCR018467

Test Report Status	Final	Results	Biological Reference Interval	Units
HBA1C		7.3 High	Non-diabetic: < 5.7 Pre-diabetics: 5.7 - 6.4 Diabetics: > or = 6.5 Therapeutic goals: < 7.0 Action suggested : > 8.0 (ADA Guideline 2021)	%
METHOD : HB VARIANT (HPLC)				
ESTIMATED AVERAGE GLUCOSE(EAG)		162.8 High	< 116.0	mg/dL
METHOD : CALCULATED PARAMETER				
<b>KIDNEY PANEL - 1</b>				
<b>BLOOD UREA NITROGEN (BUN), SERUM</b>				
BLOOD UREA NITROGEN		14	6 - 20	mg/dL
METHOD : UREASE - UV				
<b>CREATININE EGFR- EPI</b>				
CREATININE		0.91	0.90 - 1.30	mg/dL
METHOD : ALKALINE PICRATE KINETIC JAFFES				
AGE		52		years
GLOMERULAR FILTRATION RATE (MALE)		101.41	Refer Interpretation Below	mL/min/1.73m2
METHOD : CALCULATED PARAMETER				
<b>BUN/CREAT RATIO</b>				
BUN/CREAT RATIO		15.38 High	5.00 - 15.00	
METHOD : CALCULATED PARAMETER				
<b>URIC ACID, SERUM</b>				
URIC ACID		5.6	3.5 - 7.2	mg/dL
METHOD : URICASE UV				
<b>TOTAL PROTEIN, SERUM</b>				
TOTAL PROTEIN		7.2	6.4 - 8.2	g/dL
METHOD : BIURET				
<b>ALBUMIN, SERUM</b>				
ALBUMIN		4.1	3.4 - 5.0	g/dL
METHOD : BCP DYE BINDING				
<b>GLOBULIN</b>				

*Akta Dubey*

Dr.Akta Dubey  
 Counsultant Pathologist



View Details



View Report

PERFORMED AT :

SRL Ltd  
 HIRANANDANI HOSPITAL-VASHI, MINI SEASHORE ROAD, SECTOR 10,  
 NAVI MUMBAI, 400703  
 MAHARASHTRA, INDIA  
 Tel : 022-39199222,022-49723322,  
 CIN - U74899PB1995PLC045956  
 Email : -



Patient Ref. No. 22000000837505



MC-2275

Fortis

PATIENT NAME : MR.GAJANAN TAWADE

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000045507 - FORTIS  
 FORTIS VASHI-CHC -SPLZD  
 FORTIS HOSPITAL # VASHI,  
 MUMBAI 440001

ACCESSION NO : 0022WC005972  
 PATIENT ID : FH.12381846  
 CLIENT PATIENT ID: UID:12381846  
 ABHA NO :

AGE/SEX : 52 Years Male  
 DRAWN : 30/03/2023 09:19:00  
 RECEIVED : 30/03/2023 09:22:08  
 REPORTED : 30/03/2023 13:56:19

CLINICAL INFORMATION :

UID:12381846 REQNO-1453322  
 CORP-OPD  
 BILLNO-150123OPCR018467  
 BILLNO-150123OPCR018467

Test Report Status	Final	Results	Biological Reference Interval	Units
GLOBULIN		3.1	2.0 - 4.1	g/dL
METHOD : CALCULATED PARAMETER				
<b>ELECTROLYTES (NA/K/CL), SERUM</b>				
SODIUM, SERUM		139	136 - 145	mmol/L
METHOD : ISE INDIRECT				
POTASSIUM, SERUM		4.85	3.50 - 5.10	mmol/L
METHOD : ISE INDIRECT				
CHLORIDE, SERUM		103	98 - 107	mmol/L
METHOD : ISE INDIRECT				

Interpretation(s)

Interpretation(s)

LIVER FUNCTION PROFILE, SERUM-LIVER FUNCTION PROFILE

Bilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. Elevated levels result from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease. Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors & Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity. ALT test measures the amount of this enzyme in the blood. ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health. AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis, obstruction of bile ducts, cirrhosis.

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Paget's disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilson's disease. GGT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc. Serum total protein, also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstrom's disease. Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc. Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.

GLUCOSE FASTING, FLUORIDE PLASMA-TEST DESCRIPTION

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and so that no glucose is excreted in the

*Dubey*

Dr. Akta Dubey  
 Counsultant Pathologist



View Details



View Report

PERFORMED AT :

SRL Ltd  
 HIRANANDANI HOSPITAL-VASHI, MINI SEASHORE ROAD, SECTOR 10,  
 NAVI MUMBAI, 400703  
 MAHARASHTRA, INDIA  
 Tel : 022-39199222, 022-49723322,  
 CIN - U74899PB1995PLC045956  
 Email :-



Patient Ref. No. 22000000837505



PATIENT NAME : MR.GAJANAN TAWADE

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000045507 - FORTIS  
 FORTIS VASHI-CHC -SPLZD  
 FORTIS HOSPITAL # VASHI,  
 MUMBAI 440001

ACCESSION NO : 0022WC005972  
 PATIENT ID : FH.12381846  
 CLIENT PATIENT ID: UID:12381846  
 ABHA NO :

AGE/SEX : 52 Years Male  
 DRAWN : 30/03/2023 09:19:00  
 RECEIVED : 30/03/2023 09:22:08  
 REPORTED : 30/03/2023 13:56:19

CLINICAL INFORMATION :

UID:12381846 REQNO-1453322  
 CORP-OPD  
 BILLNO-150123OPCR018467  
 BILLNO-150123OPCR018467

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

urine.

**Increased in**

Diabetes mellitus, Cushing's syndrome (10 - 15%), chronic pancreatitis (30%). Drugs:corticosteroids,phenytoin, estrogen, thiazides.

**Decreased in**

Pancreatic islet cell disease with increased insulin,insulinoma,adrenocortical insufficiency, hypopituitarism,diffuse liver disease, malignancy (adrenocortical, stomach,fibrosarcoma), infant of a diabetic mother, enzyme deficiency diseases(e.g., galactosemia),Drugs- insulin, ethanol, propranolol; sulfonylureas,tolbutamide, and other oral hypoglycemic agents.

**NOTE:** While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within individuals.Thus, glycosylated hemoglobin(HbA1c) levels are favored to monitor glycaemic control.

High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glycosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.

GLYCOSYLATED HEMOGLOBIN(HbA1C), EDTA WHOLE BLOOD-Used For:

1.Evaluating the long-term control of blood glucose concentrations in diabetic patients.

2.Diagnosing diabetes.

3. Identifying patients at increased risk for diabetes (prediabetes).

The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patients metabolic control has remained continuously within the target range.

1. eAG (Estimated average glucose) converts percentage HbA1c to mg/dl, to compare blood glucose levels.

2. eAG gives an evaluation of blood glucose levels for the last couple of months.

3. eAG is calculated as eAG (mg/dl) = 28.7 \* HbA1c - 46.7

**HbA1c Estimation can get affected due to :**

I.Shortened Erythrocyte survival : Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss,hemolytic anemia) will falsely lower HbA1c test results.Fructosamine is recommended in these patients which indicates diabetes control over 15 days.

II.Vitamin C & E are reported to falsely lower test results.(possibly by inhibiting glycation of hemoglobin.

III.Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia,uremia, hyperbilirubinemia, chronic alcoholism,chronic ingestion of salicylates & opiates addition are reported to interfere with some assay methods,falsely increasing results.

IV. Interference of hemoglobinopathies In HbA1c estimation is seen in

a.Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c.

b.Heterozygous state detected (D10 is corrected for HbS & HbC trait.)

c.HbF > 25% on alternate platform (Boronate affinity chromatography) is recommended for testing of HbA1c.Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy

**BLOOD UREA NITROGEN (BUN), SERUM-**Causes of Increased levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism)

Causes of decreased level include Liver disease, SIADH.

**CREATININE EGFR- EPI-GFR-** Glomerular filtration rate (GFR) is a measure of the function of the kidneys. The GFR is a calculation based on a serum creatinine test.

Creatinine is a muscle waste product that is filtered from the blood by the kidneys and excreted into urine at a relatively steady rate. When kidney function decreases, less creatinine is excreted and concentrations increase in the blood. With the creatinine test, a reasonable estimate of the actual GFR can be determined.

A GFR of 60 or higher is in the normal range.

A GFR below 60 may mean kidney disease.

A GFR of 15 or lower may mean kidney failure.

Estimated GFR (eGFR) is the preferred method for identifying people with chronic kidney disease (CKD). In adults, eGFR calculated using the Modification of Diet in Renal Disease (MDRD) Study equation provides a more clinically useful measure of kidney function than serum creatinine alone.

The CKD-EPI creatinine equation is based on the same four variables as the MDRD Study equation, but uses a 2-slope spline to model the relationship between estimated GFR and serum creatinine, and a different relationship for age, sex and race. The equation was reported to perform better and with less bias than the MDRD Study equation, especially in patients with higher GFR. This results in reduced misclassification of CKD.

The CKD-EPI creatinine equation has not been validated in children & will only be reported for patients = 18 years of age. For pediatric and childrens, Schwartz Pediatric

Bedside eGFR (2009) formulae is used. This revised "bedside" pediatric eGFR requires only serum creatinine and height.

**URIC ACID, SERUM-**Causes of Increased levels-Dietary(High Protein Intake,Prolonged Fasting,Rapid weight loss),Gout,Lesch nyhan syndrome,Type 2 DM, Metabolic

Syndrome

**Causes of decreased levels-**Low Zinc intake,OCP, Multiple Sclerosis

**TOTAL PROTEIN, SERUM-**Serum total protein,also known as total protein, is a biochemical test for measuring the total amount of protein in serum..Protein in the plasma is made up of albumin and globulin

Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstrom's disease

*Dubey*

Dr.Akta Dubey  
 Counsultant Pathologist



View Details



View Report

PERFORMED AT :

SRL Ltd  
 HIRANANDANI HOSPITAL-VASHI, MINI SEASHORE ROAD, SECTOR 10,  
 NAVI MUMBAI, 400703  
 MAHARASHTRA, INDIA  
 Tel : 022-39199222,022-49723322,  
 CIN - U74899PB1995PLC045956  
 Email : -



Patient Ref. No. 2200000837505



PATIENT NAME : MR.GAJANAN TAWADE

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000045507 - FORTIS  
FORTIS VASHI-CHC -SPLZD  
FORTIS HOSPITAL # VASHI,  
MUMBAI 440001

ACCESSION NO : 0022WC005972  
PATIENT ID : FH.12381846  
CLIENT PATIENT ID: UID:12381846  
ABHA NO :

AGE/SEX : 52 Years Male  
DRAWN : 30/03/2023 09:19:00  
RECEIVED : 30/03/2023 09:22:08  
REPORTED : 30/03/2023 13:56:19

CLINICAL INFORMATION :

UID:12381846 REQNO-1453322  
CORP-OPD  
BILLNO-150123OPCR018467  
BILLNO-150123OPCR018467

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.  
ALBUMIN, SERUM-Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.

Dr. Akta Dubey  
Counsulant Pathologist



View Details



View Report

PERFORMED AT :

SRL Ltd  
HIRANANDANI HOSPITAL-VASHI, MINI SEASHORE ROAD, SECTOR 10,  
NAVI MUMBAI, 400703  
MAHARASHTRA, INDIA  
Tel : 022-39199222, 022-49723322,  
CIN - U74899PB1995PLC045956  
Email : -



Patient Ref. No. 22000000837505



PATIENT NAME : MR.GAJANAN TAWADE

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000045507 - FORTIS  
 FORTIS VASHI-CHC -SPLZD  
 FORTIS HOSPITAL # VASHI,  
 MUMBAI 440001

ACCESSION NO : 0022WC005972  
 PATIENT ID : FH.12381846  
 CLIENT PATIENT ID: UID:12381846  
 ABHA NO :

AGE/SEX : 52 Years Male  
 DRAWN : 30/03/2023 09:19:00  
 RECEIVED : 30/03/2023 09:22:08  
 REPORTED : 30/03/2023 13:56:19

CLINICAL INFORMATION :

UID:12381846 REQNO-1453322  
 CORP-OPD  
 BILLNO-150123OPCR018467  
 BILLNO-150123OPCR018467

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

BIOCHEMISTRY - LIPID

LIPID PROFILE, SERUM

CHOLESTEROL, TOTAL	187	< 200 Desirable 200 - 239 Borderline High >= 240 High	mg/dL
METHOD : ENZYMATIC/COLORIMETRIC, CHOLESTEROL OXIDASE, ESTERASE, PEROXIDASE			
TRIGLYCERIDES	83	< 150 Normal 150 - 199 Borderline High 200 - 499 High >=500 Very High	mg/dL
METHOD : ENZYMATIC ASSAY			
HDL CHOLESTEROL	69 High	< 40 Low >=60 High	mg/dL
METHOD : DIRECT MEASURE - PEG			
LDL CHOLESTEROL, DIRECT	106	< 100 Optimal 100 - 129 Near or above optimal 130 - 159 Borderline High 160 - 189 High >= 190 Very High	mg/dL
METHOD : DIRECT MEASURE WITHOUT SAMPLE PRETREATMENT			
NON HDL CHOLESTEROL	118	Desirable: Less than 130 Above Desirable: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very high: > or = 220	mg/dL
METHOD : CALCULATED PARAMETER			
VERY LOW DENSITY LIPOPROTEIN	16.6	<= 30.0	mg/dL
METHOD : CALCULATED PARAMETER			
CHOL/HDL RATIO	2.7 Low	3.3 - 4.4 Low Risk 4.5 - 7.0 Average Risk 7.1 - 11.0 Moderate Risk > 11.0 High Risk	
METHOD : CALCULATED PARAMETER			
LDL/HDL RATIO	1.5	0.5 - 3.0 Desirable/Low Risk 3.1 - 6.0 Borderline/Moderate Risk >6.0 High Risk	
METHOD : CALCULATED PARAMETER			

*Dubey*

Dr.Akta Dubey  
 Counsultant Pathologist



View Details



View Report

PERFORMED AT :

SRL Ltd  
 HIRANANDANI HOSPITAL-VASHI, MINI SEASHORE ROAD, SECTOR 10,  
 NAVI MUMBAI, 400703  
 MAHARASHTRA, INDIA  
 Tel : 022-39199222,022-49723322,  
 CIN - U74899PB1995PLC045956  
 Email : -



Patient Ref. No. 22000000837505



<b>PATIENT NAME : MR.GAJANAN TAWADE</b>		<b>REF. DOCTOR : SELF</b>	
<b>CODE/NAME &amp; ADDRESS : C000045507 - FORTIS</b>	<b>ACCESSION NO : 0022WC005972</b>	<b>AGE/SEX : 52 Years</b>	<b>Male</b>
FORTIS VASHI-CHC -SPLZD	<b>PATIENT ID : FH.12381846</b>	<b>DRAWN : 30/03/2023 09:19:00</b>	
FORTIS HOSPITAL # VASHI,	<b>CLIENT PATIENT ID: UID:12381846</b>	<b>RECEIVED : 30/03/2023 09:22:08</b>	
MUMBAI 440001	<b>ABHA NO :</b>	<b>REPORTED : 30/03/2023 13:56:19</b>	

**CLINICAL INFORMATION :**  
 UID:12381846 REQNO-1453322  
 CORP-OPD  
 BILLNO-150123OPCR018467  
 BILLNO-150123OPCR018467

Test Report Status	Results	Biological Reference Interval	Units
--------------------	---------	-------------------------------	-------

**Interpretation(s)**

**Dr.Akta Dubey**  
 Counsultant Pathologist



View Details



View Report

**PERFORMED AT :**  
 SRL Ltd  
 HIRANANDANI HOSPITAL-VASHI, MINI SEASHORE ROAD, SECTOR 10,  
 NAVI MUMBAI, 400703  
 MAHARASHTRA, INDIA  
 Tel : 022-39199222,022-49723322,  
 CIN - U74899PB1995PLC045956  
 Email : -



**Patient Ref. No. 22000000837505**



PATIENT NAME : MR.GAJANAN TAWADE

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000045507 - FORTIS  
 FORTIS VASHI-CHC -SPLZD  
 FORTIS HOSPITAL # VASHI,  
 MUMBAI 440001

ACCESSION NO : 0022WC005972  
 PATIENT ID : FH.12381846  
 CLIENT PATIENT ID: UID:12381846  
 ABHA NO :

AGE/SEX : 52 Years Male  
 DRAWN : 30/03/2023 09:19:00  
 RECEIVED : 30/03/2023 09:22:08  
 REPORTED : 30/03/2023 13:56:19

CLINICAL INFORMATION :

UID:12381846 REQNO-1453322  
 CORP-OPD  
 BILLNO-150123OPCR018467  
 BILLNO-150123OPCR018467

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

CLINICAL PATH - URINALYSIS

KIDNEY PANEL - 1

PHYSICAL EXAMINATION, URINE

COLOR PALE YELLOW

METHOD : PHYSICAL

APPEARANCE CLEAR

METHOD : VISUAL

CHEMICAL EXAMINATION, URINE

PH 5.5 4.7 - 7.5

METHOD : REFLECTANCE SPECTROPHOTOMETRY- DOUBLE INDICATOR METHOD

SPECIFIC GRAVITY 1.020 1.003 - 1.035

METHOD : REFLECTANCE SPECTROPHOTOMETRY (APPARENT PKA CHANGE OF PRETREATED POLYELECTROLYTES IN RELATION TO IONIC CONCENTRATION)

PROTEIN NOT DETECTED NOT DETECTED

METHOD : REFLECTANCE SPECTROPHOTOMETRY - PROTEIN-ERROR-OF-INDICATOR PRINCIPLE

GLUCOSE NOT DETECTED NOT DETECTED

METHOD : REFLECTANCE SPECTROPHOTOMETRY, DOUBLE SEQUENTIAL ENZYME REACTION-GOD/POD

KETONES NOT DETECTED NOT DETECTED

METHOD : REFLECTANCE SPECTROPHOTOMETRY, ROTHERA'S PRINCIPLE

BLOOD NOT DETECTED NOT DETECTED

METHOD : REFLECTANCE SPECTROPHOTOMETRY, PEROXIDASE LIKE ACTIVITY OF HAEMOGLOBIN

BILIRUBIN NOT DETECTED NOT DETECTED

METHOD : REFLECTANCE SPECTROPHOTOMETRY, DIAZOTIZATION- COUPLING OF BILIRUBIN WITH DIAZOTIZED SALT

UROBILINOGEN NORMAL NORMAL

METHOD : REFLECTANCE SPECTROPHOTOMETRY (MODIFIED EHRlich REACTION)

NITRITE NOT DETECTED NOT DETECTED

METHOD : REFLECTANCE SPECTROPHOTOMETRY, CONVERSION OF NITRATE TO NITRITE

LEUKOCYTE ESTERASE NOT DETECTED NOT DETECTED

METHOD : REFLECTANCE SPECTROPHOTOMETRY, ESTERASE HYDROLYSIS ACTIVITY

MICROSCOPIC EXAMINATION, URINE

RED BLOOD CELLS NOT DETECTED NOT DETECTED /HPF

METHOD : MICROSCOPIC EXAMINATION

Dr.Akta Dubey  
 Counsultant Pathologist

Dr. Rekha Nair, MD  
 Microbiologist



View Details



View Report

PERFORMED AT :

SRL Ltd  
 HIRANANDANI HOSPITAL-VASHI, MINI SEASHORE ROAD, SECTOR 10,  
 NAVI MUMBAI, 400703  
 MAHARASHTRA, INDIA  
 Tel : 022-39199222,022-49723322,  
 CIN - U74899PB1995PLC045956  
 Email : -



Patient Ref. No. 22000000837505



MC-2275

PATIENT NAME : MR.GAJANAN TAWADE

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000045507 - FORTIS  
FORTIS VASHI-CHC -SPLZD  
FORTIS HOSPITAL # VASHI,  
MUMBAI 440001

ACCESSION NO : 0022WC005972  
PATIENT ID : FH.12381846  
CLIENT PATIENT ID: UID:12381846  
ABHA NO :

AGE/SEX : 52 Years Male  
DRAWN : 30/03/2023 09:19:00  
RECEIVED : 30/03/2023 09:22:08  
REPORTED : 30/03/2023 13:56:19

CLINICAL INFORMATION :

UTD:12381846 REQNO-1453322  
CORP-OPD  
BILLNO-150123OPCR018467  
BILLNO-150123OPCR018467

Test Report Status	Final	Results	Biological Reference Interval	Units
PUS CELL (WBC'S)		1-2	0-5	/HPF
METHOD : MICROSCOPIC EXAMINATION				
EPITHELIAL CELLS		0-1	0-5	/HPF
METHOD : MICROSCOPIC EXAMINATION				
CASTS		NOT DETECTED		
METHOD : MICROSCOPIC EXAMINATION				
CRYSTALS		URIC ACID DETECTED (++)		
METHOD : MICROSCOPIC EXAMINATION				
BACTERIA		NOT DETECTED	NOT DETECTED	
METHOD : MICROSCOPIC EXAMINATION				
YEAST		NOT DETECTED	NOT DETECTED	
METHOD : MICROSCOPIC EXAMINATION				
REMARKS		NOTE:-URINARY MICROSCOPIC EXAMINATION DONE ON URINARY CENTRIFUGED SEDIMENT		

Interpretation(s)

\*\*End Of Report\*\*

Please visit [www.srlworld.com](http://www.srlworld.com) for related Test Information for this accession

Dr.Akta Dubey  
Counsltant Pathologist

Dr. Rekha Nair, MD  
Microbiologist



View Details



View Report

PERFORMED AT :

SRL Ltd  
HIRANANDANI HOSPITAL-VASHI, MINI SEASHORE ROAD, SECTOR 10,  
NAVI MUMBAI, 400703  
MAHARASHTRA, INDIA  
Tel : 022-39199222,022-49723322,  
CIN - U74899PB1995PLC045956  
Email : -



Patient Ref. No. 22000000837505





PATIENT NAME : MR.GAJANAN TAWADE

REF. DOCTOR :

CODE/NAME & ADDRESS : C000045507 - FORTIS  
 FORTIS VASHI-CHC -SPLZD  
 FORTIS HOSPITAL # VASHI,  
 MUMBAI 440001

ACCESSION NO : 0022WC006067  
 PATIENT ID : FH.12381846  
 CLIENT PATIENT ID: UID:12381846  
 ABHA NO :

AGE/SEX : 52 Years Male  
 DRAWN : 30/03/2023 11:55:00  
 RECEIVED : 30/03/2023 11:55:29  
 REPORTED : 30/03/2023 13:23:46

CLINICAL INFORMATION :

UID:12381846 REQNO-1453322  
 CORP-OPD  
 BILLNO-150123OPCR018467  
 BILLNO-150123OPCR018467

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

BIOCHEMISTRY

GLUCOSE, POST-PRANDIAL, PLASMA

PPBS(POST PRANDIAL BLOOD SUGAR) **185 High** 70 - 139 mg/dL  
 METHOD : HEXOKINASE

Interpretation(s)

GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glycosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc. Additional test HbA1c

**\*\*End Of Report\*\***

Please visit [www.srlworld.com](http://www.srlworld.com) for related Test Information for this accession

Dr. Akta Dubey  
 Counsultant Pathologist



View Details



View Report

PERFORMED AT :

SRL Ltd  
 HIRANANDANI HOSPITAL-VASHI, MINI SEASHORE ROAD, SECTOR 10,  
 NAVI MUMBAI, 400703  
 MAHARASHTRA, INDIA  
 Tel : 022-39199222, 022-49723322,  
 CIN - U74899PB1995PLC045956  
 Email : -



Patient Ref. No. 22000000837600



PATIENT NAME : MR.GAJANAN TAWADE

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000045507 - FORTIS  
 FORTIS VASHI-CHC -SPLZD  
 FORTIS HOSPITAL # VASHI,  
 MUMBAI 440001

ACCESSION NO : 0022WC005972  
 PATIENT ID : FH.12381846  
 CLIENT PATIENT ID: UID:12381846  
 ABHA NO :

AGE/SEX : 52 Years Male  
 DRAWN : 30/03/2023 09:19:00  
 RECEIVED : 30/03/2023 09:22:08  
 REPORTED : 31/03/2023 13:44:41

CLINICAL INFORMATION :

UID:12381846 REQNO-1453322  
 CORP-OPD  
 BILLNO-1501230PCR018467  
 BILLNO-1501230PCR018467

Test Report Status	Results	Biological Reference Interval	Units
Final			

SPECIALISED CHEMISTRY - HORMONE

THYROID PANEL, SERUM

T3	105.0	80.0 - 200.0	ng/dL
T4	8.28	5.10 - 14.10	µg/dL
TSH (ULTRASENSITIVE)	3.390	0.270 - 4.200	µIU/mL
Interpretation(s)			

Dr. Swapnil Sirmukaddam  
 Consultant Pathologist



View Details



View Report

PERFORMED AT :

SRL Ltd  
 BHOOMI TOWER, 1ST FLOOR, HALL NO.1, PLOT NO.2B SECTOR 4, KHARGHAR  
 NAVI MUMBAI, 410210  
 MAHARASHTRA, INDIA  
 Tel : 9111591115,  
 CIN - U74999PB1995PLC045956



Patient Ref. No. 22000000837505



REF. DOCTOR : SELF

PATIENT NAME : MR.GAJANAN TAWADE

CODE/NAME & ADDRESS : C000045507 - FORTIS  
 FORTIS VASHI-CHC -SPLZD  
 FORTIS HOSPITAL # VASHI,  
 MUMBAI 440001

ACCESSION NO : 0022WC005972  
 PATIENT ID : .FH.12381846  
 CLIENT PATIENT ID: UID:12381846  
 ABHA NO :

AGE/SEX : 52 Years Male  
 DRAWN : 30/03/2023 09:19:00  
 RECEIVED : 30/03/2023 09:22:08  
 REPORTED : 31/03/2023 13:44:41

CLINICAL INFORMATION :

UID:12381846 REQNO-1453322  
 CORP-OPD  
 BILLNO-150123OPCR018467  
 BILLNO-150123OPCR018467

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

SPECIALISED CHEMISTRY - TUMOR MARKER

PROSTATE SPECIFIC ANTIGEN, SERUM

PROSTATE SPECIFIC ANTIGEN 0.460 < or = 3.100 ng/mL

Interpretation(s)

- PROSTATE SPECIFIC ANTIGEN, SERUM-- PSA is detected in the male patients with normal, benign hyperplastic and malignant prostate tissue and in patients with prostatitis.
- PSA is not detected (or detected at very low levels) in the patients without prostate tissue ( because of radical prostatectomy or cystoprostatectomy) and also in the female patient.
- It is a suitable marker for monitoring of patients with Prostate Cancer and it is better to be used in conjunction with other diagnostic procedures.
- Serial PSA levels can help determine the success of prostatectomy and the need for further treatment, such as radiation, endocrine or chemotherapy and useful in detecting residual disease and early recurrence of tumor.
- Elevated levels of PSA can be also observed in the patients with non-malignant diseases like Prostatitis and Benign Prostatic Hyperplasia.
- Specimens for total PSA assay should be obtained before biopsy, prostatectomy or prostatic massage, since manipulation of the prostate gland may lead to elevated PSA (false positive) levels persisting up to 3 weeks.
- As per American urological guidelines, PSA screening is recommended for early detection of Prostate cancer above the age of 40 years. Following Age specific reference range can be used as a guide lines-

Age of male	Reference range (ng/ml)
40-49 years	0-2.5
50-59 years	0-3.5
60-69 years	0-4.5
70-79 years	0-6.5

(\* conventional reference level (< 4 ng/ml) is already mentioned in report, which covers all agegroup with 95% prediction interval)  
 PSA values determined on patient samples by different testing procedures cannot be directly compared with one another and could be the cause of erroneous medical interpretation. Recommended follow up on same platform as patient result can vary due to differences in assay method and reagent specificity.

References- Teitz, textbook of clinical chemistry, 4th edition) 2.Wallach's Interpretation of Diagnostic Tests

**\*\*End Of Report\*\***

Please visit [www.srlworld.com](http://www.srlworld.com) for related Test Information for this accession

*Dr. Swapnil Sirmukaddam*  
786

Dr. Swapnil Sirmukaddam  
 Consultant Pathologist



View Details



View Report

PERFORMED AT :

SRL Ltd  
 BHOOHI TOWER, 1ST FLOOR, HALL NO.1, PLOT NO.28 SECTOR 4, KHARGHAR  
 NAVI MUMBAI, 410210  
 MAHARASHTRA, INDIA  
 Tel : 9111591115,  
 CIN - U74899PB1995PLC045956



Patient Ref. No. 22000000837505

12381846  
52 Years

GAJANAN TAWADE  
Male

3/30/2023 10:10:49 AM

EMC

Rate 74 . Sinus rhythm.....normal P axis, V-rate 50- 99

. Baseline wander in lead(s) V2

PR 169  
QRSD 110  
QT 371  
QTc 412


--AXIS--

P 44  
QRS 21  
T 9

12 Lead; Standard Placement

- NORMAL ECG -

Unconfirmed Diagnosis



Slow normal  
Normal



(For Billing/Reports &amp; Discharge Summary only)

Date: 31/Mar/2023

## DEPARTMENT OF NIC

Name: Mr. Gajanan Tawade

Age | Sex: 52 YEAR(S) | Male

Order Station : FO-OPD

Bed Name :

UHID | Episode No : 12381846 | 18640/23/1501

Order No | Order Date: 1501/PN/OP/2303/38974 | 30-Mar-2023

Admitted On | Reporting Date : 31-Mar-2023 08:49:30

Order Doctor Name : Dr.SELF.

## ECHOCARDIOGRAPHY TRANSTHORACIC

FINDINGS:

- No left ventricle regional wall motion abnormality at rest.
- Normal left ventricle systolic function. LVEF = 60%.
- Grade I left ventricle diastolic dysfunction. No e/o raised LVEDP.
- Trivial mitral regurgitation.
- No aortic regurgitation. No aortic stenosis.
- Trivial tricuspid regurgitation. No pulmonary hypertension.  
PASP = 25 mm of Hg.
- Intact IVS and IAS.
- No left ventricle clot/vegetation/pericardial effusion.
- Normal right atrium and right ventricle dimension and function.
- Normal left atrium and left ventricle dimension.
- IVC measures 09 mm with normal inspiratory collapse .

M-MODE MEASUREMENTS:

LA	34	mm
AO Root	29	mm
AO CUSP SEP	22	mm
LVID (s)	23	mm
LVID (d)	41	mm
IVS (d)	11	mm
LVPW (d)	10	mm
RVID (d)	19	mm
RA	22	mm
LVEF	60	%



(For Billing/Reports & Discharge Summary only)

Date: 31/Mar/2023

DEPARTMENT OF NIC

Name: Mr. Gajanan Tawade  
Age | Sex: 52 YEAR(S) | Male  
Order Station : FO-OPD  
Bed Name :

UHID | Episode No : 12381846 | 18640/23/1501  
Order No | Order Date: 1501/PN/OP/2303/38974 | 30-Mar-2023  
Admitted On | Reporting Date : 31-Mar-2023 08:49:30  
Order Doctor Name : Dr.SELF .


**DOPPLER STUDY:**

E WAVE VELOCITY: 0.7 m/sec.  
A WAVE VELOCITY:0.9 m/sec  
E/A RATIO: 0.7

	PEAK (mmHg)	MEAN (mmHg)	V max (m/sec)	GRADE OF REGURGITATION
MITRAL VALVE	N			Trivial
AORTIC VALVE	07			Nil
TRICUSPID VALVE	25			Trivial
PULMONARY VALVE	2.0			Nil

**Final Impression :**

- No RWMA.
- Grade I LV diastolic dysfunction.
- Trivial MR & TR. No PH.
- Normal LV and RV systolic function.

  
DR. PRASHANT PAWAR,  
DNB(MED), DNB (CARDIOLOGY)



(For Billing/Reports & Discharge Summary only)

DEPARTMENT OF RADIOLOGY

Date: 30/Mar/2023

Name: Mr. Gajanan Tawade

Age | Sex: 52 YEAR(S) | Male

Order Station : FO-OPD

Bed Name :

UHID | Episode No : 12381846 | 18640/23/1501

Order No | Order Date: 1501/PN/OP/2303/38974 | 30-Mar-2023

Admitted On | Reporting Date : 30-Mar-2023 15:56:42

Order Doctor Name : Dr.SELF .

X-RAY-CHEST- PA

**Findings:**

Both lung fields are clear.

The cardiac shadow appears within normal limits.

Trachea and major bronchi appear normal.

Both costophrenic angles are well maintained.

Bony thorax appears unremarkable.

*Aditya*

DR. ADITYA NALAWADE

M.D. (Radiologist)



(For Billing/Reports & Discharge Summary only)

DEPARTMENT OF RADIOLOGY

Date: 30/Mar/2023

Name: Mr. Gajanan Tawade

UHID | Episode No : 12381846 | 18640/23/1501

Age | Sex: 52 YEAR(S) | Male

Order No | Order Date: 1501/PN/OP/2303/38974 | 30-Mar-2023

Order Station : FO-OPD

Admitted On | Reporting Date : 30-Mar-2023 11:53:05

Bed Name :

Order Doctor Name : Dr.SELF .

US-WHOLE ABDOMEN

**LIVER** is normal in size and shows moderately raised echogenicity. No IHBR dilatation. *Tiny calcified granuloma is seen in right lobe.* Portal vein appears normal in caliber.

**GALL BLADDER** is physiologically distended. Gall bladder reveals normal wall thickness. No evidence of calculi in gall bladder. No evidence of pericholecystic collection. **CBD** appears normal in caliber.

**SPLEEN** is normal in size and echogenicity.

**BOTH KIDNEYS** are normal in size and echogenicity. The central sinus complex is normal. No evidence of calculi/hydronephrosis. Right kidney measures 8.6 x 4.0 cm. Left kidney measures 8.5 x 4.2 cm.

**PANCREAS** is normal in size and morphology. No evidence of peripancreatic collection.

**URINARY BLADDER** is normal in capacity and contour. Bladder wall is normal in thickness. No evidence of intravesical calculi.

**PROSTATE** is normal in size & echogenicity. It measures ~ 22 cc in volume.

No evidence of ascites.

**Impression:**

- **Grade II fatty infiltration of liver.**

**DR. ADITYA NALAWADE**  
**M.D. (Radiologist)**