
Chandan Diagnostic



Age / Gender: 32/Male

Date and Time: 14th Dec 22 5:40 PM

Patient ID: IDUN0310772223
Patient Name: Mr.AMIT KUMAR



ECG Within Normal Limits: Sinus Rhythm, Poor Quality ECG, Please repeat ECG as interpretation may be impaired. Please repeat ECG with the same ID. Please correlate clinically.

Dr. Charit MD, DM: Cardiology

AUTHORIZED BY

63382

REPORTED BY



Dr Prashant Solshe

34384

Disclaimer: Analysis in this report is based on ECG alone and should only be used as an adjunct to clinical history, symptoms and results of other invasive and non-invasive tests and must be interpreted by a qualified physician.





CIN: U85110DL2003PLC308206



Patient Name : Mr.AMIT KUMAR Registered On : 14/Dec/2022 09:51:14 Age/Gender : 32 Y 0 M 0 D /M Collected : 14/Dec/2022 10:01:57 UHID/MR NO : IDUN.0000188184 Received : 14/Dec/2022 10:36:09 : IDUN0310772223 Visit ID Reported : 14/Dec/2022 13:00:26

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	

Blood Group (ABO & Rh typing) *, Blood

Blood Group O
Rh (Anti-D) POSITIVE

Complete Blood Count (CBC) *, Whole Blood

Haemoglobin	15.80	g/dl	1 Day- 14.5-22.5 g/d 1 Wk- 13.5-19.5 g/d 1 Mo- 10.0-18.0 g/d 3-6 Mo- 9.5-13.5 g/d 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/d 6-12 Yr- 11.5-15.5 g/d 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/d	l l di di /di
TLC (WBC)	6,750.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
DLC				
Polymorphs (Neutrophils)	56.20	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	34.60	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	6.40	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	2.50	%	1-6	ELECTRONIC IMPEDANCE
Basophils	0.30	%	< 1	ELECTRONIC IMPEDANCE
ESR				
Observed	8.00	Mm for 1st hr.		
Corrected		Mm for 1st hr.	. <9	
PCV (HCT)	47.30	%	40-54	
Platelet count				
Platelet Count	1.89	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	15.90	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	44.40	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.21	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	11.00	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				

Mill./cu mm 4.2-5.5



RBC Count



ELECTRONIC IMPEDANCE

5.70



Since 1991

CHANDAN DIAGNOSTIC CENTRE

Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192

CIN: U85110DL2003PLC308206



Patient Name : Mr.AMIT KUMAR Registered On : 14/Dec/2022 09:51:14 : 32 Y 0 M 0 D /M Age/Gender Collected : 14/Dec/2022 10:01:57 UHID/MR NO : IDUN.0000188184 Received : 14/Dec/2022 10:36:09 Visit ID : IDUN0310772223 Reported : 14/Dec/2022 13:00:26

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Indices (MCV, MCH, MCHC)				
MCV	83.00	fl	80-100	CALCULATED PARAMETER
MCH	27.80	pg	28-35	CALCULATED PARAMETER
MCHC	33.50	%	30-38	CALCULATED PARAMETER
RDW-CV	12.30	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	41.90	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	3,790.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	170.00	/cu mm	40-440	













CIN: U85110DL2003PLC308206



Patient Name : Mr.AMIT KUMAR Registered On : 14/Dec/2022 09:51:15 Age/Gender : 32 Y 0 M 0 D /M Collected : 14/Dec/2022 10:01:57 UHID/MR NO : IDUN.0000188184 Received : 14/Dec/2022 10:36:09 Visit ID : 14/Dec/2022 13:45:15 : IDUN0310772223 Reported

Ref Doctor : Dr.MEDIWHEEL ACROFEMI Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method

GLUCOSE FASTING, Plasma

Glucose Fasting 271.90 mg/dl < 100 Normal GOD POD 100-125 Pre-diabetes

≥ 126 Diabetes

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

Glucose PP	330.50	mg/dl	<140 Normal	GOD POD
Sample:Plasma After Meal			140-199 Pre-diabetes	

140-199 Pre-diabete >200 Diabetes

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C) *, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	9.00	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	75.00	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	212	mg/dl	

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.









CIN: U85110DL2003PLC308206



Patient Name : 14/Dec/2022 09:51:15 : Mr.AMIT KUMAR Registered On Collected Age/Gender : 32 Y 0 M 0 D /M : 14/Dec/2022 10:01:57 UHID/MR NO : IDUN.0000188184 Received : 14/Dec/2022 10:36:09 Visit ID : IDUN0310772223 Reported : 14/Dec/2022 13:45:15

Ref Doctor : Dr.MEDIWHEEL ACROFEMI Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated G8 90 SL TOSOH HPLC Analyser.

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.
- *A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- *Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- *Pregnancy d. chronic renal failure. Interfering Factors:
- *Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) * Sample:Serum	5.84	mg/dL	7.0-23.0	CALCULATED
Creatinine Sample:Serum	0.68	mg/dl	Serum 0.7-1.3 Spot Urine-Male- 20- 275 Female-20-320	MODIFIED JAFFES
Uric Acid Sample:Serum	5.78	mg/dl	3.4-7.0	URICASE





^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.



Since 1991

CHANDAN DIAGNOSTIC CENTRE

Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192

CIN: U85110DL2003PLC308206



Patient Name : Mr.AMIT KUMAR Registered On : 14/Dec/2022 09:51:15 Age/Gender Collected : 14/Dec/2022 10:01:57 : 32 Y 0 M 0 D /M UHID/MR NO : 14/Dec/2022 10:36:09 : IDUN.0000188184 Received Visit ID : IDUN0310772223 Reported : 14/Dec/2022 13:45:15

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	į	Unit	Bio. Ref. Interva	l Method
LFT (WITH GAMMA GT) * , Serum					
SGOT / Aspartate Aminotransferase (AST)	40.61	U/L	< 35		IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	41.92	U/L	< 40		IFCC WITHOUT P5P
Gamma GT (GGT)	45.96	IU/L	11-50		OPTIMIZED SZAZING
Protein	6.51	gm/dl	6.2-8.	0	BIRUET
Albumin	4.14	gm/dl	3.8-5.	4	B.C.G.
Globulin	2.37	gm/dl	1.8-3.	6	CALCULATED
A:G Ratio	1.75		1.1-2.	0	CALCULATED
Alkaline Phosphatase (Total)	143.54	U/L	42.0-1	165.0	IFCC METHOD
Bilirubin (Total)	0.98	mg/dl	0.3-1.	2	JENDRASSIK & GROF
Bilirubin (Direct)	0.40	mg/dl	< 0.30		JENDRASSIK & GROF
Bilirubin (Indirect)	0.58	mg/dl	< 0.8		JENDRASSIK & GROF
LIPID PROFILE (MINI) * , Serum					
Cholesterol (Total)	112.50	mg/dl		Desirab <mark>le</mark> 39 Borderline High High	CHOD-PAP
HDL Cholesterol (Good Cholesterol)	26.20	mg/dl	30-70		DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	56	mg/dl		Optimal	CALCULATED
			130-15 160-18	29 Nr. al/Above Optimal 59 Borderline High 39 High Very High	
VLDL	29.93	mg/dl	10-33		CALCULATED
Triglycerides	149.63	mg/dl	150-19 200-49	Normal 99 Borderline High 99 High /ery High	GPO-PAP











Since 1991

CHANDAN DIAGNOSTIC CENTRE

Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192

CIN: U85110DL2003PLC308206



Patient Name Age/Gender UHID/MR NO : Mr.AMIT KUMAR : 32 Y 0 M 0 D /M

Collected

Registered On

: 14/Dec/2022 09:51:14 : 14/Dec/2022 10:01:57

UHID/MR I Visit ID : IDUN.0000188184 : IDUN0310772223 Received Reported : 14/Dec/2022 10:36:09 : 14/Dec/2022 13:57:28

Ref Doctor

: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD.DDN

Status

: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE *	, Urine			
Color	YELLOW			
Specific Gravity	1.025			
Reaction PH	Acidic (5.0)			DIPSTICK
Protein	ABSENT	mg %	< 10 Absent 10-40 (+)	DIPSTICK
			40-200 (++)	
			200-500 (+++) > 500 (++++)	
Sugar	PRESENT (++)	gms%	< 0.5 (+) 0.5-1.0 (++) 1-2 (+++) > 2 (++++)	DIPSTICK
Ketone	ABSENT	mg/dl	0.2-2.81	BIOCHEMISTRY
Bile Salts	ABSENT	A Soliday and	and the same of th	de la companya della companya della companya de la companya della
Bile Pigments	ABSENT			
Urobilinogen(1:20 dilution)	ABSENT			
Microscopic Examination:				
Epithelial cells	1-2/h.p.f			MICROSCOPIC
zprincinal cons	2 2/11/01			EXAMINATION
Pus cells	ABSENT			
RBCs	ABSENT			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
				EXAMINATION
Others	ABSENT			
SUGAR, FASTING STAGE * , Urine				
Sugar, Fasting stage	PRESENT(++)	gms%		



DR. RITU BHATIA MD (Pathology)







CHANDAN DIAGNOSTIC CENTRE

Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192

CIN: U85110DL2003PLC308206



Patient Name Registered On : 14/Dec/2022 09:51:14 : Mr.AMIT KUMAR Age/Gender Collected : 32 Y 0 M 0 D /M : 14/Dec/2022 10:01:57 UHID/MR NO : IDUN.0000188184 Received : 14/Dec/2022 10:36:09 Visit ID : 14/Dec/2022 14:16:51 : IDUN0310772223 Reported

Ref Doctor : Dr.MEDIWHEEL ACROFEMI Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL *, Serum				
T3, Total (tri-iodothyronine)	106.65	ng/dl	84.61-201.7	CLIA
T4, Total (Thyroxine)	6.40	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	1.26	μIU/mL	0.27 - 5.5	CLIA
Interpretation:				
		0.3-4.5 μIU/1	nL First Trimes	eter
		0.5-4.6 μIU/1	mL Second Trin	nester
		0.8-5.2 μIU/r	nL Third Trime	ster
		0.5-8.9 μIU/1	nL Adults	55-87 Years
		0.7-27 μIU/1	mL Premature	28-36 Week
		2.3-13.2 μIU/r	nL Cord Blood	> 37Week
		0.7-64 μIU/r		z - 20 Yrs.)
		1-39 μIU	/mL Child	0-4 Days
		1.7-9.1 μIU/1		2-20 Week

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- 4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6**) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- **8**) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.



DR.SMRITI GUPTA MD (PATHOLOGY)







CHANDAN DIAGNOSTIC CENTRE

Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192

CIN: U85110DL2003PLC308206



Patient Name

: Mr.AMIT KUMAR

Registered On

: 14/Dec/2022 09:51:15

Age/Gender

: 32 Y 0 M 0 D /M

Collected

: N/A

UHID/MR NO Visit ID

: IDUN.0000188184 : IDUN0310772223 Received Reported

: 14/Dec/2022 15:07:43

: Dr.MEDIWHEEL ACROFEMI

. .

. 14/Dec/2022 13.0

Ref Doctor

HEALTHCARE LTD.DDN

Status

: Final Report

: N/A

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

X-RAY DIGITAL CHEST PA *

(500 mA COMPUTERISED UNIT SPOT FILM DEVICE) DIGITAL CHEST P.A. VIEW

- Soft tissue shadow appears normal.
- Bony cage is normal.
- Diaphragmatic shadows are normal on both sides.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Pulmonary parenchyma did not reveal any significant lesion.

IMPRESSION:

NORMAL SKIAGRAM



DR. R B KALIA MD (RADIOLOGIST)









CIN: U85110DL2003PLC308206



Patient Name : Mr.AMIT KUMAR Registered On : 14/Dec/2022 09:51:15

 Age/Gender
 : 32 Y 0 M 0 D /M
 Collected
 : N/A

 UHID/MR NO
 : IDUN.0000188184
 Received
 : N/A

Visit ID : IDUN0310772223 Reported : 14/Dec/2022 13:11:00

Ref Doctor : Dr.MEDIWHEEL ACROFEMI Status : Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

LIVER

• The liver is enlarged and measures 167.1 mms. It shows diffuse increase in echogenicity. No focal lesion is seen.

PORTAL SYSTEM

- The intra hepatic portal channels are normal.
- Portal vein measured 10.0 mms. (Normal) at the porta.

BILIARY SYSTEM

- The intra-hepatic biliary radicles are normal.
- Common duct measured 3.0 mms. (Normal) at the porta.
- The gall bladder is normal in size and has regular walls measuring 2.0 mms. in thickness (normal) .Lumen of the gall bladder is anechoic.

PANCREAS

• The pancreas is normal in size and shape and has a normal homogenous echotexture.

GREAT VESSELS

· Great vessels are normal.

RIGHT KIDNEY

- The right kidney is normal in size, shape and cortical echotexture.
- The collecting system is normal and corticomedullary demarcation is clear.

LEFT KIDNEY

- The left kidney is normal in size, shape and cortical echotexture.
- The collecting system is normal and corticomedullary demarcation is clear.

SPLEEN

• The spleen is normal in size and has a homogenous echotexture.

LYMPHNODES

• No pre-or-para aortic lymph node mass is seen.

URETERS







CHANDAN DIAGNOSTIC CENTRE

Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192

CIN: U85110DL2003PLC308206



Patient Name

: Mr.AMIT KUMAR

Registered On

: 14/Dec/2022 09:51:15

Age/Gender

: 32 Y 0 M 0 D /M

Collected

: N/A

UHID/MR NO

: IDUN.0000188184 : IDUN0310772223

Received Reported

: 14/Dec/2022 13:11:00

Visit ID Ref Doctor

: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD.DDN Status

: Final Report

: N/A

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

• Both the ureters are normal.

URINARY BLADDER

• The urinary bladder is normal. Bladder wall is normal in thickness and regular.

PROSTATE

• The prostate gland is normal in texture and size. No focal mass or capsular breech is seen.

IMPRESSION

GRADE I DIFFUSE FATTY CHANGE OF LIVER

*** End Of Report ***

Result/s to Follow:

STOOL, ROUTINE EXAMINATION, SUGAR, PP STAGE, ECG / EKG



DR. R B KALIA MD (RADIOLOGIST)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing *

*Facilities Available at Select Location





