


Name : Ms. DIVYA P
PID No. : MED111040328
SID No. : 422028300
Age / Sex : 32 Year(s) / Female
Type : OP
Ref. Dr : MediWheel


Register On : 31/03/2022 8:20 AM
Collection On : 31/03/2022 9:55 AM
Report On : 01/04/2022 4:02 PM
Printed On : 08/04/2022 2:10 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Eosinophils (EDTA Blood/Impedance Variation & Flow Cytometry)	6.06	%	01 - 06
Monocytes (EDTA Blood/Impedance Variation & Flow Cytometry)	6.18	%	01 - 10
Basophils (Blood/Impedance Variation & Flow Cytometry)	0.22	%	00 - 02
Absolute Neutrophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	4.61	10 ³ / μ l	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	2.22	10 ³ / μ l	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood/Impedance Variation & Flow Cytometry)	0.47	10 ³ / μ l	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.48	10 ³ / μ l	< 1.0
Absolute Basophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.02	10 ³ / μ l	< 0.2
Platelet Count (EDTA Blood/Impedance Variation)	289.6	10 ³ / μ l	150 - 450
MPV (EDTA Blood/Derived from Impedance)	9.19	fL	8.0 - 13.3
PCT (EDTA Blood/Automated Blood cell Counter)	0.27	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citratd Blood/Modified Westergren)	5	mm/hr	< 20



VERIFIED BY



APPROVED BY

Name : Ms. DIVYA P
PID No. : MED111040328
SID No. : 422028300
Age / Sex : 32 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 31/03/2022 8:20 AM
Collection On : 31/03/2022 9:55 AM
Report On : 01/04/2022 4:02 PM
Printed On : 08/04/2022 2:10 PM




<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>Lipid Profile</u>			
Cholesterol Total (Serum/Cholesterol oxidase/Peroxidase)	175	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/Glycerol phosphate oxidase / peroxidase)	123	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the "usual" circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	39	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50
LDL Cholesterol (Serum/Calculated)	111.4	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	24.6	mg/dL	< 30


Dr RAVIKUMAR R
MBBS, MD BIOCHEMISTRY
CONSULTANT BIOCHEMIST
Reg No : 78771
VERIFIED BY


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902

APPROVED BY

Name : Ms. DIVYA P
PID No. : MED111040328
SID No. : 422028300
Age / Sex : 32 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 31/03/2022 8:20 AM
Collection On : 31/03/2022 9:55 AM
Report On : 01/04/2022 4:02 PM
Printed On : 08/04/2022 2:10 PM




<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Non HDL Cholesterol (Serum/Calculated)	136.0	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220

INTERPRETATION: 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol.
2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	4.5		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/Calculated)	3.2		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/Calculated)	2.9		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0


Dr RAVIKUMAR R
MBBS, MD BIOCHEMISTRY
CONSULTANT BIOCHEMIST
Reg No : 78771
VERIFIED BY


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902

APPROVED BY

Name : Ms. DIVYA P
PID No. : MED111040328
SID No. : 422028300
Age / Sex : 32 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 31/03/2022 8:20 AM
Collection On : 31/03/2022 9:55 AM
Report On : 01/04/2022 4:02 PM
Printed On : 08/04/2022 2:10 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>Glycosylated Haemoglobin (HbA1c)</u>			
HbA1C (Whole Blood/HPLC)	5.3	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control : 6.1 - 7.0 % , Fair control : 7.1 - 8.0 % , Poor control >= 8.1 %

Estimated Average Glucose 105.41 mg/dL
(Whole Blood)

INTERPRETATION: Comments


HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycaemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency, hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.



Dr RAVIKUMAR R
MBBS, MD BIOCHEMISTRY
CONSULTANT BIOCHEMIST
Reg No : 78771
VERIFIED BY



DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902
APPROVED BY

Name : Ms. DIVYA P
PID No. : MED111040328
SID No. : 422028300
Age / Sex : 32 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 31/03/2022 8:20 AM
Collection On : 31/03/2022 9:55 AM
Report On : 01/04/2022 4:02 PM
Printed On : 08/04/2022 2:10 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

IMMUNOASSAY

THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total (Serum/CMIA)	1.29	ng/mL	0.7 - 2.04
---	------	-------	------------

INTERPRETATION:

Comment :

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Thyroxine) - Total (Serum/CMIA)	9.29	µg/dL	4.2 - 12.0
--	------	-------	------------

INTERPRETATION:

Comment :

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) (Serum/Chemiluminescent Microparticle Immunoassay(CMIA))	2.62	µIU/mL	0.35 - 5.50
--	------	--------	-------------

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5

2 nd trimester 0.2-3.0

3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment :

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.

2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM.The variation can be of the order of 50%,hence time of the day has influence on the measured serum TSH concentrations.

3.Values$\leq 0.03 \mu\text{IU/mL}$ need to be clinically correlated due to presence of rare TSH variant in some individuals.

DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902
APPROVED BY

Name : Ms. DIVYA P
PID No. : MED111040328
SID No. : 422028300
Age / Sex : 32 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 31/03/2022 8:20 AM
Collection On : 31/03/2022 9:55 AM
Report On : 01/04/2022 4:02 PM
Printed On : 08/04/2022 2:10 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------


CLINICAL PATHOLOGY

PHYSICAL EXAMINATION

Colour (Urine)	Yellow		
Appearance (Urine)	Clear		Clear
Volume (Urine)	20	mL	

CHEMICAL EXAMINATION(Automated-Urineanalyser)

pH (Urine/AUTOMATED URINANALYSER)	6.5		4.5 - 8.0
Specific Gravity (Urine)	1.005		1.002 - 1.035
Ketones (Urine)	Negative		Negative
Urobilinogen (Urine/AUTOMATED URINANALYSER)	0.2		0.2 - 1.0
Blood (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Nitrite (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Bilirubin (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Protein (Urine)	Negative		Negative


DR .VANITHA.R.SWAMY MD
Consultant Pathologist
Reg No : 99049
VERIFIED BY


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902
APPROVED BY

Name : Ms. DIVYA P
PID No. : MED111040328
SID No. : 422028300
Age / Sex : 32 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 31/03/2022 8:20 AM
Collection On : 31/03/2022 9:55 AM
Report On : 01/04/2022 4:02 PM
Printed On : 08/04/2022 2:10 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Glucose (Urine)	Negative		Negative
Leukocytes (Urine)	Negative	leuco/uL	Negative
<u>MICROSCOPY(URINE DEPOSITS)</u>			
Pus Cells (Urine/Flow cytometry)	2-3	/hpf	3-5
Epithelial Cells (Urine)	1-2	/hpf	1-2
RBCs (Urine/Flow cytometry)	Nil	/hpf	NIL
Others (Urine)	Nil		Nil
Casts (Urine/Flow cytometry)	Nil	/hpf	0 - 1
Crystals (Urine)	Nil		NIL

DR .VANITHA.R.SWAMY MD
Consultant Pathologist
Reg No : 99049

VERIFIED BY

DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902

APPROVED BY

Name : Ms. DIVYA P
PID No. : MED111040328
SID No. : 422028300
Age / Sex : 32 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 31/03/2022 8:20 AM
Collection On : 31/03/2022 9:55 AM
Report On : 01/04/2022 4:02 PM
Printed On : 08/04/2022 2:10 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------


IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING
(EDTA Blood/Agglutination)

'O' Positive'



DR .VANITHA.R.SWAMY MD
Consultant Pathologist
Reg No : 99049
VERIFIED BY



DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902

APPROVED BY

Name : Ms. DIVYA P
PID No. : MED111040328
SID No. : 422028300
Age / Sex : 32 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 31/03/2022 8:20 AM
Collection On : 31/03/2022 9:55 AM
Report On : 01/04/2022 4:02 PM
Printed On : 08/04/2022 2:10 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>BIOCHEMISTRY</u>			
BUN / Creatinine Ratio	16		6 - 22
Glucose Fasting (FBS) (Plasma - F/GOD - POD)	73	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose Fasting - Urine (Urine - F)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD - POD)	90	mg/dL	70 - 140

INTERPRETATION:


Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti-diabetic medication during treatment for Diabetes.

Glucose Postprandial - Urine (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease-GLDH)	13	mg/dL	7.0 - 21
Creatinine (Serum/Jaffe Kinetic)	0.8	mg/dL	0.6 - 1.1

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid (Serum/Uricase/Peroxidase)	4.8	mg/dL	2.6 - 6.0
---	-----	-------	-----------


Dr RAVIKUMAR R
MBBS, MD BIOCHEMISTRY
CONSULTANT BIOCHEMIST
Reg No : 78771
VERIFIED BY


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902
APPROVED BY

Name : Ms. DIVYA P
PID No. : MED111040328
SID No. : 422028300
Age / Sex : 32 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 31/03/2022 8:20 AM
Collection On : 31/03/2022 9:55 AM
Report On : 01/04/2022 4:02 PM
Printed On : 08/04/2022 2:10 PM



-- End of Report --

Name	DIVYA P	ID	MED111040328
Age & Gender	32/FeMale	Visit Date	31-03-2022 00:00:00
Ref Doctor Name	MediWheel		

2 D ECHOCARDIOGRAPHIC STUDY

M mode measurement:

AORTA	:	2.2cms
LEFT ATRIUM	:	3.0cms
AVS	:	----
LEFT VENTRICLE (DIASTOLE)	:	4.7cms
(SYSTOLE)	:	3.2cms
VENTRICULAR SEPTUM (DIASTOLE)	:	0.9cms
(SYSTOLE)	:	1.3cms
POSTERIOR WALL (DIASTOLE)	:	0.8cms
(SYSTOLE)	:	1.4cms
EDV	:	101ml
ESV	:	40ml
FRACTIONAL SHORTENING	:	32%
EJECTION FRACTION	:	61%
EPSS	:	---
RVID	:	1.8cms

DOPPLER MEASUREMENTS:

MITRAL VALVE	:	E' 0.89 m/s	A' 0.61 m/s	NO MR
AORTIC VALVE	:	1.23 m/s		NO AR
TRICUSPID VALVE	:	E' 2.15 m/s	A' - m/s	NO TR
PULMONARY VALVE	:	0.74 m/s		NO PR

Name	DIVYA P	ID	MED111040328
Age & Gender	32/FeMale	Visit Date	31-03-2022 00:00:00
Ref Doctor Name	MediWheel		

2D ECHOCARDIOGRAPHY FINDINGS:

Left ventricle : Normal size, Normal systolic function.
No regional wall motion abnormalities.

Left Atrium : Normal.

Right Ventricle : Normal.

Right Atrium : Normal.

Mitral valve : Normal, No mitral valve prolapsed.

Aortic valve : Normal, Trileaflet.

Tricuspid valve : Normal.

Pulmonary valve : Normal.

IAS : Intact.

IVS : Intact.

Pericardium : No pericardial effusion.

IMPRESSION:

- **NORMAL SIZED CARDIAC CHAMBERS.**
- **NORMAL LV SYSTOLIC FUNCTION. EF: 61%.**
- **NO REGIONAL WALL MOTION ABNORMALITIES.**
- **NORMAL VALVES.**
- **NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.**

DR. K.S. SUBRAMANI. MBBS, MD, DM (CARDIOLOGY) FESC, FICC
SENIOR CONSULTANT INTERVENTIONAL CARDIOLOGIST

Name	DIVYA P	ID	MED111040328
Age & Gender	32/FeMale	Visit Date	31-03-2022 00:00:00
Ref Doctor Name	MediWheel		

Kss/an

Note:

- * **Report to be interpreted by qualified medical professional.**
- * **To be correlated with other clinical findings.**
- * **Parameters may be subjected to inter and intra observer variations.**

Name	DIVYA P	ID	MED111040328
Age & Gender	32/FeMale	Visit Date	31-03-2022 00:00:00
Ref Doctor Name	MediWheel		

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER shows normal in shape, size and has uniform echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER shows normal shape and has clear contents. Gall bladder wall is of normal thickness. CBD is of normal calibre.

PANCREAS has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

SPLEEN shows normal shape, size and echopattern. Spleen measures 9.5cms in long axis and 3.9cms in short axis.
No demonstrable Para -aortic lymphadenopathy.

KIDNEYS move well with respiration and have normal shape, size and echopattern. Cortico- medullary differentiations are well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	10.5	1.0
Left Kidney	9.5	1.2

URINARY BLADDER shows normal shape and wall thickness. It has clear contents. No evidence of diverticula.

UTERUS is anteverted and normal in size. It has uniform myometrial echopattern.

Endometrial thickness measures 9mm

Uterus measures as follows: LS: 8.8cms AP: 3.1cms TS: 4.5cms.

OVARIES are polycystic. No focal lesion seen.

Ovaries measure as follows:

Right ovary: 3.6 x 2.1 x 2.7cms (Vol:11cc)

Left ovary: 3.1 x 1.8 x 2.0cms (Vol:6cc)

A cystic lesion with no internal echoes or septations measuring about 1.7 x 1.8cms is noted in the left adnexa abutting the left ovary, suggestive of left paraovarian cyst.

No evidence of ascites/pleural effusion.

IMPRESSION:

➤ **BILATERAL POLYCYSTIC OVARIES.**

Name	DIVYA P	ID	MED111040328
Age & Gender	32/FeMale	Visit Date	31-03-2022 00:00:00
Ref Doctor Name	MediWheel		

➤ **LEFT ADNEXAL CYST (1.7 x 1.8cms) SUGGESTIVE OF LEFT PARAOVARIAN CYST.**

DR. H.K. ANAND
CONSULTANT RADIOLOGISTS
MS/vP

DR. MEERA S

Name	DIVYA P	Customer ID	MED111040328
Age & Gender	32Y/F	Visit Date	Mar 31 2022 8:09AM
Ref Doctor	MediWheel		

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

IMPRESSION:

No significant abnormality detected.

DR. H.K. ANAND

DR. SHWETHA S

DR. CHARUL



DR. APARNA

CONSULTANT RADIOLOGISTS