





 Age/Gender
 : 51 Y 8 M 30 D/M

 UHID/MR No
 : CINR.0000154157

 Visit ID
 : CINROPV199137

Ref Doctor : Dr.SELF Emp/Auth/TPA ID : 7760889623 Collected : 13/Jul/2023 08:02AM
Received : 13/Jul/2023 10:50AM
Reported : 13/Jul/2023 03:30PM

Status : Final Report

Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF HAEMATOLOGY

ARCOFEMI - MEDIWHEEL - FULI	L BODY ANNUAL PL	US ABOVE 50Y	MALE - TMT - PAN INI	DIA - FY2324
Test Name	Result	Unit	Bio. Ref. Range	Method

HEMOGRAM , WHOLE BLOOD-EDTA				
HAEMOGLOBIN	13.3	g/dL	13-17	Spectrophotometer
PCV	41.30	%	40-50	Electronic pulse & Calculation
RBC COUNT	5.1	Million/cu.mm	4.5-5.5	Electrical Impedence
MCV	81	fL	83-101	Calculated
MCH	26.1	pg	27-32	Calculated
MCHC	32.2	g/dL	31.5-34.5	Calculated
R.D.W	13.4	%	11.6-14	Calculated
TOTAL LEUCOCYTE COUNT (TLC)	9,300	cells/cu.mm	4000-10000	Electrical Impedance
DIFFERENTIAL LEUCOCYTIC COUNT (E	DLC)			
NEUTROPHILS	56.1	%	40-80	Electrical Impedance
LYMPHOCYTES	23.4	%	20-40	Electrical Impedance
EOSINOPHILS	11.1	%	1-6	Electrical Impedance
MONOCYTES	8.3	%	2-10	Electrical Impedance
BASOPHILS	1.1	%	<1-2	Electrical Impedance
ABSOLUTE LEUCOCYTE COUNT				
NEUTROPHILS	5217.3	Cells/cu.mm	2000-7000	Electrical Impedance
LYMPHOCYTES	2176.2	Cells/cu.mm	1000-3000	Electrical Impedance
EOSINOPHILS	1032.3	Cells/cu.mm	20-500	Electrical Impedance
MONOCYTES	771.9	Cells/cu.mm	200-1000	Electrical Impedance
BASOPHILS	102.3	Cells/cu.mm	0-100	Electrical Impedance
PLATELET COUNT	274000	cells/cu.mm	150000-410000	Electrical impedence
ERYTHROCYTE SEDIMENTATION RATE (ESR)	27	mm at the end of 1 hour	0-15	Modified Westegren method
PERIPHERAL SMEAR				

RBCs: are normocytic normochromic

WBCs: are normal in total number with increase in eosinophils.

PLATELETS: appear adequate in number.

HEMOPARASITES: negative

Page 1 of 13









: Mr.GIRISHKUMAR R PATIL

Age/Gender UHID/MR No : 51 Y 8 M 30 D/M : CINR.0000154157

Visit ID

: CINROPV199137

Ref Doctor Emp/Auth/TPA ID : Dr.SELF

PA ID : 7760889623

Collected

: 13/Jul/2023 08:02AM

Received

: 13/Jul/2023 10:50AM

Reported Status : 13/Jul/2023 03:30PM

Sponsor Name

: Final Report

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF HAEMATOLOGY

ARCOFEMI - MEDIWHEEL	 FULL BODY ANNUAL 	. PLUS ABOVE 50Y MALE - TN	T - PAN INDIA - FY2324

Test Name Result Unit Bio. Ref. Range Method

IMPRESSION: NORMOCYTIC NORMOCHROMIC BLOOD PICTURE WITH EOSINOPHILIA.

Page 2 of 13













: Mr.GIRISHKUMAR R PATIL

Age/Gender

: 51 Y 8 M 30 D/M

UHID/MR No Visit ID : CINR.0000154157 : CINROPV199137

Ref Doctor

: Dr.SELF

Emp/Auth/TPA ID : 7760889623

Collected

: 13/Jul/2023 08:02AM

Received

: 13/Jul/2023 10:50AM : 13/Jul/2023 02:15PM

Reported Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF HAEMATOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - TMT - PAN INDIA - FY2324						
Test Name	Result	Unit	Bio. Ref. Range	Method		

BLOOD GROUP ABO AND RH FACTOR , WHOLE BLOOD-EDTA				
BLOOD GROUP TYPE	AB	Microplate Hemagglutination		
Rh TYPE	Positive	Microplate Hemagglutination		

Page 3 of 13











Age/Gender : 51 Y 8 M 30 D/M
UHID/MR No : CINR.0000154157
Visit ID : CINROPV199137

Ref Doctor : Dr.SELF Emp/Auth/TPA ID : 7760889623 Collected : 13/Jul/2023 08:02AM
Received : 13/Jul/2023 11:04AM
Reported : 13/Jul/2023 11:41AM

Status : Final Report

Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - TMT - PAN INDIA - FY2324							
Test Name	Result	Unit	Bio. Ref. Range	Method			

GLUCOSE, FASTING , NAF PLASMA	135	mg/dL	70-100	HEXOKINASE	
-------------------------------	-----	-------	--------	------------	--

Comment:

As per American Diabetes Guidelines

Fasting Glucose Values in mg/d L	Interpretation
<100 mg/dL	Normal
100-125 mg/dL	Prediabetes
≥126 mg/dL	Diabetes

GLUCOSE, POST PRANDIAL (PP), 2	252	mg/dL	70-140	HEXOKINASE
HOURS , NAF PLASMA				

Comment:

It is recommended that FBS and PPBS should be interpreted with respect to their Biological reference ranges and not with each other.

Conditions which may lead to lower postprandial glucose levels as compared to fasting glucose levels may be due to reactive hypoglycemia, dietary meal content, duration or timing of sampling after food digestion and absorption, medications such as insulin preparations, sulfonylureas, amylin analogues, or conditions such as overproduction of insulin.

Ref: Marks medical biochemistry and clinical approach

Page 4 of 13



2012, 1st Floor, 100 Feet Road, HAL 2nd stage, Indiranagar, Bengaluru, Karnataka, India - 560038







: Mr.GIRISHKUMAR R PATIL

Age/Gender

: 51 Y 8 M 30 D/M

UHID/MR No

: CINR.0000154157

Visit ID

: CINROPV199137

Ref Doctor Emp/Auth/TPA ID : Dr.SELF : 7760889623 Collected

: 13/Jul/2023 08:02AM

Received

: 13/Jul/2023 11:04AM

Reported

: 13/Jul/2023 11:41AM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - TMT - PAN INDIA - FY2324						
Test Name Result Unit Bio. Ref. Range Me						
HBA1C, GLYCATED HEMOGLOBIN , WHOLE BLOOD-EDTA	7.4	%		HPLC		
ESTIMATED AVERAGE GLUCOSE (eAG), WHOLE BLOOD-EDTA	166	mg/dL		Calculated		

Comment:

Reference Range as per American Diabetes Association (ADA):

REFERENCE GROUP	HBA1C IN %
NON DIABETIC ADULTS >18 YEARS	<5.7
AT RISK (PREDIABETES)	5.7 – 6.4
DIAGNOSING DIABETES	≥ 6.5
DIABETICS	
· EXCELLENT CONTROL	6 – 7
· FAIR TO GOOD CONTROL	7 – 8
· UNSATISFACTORY CONTROL	8 – 10
· POOR CONTROL	>10

Note: Dietary preparation or fasting is not required.

- 1. A1C test should be performed at least two times a year in patients who are meeting treatment goals (and who have stable glycemic control).
- 2. Lowering A1C to below or around 7% has been shown to reduce microvascular and neuropathic complications of type 1 and type 2 diabetes. When mean annual HbA1c is <1.1 times ULN (upper limit of normal), renal and retinal complications are rare, but complications occur in >70% of cases when HbA1c is >1.7 times ULN.
- 3. Falsely low HbA1c (below 4%) may be observed in patients with clinical conditions that shorten erythrocyte life span or decrease mean erythrocyte age. HbA1c may not accurately reflect glycemic control when clinical conditions that affect erythrocyte survival are present. Fructosamine may be used as an alternate measurement of glycemic control

Page 5 of 13



www.apolloclinic.com









Age/Gender : 51 Y 8 M 30 D/M
UHID/MR No : CINR.0000154157
Visit ID : CINROPV199137

Ref Doctor : Dr.SELF Emp/Auth/TPA ID : 7760889623 Collected : 13/Jul/2023 08:02AM
Received : 13/Jul/2023 10:58AM
Reported : 13/Jul/2023 11:40AM

Status : Final Report

Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

	2 = 1 / 11 (11 11 1 1 1 1 1 1 1 1 1 1 1 1				
ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - TMT - PAN INDIA - FY2324					
Test Name	Result	Unit	Bio. Ref. Range	Method	

LIPID PROFILE , SERUM				
TOTAL CHOLESTEROL	191	mg/dL	<200	CHO-POD
TRIGLYCERIDES	141	mg/dL	<150	GPO-POD
HDL CHOLESTEROL	46	mg/dL	40-60	Enzymatic Immunoinhibition
NON-HDL CHOLESTEROL	145	mg/dL	<130	Calculated
LDL CHOLESTEROL	116.9	mg/dL	<100	Calculated
VLDL CHOLESTEROL	28.2	mg/dL	<30	Calculated
CHOL / HDL RATIO	4.15		0-4.97	Calculated

Comment:

Reference Interval as per National Cholesterol Education Program (NCEP) Adult Treatment Panel III Report.

	Desirable	Borderline High	High	Very High
TOTAL CHOLESTEROL	< 200	200 - 239	≥ 240	
TRIGLYCERIDES	<150	150 - 199	200 - 499	≥ 500
11 1 11	Optimal < 100 Near Optimal 100-129	130 - 159	160 - 189	≥ 190
HDL	≥ 60			
INCN-HDI (HOLESTEROL	Optimal <130; Above Optimal 130-159	160-189	190-219	>220

Measurements in the same patient can show physiological and analytical variations.

NCEP ATP III identifies non-HDL cholesterol as a secondary target of therapy in persons with high triglycerides.

Page 6 of 13













: Mr.GIRISHKUMAR R PATIL

Age/Gender

: 51 Y 8 M 30 D/M : CINR.0000154157

UHID/MR No Visit ID

: CINROPV199137

Ref Doctor

: Dr.SELF

Emp/Auth/TPA ID : 7760889623 Collected

: 13/Jul/2023 08:02AM

Received

: 13/Jul/2023 10:58AM

Reported Status

: 13/Jul/2023 11:40AM

: Final Report Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FUL	L BODY ANNUAL PL	US ABOVE 50Y	MALE - TMT - PAN INI	DIA - FY2324
Test Name	Result	Unit	Bio. Ref. Range	Method

TION TEST (LFT) , SERUM			
ION ILDI (LI I), OLINOIVI			

LIVER FUNCTION TEST (LFT), SERUM				
BILIRUBIN, TOTAL	0.50	mg/dL	0.3–1.2	DPD
BILIRUBIN CONJUGATED (DIRECT)	0.07	mg/dL	<0.2	DPD
BILIRUBIN (INDIRECT)	0.43	mg/dL	0.0-1.1	Dual Wavelength
ALANINE AMINOTRANSFERASE (ALT/SGPT)	25	U/L	<50	IFCC
ASPARTATE AMINOTRANSFERASE (AST/SGOT)	27.0	U/L	<50	IFCC
ALKALINE PHOSPHATASE	71.00	U/L	30-120	IFCC
PROTEIN, TOTAL	6.29	g/dL	6.6-8.3	Biuret
ALBUMIN	4.02	g/dL	3.5-5.2	BROMO CRESOL GREEN
GLOBULIN	2.27	g/dL	2.0-3.5	Calculated
A/G RATIO	1.77		0.9-2.0	Calculated

Page 7 of 13











: Mr.GIRISHKUMAR R PATIL

Age/Gender

: 51 Y 8 M 30 D/M

UHID/MR No Visit ID

: CINR.0000154157

Ref Doctor

CHLORIDE

: CINROPV199137

: Dr.SELF Emp/Auth/TPA ID : 7760889623 Collected

: 13/Jul/2023 08:02AM

Received

: 13/Jul/2023 10:58AM

Reported

: 13/Jul/2023 11:40AM

101-109

Status

: Final Report

Sponsor Name

mmol/L

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - TMT - PAN INDIA - FY2324				
Test Name	Result	Unit	Bio. Ref. Range	Method

RENAL PROFILE/KIDNEY FUNCTION TEST (RFT/KFT), SERUM				
CREATININE	0.95	mg/dL	0.72 – 1.18	JAFFE METHOD
UREA	18.50	mg/dL	17-43	GLDH, Kinetic Assay
BLOOD UREA NITROGEN	8.6	mg/dL	8.0 - 23.0	Calculated
URIC ACID	4.00	mg/dL	3.5–7.2	Uricase PAP
CALCIUM	8.90	mg/dL	8.8-10.6	Arsenazo III
PHOSPHORUS, INORGANIC	3.01	mg/dL	2.5-4.5	Phosphomolybdate Complex
SODIUM	129	mmol/L	136–146	ISE (Indirect)
POTASSIUM	4.7	mmol/L	3.5–5.1	ISE (Indirect)

96

Page 8 of 13



ISE (Indirect)









: Mr.GIRISHKUMAR R PATIL

Age/Gender

: 51 Y 8 M 30 D/M

UHID/MR No

: CINR.0000154157

Visit ID

: CINROPV199137

Ref Doctor

: Dr.SELF

Emp/Auth/TPA ID : 7760889623

Collected

: 13/Jul/2023 08:02AM

Received

: 13/Jul/2023 10:58AM

Reported Status : 13/Jul/2023 11:40AM

Sponsor Name

: Final Report

: ARCOFEMI HEALTHCARE LIMITED

ARCOFEMI - MEDIWHEEL	- FULL BODY ANNUAL	PLUS ABOVE 50Y MALE	- TMT	- PAN INDIA - FY2324
,				. ,

Test Name	Result	Unit	Bio. Ref. Range	Method
-----------	--------	------	-----------------	--------

GAMMA GLUTAMYL TRANSPEPTIDASE	51.00	U/L	<55	IFCC
(GGT) , SERUM				

Page 9 of 13



SIN No:SE04421714









Age/Gender : 51 Y 8 M 30 D/M UHID/MR No : CINR.0000154157

Visit ID : CINROPV199137

Ref Doctor : Dr.SELF Emp/Auth/TPA ID : 7760889623

Collected : 13/Jul/2023 08:02AM Received : 13/Jul/2023 10:56AM

Reported : 13/Jul/2023 11:54AM

: Final Report Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF IMMUNOLOGY

Status

DEL ANTIMENT OF IMMINOROEOGY				
ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - TMT - PAN INDIA - FY2324				
Test Name	Result	Unit	Bio. Ref. Range	Method

THYROID PROFILE TOTAL (T3, T4, TSH), SERUM				
TRI-IODOTHYRONINE (T3, TOTAL)	1.16	ng/mL	0.7-2.04	CLIA
THYROXINE (T4, TOTAL)	9.30	μg/dL	6.09-12.23	CLIA
THYROID STIMULATING HORMONE (TSH)	1.465	μIU/mL	0.34-5.60	CLIA

Comment:

Serum TSH concentrations exhibit a diurnal variation with the peak occurring during the night and the nadir occurring between 10 a.m. and 4 p.m.In primary hypothyroidism, thyroid-stimulating hormone (TSH) levels will be elevated. In primary hyperthyroidism, TSH levels will be low. Elevated or low TSH in the context of normal free thyroxine is often referred to as subclinical hypo- or hyperthyroid-ism, respectively. Physiological rise in Total T3 / T4 levels is seen in pregnancy and in patients on steroid therapy.

Recommended test for T3 and T4 is unbound fraction or free levels as it is metabolically active.

Note:

For pregnant females	Bio Ref Range for TSH in uIU/ml (As per American Thyroid Association)			
First trimester	0.1 - 2.5			
Second trimester	0.2 - 3.0			
Third trimester	0.3 - 3.0			

Page 10 of 13







Age/Gender : 51 Y 8 M 30 D/M
UHID/MR No : CINR.0000154157
Visit ID : CINROPV199137

Ref Doctor : Dr.SELF Emp/Auth/TPA ID : 7760889623 Collected : 13/Jul/2023 08:02AM
Received : 13/Jul/2023 10:56AM
Reported : 13/Jul/2023 11:51AM

Status : Final Report

Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF IMMUNOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - TMT - PAN INDIA - FY2324					
Test Name	Result	Unit	Bio. Ref. Range	Method	

TOTAL PROSTATIC SPECIFIC ANTIGEN	0.740	ng/mL	0-4	CLIA
(tPSA), SERUM		_		

Comment:

Disclaimer: *The results determined by assays using different manufacturers or methods may not be comparable.

Manufacturer: BECKMAN COULTER









Age/Gender : 51 Y 8 M 30 D/M
UHID/MR No : CINR.0000154157
Visit ID : CINROPV199137

Ref Doctor : Dr.SELF Emp/Auth/TPA ID : 7760889623 Collected : 13/Jul/2023 08:02AM
Received : 13/Jul/2023 11:38AM
Reported : 13/Jul/2023 01:52PM

Status : Final Report

Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF CLINICAL PATHOLOGY ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - TMT - PAN INDIA - FY2324 Test Name Result Unit Bio. Ref. Range Method

COMPLETE URINE EXAMINATION (C	UE) , URINE			
PHYSICAL EXAMINATION				
COLOUR	PALE YELLOW		PALE YELLOW	Visual
TRANSPARENCY	CLEAR		CLEAR	Visual
pH	5.5		5-7.5	DOUBLE INDICATOR
SP. GRAVITY	1.005		1.002-1.030	Bromothymol Blue
BIOCHEMICAL EXAMINATION				
URINE PROTEIN	NEGATIVE		NEGATIVE	PROTEIN ERROR OF INDICATOR
GLUCOSE	NEGATIVE		NEGATIVE	GLUCOSE OXIDASE
URINE BILIRUBIN	NEGATIVE		NEGATIVE	AZO COUPLING REACTION
URINE KETONES (RANDOM)	NEGATIVE		NEGATIVE	SODIUM NITRO PRUSSIDE
UROBILINOGEN	NORMAL		NORMAL	MODIFED EHRLICH REACTION
BLOOD	NEGATIVE		NEGATIVE	Peroxidase
NITRITE	NEGATIVE		NEGATIVE	Diazotization
LEUCOCYTE ESTERASE	NEGATIVE		NEGATIVE	LEUCOCYTE ESTERASE
CENTRIFUGED SEDIMENT WET MO	OUNT AND MICROSCOPY			
PUS CELLS	2-3	/hpf	0-5	Microscopy
EPITHELIAL CELLS	1-2	/hpf	<10	MICROSCOPY
RBC	NIL	/hpf	0-2	MICROSCOPY
CASTS	NIL		0-2 Hyaline Cast	MICROSCOPY
CRYSTALS	ABSENT		ABSENT	MICROSCOPY

Page 12 of 13













: Mr.GIRISHKUMAR R PATIL

Age/Gender

: 51 Y 8 M 30 D/M

UHID/MR No

: CINR.0000154157

Visit ID

: CINROPV199137

Ref Doctor Emp/Auth/TPA ID

: Dr.SELF : 7760889623

Collected

: 13/Jul/2023 08:02AM

Received

: 13/Jul/2023 11:38AM : 13/Jul/2023 01:52PM

Reported Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEDA	DTMENT	OF OI	INIICAI	DATHOL	OCV.
DEPA	RINENI	UF GL	LINICAL	. PATHOL	.UG I

Test Name Result Unit Bio. Ref. Range Method

URINE GLUCOSE(POST PRANDIAL) POSITIVE ++ **NEGATIVE** Dipstick

URINE GLUCOSE(FASTING)

NEGATIVE

NEGATIVE

Dipstick

*** End Of Report ***

Result/s to Follow: PERIPHERAL SMEAR

Dr. Prasanna M.B.B.S, M.D

Consultant Pathologist

Dr.Anita Shobha Flynn M.B.B.S MD (Pathology) Consultant Pathologist

DR. SHIVARAJA SHETTY M.B.B.S.M.D(Biochemistry

CONSULTANT BIOCHEMIST Consultant Pathologist

Dr.Anita Shobha Flynn M.B.B.S MD(Pathology)

Page 13 of 13





Patient Name : Mr. Girishkumar R Patil Age/Gender : 51 Y/M

UHID/MR No.

: CINR.0000154157

OP Visit No

: CINROPV199137

Sample Collected on

: RAD2046171

: 7760889623

Reported on

: 13-07-2023 19:45

Ref Doctor Emp/Auth/TPA ID

LRN#

: SELF

Specimen

DEPARTMENT OF RADIOLOGY

X-RAY CHEST PA

Both lung fields and hila are normal.

No obvious active pleuro-parenchymal lesion seen.

Both costophrenic and cardiophrenic angles are clear.

Both diaphragms are normal in position and contour.

Thoracic wall and soft tissues appear normal.

CONCLUSION:

No obvious abnormality seen

Dr. PRIYA B MBBS, MD (Radiology) Radiology



Patient Name : Mr. Girishkumar R Patil Age/Gender : 51 Y/M

 UHID/MR No.
 : CINR.0000154157
 OP Visit No
 : CINROPV199137

 Sample Collected on
 : 13-07-2023 16:50

Ref Doctor : SELF

DEPARTMENT OF RADIOLOGY

ULTRASOUND - WHOLE ABDOMEN

LIVER: Appears normal in size(15.4cm), shape and echopattern **mildly increased**. No focal parenchymal lesions identified. No evidence of intra/extrahepatic biliary tree dilatation noted. Portal vein appears to be of normal size.

GALLBLADDER: Moderately distended. No definite calculi identified. No evidence of abnormal wall thickening noted.

SPLEEN: Appears normal in size, shape and echopattern. No focal parenchymal lesions identified.

PANCREAS: Obscured by bowel gas. However, the visualized portion appear normal.

KIDNEYS: Both kidneys appear normal in size, shape and echopattern. Corticomedullary differentiation appears maintained. No evidence of calculi or hydronephrosis on either side.

Right kidney measures 10.6X4.9 cm.

Left kidney measures 11.6X6.1 cm.

URINARY BLADDER: Distended and appears normal. No evidence of abnormal wall thickening noted.

PROSTATE: Prostate is normal in size and echo-pattern.

: 7760889623

No free fluid is seen.

Emp/Auth/TPA ID

IMPRESSION:

GRADE I FATTY LIVER.

Dr. RAMESH G
MBBS DMRD
RADIOLOGY