Kshipra Scans & Labs

			Age		33 Yrs. / M
Name	3	Jagdish	Date	12	14/04/2023
Thanks To	:				

X-RAY CHEST (PA VIEW)


Both lung fields appear normal. No e/o Koch's lesion or consolidation seen. Both CP angles appear clear. Both domes of diaphragm appear normal. Heart size and aorta are within normal limits. Bony thorax under vision appears normal. Both hila appear normal.

Consultant Radiologist

(This report is not valid for any Medico-legal purpose)

2-B, Ground Floor, Court Choraha, Main Road Tehsil Ke Samne, Udaipur 313001 (Raj.) Mob. : 7229961115, 7229970005, 7229901188 (24 x 7 Customer Service) Email : Kshipralabsudaipur@gmail.com









Mr. Jadut Ji

33/M

11/04/23

Dr. Sharva Pandya MBBS, M.S., (Ophthalmology) RMC Reg. No. : 021537

डॉ. शर्वा पण्ड्या

वरिष्ठ नेत्र रोग विशेषज्ञ सर्जन

Clo - for eye test

DVAL 6/6

NVAK N/6 N/6

Colour vision - (N)

Dr. SHARVA PANDYA M.B.B.S.,M.S. (Ophth.) Jai Drishti Eye Hospith

Sharva

Cosmetology Partner .

Jai Drishti Eye Hospital, 23A, Residency Road, Near PC Jewellers, Sardarpura, Udaipur जय दृष्टि आई हॉस्पिटल, 23-ए, रेजीडेन्सी रोड़, पी.सी. ज्वेलर्स के पास, सरदारपुरा, उदयपुर





K Kshipra Scans & Labs

Name	:	Mr. Jagdish Sharma	Age		33Yrs./M
Thanks To	:	Mediwhell well ness	Date		14/04/2023
Inner			CHERCENSIS AND ADDRESS	and the second second	14/04/2023

ULTRASOUND STUDY OF WHOLE ABDOMEN

LIVER

Liver is mild enlarged in size (16.0cm) & bright in echotexture. No focal mass lesion is seen. Intra hepatic biliary radicles are normal. Portal vein is normal in caliber.

GALL BLADDER

Gall bladder is well distended. The wall thickness appears normal. No evidence of calculus or mass lesion is seen. C.B.D. appears normal.

PANCREAS

Pancreas is normal in size, shape & echotexture. No focal mass lesion is seen.

SPLEEN

Spleen is normal in size, shape & echotexture. No focal mass lesion is seen.

BOTH KIDNEYS

Both kidneys are normal in size, shape & echotexture. Renal parenchyma appears normal. No evidence of hydronephrosis, calculus or cortical scarring is seen in either kidney.

Right kidney measures		10.6 x 3.6 cms.
Left kidney measures	:	10.0 x 4.1 cms.

URINARY BLADDER

Urinary bladder is well distended and appears normal in contour. The wall thickness appears normal.

PROSTATE

Prostate is normal in size, shape and echotexture. It measures 2.4 x 4.8 x 1.9cms. Volume: 9.9cc.

No obvious abdominal lymphadenopathy is seen. No free fluid is seen in peritoneal cavity.

OPINION:

Mild hepatomegaly with fatty liver grade I.


Dr. Bharat Jain

MD (Radio-Diagnosis) Consultant Radiologist

N.B.: This is only a professional opinion and not the final diagnosis. MRI/CT is subject to variations due to technical limitations, hence correlation with clinical findings and other investigations should be carried out to know the true nature of illness

2-B, Ground Floor, Court Choraha, Main Road Tehsil Ke Samne, Udaipur 313001 (Raj.) Mob. : 7229961115, 7229970005, 7229901188 (24 x 7 Customer Service) Email : Kshipralabsudaipur@gmail.com







SCAN AnyScanner

Summary Media:: KSHIPRA SCANS & LABS 28 COURT CHOURANA UDAPPUR Description: The Characteristic status and the status base of the status bastatus bastatus base of the status base of the status base of the	tp://www.msindia	Advice/Comments:		Maxm	No An Final	No sig	Max B WorkL	Exerci Max H	Findings :	Recovery	Recovery	Recovery	PeakEx	Stage 2	Stage 1	ExStart	Standing	Supine	Stage S	RMS
Anary KSHIPRA SCANS & LABS 28 COURT CHOURANA UDAIPUR 20 COURT CHOURANA UDAIPUR 28 COURT CHOURANA UDAIPUR 28 COURT CHOURANA UDAIPUR 28 COURT CHOURANA UDAIPUR 20	.com @ RMS StressTr	ents:		um Depressi	gina/Arrhytl Impression	nificant ST s	P : 130/90	Exercise Time Max HR attained			3:00	1:00	0:53	3:00	3:00				ē	Ref.I Medi
Anary KSHIPRA SCANS & LABS 28 COURT CHOURANA UDAIPUR 20 COURT CHOURANA UDAIPUR 28 COURT CHOURANA UDAIPUR 28 COURT CHOURANA UDAIPUR 28 COURT CHOURANA UDAIPUR 20	est (VEGA201_v8.0.			ion: 6:54	hmia/S3/m : Test is	segment ch	(mmHg) d : 9.4 (Go	: 6:54 m : 168 bp					6:54	6:01	3:01				haseTime (Min:Sec)	
KSHIPRA SCANS & LABS 28 COURT CHOURAHA UDAIPUR 33 Yrs/Male 0H 2003102090/MR LADDISHAHA UDAIPUR Date: 14-Apr-2023 12:02:17 PM 33 Yrs/Male 0H 79 R.P.P. PVC Comments may 1 1 90 139 - 1 100 172 - 11 100 172 - avR 1	(6				urmur negative	anges not	od Effort	inutes om 90%			0.0	0.0	3.4	3.3	2.2				Speed	Imary
KSHIPRA SCANS & LABS 28 COURT CHOURAHA UDAIPUR 2303102090/MR LAGDISH SHAAU UDAIPUR 33 Yrs/Male 01 P. R.P.P. PVC Comments 1 100 0 - 1 1 90 139 - 1 1 100 172 - 1 1 100 172 - 3vr. 3vr. 100 172 - 3vr. 3vr. 100 172 - 3vr. 3vr. 100 172 - 3vr. 3vr. 3vr. 100 172 - 3vr. 3vr. 3vr. 100 172 - 3vr. 3vr. 3vr. 100 -				**	for inducil	ted during	Tolerance	of Max Pr			0.0	0.0	14.0	12.0	10.0				Grade	
KSHIPRA SCANS & LABS 28 COURT CHOURAHA UDAIPUR 2303102090/MR LHADIS 33 Yrs/Male 04 P. R.P.P. PVC Comments 1 1 1 100 0 - 1					ole ischae	exercise	-	edictable		0.0	1.0	3.1	9.4	9.0	5.7	1.0	1.0	1.0	METs	
KSHIPRA SCANS & LABS 2B COURT CHOURAHA UDAIPUR 2303102090/MR LAGDISH SHAAM IJ3UR 2303102090/MR LAGDISH SHAAM IJ3UR 230310209/MR LAGDISH SHAAM IJ3UR 230310200/MR LAGDISH SHAAM IJ3UR 230310200/MR LAGDISH SHAAM IJ3UR 230310200/MR LAGDISH SHAAM IJ3UR 230310200/MR LAGDISH SHAAM IJ3UR 23041/100 III 100 III 100 III 100 III 100 III 100 III 100				**	hmia.	or recov		HR 187		0									H.R.	Pr
KSHIPRA SCANS & LABS 238 COURT CHOURAHA UDAIPUR 33 Yrs/Male 0 M 230 102090/MR JAGDISH SHARMA 33 Yrs/Male 0 M 0 - - - 0 - - - - 0 - - - - - 18 - <td></td> <td></td> <td></td> <td></td> <td></td> <td>ery.</td> <td></td> <td></td> <td></td> <td>/</td> <td>120/80</td> <td>40/100</td> <td>130/90</td> <td>130/90</td> <td>130/90</td> <td>120/80</td> <td>120/80</td> <td>120/80</td> <td>B.P.</td> <td>otocol : B History :</td>						ery.				/	120/80	40/100	130/90	130/90	130/90	120/80	120/80	120/80	B.P.	otocol : B History :
PA SCANS & LABS RT CHOURAHA UDAIPUR 0/MR JAGDISH SHARMA 33 Yrs/Male 0 K hpr-2023 12:02:17 PM III III III III III III III I				-						0	130	172	218	202	174	139	0	0	R.P.P.	a second second second
vrs/Male 0 K IIII AVR AVR V1 V2 V3 V5			Pea	-			Pre 1				•		•	•	•	•				SHIPRA SCANS & LA COURT CHOURAHA UDAIP 3102090/MR JAGDISH SHARMA e: 14-Apr-2023 12:02:17 PM
avr = = 0 x			KEX	TWP			Ex	0												BS UR 33 Yrs/Mal
					V5 Myrum	V4				2	P	avL	1	9	III mymeration III	M. 1		100000	SIL 1 mm/Div 5 1 2 R	















anyScanner




anyScanner


S	12 Lead + Median			KSHIPRA	PRA SCANS	& LABS		
	2303102090/MR JAGDISHHBJARRAbpm 33 Yrs/Male METS: 9.4 0 Kg/0 Cms BP: 130/90 Date: 14-Apr-2023 12:02:17.PM	HB24AR08Abpm METS: 9.4 BP: 130/90 2:17-PM	MPHR:89% of Speed: 3.4 m Grade: 14.0%	187 ph	ZB COURT CHOURAHA UDAIPUR Raw ECG BRUCE (1.0-100)Hz No	LUDAIPUR Ex Time 00 BLC :On Notch :On	UR Ex Time 06:53 BLC :On Notch :On	BRUCE:PeakEx(0:53) 10.0 mm/mV 25 mm/Sec.
50 mS Post J		11	1.3 1.3 V	P	0.5 0.1 1.2	5	0084 	ŧ
		0.4 4	1,0 3,2	0:0 2:7	N.O.	2:4 2:4	1,0.5 1,7.4.5	-
V5)							2
	V		May					
						× ×		<u>}</u>
		8Y,2				¥4		
			- Martin	Alter March		\$ 		2
-	-	Line and the second sec				×5		
			M	A -	- Annal			
				3		**		

AnyScanner

NUMIAUU COM TIT



AnyScanner





	TEST	REPORT	
Reg. No : 2304101338			Reg. Date : 14-Apr-2023
Name : Jagdish Sharma			Collected On : 14-Apr-2023 08:29
Age/Sex : 33 Years / Male			Approved On : 17-Apr-2023 08:03
Ref. By			Printed On : 26-Apr-2023 15:23
Client : MEDIWHEEL WELLNE	SS		
Parameter	<u>Result</u>	<u>Unit</u>	Reference Interval
	KIDNEY FL	JNCTION TEST	
	KIDNEY FI	INCTION TEST	
	KIDNEY FL 20.1	JNCTION TEST mg/dL	10 - 50
UREA (Urease & glutamate dehydrogenase)			10 - 50
			10 - 50 0.5 - 1.4

----- End Of Report -----

Page 1 of 11

Approved by: DR PS

TEST REPORT

Reg. No:2304101338Name:Jagdish SharmaAge/Sex:33 Years / MaleRef. By:Client:MEDIWHEEL WELLNESS

 Reg. Date
 : 14-Apr-2023

 Collected On
 : 14-Apr-2023 08:29

 Approved On
 : 14-Apr-2023 10:13

 Printed On
 : 26-Apr-2023 15:23

Reference Interval Parameter Result <u>Unit</u> **COMPLETE BLOOD COUNT (CBC) SPECIMEN: EDTA BLOOD** Hemoglobin 14.5 g/dL 13.0 - 17.0 **RBC** Count 4.6 million/cmm 4.5 - 5.5 Hematrocrit (PCV) 48.6 % 40 - 54 MCH 31.5 27 - 32 Pg MCV 105.7 fL 83 - 101 MCHC 29.8 % 31.5 - 34.5 RDW 12.9 % 11.5 - 14.5 WBC Count 9820 /cmm 4000 - 11000 **DIFFERENTIAL WBC COUNT (Flow cytometry)** 38 - 70 Neutrophils (%) % 60 Lymphocytes (%) 30 20 - 40 % Monocytes (%) 80 % 2 - 8 02 0 - 6 Eosinophils (%) % Basophils (%) 00 0 - 2 % Neutrophils 5892 /cmm 2946 Lymphocytes /cmm Monocytes 786 /cmm Eosinophils 196 /cmm Basophils 0 /cmm Platelet Count (Flow cytometry) 295000 /cmm 150000 - 450000 MPV 8.9 fL 7.5 - 11.5 **ERYTHROCYTE SEDIMENTATION RATE** ESR (After 1 hour) 10 mm/hr 0 - 14

Modified Westergren Method

----- End Of Report ------

Page 2 of 11



		TEST REPO	DRT
Reg. No	: 2304101338		Reg. Date : 14-Apr-2023
Name	: Jagdish Sharma		Collected On : 14-Apr-2023 08:29
Age/Sex	: 33 Years / Male		Approved On : 14-Apr-2023 10:13
Ref. By	:		Printed On : 26-Apr-2023 15:23
Client	: MEDIWHEEL WELI	NESS	
Paramet	ter	<u>Result</u>	
		BLOOD GROU Specimen: EDTA and Serum; Met	
ABO		'O'	
Rh (D)		Positive	

----- End Of Report ------

This is an electronically authenticated report.

Page 3 of 11

	TEST	REPORT	
Reg. No : 2304101338			Reg. Date : 14-Apr-2023
Name : Jagdish Sharma			Collected On : 14-Apr-2023 08
Age/Sex : 33 Years / Male			Approved On : 17-Apr-2023 08
Ref. By			Printed On : 26-Apr-2023 15
Client : MEDIWHEEL WELLNESS			
Parameter	<u>Result</u>	<u>Unit</u>	Reference Interval
Fasting Blood Sugar (FBS)	79.0	ma/dl	70 - 110
Fasting Blood Sugar (FBS)	79.0	A GLUCOSE mg/dL	70 - 110
Hexokinase Method			
Post Prandial Blood Sugar (PPBS) Hexokinase Method	100.0	mg/dL	70 - 140
Criteria for the diagnosis of diabetes1. HbA1c >	/= 6.5 *		
Or 2. Fasting plasma glucose >126 gm/dL. Fasting is (Or	defined as no caloric intal	ke at least for 8 hrs.	
3. Two hour plasma glucose >/= 200mg/dL during a dissolved in water	an oral glucose tolerence	test by using a glucose I	oad containing equivalent of 75 gm anhydrous

3. Two hour plasma glucose >= 200 mg/dL during an oral glucose tenestic tenestic tenestic and y and the glucose >= 200 mg/dL.
4. In a patient with classic symptoms of hyperglycemia or hyperglycemic crisis, a random plasma glucose >/= 200 mg/dL.
*In the absence of unequivocal hyperglycemia, criteria 1-3 should be confirmed by repeat testing.
American diabetes association. Standards of medical care in diabetes 2011. Diabetes care 2011;34;S11.

----- End Of Report ------

Page 4 of 11

TEST REPORT

Reg. No:2304101338Name:Jagdish SharmaAge/Sex:33 Years / MaleRef. By:

 Reg. Date
 : 14-Apr-2023

 Collected On
 : 14-Apr-2023 08:29

 Approved On
 : 17-Apr-2023 08:02

 Printed On
 : 26-Apr-2023 15:23

Client : MEDIWHEEL WELLNESS

Parameter	<u>Result</u>	<u>Unit</u>	Reference Interval
	LII	PID PROFILE	
Cholesterol (Enzymatic colorimetric)	170.3	mg/dL	Desirable : < 200.0 Borderline High : 200-239 High : > 240.0
Triglyceride (Enzymatic colorimetric)	146.2	mg/dL	Normal : < 150.0 Borderline : 150-199 High : 200-499 Very High : > 500.0
VLDL Calculated	29.24	mg/dL	15 - 35
LDL CHOLESTEROL	100.66	mg/dL	Optimal : < 100.0 Near / above optimal : 100-129 Borderline High : 130-159 High : 160-189 Very High : >190.0
HDL Cholesterol Homogeneous enzymatic colorime	40.4 tric	mg/dL	30 - 70

0 - 5.0

0 - 3.5

Homogeneous enzymatic colorimetric	
Cholesterol /HDL Ratio	4.22
Calculated	
LDL / HDL RATIO	2.49
Calculated	

Page 5 of 11



			Т	EST REPORT		
Reg. No	: 23	304101338			Reg. Date	: 14-Apr-2023
Name	: Ja	agdish Sharma			Collected On	: 14-Apr-2023 08:29
Age/Sex	: 33	3 Years / Male			Approved On	: 17-Apr-2023 08:02
Ref. By	:				Printed On	: 26-Apr-2023 15:23
Client	: M	EDIWHEEL WELLNESS				
Paramete	er		<u>Result</u>	<u>Unit</u>	Reference Interval	

NEW ATP III GUIDELINES (MAY 2001), MODIFICATION OF NCEP<?xml:namespace prefix = "o" ns = "urn:schemasmicrosoft-com:office:office" />

LDL CHOLESTEROL CHOLESTEROL HDL CHOLESTEROL
TRIGLYCERIDES
Optimal<100
Desirable<200
Low<40
Normal<150
Near Optimal 100-129
Border Line 200-239
High >60
Border High 150-199
Borderline 130-159
High >240
-
High 200-499
High 160-189

• LDL Cholesterol level is primary goal for treatment and varies with risk category and assessment

For LDL Cholesterol level Please consider direct LDL value •

Risk assessment from HDL and Triglyceride has been revised. Also LDL goals have changed.

Detail test interpreation available from the lab

All tests are done according to NCEP guidelines and with FDA approved kits. •

• LDL Cholesterol level is primary goal for treatment and varies with risk category and assessment # For test performed on specimens received or collected from non-KSHIPRA locations, it is presumed that the specimen belongs to the patient named or identified as labeled on the container/test request and such verification has been carried out at the point generation of the said specimen by the sender.

KSHIPRA will be responsible Only for the analytical part of test carried out. All other responsibility will be of referring Laboratory. . All other responsibility will be of referring Laboratory.

----- End Of Report ------

Page 6 of 11



	TE	ST REPORT	
Reg. No : 2304101338 Name : Jagdish Sharma			Reg. Date : 14-Apr-2023 Collected On : 14-Apr-2023 08:29
Age/Sex : 33 Years / Male			Approved On : 17-Apr-2023 08:02
Ref. By			Printed On : 26-Apr-2023 15:23
Client : MEDIWHEEL WELLNES	S		
Parameter	<u>Result</u>	<u>Unit</u>	Reference Interval
	LIVER FUNC	TION TEST WIT	'H GGT
Total Bilirubin	0.59	mg/dL	0.10 - 1.0
Colorimetric diazo method			
Conjugated Bilirubin	0.12	mg/dL	0.0 - 0.3
Sulph acid dpl/caff-benz			
Unconjugated Bilirubin	0.47	mg/dL	0.0 - 1.1
Sulph acid dpl/caff-benz			
SGOT	40.7	U/L	0 - 37
(Enzymatic)			
SGPT	81.3	U/L	0 - 40
(Enzymatic)	00.4	11/1	44 40
GGT	38.1	U/L	11 - 49
(Enzymatic colorimetric) Alakaline Phosphatase	101.2	U/L	53 - 130
(Colorimetric standardized method)	101.2	0/L	55 - 150
Protien with ratio			
Total Protein	7.0	g/dL	6.5 - 8.7
(Colorimetric standardized method)		9, 4	
Albumin	4.1	mg/dL	3.5 - 5.3
(Colorimetric standardized method)		č	
Globulin	2.90	g/dL	2.3 - 3.5
Calculated			

----- End Of Report ------

0.8 - 2.0

1.41

Page 7 of 11

A/G Ratio

Calculated



		TEST	REPORT	
Reg. No	: 2304101338			Reg. Date : 14-Apr-2023
Name	: Jagdish Sharma			Collected On : 14-Apr-2023 08:29
Age/Sex	: 33 Years / Male			Approved On : 17-Apr-2023 08:02
Ref. By	:			Printed On : 26-Apr-2023 15:23
Client	: MEDIWHEEL WELLNESS			
Parame	ter	<u>Result</u>	<u>Unit</u>	Reference Interval
			A1 C ESTIMATION	N
Hb A1C Boronate Aff	finity with Fluorescent Quenching	6.5	% of Total Hb	Poor Control : > 7.0 % Good Control : 6.2-7.0 % Non-diabetic Level : 4.3-6.2 %

mg/dL

Mean Blood Glucose	154.10
Calculated	

Degree of Glucose Control Normal Range:

Poor Control >7.0% *

Good Control 6.0 - 7.0 %**Non-diabetic level < 6.0 %

* High risk of developing long term complication such as retinopathy, nephropathy, neuropathy, cardiopathy, etc.

* Some danger of hypoglycemic reaction in Type I diabetics.

* Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1c levels in this area.

EXPLANATION :-

*Total haemoglobin A1 c is continuously symthesised in the red blood cell throught its 120 days life span. The concentration of HBA1c in the cell reflects the average blood glucose concentration it encounters.

*The level of HBA1c increases proportionately in patients with uncontrolled diabetes. It reflects the average blood glucose oncentration over an extended time period and remains unaffected by short-term fluctuations in blood glucose levels. *The measurement of HbA1c can serve as a convenient test for evaluating the adequacy of diabetic control and in preventing various diabetic complications. Because the average half life of a red blood cell is sixty days,HbA1c has been accepted as a measurnment which eflects the mean daily blood glucose concentration, better than fasting blood glucose determination, and the degree of carbohydrate imbalance over the preceding two months.

*It may also provide a better index of control of the diabetic patient without resorting to glucose loading procedures.

HbA1c assay Interferences:

*Errneous values might be obtained from samples with abnormally elevated quantities of other Haemoglobins as a result of either their simultaneous elution with HbA1c(HbF) or differences in their glycation from that of HbA(HbS)

----- End Of Report ------

This is an electronically authenticated report.

Page 8 of 11

	1	EST REPORT	
Reg. No : 2304101338			Reg. Date : 14-Apr-2023
Name : Jagdish Sharma			Collected On : 14-Apr-2023 08:29
Age/Sex : 33 Years / Male			Approved On : 14-Apr-2023 10:56
Ref. By : Client : MEDIWHEEL WELLN	IESS		Printed On : 26-Apr-2023 15:23
Parameter	<u>Result</u>	<u>Unit</u>	Reference Interval
	THYRO	DID FUNCTION T	EST
T3 (Triiodothyronine) Chemiluminescence	1.25	ng/mL	0.87 - 1.81
T4 (Thyroxine) Chemiluminescence	9.99	μg/dL	5.89 - 14.9
TSH (ultra sensitive)	2.374	µIU/mI	0.34 - 5.6

Chemiluminescence

SUMMARY The hypophyseal release of TSH (thyrotropic hormone) is the central regulating mechanism for the biological action of thyroid hormones.TSH is a very sensitive and specific parameter for assessing thyroid function and is particularly suitable for early detection or exclusion of disorders in the central regulating circuit between the hypothalamus, pituitary and thyroid. LIMITATION Presence of autoantibodies may cause unexpected high value of TSH

----- End Of Report ------

Page 9 of 11

	TEST	REPORT	
Reg. No : 2304101338			Reg. Date : 14-Apr-2023
lame : Jagdish Sharma			Collected On : 14-Apr-2023 08:29
Age/Sex : 33 Years / Male			Approved On : 14-Apr-2023 11:21
Ref. By : Client : MEDIWHEEL WELLNESS			Printed On : 26-Apr-2023 15:23
		Unit	Reference Interval
<u>Parameter</u>			
PHYSICAL EXAMINATION	URINE ROUT		ATION
Quantity	20 cc		
Colour	Pale Yellow		
Appearance	Clear		
CHEMICAL EXAMINATION (BY RE	FLECTANCE PHOTOM	METRIC METHOD)
рН	6.0		5.0 - 8.0
Sp. Gravity	1.015		1.002 - 1.03
Protein	Nil		
Glucose	Nil		
Ketone Bodies	Nil		
Urine Bile salt and Bile Pigment	Nil		
Urine Bilirubin	Nil		
Nitrite	Nil		
Leucocytes	Nil		
Blood	Nil		
MICROSCOPIC EXAMINATION (MA	NUAL BY MCIROSCO	<u>PY)</u>	
Leucocytes (Pus Cells)	Occasional/hpf		
Erythrocytes (Red Cells)	Occasional/hpf		
Epithelial Cells	1-2/hpf		
Amorphous Material	Nil		
Casts	Nil		
Crystals	Nil		
Bacteria	Nil		
Monilia	Nil		

----- End Of Report ------

Page 10 of 11



	TEST REPORT	
Reg. No : 2304101338 Name : Jagdish Sharma		Reg. Date : 14-Apr-2023 Collected On : 14-Apr-2023 08:25
Age/Sex : 33 Years / Male		Approved On : 14-Apr-2023 11:2
Ref. By		Printed On : 26-Apr-2023 15:23
Client : MEDIWHEEL WELLN	IESS	
<u>Parameter</u>	<u>Result</u> <u>Unit</u>	Reference Interval
	STOOL EXAMINAT	ION
Consistency	Semi Solid	
CHEMICAL EXAMINATION		
Occult Blood	Negative	
Peroxidase Reaction with o- Dianisidine		
Reaction	Acidic	
pH Strip Method		
Reducing Substance	Absent	
Benedict's Method		
MICROSCOPIC EXAMINATION	NU	
Mucus Pus Cells	Nil 1 - 2/hpf	
Red Cells	Nil	
Epithelial Cells	Nil	
Vegetable Cells	Nil	
Trophozoites	Nil	
Cysts	Nil	
Ova	Nil	
Neutral Fat	Nil	
Monilia	Nil	

Note: Stool occult blood test is highly sensitive to peroxidase like activity of free hemoglobin.

False negative: False negative occult blood test may be observed in case of excess (>250mg/day) Vitamin C intake and in case of occassinal unruptured RBCs.

False positive: False positive occult blood test may be observed in stool samples containing vegetable peroxidase (turnips, horseradish, cauliflower, brocoli, cantaloupe, parsnips) and myoglobin from food (meat diet) intake.

----- End Of Report ------

Page 11 of 11

