



Collected At : JAVITRI

Name : MRS. KAVITA	Age : 36 Yrs.	Registered : 11-3-2023 03:14 PM
Ref/Reg No : 107002 / TPPC\JAV-	Gender : Female	Collected : .
Ref By : Dr. MEDI WHEEL		Received : 11-3-2023 03:14 PM
Sample : Blood, Urine		Reported : 12-3-2023 04:40 PM
Sample(s) : Plain, EDTA, Urine, FBS, PPP		

Investigation	Observed Values	Units	Biological Ref. Interval
---------------	-----------------	-------	--------------------------

### HEMOGRAM

(Method: Electrical impedance, Flowcytometry, Spectrophotometry)

Haemoglobin [Method: SLS]	10.2	g/dL	11.5 - 15
HCT/PCV (Hematocrit/Packed Cell Volume) [Method: Derived]	30.0	ml %	36 - 46
RBC Count [Method: Electrical Impedence]	4.21	10 <sup>6</sup> /μl	3.8 - 4.8
MCV (Mean Corpuscular Volume) [Method: Calculated]	75.1	fL	83 - 101
MCH (Mean Corpuscular Haemoglobin) [Method: Calculated]	24.1	pg	27 - 32
MCHC (Mean Corpuscular Hb Concentration) [Method: Calculated]	32.2	g/dL	31.5 - 34.5
TLC (Total Leucocyte Count) [Method: Flow Cytometry/Microscopic]	6.2	10 <sup>3</sup> /μl	4.0 - 10.0
DLC (Differential Leucocyte Count): [Method: Flow Cytometry/Microscopic]			
Polymorphs	62	%	40.0 - 80.0
Lymphocytes	32	%	20.0 - 40.0
Eosinophils	04	%	1.0 - 6.0
Monocytes	02	%	2.0 - 10.0
Platelet Count [Method: Electrical impedance/Microscopic]	175	10 <sup>3</sup> /μl	150 - 400

### \*Erythrocyte Sedimentation Rate (E.S.R.)

[Method: Wintrobe Method]

*Observed Reading	25	mm for 1 hr	0-20
-------------------	----	-------------	------

* ABO Typing	" B "
* Rh (Anti - D)	Positive

Checked by

DR. MINAKSHI KAR  
(MD PATH & BACT)

"The results generated here is subjected to the sample submitted."



Collected At : JAVITRI

Name : MRS. KAVITA	Age : 36 Yrs.	Registered : 11-3-2023 03:14 PM
Ref/Reg No : 107002 / TPPC\JAV-	Gender : Female	Collected : .
Ref By : Dr. MEDI WHEEL		Received : 11-3-2023 03:14 PM
Sample : Blood, Urine		Reported : 12-3-2023 04:40 PM
Sample(s) : Plain, EDTA, Urine, FBS, PPP		

Investigation	Observed Values	Units	Biological Ref. Interval
Plasma Glucose Fasting	100	mg/dL	70 - 110
Plasma Glucose PP ( 2 Hrs after meal) [Method: Hexokinase]	108	mg/dL.	110-170
Glycosylated Hemoglobin (HbA1C) (Hplc method)	6.41	%	0 - 6
Mean Blood Glucose (MBG)	137	mg/dl	

SUMMARY

- < 6 % : Non Diabetic Level
- 6-7 % : Goal
- > 8 % : Action suggested

If HbA1c is >8% which causes high risk of developing long term complications like retinopathy, Nephropathy, Cardiopathy and Neuropathy. In diabetes mellitus sugar (glucose) accumulates in blood stream beyond normal level. Measurement of blood / plasma glucose level (in fasting, "after meal" i.e. PP or random condition) reflect acute changes related to immediate past condition of the patient which may be affected by factor like duration of fasting or time of intake of food before fasting, dosages of anti diabetic drugs, mental conditions like stress, anxiety etc. it does not indicate the long-term aspects of diabetic control.

Glucose combines with hemoglobin (Hb) continuously and nearly irreversibly during life span of RBC (120 days), thus glycosylated Hb is proportional to mean plasma glucose level during the previous 2-3 months. HbA1C, a glycosylated Hb comprising 3% - 6% of the total Hb in healthy may double or even triple in diabetes mellitus depending on the level of hyperglycemia (high blood glucose level), thus correlating with lack of control by monitoring diabetic patients compliance with therapeutic regimen used and long term blood glucose level control. Added advantage is its ability to predict progression of diabetic complications. HbA1c value is no way concerned with the blood sugar on the day of testing and dietary preparation of fasting is unnecessary.

  
Checked by

----- End of report -----



DR. MINAKSHI KAR  
(MD PATH & BACT)

"The results generated here is subjected to the sample submitted."



# MSK

(A Complete Diagnostic Pathology Laboratory)

# DIAGNOSTICS

RAIBARELI ROAD, TELIBAGH, LUCKNOW  
E-mail : mskdiagnosticspvt@gmail.com, Website : mskdiagnostics.in

Mobile : 7565000448

Collected At : JAVITRI

Name : MRS. KAVITA	Age : 36 Yrs.	Registered : 11-3-2023 03:14 PM
Ref/Reg No : 107002 / TPPC\JAV-	Gender : Female	Collected : .
Ref By : Dr. MEDI WHEEL		Received : 11-3-2023 03:14 PM
Sample : Blood, Urine		Reported : 12-3-2023 04:40 PM
Sample(s) : Plain, EDTA, Urine, FBS, PPP		

Investigation	Observed Values	Units	Biological Ref. Interval
---------------	-----------------	-------	--------------------------

### LIVER FUNCTION TEST

Serum Bilirubin (Total)	0.34	mg/dl.	0.0 - 1.2
Serum Alkaline Phosphatase [Method:4-Nitrophenyl phosphate (pNPP)]	54.6	IU/L	35-104
SGPT [Method: IFCC (UV without pyridoxal-5-phosphate)]	16.0	IU/L	10-50
SGOT [Method: IFCC (UV without pyridoxal-5-phosphate)]	18.0	IU/L	10-50
* Gamma-Glutamyl Transferase (GGT)	18.39	IU/L	Less than 38
Serum Protein [Method: Biuret]	7.0	gm/dL	6.2 - 7.8
Serum Albumin [Method: BCG]	4.5	gm/dL.	3.5 - 5.2
Serum Globulin [Method: Calculated]	2.5	gm/dL.	2.5-5.0
A.G. Ratio [Method: Calculated]	1.8 : 1		

### KIDNEY FUNCTION TEST

Serum Urea	23.0	mg/dL.	10-45
Blood Urea Nitrogen ( BUN )	11.27	mg/dL.	6 - 21
Serum Creatinine [Method: Jaffes Method/Enzymatic]	0.40	mg/dL.	0.40 - 1.00
Serum Sodium (Na+)	136	mmol/L	135 - 150
Serum Potassium (K+) [Method: Ion selective electrode direct]	3.8	mmol/L	3.5 - 5.5
Serum Uric Acid [Method for Uric Acid: Enzymatic-URICASE]	3.4	mg/dL.	2.4 - 5.7
* Serum Calcium (Total)	8.9	mg/dl.	8.2 - 10.2

Checked by

End of report

DR. MINAKSHI KAR  
(MD PATH & BACT)

"The results generated here is subjected to the sample submitted."

Page 1 of 1





# MSK

(A Complete Diagnostic Pathology Laboratory)

# DIAGNOSTICS

RAIBARELI ROAD, TELIBAGH, LUCKNOW  
E-mail : mskdiagnosticspvt@gmail.com, Website : mskdiagnostics.in

Mobile : 7565000448

Collected At : JAVITRI

Name : MRS. KAVITA	Age : 36 Yrs.	Registered : 11-3-2023 03:14 PM
Ref/Reg No : 107002 / TPPC\JAV-	Gender : Female	Collected : .
Ref By : Dr. MEDI WHEEL		Received : 11-3-2023 03:14 PM
Sample : Blood, Urine		Reported : 12-3-2023 04:40 PM
Sample(s) : Plain, EDTA, Urine, FBS, PPP		

Investigation	Observed Values	Units	Biological Ref. Interval
<b>LIPID PROFILE</b>			
Serum Cholesterol	164.0	mg/dL.	<200
Serum Triglycerides	76.0	mg/dL.	<150
HDL Cholesterol	51.0	mg/dL	>55
LDL Cholesterol	98	mg/dL.	<130
VLDL Cholesterol	15	mg/dL.	10 - 40
CHOL/HDL	3.22		
LDL/HDL	1.92		

**INTERPRETATION:**

National Cholesterol Education program Expert Panel (NCEP) for Cholesterol:  
 Desirable : < 200 mg/dl  
 Borderline High : 200-239 mg/dl  
 High : =>240 mg/dl

National Cholesterol Education program Expert Panel (NCEP) for Triglycerides:  
 Desirable : < 150 mg/dl  
 Borderline High : 150-199 mg/dl  
 High : 200-499 mg/dl  
 Very High : >500 mg/dl

National Cholesterol Education program Expert Panel (NCEP) for HDL-Cholesterol:  
 <40 mg/dl : Low HDL-Cholesterol [Major risk factor for CHD]  
 =>60 mg/dl : High HDL-Cholesterol [Negative risk factor for CHD]

National Cholesterol Education program Expert Panel (NCEP) for LDL-Cholesterol:  
 Optimal : < 100 mg/dL  
 Near optimal/above optimal : 100-129 mg/dL  
 Borderline High : 130-159 mg/dl  
 High : 160-189 mg/dL  
 Very High : 190 mg/dL

[Method for Cholesterol Total: Enzymatic (CHOD/POD)]  
 [Method for Triglycerides: Enzymatic (Lipase/GK/GPO/POD)]  
 [Method for HDL Cholesterol: Homogenous Enzymatic (PEG Cholesterol esterase)]  
 [Method for LDL Cholesterol: Homogenous Enzymatic (PEG Cholesterol esterase)]  
 [Method for VLDL Cholesterol: Friedewald equation]  
 [Method for CHOL/HDL ratio: Calculated]  
 [Method for LDL/HDL ratio: Calculated]

Checked by

DR. MINAKSHI KAR  
(MD PATH & BACT)

"The results generated here is subjected to the sample submitted."



# MSK

(A Complete Diagnostic Pathology Laboratory)

# DIAGNOSTICS

RAIBARELI ROAD, TELIBAGH, LUCKNOW  
E-mail : mskdiagnosticspvt@gmail.com, Website : mskdiagnostics.in

Mobile : 7565000448

Collected At : JAVITRI

Name : MRS. KAVITA	Age : 36 Yrs.	Registered : 11-3-2023 03:14 PM
Ref/Reg No : 107002 / TPPC\JAV-	Gender : Female	Collected : ..
Ref By : Dr. MEDI WHEEL		Received : 11-3-2023 03:14 PM
Sample : Blood, Urine		Reported : 12-3-2023 04:40 PM
Sample(s) : Plain, EDTA, Urine, FBS, PPP		

Investigation	Observed Values	Units	Biological Ref. Interval
---------------	-----------------	-------	--------------------------

<b>T3, T4, TSH</b> (ECLIA METHOD)			
Serum T3	1.22	ng/dl	0.84 - 2.02
Serum T4	8.63	ug/dl	5.13 - 14.6
Serum Thyroid Stimulating Hormone (T.S.H.)	2.16	uIU/ml	0.39 - 5.60

[Method: Electro Chemiluminescence Immunoassay (ECLIA)]

SUMMARY OF THE TEST

- 1) Primary hyperthyroidism is accompanied by elevated serum T3 and T4 values along with depressed TSH levels.
- 2) primary hypothyroidism is accompanied by depressed serum T3 and T4 values and elevated serum TSH levels.
- 3) Normal T4 levels accompanied by high T3 levels are seen in patients with T3 thyrotoxicosis.
- 4) Slightly elevated T3 levels may be found in pregnancy and esterogen therapy, while depressed levels maybe encountered in severe illness, malnutrition, renal failure and during therapy with drugs like propranolol and propylthiouracil.
- 5) Elevated TSH levels may also be indicative of TSH secreting pituitary tumour.

Chart of normal thyroid TSH levels during first, second and third trimester of pregnancy

Stage	Normal TSH Level
First Trimester	0.1-2.5 uIU/ml
Second Trimester	0.2-3.0 uIU/ml
Third Trimester	0.3-3.5 uIU/ml

Checked by 

----- End of report -----



DR. MINAKSHI KAR  
(MD PATH & BACT)

"The results generated here is subjected to the sample submitted."



# MSK

(A Complete Diagnostic Pathology Laboratory)

# DIAGNOSTICS

RAIBARELI ROAD, TELIBAGH, LUCKNOW  
E-mail : mskdiagnosticspvt@gmail.com, Website : mskdiagnostics.in

Mobile : 7565000448

Collected At : JAVITRI

Name : MRS. KAVITA	Age : 36 Yrs.	Registered : 11-3-2023 03:14 PM
Ref/Reg No : 107002 / TPPC\JAV-	Gender : Female	Collected : .
Ref By : Dr. MEDI WHEEL		Received : 11-3-2023 03:14 PM
Sample : Blood, Urine		Reported : 12-3-2023 04:40 PM
Sample(s) : Plain, EDTA, Urine, FBS, PPP		

Investigation	Observed Values	Units	Biological Ref. Interval
---------------	-----------------	-------	--------------------------

### URINE EXAMINATION ROUTINE

#### PHYSICAL EXAMINATION

Color	Light Yellow	
Volume	20	mL

#### CHEMICAL EXAMINATION

Blood	Absent	RBC/ $\mu$ l	Absent
Bilirubin	<b>Absent</b>		Absent
Urobilinogen	Absent		Absent
Chyle	Absent		Absent
[Method: Ether] Ketones	Absent		Absent
Nitrites	Absent		Absent
Proteins	<b>Absent</b>		Absent
Glucose	Absent		Absent
pH	6.0		5.0 - 9.0
Specific Gravity	1.015		1.010 - 1.030
Leucocytes	<b>Absent</b>	WBC/ $\mu$ L	Absent

#### MICROSCOPIC EXAMINATION

Red Blood cells	Absent	/HPF	Absent
Pus cells	<b>Occasional</b>	/HPF	0-3
Epithelial Cells	<b>Absent</b>	/HPF	Absent/Few
Casts	<b>Absent</b>	/HPF	Absent
Crystals	Absent	/HPF	Absent
Amorphous deposit	Absent	/HPF	Absent
Yeast cells	Absent	/HPF	Absent
Bacteria	<b>Absent</b>	/HPF	Absent
Parasites	Absent	/HPF	Absent
Spermatozoa	Absent	/HPF	Absent

Checked by

----- End of report -----

DR. MINAKSHI KAR  
(MD PATH & BACT)

"The results generated here is subjected to the sample submitted."

Page 3 of 3





# MSK

(A Complete Diagnostic Pathology Laboratory)

# DIAGNOSTICS

RAIBARELI ROAD, TELIBAGH, LUCKNOW

E-mail : mskdiagnosticspvt@gmail.com, Website : mskdiagnostics.in

Mobile : 7565000448

**NAME: -MS. KAVITA**

**DATE: -11.03.2023**

**REF.BY: - MEDIWHEEL**

**AGE: - 37Y/F**

## **USG - ABDOMEN-PELVIS**

- Liver appears normal in shape, size (measuring ~13.89cm) & echotexture. No evidence of focal or diffuse lesion is seen. No evidence of dilated IHBR seen. Portal vein appears normal in caliber.
- CBD appears normal in caliber.
- Gall Bladder appears well distended with normal wall thickness. No calculus or changes of cholecystitis seen.
- Spleen is normal in shape, size (measuring ~8.68cm) and echotexture with no focal lesion within.
- Pancreas appears normal in size, shape & echopattern.
- Para-aortic region appears normal with no e/o lymphadenopathy.
- Right kidney measuring ~10.59cm. Left kidney measuring ~11.27cm. Both kidneys appear normal in position, shape, size & echotexture. CMD is normal.
- No calculus or hydronephrosis on either side.
- Urinary bladder appears well distended with no calculus or mass within.
- Uterus is anteverted, normal in size & echotexture.
- Both ovaries appear normal. No evidence of adnexal mass on either side.
- No free fluid in peritoneal cavity.
- No abnormal bowel wall thickening or significant abdominal lymphadenopathy is seen.

## **IMPRESSION**

- Normal USG abdomen-pelvis study.

**Dr. Sarvesh Chandra Mishra**  
M.D., DNB Radio-diagnosis  
PDCC Neuroradiology (SGPGI, LKO)  
Ex- senior Resident (SGPGI, LKO)  
European Diploma in radiology EDiR, DICRI

**Dr. Sweta Kumari**  
MBBS, DMRD  
DNB Radio Diagnosis  
Ex- Senior Resident Apollo Hospital Bengaluru  
Ex- Resident JIPMER, Pondicherry

Reports are subjected to human errors and not liable for medicolegal purpose.

Facilities Available : • CT SCAN • ULTRASOUND • X-RAY • PATHOLOGY • ECG • ECHO  
Ambulance Available

Timing :  
Mon. to Sun.  
8:00am to 8:00pm



# MSK

(A Complete Diagnostic Pathology Laboratory)

# DIAGNOSTICS

RAIBARELI ROAD, TELIBAGH, LUCKNOW

E-mail : mskdiagnosticspvt@gmail.com, Website : mskdiagnostics.in

Mobile : 7565000448

**NAME:-MRS. KAVITA**

**DATE:-06/02/2023**

**REF.BY:-DR. R. K. YADAV**

**AGE:-36Y/F**

## **X-RAY CHEST (P.A. View)**

- Lung fields are clear.
- No focal parenchymal lesion is noted.
- Mediastinum is central.
- Cardiac size is normal.
- C.P. angles are normally visualized.
- Domes of diaphragm are normal.
- Pulmonary hila appear normal.
- Soft tissue and bones are normal.

### **OPINION:**

- No significant abnormality detected.  
-Suggested clinical correlation.

**Dr. Sarvesh Chandra Mishra**

M.D., D.N.B. Radio-diagnosis

PDCC Neuroradiology (SGPGIMS, LKO)

Ex- senior Resident (SGPGIMS, LKO)

European Diploma in radiology EDIR, DICRI

Reports are subjected to human errors and not liable for medicolegal purpose.

  
**Dr. Sweta Kumari**

M.B.B.S., D.M.R.D., D.N.B. Radio-diagnosis

Ex- Senior Resident (Apollo Hospital, Bangalore)

Ex- Resident JIPMER, Pondicherry