

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.KAMLESH SINGH	Registered On	: 10/Feb/2024 09:30:20
Age/Gender	: 42 Y 6 M 5 D /M	Collected	: N/A
UHID/MR NO	: ALDP.0000134728	Received	: N/A
Visit ID	: ALDP0357952324	Reported	: 10/Feb/2024 16:30:34
Ref Doctor	: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD -	Status	: Final Report

DEPARTMENT OF CARDIOLOGY-ECG MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ECG/ EKG*

1. Machnism, Rhythm	Sinus, Regular	
2. Atrial Rate	76	/mt
3. Ventricular Rate	76	/mt
4. P - Wave	Normal	
5. P R Interval	Normal	
6. Q R S Axis : R/S Ratio : Configuration :	Normal Normal Normal	
7. Q T c Interval	Normal	
8. S - T Segment	Normal	
9. T – Wave <u>FINAL IMPRESSION</u>	Normal	

ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.KAMLESH SINGH		Registered O		
Age/Gender	: 42 Y 6 M 5 D /M		Collected	: 10/Feb/2024 10:2	
UHID/MR NO	: ALDP.0000134728		Received	: 10/Feb/2024 11:1	
Visit ID	: ALDP0357952324		Reported	: 10/Feb/2024 13:2	8:02
Ref Doctor	: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD -		Status	: Final Report	
	DE	PARTM ENT	OFHAEMAT	OLOGY	
	MEDIWHEEL	BANK OF E	BARODA MAL	EABOVE 40 YRS	
Test Name		Result	Unit	Bio. Ref. Interval	Method
Blood Group		0			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGUUTINA
Rh (Anti-D)		POSITIVE			AGGLUTINA ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
					AGGLOTINA
	Count (CBC) * , Whole Blood				
Haemoglobin		16.20	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl	

		g/ui	1 Wk- 13.5-19.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl	
			Female- 12.0-15.5 g/dl	
TLC (WBC) DLC	5,700.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
Polymorphs (Neutrophils)	62.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	32.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	3.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	3.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils ESR	0.00	%	<1	ELECTRONIC IMPEDANCE
Observed	2.00	Mm for 1st hr.		
Corrected	, 4 . 7	Mm for 1st hr.	<9	
PCV (HCT)	50.00	%	40-54	
Platelet count				
Platelet Count	1.50	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.60	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	-	%	35-60	ELECTRONIC IMPEDANCE

Page 2 of 13





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.KAMLESH SINGH	Registered On	: 10/Feb/2024 09:30:16
Age/Gender	: 42 Y 6 M 5 D /M	Collected	: 10/Feb/2024 10:25:41
UHID/MR NO	: ALDP.0000134728	Received	: 10/Feb/2024 11:15:52
Visit ID	: ALDP0357952324	Reported	: 10/Feb/2024 13:28:02
Ref Doctor	: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD -	Status	: Final Report

DEPARTMENT OF HAEM ATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	0.18	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	12.90	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBCCount				
RBC Count	5.71	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	88.80	۴I	80-100	CALCULATED PARAMETER
MCH	28.30	pg	28-35	CALCULATED PARAMETER
MCHC	31.90	%	30-38	CALCULATED PARAMETER
RDW-CV	14.10	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	46.20	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	3,534.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	171.00	/cu mm	40-440	

AS

Dr.Akanksha Singh (MD Pathology)







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



: Mr.KAMLESH SINGH	Registered On	: 10/Feb/2024 09:30:19	
: 42 Y 6 M 5 D /M	Collected	: 10/Feb/2024 10:25:41	
: ALDP.0000134728	Received	: 10/Feb/2024 11:15:53	
: ALDP0357952324	Reported	: 10/Feb/2024 13:28:14	
: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD -	Status	: Final Report	
	: 42 Y 6 M 5 D /M : ALDP.0000134728 : ALDP0357952324 : Dr.MEDIWHEEL ACROFEMI	: 42 Y 6 M 5 D /M Collected : ALDP.0000134728 Received : ALDP0357952324 Reported : Dr.MEDIWHEEL ACROFEMI Status	: 42 Y 6 M 5 D /M Collected : 10/Feb/2024 10:25:41 : ALDP.0000134728 Received : 10/Feb/2024 11:15:53 : ALDP0357952324 Reported : 10/Feb/2024 13:28:14 : Dr.MEDIWHEEL ACROFEMI Status : Einal Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Ur	nit Bio. Ref. Interv	al Method
GLUCOSE FASTING * , Plasma				
Glucose Fasting	97.30	mg/dl	< 100 Normal 100-125 Pre-diabetes ≥ 126 Diabetes	GOD POD

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
c) I.G.T = Impared Glucose Tolerance.

Glucose PP*	111.30	mg/dl	<140 Normal	GOD POD
Sample.riasina Anei meai			140-199 Pre-diabetes >200 Diabetes	

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEM OGLOBIN (HBA1C) * , EDTA BLOOD						
Glycosylated Haemoglobin (HbA1c)	5.00	% NGSP	HPLC (NGSP)			
Glycosylated Haemoglobin (HbA1c)	31.30	mmol/mol/IFCC				
Estimated Average Glucose (eAG)	97	mg/dl				

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.KAMLESH SINGH	Registered On	: 10/Feb/2024 09:30:19
Age/Gender	: 42 Y 6 M 5 D /M	Collected	: 10/Feb/2024 10:25:41
UHID/MR NO	: ALDP.0000134728	Received	: 10/Feb/2024 11:15:53
Visit ID	: ALDP0357952324	Reported	: 10/Feb/2024 13:28:14
Ref Doctor	: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. **Some danger of hypoglycemic reaction in Type 1 diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

<u>Clinical Implications:</u>

*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

*With optimal control, the HbA 1c moves toward normal levels.

*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

*Pregnancy d. chronic renal failure. Interfering Factors:

*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) * <i>Sample:Serum</i>	14.76	mg/dL	7.0-23.0	CALCULATED
Creatinine * Sample:Serum	1.10	mg/dl	0.6-1.30	MODIFIED JAFFES
Uric Acid * Sample:Serum	5.48	mg/dl	3.4-7.0	URICASE

LFT (WITH GAMMA GT) * , Serum

ISO BOO1:2018

Page 5 of 13



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.KAMLESH SINGH	Registered On	: 10/Feb/2024 09:30:19
Age/Gender	: 42 Y 6 M 5 D /M	Collected	: 10/Feb/2024 10:25:41
UHID/MR NO	: ALDP.0000134728	Received	: 10/Feb/2024 11:15:53
Visit ID	: ALDP0357952324	Reported	: 10/Feb/2024 13:28:14
Ref Doctor	: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	U	nit Bio. Ref. Interva	al Method
SGOT / Aspartate Aminotransferase (AST)	21.70	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	28.00	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	22.10	IU/L	11-50	OPTIMIZED SZAZING
Protein	6.60	gm/dl	6.2-8.0	BIURET
Albumin	4.30	gm/dl	3.4-5.4	B.C.G.
Globulin	2.30	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.87	,	1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	97.20	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	0.30	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.10	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.20	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI)*, Serum				
Cholesterol (Total)	199.00	mg/dl	<200 Desirable 200-239 Borderline High > 240 High	CHOD-PAP
HDL Cholesterol (Good Cholesterol)	52.00	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	129	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optima 130-159 Borderline High 160-189 High > 190 Very High	
VLDL	17.92	mg/dl	10-33	CALCULATED
Triglycerides	89.60	mg/dl	< 150 Normal 150-199 Borderline High 200-499 High >500 Very High	GPO-PAP

AS

Dr.Akanksha Singh (MD Pathology)





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name Age/Gender UHID/MR NO Visit ID	: Mr.KAMLESH SINGH : 42 Y 6 M 5 D /M : ALDP.0000134728 : ALDP0357952324	(F F	Registered On Collected Received Reported	: 10/Feb/2024 09:3 : 10/Feb/2024 12:3 : 10/Feb/2024 14:0 : 10/Feb/2024 16:0	3:17 3:55
Ref Doctor	: Dr.MEDIWHEEL ACROFI HEALTHCARE LTD FZD -	EMI	Status	: Final Report	
	DE	PARTMENT OF (CUNICAL PATH	OLOGY	
	MEDIWH	EEL BANK OF BA	RODA MALE A	BOVE 40 YRS	
Test Name		Result	Unit	Bio. Ref. Interval	Method
	ATION, ROUTINE*, Urine				
Color		PALE YELLOW			
Specific Gravity		1.020			
Reaction PH		Acidic (5.0)			DIPSTICK
Appearance		CLEAR			
Protein		ABSENT	mg %	< 10 Absent	DIPSTICK
				10-40 (+)	
				40-200 (++) 200-500 (+++)	
				> 500 (++++)	
Sugar		ABSENT	gms%	< 0.5 (+)	DIPSTICK
Jugui		Absent	giii370	0.5-1.0 (++)	Dir Stick
				1-2 (+++)	
			NY Y	>2 (++++)	
Ketone		ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts		ABSENT			
Bile Pigments		ABSENT			
Bilirubin		ABSENT			DIPSTICK
Leucocyte Estera	se	ABSENT			DIPSTICK
Urobilinogen(1:2	0 dilution)	ABSENT			
Nitrite	6	ABSENT			DIPSTICK
Blood		ABSENT			DIPSTICK
Microscopic Exar	nination:				
Epithelial cells		1-2/h.p.f			MICROSCOPIC
		• •			EXAMINATION
Pus cells		1-2/h.p.f			
RBCs		ABSENT			MICROSCOPIC
					EXAMINATION
Cast		ABSENT			
Crystals		ABSENT			MICROSCOPIC
					EXAMINATION
Others		ABSENT			

Urine Microscopy is done on centrifuged urine sediment.

SUGAR, FASTING STAGE * , Urine

Sugar, Fasting stage	ABSENT

gms%

Page 7 of 13



Home Sample Collection 1800-419-0002



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.KAMLESH SINGH	Registered On	: 10/Feb/2024 09:30:18
Age/Gender	: 42 Y 6 M 5 D /M	Collected	: 10/Feb/2024 12:33:17
UHID/MR NO	: ALDP.0000134728	Received	: 10/Feb/2024 14:03:55
Visit ID	: ALDP0357952324	Reported	: 10/Feb/2024 16:04:51
Ref Doctor	: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD -	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Interpretation: (+) < 0.5				
$\begin{array}{ll} (++) & 0.5 - 1.0 \\ (+++) & 1 - 2 \\ (++++) & > 2 \end{array}$				
SUGAR, PP STAGE*, Urine				
Sugar, PP Stage	ABSENT			
Interpretation: (+) < 0.5 gms% (++) 0.5-1.0 gms% (+++) 1-2 gms% (++++) > 2 gms%				

AS

Dr.Akanksha Singh (MD Pathology)

Page 8 of 13







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



: Mr.KAMLESH SINGH	Registered On	: 10/Feb/2024 09:30:21
: 42 Y 6 M 5 D /M	Collected	: 10/Feb/2024 10:25:41
: ALDP.0000134728	Received	: 11/Feb/2024 11:12:50
: ALDP0357952324	Reported	: 11/Feb/2024 13:09:13
: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD -	Status	: Final Report
	: 42 Y 6 M 5 D /M : ALDP.0000134728 : ALDP0357952324 : Dr.MEDIWHEEL ACROFEMI	: 42 Y 6 M 5 D /M Collected : ALDP.0000134728 Received : ALDP0357952324 Reported : Dr.MEDIWHEEL ACROFEMI Status

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
PSA (Prostate Specific Antigen), Total ** Sample:Serum	1.32	ng/mL	<4.1	CLIA	

Interpretation:

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone⁻
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

Dr. Anupam Singh (MBBS MD Pathology)

Page 9 of 13





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.KAMLESH SINGH	Registered On	: 10/Feb/2024 09:30:18
Age/Gender	: 42 Y 6 M 5 D /M	Collected	: 10/Feb/2024 10:25:41
UHID/MR NO	: ALDP.0000134728	Received	: 10/Feb/2024 11:15:53
Visit ID	: ALDP0357952324	Reported	: 10/Feb/2024 13:09:12
Ref Doctor	: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD -	Status	: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL*, Serum				
T3, Total (tri-iodothyronine)	137.00	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	7.30	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	3.700	µIU/mL	0.27 - 5.5	CLIA
Interpretation:				
		0.3-4.5 μIU/	mL First Trimester	
		0.5-4.6 μIU/	mL Second Trimeste	er
		0.8-5.2 µIU/	mL Third Trimester	

1) Patients having low	T3 and	T4 levels but high	TSH levels	suffer from	primary	hypothyroidism,	cretinism,	juvenile	myxedema or	
autoimmune disorders.						and the second				

0.5-8.9

0.7-27

0.7-64

1-39

1.7-9.1

µIU/mL

µIU/mL

µIU/mL

µIU/mL

µIU/mL

2.3-13.2 µIU/mL

Adults

Child

Child

Premature

Cord Blood

Child(21 wk - 20 Yrs.)

55-87 Years

0-4 Days

2-20 Week

28-36 Week

> 37Week

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary

s) Patients having either low of normal 15 and 14 levels but low 15H values suffer from fourne deficiency of secondary hypothyroidism.

4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr.Akanksha Singh (MD Pathology)

Page 10 of 13





Since 1991

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name : Mr.KAMLESH SINGH Age/Gender : 42 Y 6 M 5 D /M UHID/MR NO : ALDP.0000134728 Visit ID : ALDP0357952324 : Dr.MEDIWHEEL ACROFEMI Ref Doctor HEALTHCARE LTD FZD -

Status

Registered On

Collected

Received

Reported

: N/A : N/A : 10/Feb/2024 13:43:39 : Final Report

: 10/Feb/2024 09:30:20

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA *

X-RAY REPORT (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) **CHEST P-A VIEW**

- Both lung field did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

Please correlare clinically.

Crohol

DR K N SINGH (MBBS, DMRE)

Page 11 of 13



ິຂ

Home Sample Collection

1800-419-0002



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.KAMLESH SINGH	Registered On	: 10/Feb/2024 09:30:20
Age/Gender	: 42 Y 6 M 5 D /M	Collected	: N/A
UHID/MR NO	: ALDP.0000134728	Received	: N/A
Visit ID	: ALDP0357952324	Reported	: 10/Feb/2024 11:48:17
Ref Doctor	: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD -	Status	: Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOM EN (UPPER & LOWER) *

LIVER: - Normal in size (13.7 cm), shape and **shows diffuse increase in the liver parenchymal echogenicity suggestive of grade I fatty changes**. No focal lesion is seen. No intra hepatic biliary radicle dilation seen.

GALL BLADDER :- Well distended, walls are normal. No e/o calculus / focal mass lesion/ pericholecystic fluid.

CBD :- Normal in calibre at porta.

PORTAL VEIN: - Normal in calibre and colour uptake at porta.

PANCREAS: - Head is visualised, normal in size & echopattern. No e/o ductal dilatation or calcification. Rest of pancreas is obscured by bowel gas.

SPLEEN: - Normal in size, shape and echogenicity.

RIGHT KIDNEY: - Normal in size (9.0 cm), shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

LEFT KIDNEY: - Normal in size (9.7 cm), shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

URINARY BLADDER :- Normal in shape, outline and distension. No e/o wall thickening / calculus.

PROSTATE :- Normal in size (3.0 x 3.1 x 2.9 cm vol - 14.7 cc), shape and echo pattern.

Visualized bowel loops are normal in caliber. No para-aortic lymphadenopathy

No free fluid is seen in the abdomen/pelvis.

IMPRESSION : Grade I fatty liver.

Please correlate clinically

Contal

DR K N SINGH (MBBS, DMRE)

Page 12 of 13





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name	: Mr.KAMLESH SINGH
Age/Gender	: 42 Y 6 M 5 D /M
UHID/MR NO	: ALDP.0000134728
Visit ID	: ALDP0357952324
Ref Doctor	: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD -

Registered On Collected Received Reported Status

: 10/Feb/2024 09:30:21 : N/A : N/A : 11/Feb/2024 10:20:09 : Final Report

DEPARTMENT OF TMT

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Tread Mill Test (TMT) *

NORMAL

*** End Of Report ***

(**) Test Performed at Chandan Speciality Lab.

Result/s to Follow: STOOL, ROUTINE EXAMINATION



This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing 365 Days Open *Facilities Available at Select Location

Page 13 of 13

Dr. R K VERMA MBBS, PGDGN







LETTER OF APPROVAL / RECOMMENDATION

To,

The Coordinator, Mediwheel (Arcofemi Healthcare Limited) Helpline number: 011- 41195959

Dear Sir / Madam,

Sub: Annual Health Checkup for the employees of Bank of Baroda

This is to inform you that the following employee wishes to avail the facility of Cashless Annual Health Checkup provided by you in terms of our agreement.

PARTICULARS	EMPLOYEE DETAILS		
NAME	MR. SINGH KAMLESH		
EC NO.	177883		
DESIGNATION	SINGLE WINDOW OPERATOR A		
PLACE OF WORK	SAIDABAD		
BIRTHDATE	06-08-1981		
PROPOSED DATE OF HEALTH CHECKUP	10-02-2024		
BOOKING REFERENCE NO.	23M177883100088384E		

.

This letter of approval / recommendation is valid if submitted along with copy of the Bank of Baroda employee id card. This approval is valid from 06-02-2024 till 31-03-2024 The list of medical tests to be conducted is provided in the annexure to this letter. Please note that the said health checkup is a **cashless facility** as per our tie up arrangement. We request you to attend to the health checkup requirement of our employee and accord your top priority and best resources in this regard. The EC Number and the booking reference number as given in the above table shall be mentioned in the invoice, invariably.

We solicit your co-operation in this regard.

Yours faithfully,

Sd/-

Chief General Manager HRM Department Bank of Baroda

(Note: This is a computer generated letter. No Signature required. For any clarification, please contact Mediwheel (Arcofemi Healthcare Limited))

