Sector-6, Dwarka, New Delhi 110 075



GST: 07AAAAH3917LIZM PAN NO: AAAAH3917L

NAME	NITESH KUMAR	STUDY DATE	13/07/2024 10:21AM
AGE / SEX	48 y / M	HOSPITAL NO.	MH013664538
ACCESSION NO.	R7791741	MODALITY	CR
REPORTED ON	13/07/2024 4:25PM	REFERRED BY	Health Check MHD

### X-RAY CHEST - PA VIEW

### FINDINGS:

Lung fields appear normal on both sides.

Cardia appears normal.

Both costophrenic angles appear normal.

Both domes of the diaphragm appear normal.

Bony cage appear normal.

### **IMPRESSION:**

No significant abnormality noted.

Needs correlation with clinical findings and other investigations.

Dr. Nipun Gumber MBBS, MD DMC No.90272

**ASSOCIATE CONSULTANT** 

\*\*\*\*\*End Of Report\*\*\*\*











NABH Accredited Hospital NABL Accredited Hospital MC/3228/04/09/2019-03/09/2021

Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021

Awarded Nursing Excellence Services N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019

Awarded Clean & Green Hospital

7/13/2024 10:41:24 AM 13664538 MR NITESH KUMAR 48 Years

Speed: 25 mm/sec

Device:

Male HCMCT Manipal Hospital

					Н	EALTH CHECK	
Rate	77	. Sinus rhythm					
		. Borderline short PR interval					
PR	117	Probable left atrial enlargement					
QRSD	89	_	ST elev, probable normal early repol patternST elevation, age<55				
QT OTT	362	. Baseline wander in lead(s) V2					
QTc	410						
AXIS	3						
P	38						
QRS	35		- BORDERLINE ECG -				
T	32	1	•				
12 Lea	ad; Stand	ard Placement		Unconfirmed Diagnosis			
-		aVR  I way was many many many many many many many many	<b>V1</b>		V4		
			was man and a manner of the ma				
	M man	- Horal brown - was a little of the second					
		aVL 			4.P		
		avl	V2		V 5		
mennen	M	and the second of the second o					
TTT		aVF	<b>v</b> 3		<b>V</b> 6		
	-1/						
<b>1</b>							
	IN TO MANAGE			Manyer of home home		and an Inha	
				<del>~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~</del>		<del></del>	

Chest: 10.0 mm/mV

Limb: 10 mm/mV

Registered Office: Sector-6, Dwarka, New Delhi 110 075

#### Department Of Laboratory Medicine

Name : MR NITESH KUMAR Age : 48 Yr(s) Sex :Male

**Referred By**: HEALTH CHECK MHD **Reporting Date**: 13 Jul 2024 15:23

**Receiving Date** : 13 Jul 2024 11:04

#### **Department of Transfusion Medicine (Blood Bank)**

BLOOD GROUPING, RH TYPING & ANTIBODY SCREEN (TYPE & SCREEN) Specimen-Blood

Blood Group & Rh Typing (Agglutinaton by gel/tube technique)

Blood Group & Rh typing O Rh(D) Positive

Antibody Screening (Microtyping in gel cards using reagent red cells)

Final Antibody Screen Result Negative

Technical Note:

ABO grouping and Rh typing is done by cell and serum grouping by microplate / gel technique. Antibody screening is done using a 3 cell panel of reagent red cells coated with Rh, Kell, Duffy, Kidd, Lewis, P, MNS, Lutheran and Xg antigens using gel technique.

Page 1 of 4

-----END OF REPORT-----

Damba

Dr Himanshu Lamba

Registered Office: Sector-6, Dwarka, New Delhi 110 075

#### Department Of Laboratory Medicine

Name : MR NITESH KUMAR Age : 48 Yr(s) Sex : Male

**Referred By**: HEALTH CHECK MHD **Reporting Date**: 13 Jul 2024 14:02

**Receiving Date** : 13 Jul 2024 10:49

#### **BIOCHEMISTRY**

Specimen: EDTA Whole blood

As per American Diabetes Association (ADA) 2010

HbAlc (Glycosylated Hemoglobin) 4.9 % [4.0-6.5]

HbA1c in %

Non diabetic adults : < 5.7 %

Prediabetes (At Risk ) : 5.7 % - 6.4 %

Diabetic Range : > 6.5 %

Method: High-Performance Liquid Chromatography (HPLC)

Estimated Average Glucose (eAG) 94 mg/dl

#### Use :

- 1.Monitoring compliance and long-term blood glucose level control in patients with diabetes.
- 2.Index of diabetic control (direct relationship between poor control and development of complications).
- 3. Predicting development and progression of diabetic microvascular complications.

#### Limitations :

- 1. AlC values may be falsely elevated or decreased in those with chronic kidney disease.
- 2.False elevations may be due in part to analytical interference from carbamylated hemoglobin formed in the presence of elevated concentrations of urea, with some assays.
- 3. False decreases in measured A1C may occur with hemodialysis and altered red cell turnover, especially in the setting of erythropoietin treatment

References: Rao.L.V., Michael snyder.L.(2021). Wallach's Interpretation of Diagnostic Tests. 11th Edition. Wolterkluwer. NaderRifai, Andrea Rita Horvath, Carl T. wittwer. (2018) Teitz Text book

of Clinical Chemistry and Molecular Diagnostics. First edition, Elsevier, South Asia.

Page 2 of 4

P 011 4967 4967 **E** info@manipalhospitals.com **Emergency** 011 4040 7070

www.hcmct.in www.manipalhospitals.com/delhi/

Registered Office: Sector-6, Dwarka, New Delhi 110 075

#### Department Of Laboratory Medicine

Name : MR NITESH KUMAR 48 Yr(s) Sex: Male Age **Registration No** : MH013664538 Lab No 32240707684 **Patient Episode** : H03000064386 **Collection Date:** 13 Jul 2024 10:03 Referred By : HEALTH CHECK MHD **Reporting Date:** 13 Jul 2024 12:03

**Receiving Date** : 13 Jul 2024 10:42

### **BIOCHEMISTRY**

#### Lipid Profile (Serum)

TOTAL CHOLESTEROL (CHOD/POD)	179	mg/dl	[<200] Moderate risk:200-239 High risk:>240
TRIGLYCERIDES (GPO/POD)	126	mg/dl	[<150] Borderline high:151-199 High: 200 - 499 Very high:>500
HDL - CHOLESTEROL (Direct) Methodology: Homogenous Enzymatic	49	mg/dl	[30-60]
VLDL - Cholesterol (Calculated)	25	mg/dl	[10-40]
(CALCULATED) LDL-	CHOLESTEROL	105 #mg/dl	[<100] Near/Above optimal-100-129 Borderline High:130-159
(CALCULATED) LDL- T.Chol/HDL.Chol ratio	CHOLESTEROL 3.7	105 #mg/dl	Near/Above optimal-100-129

#### Note:

Reference ranges based on ATP III Classifications.
Recommended to do fasting Lipid Profile after a minimum of 8 hours of overnight fasting.

#### Technical Notes:

Lipid profile is a panel of blood tests that serves as initial broad medical screening tool for abnormalities in lipids, the results of these tests can identify certain genetic

Page 3 of 4

P 011 4967 4967 E info@manipalhospitals.com Emergency 011 4040 7070

www.hcmct.in www.manipalhospitals.com/delhi/

Registered Office: Sector-6, Dwarka, New Delhi 110 075

#### Department Of Laboratory Medicine

Name : MR NITESH KUMAR Age : 48 Yr(s) Sex :Male

Referred By: HEALTH CHECK MHD Reporting Date: 13 Jul 2024 12:03

**Receiving Date** : 13 Jul 2024 10:42

#### **BIOCHEMISTRY**

diseases and determine approximate risks for cardiovascular disease, certain forms of pancreatitis and other diseases.

Test Name Result Unit Biological Ref. Interval

TOTAL PSA, Serum (ECLIA) 0.751 ng/mL [<2.500]

Note: PSA is a glycoprotein that is produced by the prostate gland. Normally, very little PSA is secreted in the blood. Increases in glandular size and tissue damage caused by BPH, prostatitis, or prostate cancer may increase circulating PSA levels.

Caution : Serum markers are not specific for malignancy, and values may vary by method.

Immediate PSA testing following digital rectal examination, ejaculation, prostate massage urethral instrumentation, prostate biopsy may increase PSA levels.

Some patients who have been exposed to animal antigens, may have circulating anti-animal antibodies present. These antibodies may interfere with the assay reagents to produce unreliable results.

Page 4 of 4

-----END OF REPORT----

Dr. Neelam Singal

Registered Office: Sector-6, Dwarka, New Delhi 110 075

#### Department Of Laboratory Medicine

Name : MR NITESH KUMAR Age 48 Yr(s) Sex :Male **Registration No** : MH013664538 Lab No 32240707684 **Patient Episode** : H03000064386 **Collection Date:** 13 Jul 2024 10:03 **Referred By** : HEALTH CHECK MHD **Reporting Date:** 13 Jul 2024 16:47

**Receiving Date** : 13 Jul 2024 10:42

#### **BIOCHEMISTRY**

THYROID PROFILE, Serum			pecimen Type : Serum
T3 - Triiodothyronine (ECLIA)	1.200	ng/ml	[0.800-2.040]
T4 - Thyroxine (ECLIA)	6.680	μg/dl	[4.600-10.500]
Thyroid Stimulating Hormone (ECLIA)	1.390	μIU/mL	[0.340-4.250]

Note: TSH levels are subject to circadian variation, reaching peak levels between 2-4.a.m.and at a minimum between 6-10 pm.Factors such as change of seasons hormonal fluctuations, Ca or Fe supplements, high fibre diet, stress and illness affect TSH results.

- \* References ranges recommended by the American Thyroid Association
- 1) Thyroid. 2011 Oct; 21(10):1081-125.PMID .21787128
- 2) http://www.thyroid-info.com/articles/tsh-fluctuating.html

Test Name	Result	Unit	Biological Ref. Interval
LIVER FUNCTION TEST (Serum)			
BILIRUBIN-TOTAL (Diazonium Ion) BILIRUBIN - DIRECT (Diazotization)	0.95 <b>0.31</b> #	mg/dl <b>mg/dl</b>	[0.10-1.20] [0.00-0.30]
BILIRUBIN - INDIRECT (Calculated)	0.64	mg/dl	[0.20-1.00]
SGOT/ AST (UV without P5P)	18	U/L	[10-50]
SGPT/ ALT (UV without P5P)	32	U/L	[0-41]
ALP (p-NPP, kinetic) *	77	U/L	[45-135]
TOTAL PROTEIN (Biuret)	7.5	g/dl	[7.0-9.0]
SERUM ALBUMIN (BCG-dye)	4.8	g/dl	[3.5-5.2]
SERUM GLOBULIN (Calculated)	2.7	g/dl	[1.8-3.4]
ALB/GLOB (A/G) Ratio(Calculated)	1.78		[1.10-1.80]

Page1 of 8



Registered Office: Sector-6, Dwarka, New Delhi 110 075

#### Department Of Laboratory Medicine

Name : MR NITESH KUMAR Age : 48 Yr(s) Sex :Male

Referred By : HEALTH CHECK MHD Reporting Date : 13 Jul 2024 12:09

**Receiving Date** : 13 Jul 2024 10:42

#### **BIOCHEMISTRY**

#### Technical Notes:

Liver function test aids in diagnosis of various pre hepatic, hepatic and post hepatic causes of dysfunction like hemolytic anemia's, viral and alcoholic hepatitis and cholestasis of obstructive causes.

Test Name	Result	Unit B	iological Ref. Interval
KIDNEY PROFILE (Serum)			
BUN (Urease/GLDH)	10.00	mg/dl	[6.00-20.00]
SERUM CREATININE (Jaffe's method)	0.85	mg/dl	[0.80-1.60]
SERUM URIC ACID (Uricase)	5.7	mg/dl	[3.5-7.2]
SERUM CALCIUM (NM-BAPTA)	9.28	mg/dl	[8.00-10.50]
SERUM PHOSPHORUS (Molybdate, UV)	2.6	mg/dl	[2.5-4.5]
SERUM SODIUM (ISE)	138.0	mmol/l	[134.0-145.0]
SERUM POTASSIUM (ISE)	4.69	mmol/l	[3.50-5.20]
SERUM CHLORIDE (ISE Indirect)	104.3	mmol/L	[95.0-105.0]
eGFR	103.0	ml/min/1.73sq	.m [>60.0]

Technical Note

eGFR which is primarily based on Serum Creatinine is a derivation of CKD-EPI 2009 equation normalized to1.73 sq.m BSA and is not applicable to individuals below 18 years. eGFR tends to be less accurate when Serum Creatinine estimation is indeterminate e.g. patients at extremes of muscle mass, on unusual diets etc. and samples with severe Hemolysis / Icterus / Lipemia.

Page 2 of 8

----END OF REPORT----

Dr. Neelam Singal

Registered Office: Sector-6, Dwarka, New Delhi 110 075

#### Department Of Laboratory Medicine

Name : MR NITESH KUMAR Age : 48 Yr(s) Sex : Male

Referred By : HEALTH CHECK MHD Reporting Date : 13 Jul 2024 11:56

**Receiving Date** : 13 Jul 2024 10:42

### **BIOCHEMISTRY**

Specimen Type : Plasma

GLUCOSE-Fasting (Hexokinase) 96 mg/dl [74-106]

Page 3 of 8

-----END OF REPORT-----

Dr. Neelam Singal

Registered Office: Sector-6, Dwarka, New Delhi 110 075

#### Department Of Laboratory Medicine

Name : MR NITESH KUMAR Age : 48 Yr(s) Sex :Male

Referred By : HEALTH CHECK MHD Reporting Date : 13 Jul 2024 16:39

**Receiving Date** : 13 Jul 2024 12:53

#### **BIOCHEMISTRY**

Specimen Type : Plasma
PLASMA GLUCOSE - PP

Plasma GLUCOSE - PP (Hexokinase) 105 mg/dl [70-140]

Note: Conditions which can lead to lower postprandial glucose levels as compared to fasting glucose are excessive insulin release, rapid gastric emptying,

brisk glucose absorption , post exercise  $% \left( 1\right) =\left( 1\right) \left( 1\right$ 

Page 4 of 8

-----END OF REPORT-----

Dr. Neelam Singal

Registered Office: Sector-6, Dwarka, New Delhi 110 075

#### Department Of Laboratory Medicine

Name : MR NITESH KUMAR Age : 48 Yr(s) Sex :Male

Referred By : HEALTH CHECK MHD Reporting Date : 13 Jul 2024 13:03

**Receiving Date** : 13 Jul 2024 10:48

#### HAEMATOLOGY

#### ERYTHROCYTE SEDIMENTATION RATE (Automated) Specimen-Whole Blood

ESR 6.0 mm/1sthour [0.0-10.0]

#### Interpretation :

Erythrocyte sedimentation rate (ESR) is a non-specific phenomena and is clinically useful in the diagnosis and monitoring of disorders associated with an increased production of acute phase reactants (e.g. pyogenic infections, inflammation and malignancies). The ESR is increased in pregnancy from about the 3rd month and returns to normal by the 4th week postpartum.

ESR is influenced by age, sex, menstrual cycle and drugs (eg. corticosteroids, contraceptives).

It is especially low (0 - 1mm) in polycythemia, hypofibrinogenemia or congestive cardiac failure and when there are abnormalities of the red cells such as poikilocytosis, spherocytosis or sickle cells.

Test Name	Result	Unit Bi	ological Ref. Interval
COMPLETE BLOOD COUNT (EDTA Blood)			
WBC Count (Flow cytometry)	7130	/cu.mm	[4000-10000]
RBC Count (Impedence)	4.83	million/cu.mm	[4.50-5.50]
Haemoglobin (SLS Method)	14.4	g/dL	[13.0-17.0]
Haematocrit (PCV)	43.3	ଚ୍ଚ	[40.0-50.0]
(RBC Pulse Height Detector Method)			
MCV (Calculated)	89.6	fL	[83.0-101.0]
MCH (Calculated)	29.8	pg	[25.0-32.0]
MCHC (Calculated)	33.3	g/dL	[31.5-34.5]
Platelet Count (Impedence)	201000	/cu.mm	[150000-410000]
RDW-CV (Calculated)	14.5 #	8	[11.6-14.0]
DIFFERENTIAL COUNT			
Neutrophils (Flowcytometry)	56.9	90	[40.0-80.0]
Lymphocytes (Flowcytometry)	28.8	୦୦	[20.0-40.0]

Page 5 of 8



Registered Office: Sector-6, Dwarka, New Delhi 110 075

#### Department Of Laboratory Medicine

Name : MR NITESH KUMAR Age : 48 Yr(s) Sex : Male

Referred By : HEALTH CHECK MHD Reporting Date : 13 Jul 2024 12:00

**Receiving Date** : 13 Jul 2024 10:48

#### HAEMATOLOGY

Monocytes (Flowcytometry)	9.3		%	[2.0-10.0]
Eosinophils (Flowcytometry)	4.3		%	[1.0-6.0]
Basophils (Flowcytometry)	0.7 #		용	[1.0-2.0]
IG	0.60		%	
Neutrophil Absolute (Flouroscence flo	ow cytometry)	4.1	/cu mm	$[2.0-7.0] \times 10^{3}$
Lymphocyte Absolute (Flouroscence flouroscence)	ow cytometry)	2.1	/cu mm	$[1.0-3.0] \times 10^{3}$
Monocyte Absolute (Flouroscence flow	cytometry)	0.7	/cu mm	$[0.2-1.2] \times 10^{3}$
Eosinophil Absolute (Flouroscence flo	ow cytometry)	0.3	/cu mm	$[0.0-0.5] \times 10^{3}$
Basophil Absolute(Flouroscence flow	cytometry)	0.1	/cu mm	$[0.0-0.1] \times 10^{3}$

Complete Blood Count is used to evaluate wide range of health disorders, including anemia, infection, and leukemia. Abnormal increase or decrease in cell counts as revealed may indicate that an underlying medical condition that calls for further evaluation.

-----END OF REPORT-----

Page 6 of 8

Shalakha

Dr. Shalakha Agrawal Associate Consultant,M.B.B.S,M.D. Pathology



Registered Office: Sector-6, Dwarka, New Delhi 110 075

#### Department Of Laboratory Medicine

 Name
 : MR NITESH KUMAR
 Age
 : 48 Yr(s) Sex :Male

 Registration No
 : MH013664538
 Lab No
 : 38240701452

Patient Episode: H03000064386Collection Date : 13 Jul 2024 10:02Referred By: HEALTH CHECK MHDReporting Date : 13 Jul 2024 17:16

**Receiving Date** : 13 Jul 2024 13:48

#### **CLINICAL PATHOLOGY**

Test Name	Result	Biological Ref. Interval
ROUTINE URINE ANALYSIS		
MACROSCOPIC DESCRIPTION		
Colour (Visual)	PALE YELLOW	(Pale Yellow - Yellow)
Appearance (Visual)	SLIGHTLY TURBID	
CHEMICAL EXAMINATION		
Reaction[pH]	5.0	(5.0-9.0)
(Reflectancephotometry(Indicator Meth	nod))	
Specific Gravity	1.015	(1.003-1.035)
(Reflectancephotometry(Indicator Meth	nod))	
Bilirubin	Negative	NEGATIVE
Protein/Albumin	Negative	(NEGATIVE-TRACE)
(Reflectance photometry(Indicator Met	chod)/Manual SSA)	
Glucose	NOT DETECTED	(NEGATIVE)
(Reflectance photometry (GOD-POD/Bene	edict Method))	
Ketone Bodies	NOT DETECTED	(NEGATIVE)
(Reflectance photometry(Legal's Test)	/Manual Rotheras)	
Urobilinogen	NORMAL	(NORMAL)
Reflactance photometry/Diazonium salt	reaction	
Nitrite	NEGATIVE	NEGATIVE
Reflactance photometry/Griess test		
Leukocytes	+	NEGATIVE
Reflactance photometry/Action of Este	erase	
BLOOD	NIL	NEGATIVE
(Reflectance photometry(peroxidase))		
MICROSCOPIC EXAMINATION (Manual)	Method: Light microscopy on	centrifuged urine
WBC/Pus Cells	6-8 /hpf	(4-6)
Red Blood Cells	NIL	(1-2)
Epithelial Cells	2-4 /hpf	(2-4)
Casts	NIL	(NIL)
Crystals	NIL	(NIL)
Bacteria	NIL	
Yeast cells	NIL	

Page 7 of 8



Interpretation:

Registered Office: Sector-6, Dwarka, New Delhi 110 075

#### Department Of Laboratory Medicine

Name : MR NITESH KUMAR Age : 48 Yr(s) Sex : Male

Referred By : HEALTH CHECK MHD Reporting Date : 13 Jul 2024 17:16

**Receiving Date** : 13 Jul 2024 13:48

### **CLINICAL PATHOLOGY**

 $\textit{URINALYSIS-Routine urine analysis assists in screening and diagnosis of various metabolic , urological, kidney and liver disorders \\$ 

Protein: Elevated proteins can be an early sign of kidney disease. Urinary protein excretion can also be temporarily elevated by strenuous exercise, orthostatic proteinuria, dehydration, urina tract infections and acute illness with fever

Glucose: Uncontrolled diabetes mellitus can lead to presence of glucose in urine.

Other causes include pregnancy, hormonal disturbances, liver disease and certain medications.

Ketones: Uncontrolled diabetes mellitus can lead to presence of ketones in urine.

Ketones can also be seen in starvation, frequent vomiting, pregnancy and strenuous exercise.

Blood: Occult blood can occur in urine as intact erythrocytes or haemoglobin, which can occur in various urological, nephrological and bleeding disorders.

Leukocytes: An increase in leukocytes is an indication of inflammation in urinary tract or kidneys Most Common cause is bacterial urinary tract infection.

Nitrite: Many bacteria give positive results when their number is high. Nitrite concentration duri infection increases with length of time the urine specimen is retained in bladder prior to collection.

pH: The kidneys play an important role in maintaining acid base balance of the body. Conditions of the body producing acidosis/alkalosis or ingestion of certain type of food can affect the pH of urine.

Specific gravity: Specific gravity gives an indication of how concentrated the urine is. Increased Specific gravity is seen in conditions like dehydration, glycosuria and proteinuria while decrease Specific gravity is seen in excessive fluid intake, renal failure and diabetes insipidus.

Bilirubin: In certain liver diseases such as biliary obstruction or hepatitis,

bilirubin gets excreted in urine.

Urobilinogen: Positive results are seen in liver diseases like hepatitis and cirrhosis and in case of hemolytic anemia.

Page 8 of 8

Shalakha

Dr. Shalakha Agrawal Associate Consultant, M.B.B.S, M.D. Pathology



Sector-6, Dwarka, New Delhi 110 075



GST: 07AAAAH3917LIZM PAN NO: AAAAH3917L

NAME	NITESH KUMAR	STUDY DATE	13/07/2024 11:48AM
AGE / SEX	48 y / M	HOSPITAL NO.	MH013664538
ACCESSION NO.	R7791740	MODALITY	US
REPORTED ON	13/07/2024 2:23PM	REFERRED BY	Health Check MHD

#### **USG WHOLE ABDOMEN**

#### Results:

Liver is normal in size (15.4 cm) and shows grade I fatty changes. No focal intra-hepatic lesion is detected. Intra-hepatic biliary radicals are not dilated. Portal vein is normal in calibre.

Gall bladder appears echofree with normal wall thickness. Common bile duct is normal in calibre.

Pancreas is normal in size and echopattern.

Spleen is normal in size (9.6 cm) and echopattern.

Both kidneys are normal in position, size and outline. Cortico-medullary differentiation of both kidneys is maintained. No focal lesion or calculus seen on either side. Bilateral pelvicalyceal systems are not dilated.

Urinary bladder is normal in wall thickness with clear contents. No significant intra or extraluminal mass is seen.

Prostate is normal in size, shape and echopattern. It measures 16.5 cc in volume.

No significant free fluid is detected.

IMPRESSION: USG findings are suggestive of grade I fatty liver.

Kindly correlate clinically

Dr. Abhinav Pratap Singh MBBS, DNB DMC No.58170

ASSOCIATE CONSULTANT

\*\*\*\*\*\*End Of Report\*\*\*\*\*











NABH Accredited Hospital

NABL Accredited Hospital MC/3228/04/09/2019-03/09/2021

Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021

Awarded Nursing Excellence Services N-2019-0113/27/07/2019-26/07/2021

Awarded Clean & Green Hospital IND18.6278/05/12/2018-04/12/2019