

# CHANDAN DIAGNOSTIC CENTRE

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name

: Mr.SIDDHARTHA KUMAR MISHRA

Registered On

: 09/Mar/2024 08:54:10

Age/Gender UHID/MR NO : 34 Y 7 M 30 D /M

Collected

: N/A

: N/A

Visit ID

: ALDP.0000136280 : ALDP0389202324 Received Reported

: 09/Mar/2024 15:37:27

Ref Doctor

: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -

Status

: Final Report

# DEPARTMENT OF CARDIOLOGY-ECG

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

### ECG / EKG \*

1. Machnism, Rhythm

Sinus, Regular

2. Atrial Rate

66

/mt

3. Ventricular Rate

66

/mt

**4. P - Wave** 

Normal

5. P R Interval

Normal

6. Q R S

Axis:

Normal

R/S Ratio: Configuration:

Normal Normal

7. Q T c Interval

Normal

8. S - T Segment

Normal

9. T – Wave

Normal

# **FINAL IMPRESSION**

ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.

Dr. R K VERMA MBBS, PGDGM











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.SIDDHARTHA KUMAR MISHRA Registered On : 09/Mar/2024 08:54:08 Age/Gender Collected : 34 Y 7 M 30 D /M : 09/Mar/2024 09:14:07 UHID/MR NO : ALDP.0000136280 Received : 09/Mar/2024 10:23:39 Visit ID Reported : 09/Mar/2024 12:28:15 : ALDP0389202324

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

CARE LTD -

# DEPARTMENT OF HAEMATOLOGY

## MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) * , Blood				
Blood Group	0			ERYTHROCYTE
вюой бгоир	O			MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh ( Anti-D)	POSITIVE	,		ERYTHROCYTE MAGNETIZED
				TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC) * , Whole Blood	od			
Haemoglobin	13.50	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl	
			1 Mo- 10.0-18.0 g/dl	
			3-6 Mo- 9.5-13.5 g/dl	
			0.5-2 Yr- 10.5-13.5 g/dl	
			2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl	
			12-18 Yr 13.0-16.0 g/dl	
			Male- 13.5-17.5 g/dl	
			Female- 12.0-15.5 g/dl	
TLC (WBC)	9,600.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
<u>DLC</u>				
Polymorphs (Neutrophils )	71.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	22.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	5.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	2.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils	0.00	%	<1	ELECTRONIC IMPEDANCE
ESR				
Observed	8.00	Mm for 1st hr.		
Corrected	, d. <del>-</del>	Mm for 1st hr.	< 9	
PCV (HCT)	42.00	%	40-54	
Platelet count				
Platelet Count	1.62	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	15.70	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	-	%	35-60	ELECTRONIC IMPEDANCE











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.SIDDHARTHA KUMAR MISHRA Registered On : 09/Mar/2024 08:54:08 Age/Gender : 34 Y 7 M 30 D /M Collected : 09/Mar/2024 09:14:07 UHID/MR NO : ALDP.0000136280 Received : 09/Mar/2024 10:23:39 Visit ID : ALDP0389202324 Reported : 09/Mar/2024 12:28:15

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

# DEPARTMENT OF HAEMATOLOGY

## MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Result	Unit	Bio. Ref. Interval	Method
0.20	%	0.108-0.282	ELECTRONIC IMPEDANCE
12.10	fL	6.5-12.0	ELECTRONIC IMPEDANCE
6.42	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
66.00	fl	80-100	CALCULATED PARAMETER
21.00	pg	28-35	CALCULATED PARAMETER
31.90	%	30-38	CALCULATED PARAMETER
15.30	%	11-16	ELECTRONIC IMPEDANCE
38.80	fL	35-60	ELECTRONIC IMPEDANCE
6,816.00	/cu mm	3000-7000	
192.00	/cu mm	40-440	
	0.20 12.10 6.42 66.00 21.00 31.90 15.30 38.80 6,816.00	0.20 % 12.10 fL  6.42 Mill./cu mm  66.00 fl 21.00 pg 31.90 % 15.30 % 38.80 fL 6,816.00 /cu mm	0.20 % 0.108-0.282 12.10 fL 6.5-12.0  6.42 Mill./cu mm 4.2-5.5  66.00 fl 80-100 21.00 pg 28-35 31.90 % 30-38 15.30 % 11-16 38.80 fL 35-60 6,816.00 /cu mm 3000-7000

Dr.Akanksha Singh (MD Pathology)









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



 Patient Name
 : Mr.SIDDHARTHA KUMAR MISHRA
 Registered On
 : 09/Mar/2024 08:54:09

 Age/Gender
 : 34 Y 7 M 30 D /M
 Collected
 : 09/Mar/2024 09:14:07

 UHID/MR NO
 : ALDP.0000136280
 Received
 : 09/Mar/2024 10:23:39

Visit ID : ALDP0389202324 Reported : 09/Mar/2024 11:39:40

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report CARE LTD -

### DEPARTMENT OF BIOCHEMISTRY

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
CLUCOCE FACTING * or				

**GLUCOSE FASTING** \* , Plasma

Glucose Fasting 95.60 mg/dl < 100 Normal GOD POD

100-125 Pre-diabetes ≥ 126 Diabetes

#### **Interpretation:**

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

Glucose PP \* 105.00 mg/dl <140 Normal GOD POD

Sample:Plasma After Meal 140-199 Pre-diabetes >200 Diabetes

## **Interpretation:**

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

#### GLYCOSYLATED HAEMOGLOBIN (HBA1C) \*, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	4.90	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	29.60	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	93	mg/dl	

#### **Interpretation:**

## NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206

CARE LTD -



Patient Name : Mr.SIDDHARTHA KUMAR MISHRA Registered On : 09/Mar/2024 08:54:09 Collected Age/Gender : 34 Y 7 M 30 D /M : 09/Mar/2024 09:14:07 UHID/MR NO : ALDP.0000136280 Received : 09/Mar/2024 10:23:39 Visit ID : ALDP0389202324 Reported : 09/Mar/2024 11:39:40 : Dr. MEDIWHEEL-ARCOFEMI HEALTH Ref Doctor Status : Final Report

#### DEPARTMENT OF BIOCHEMISTRY

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method	
---	--

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	<b>Degree of Glucose Control Unit</b>
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

<sup>\*</sup>High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

#### **Clinical Implications:**

- \*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- \*With optimal control, the HbA 1c moves toward normal levels.
- \*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated \*Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- \*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- \*Pregnancy d. chronic renal failure. Interfering Factors:
- \*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) * Sample:Serum	7.60	mg/dL	7.0-23.0	CALCULATED
Creatinine * Sample:Serum	1.00	mg/dl	0.6-1.30	MODIFIED JAFFES
Uric Acid * Sample:Serum	5.64	mg/dl	3.4-7.0	URICASE

LFT (WITH GAMMA GT) \*, Serum





<sup>\*\*</sup>Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

# CHANDAN DIAGNOSTIC CENTRE



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.SIDDHARTHA KUMAR MISHRA Registered On : 09/Mar/2024 08:54:09 Age/Gender Collected : 09/Mar/2024 09:14:07 : 34 Y 7 M 30 D /M UHID/MR NO : ALDP.0000136280 Received : 09/Mar/2024 10:23:39 Visit ID Reported : 09/Mar/2024 11:39:40 : ALDP0389202324

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

## DEPARTMENT OF BIOCHEMISTRY

# MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	U	Init Bio. Ref. Inter	val Method
SGOT / Aspartate Aminotransferase (AST)	24.80	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	15.60	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	35.50	IU/L	11-50	OPTIMIZED SZAZING
Protein	6.20	gm/dl	6.2-8.0	BIURET
Albumin	4.70	gm/dl	3.4-5.4	B.C.G.
Globulin	1.50	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	3.13	,	1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	114.80	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	1.20	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.30	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.90	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI) *, Serum				
Cholesterol (Total)	195.00	mg/dl	<200 Desirable 200-239 Borderline Hiç > 240 High	CHOD-PAP ph
HDL Cholesterol (Good Cholesterol)	59.10	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	82	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optim 130-159 Borderline Hig 160-189 High > 190 Very High	
VLDL .	54.04	mg/dl	10-33	CALCULATED
Triglycerides	270.20	mg/dl	< 150 Normal 150-199 Borderline Hiç 200-499 High >500 Very High	GPO-PAP gh

Dr. Akanksha Singh (MD Pathology)











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



 Patient Name
 : Mr.SIDDHARTHA KUMAR MISHRA
 Registered On
 : 09/Mar/2024 08:54:09

 Age/Gender
 : 34 Y 7 M 30 D /M
 Collected
 : 09/Mar/2024 15:26:34

 UHID/MR NO
 : ALDP.0000136280
 Received
 : 09/Mar/2024 15:51:39

Visit ID : ALDP0389202324 Reported : 09/Mar/2024 16:23:48

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report CARE LTD -

# DEPARTMENT OF CLINICAL PATHOLOGY

## MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE <sup>3</sup>	k Urine			
Color	PALE YELLOW			
Specific Gravity	1.010			
Reaction PH	Acidic (5.0)			DIPSTICK
Appearance	CLEAR			DII STICK
Protein	ABSENT	<sup>*</sup> mg %	< 10 Absent	DIPSTICK
riotein	ADSLINI	Trig 76	10-40 (+)	DIFSTICK
			40-200 (++)	
			200-500 (+++)	
			> 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
			0.5-1.0 (++)	
			1-2 (+++)	
			> 2 (++++)	
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Bilirubin	ABSENT			DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	1-2/h.p.f			MICROSCOPIC
•				<b>EXAMINATION</b>
Pus cells	1-2/h.p.f			
RBCs	OCCASIONAL			MICROSCOPIC
				<b>EXAMINATION</b>
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
-				EXAMINATION
Others	ABSENT			

Urine Microscopy is done on centrifuged urine sediment.

**STOOL, ROUTINE EXAMINATION \***, Stool

Color BROWNISH









UHID/MR NO

Ref Doctor

Visit ID

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name : Mr.SIDDHARTHA KUMAR MISHRA Age/Gender

: 34 Y 7 M 30 D /M

: ALDP.0000136280

: ALDP0389202324

: Dr. MEDIWHEEL-ARCOFEMI HEALTH

CARE LTD -

Registered On

Collected

: 09/Mar/2024 08:54:09

: 09/Mar/2024 15:26:34

Received : 09/Mar/2024 15:51:39 Reported : 09/Mar/2024 16:23:48

Status : Final Report

## **DEPARTMENT OF CLINICAL PATHOLOGY**

## MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Consistency	SEMI SOLID			
Reaction (PH)	Acidic ( 6.5 )			
Mucus	ABSENT			
Blood	ABSENT			
Worm	ABSENT			
Pus cells	ABSENT			
RBCs	ABSENT			
Ova	ABSENT			
Cysts	ABSENT			
Others	ABSENT			
SUGAR, FASTING STAGE * , Urine				
Sugar, Fasting stage	AB <mark>SEN</mark> T	gms%		
Interpretation:				
(+) < 0.5				
(++) 0.5-1.0			4 5 1 3	
(+++) 12				

(+++) 1-2

(++++) > 2

## **SUGAR, PP STAGE \***, Urine

Sugar, PP Stage

**ABSENT** 

## **Interpretation:**

(+)< 0.5 gms%

0.5-1.0 gms% (++)

(+++) 1-2 gms%

(++++) > 2 gms%

Dr. Akanksha Singh (MD Pathology)











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.SIDDHARTHA KUMAR MISHRA Registered On : 09/Mar/2024 08:54:09 Age/Gender Collected : 34 Y 7 M 30 D /M : 09/Mar/2024 09:14:07 UHID/MR NO : ALDP.0000136280 Received : 09/Mar/2024 10:23:39 Visit ID : ALDP0389202324 Reported : 09/Mar/2024 13:26:38 : Dr. MEDIWHEEL-ARCOFEMI HEALTH

Ref Doctor Status

CARE LTD -

#### DEPARTMENT OF IMMUNOLOGY

: Final Report

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	l Method
THYROID PROFILE - TOTAL * , Serum				
T3, Total (tri-iodothyronine)	136.00	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	8.00	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	1.000	μIU/mL	0.27 - 5.5	CLIA
Interpretation:				
. •		0.3-4.5 μIU/n	nL First Trimes	ter
		0.5-4.6 μIU/n		
		0.8-5.2 µIU/n	nL Third Trime	ster
		0.5-8.9 $\mu IU/n$	nL Adults	55-87 Years
		0.7-27 μIU/n	nL Premature	28-36 Week
		2.3-13.2 μIU/n	nL Cord Blood	> 37Week
		0.7-64 μIU/n	nL Child(21 wk	z - 20 Yrs.)
		1-39 μIU.	/mL Child	0-4 Days
		1.7-9.1 μIU/n		2-20 Week

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- 4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- 6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- 8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr. Akanksha Singh (MD Pathology)

Page 9 of 11









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.SIDDHARTHA KUMAR MISHRA

Registered On

Collected : N/A

Age/Gender UHID/MR NO : 34 Y 7 M 30 D /M : ALDP.0000136280

Received : N/A

Visit ID

: ALDP0389202324

Reported

: 09/Mar/2024 16:29:10

: 09/Mar/2024 08:54:10

Ref Doctor

: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -

Status

: Final Report

### **DEPARTMENT OF X-RAY**

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

### X-RAY DIGITAL CHEST PA \*

# X-RAY REPORT (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) **CHEST P-A VIEW**

- Both lung field did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

Please correlare clinically.

DR K N SINGH (MBBS, DMRE)









### CHANDAN DIAGNOSTIC CENTRE

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name

: Mr.SIDDHARTHA KUMAR MISHRA

Registered On

: 09/Mar/2024 08:54:10

Age/Gender UHID/MR NO : 34 Y 7 M 30 D /M : ALDP.0000136280 Collected Received · N/A

Visit ID

: ALDP0389202324

Reported

: 09/Mar/2024 10:19:45

Ref Doctor

: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD - Status

: Final Report

: N/A

## DEPARTMENT OF ULTRASOUND

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

## **ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) \***

**LIVER**: - Normal in size (14.1 cm), shape and echogenicity. No focal lesion is seen. No intra hepatic biliary radicle dilation seen.

**GALL BLADDER**: - Well distended, walls are normal. **Multiple small calculi largest measuring ~ 6.7 mm is seen in lumen**. No e/o focal mass lesion/ pericholecystic fluid.

**CBD**:- Normal in calibre measuring ~ 4.1 mm at porta.

**PORTAL VEIN**: - Normal in calibre and colour uptake at porta.

**PANCREAS:** - Head is visualised, normal in size & echopattern. No e/o ductal dilatation or calcification. Rest of pancreas is obscured by bowel gas.

**SPLEEN**: - Normal in size , shape and echogenicity.

**RIGHT KIDNEY**: - Normal in size (9.3 cm), shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

**LEFT KIDNEY**: - Normal in size (9.5 cm), shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

**URINARY BLADDER:** Normal in shape, outline and distension. No e/o wall thickening / calculus.

**UTERUS:** Anteverted, and is normal in size (3.2 x 3.4 x 2.7 cm vol - 15.5 cc). No focal myometrial lesion seen. Endometrium is normal in thickness.

**OVARIES**: Bilateral ovaries are normal in size, shape and echogenicity.

**ADNEXA:** No obvious adnexal pathology

Visualized bowel loops are normal in caliber. No para-aortic lymphadenopathy

No free fluid is seen in the abdomen/pelvis.

**IMPRESSION**: Cholelithiasis.

Please correlate clinically.



\*\*\* End Of Report \*\*\*

Icoloh

OR KIN SINGH (MBBS.DMRF)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days.

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing \*

\*\*Facilities Available at Select Location\*

Page 11 of 11



