

CID : 2310208615 Name : MR.NILESH SHAW Age / Gender : 50 Years / Male Consulting Dr. : -Reg. Location : Bhayander East (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected Reported : 12-Apr-2023 / 08:07 : 12-Apr-2023 / 13:07

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

CBC (Complete Blood Count), Blood			
PARAMETER	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
RBC PARAMETERS			
Haemoglobin	15.1	13.0-17.0 g/dL	Spectrophotometric
RBC	5.31	4.5-5.5 mil/cmm	Elect. Impedance
PCV	46.4	40-50 %	Measured
MCV	87	80-100 fl	Calculated
MCH	28.3	27-32 pg	Calculated
MCHC	32.5	31.5-34.5 g/dL	Calculated
RDW	13.8	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	5840	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND A	BSOLUTE COUNTS		
Lymphocytes	31.1	20-40 %	
Absolute Lymphocytes	1816.2	1000-3000 /cmm	Calculated
Monocytes	7.1	2-10 %	
Absolute Monocytes	414.6	200-1000 /cmm	Calculated
Neutrophils	58.2	40-80 %	
Absolute Neutrophils	3398.9	2000-7000 /cmm	Calculated
Eosinophils	3.5	1-6 %	
Absolute Eosinophils	204.4	20-500 /cmm	Calculated
Basophils	0.1	0.1-2 %	
Absolute Basophils	5.8	20-100 /cmm	Calculated
Immature Leukocytes	-		

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

Platelet Count	200000	150000-400000 /cmm	Elect. Impedance
MPV	9.4	6-11 fl	Calculated
PDW	15.8	11-18 %	Calculated
RBC MORPHOLOGY			

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2rd Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053. CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar (W), Mumbai - 400086. HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com

Corporate Identity Number (CIN): U85110MH2002PTC136144

R

E

P

0

R

т



IAGNOSTICS				E
ECISE TESTING - HEAL	THIER LIVING	I SHAW Male Use a QR Code Scanne Application To Scan the Collected : 12-Apr-2023		P
CID	: 2310208615			0
Name	: MR.NILESH SHAW			R
Age / Gender	:50 Years / Male		Use a QR Code Scanner Application To Scan the Code	т
Consulting Dr.	: -	Collected	:12-Apr-2023 / 08:07	
Reg. Location	: Bhayander East (Main Centre)	Reported	:12-Apr-2023 / 13:04	
Hypochromia	-			
Microcytosis	-			

Macrocytosis	-		
Anisocytosis			
Poikilocytosis			
Polychromasia	-		
Target Cells	-		
Basophilic Stippling	-		
Normoblasts	-		
Others	Normocytic,Normochromic		
WBC MORPHOLOGY	-		
PLATELET MORPHOLOGY	-		
COMMENT	-		
Specimen: EDTA Whole Blood			
ESR, EDTA WB-ESR	10	2-15 mm at 1 hr.	Sedimentation

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***



Bmhaskar

Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Authenticity Check

R

Page 2 of 19



CID : 2310208615 Name : MR.NILESH SHAW Age / Gender : 50 Years / Male Consulting Dr. : -Reg. Location : Bhayander East (Main Centre)



R

E

P

О

R

Use a QR Code Scanner Application To Scan the Code

Collected Reported

:12-Apr-2023 / 08:07 :12-Apr-2023 / 15:06

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO PARAMETER RESULTS BIOLOGICAL REF RANGE METHOD

GLUCOSE (SUGAR) FASTING, 108.5 Fluoride Plasma Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl

Absent Absent Hexokinase

Urine Sugar (Fasting)	Absent
Urine Ketones (Fasting)	Absent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***





Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Page 3 of 19



CID	: 2310208615
Name	: MR.NILESH SHAW
Age / Gender	: 50 Years / Male
Consulting Dr. Reg. Location	: - : Bhayander East (Main Centre)



R

E

P

0

R

т

Use a QR Code Scanner Application To Scan the Code

Collected Reported :12-Apr-2023 / 08:07 :12-Apr-2023 / 18:22

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO KIDNEY FUNCTION TESTS

PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
BLOOD UREA, Serum	23.8	12.8-42.8 mg/dl	Kinetic
BUN, Serum	11.1	6-20 mg/dl	Calculated
CREATININE, Serum	0.74	0.67-1.17 mg/dl	Enzymatic
eGFR, Serum	119	>60 ml/min/1.73sqm	Calculated
TOTAL PROTEINS, Serum	7.0	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.4	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.6	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.7	1 - 2	Calculated
URIC ACID, Serum	5.9	3.5-7.2 mg/dl	Enzymatic
PHOSPHORUS, Serum	3.2	2.7-4.5 mg/dl	Molybdate UV
CALCIUM, Serum	9.2	8.6-10.0 mg/dl	N-BAPTA
SODIUM, Serum	143	135-148 mmol/l	ISE
POTASSIUM, Serum	4.7	3.5-5.3 mmol/l	ISE
CHLORIDE, Serum	108	98-107 mmol/l	ISE

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***



NRJ0

Dr.VIPUL JAIN M.D. (PATH) Pathologist

Page 4 of 19



CID	: 2310208615
Name	: MR.NILESH SHAW
Age / Gender	: 50 Years / Male
Consulting Dr.	: -
Reg. Location	: Bhayander East (Main Centre)



R

E

Use a QR Code Scanner Application To Scan the Code

Collected Reported : 12-Apr-2023 / 08:07 :12-Apr-2023 / 13:00

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO GLYCOSYLATED HEMOGLOBIN (HbA1c) TER RESULTS

PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Glycosylated Hemoglobin (HbA1c), EDTA WB - CC	6.0	Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %	HPLC
Estimated Average Glucose (eAG), EDTA WB - CC	125.5	mg/dl	Calculated

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***

Bmhaskar

Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Page 5 of 19



CID : 2310208615 Name : MR.NILESH SHAW Age / Gender : 50 Years / Male Consulting Dr. : -Reg. Location : Bhayander East (Main Centre)



MEDIWHEEL FULL BODYHEALTH CHECKUP MALE ABOVE 40/2D ECHOPROSTATE SPECIFIC ANTIGEN (PSA)PARAMETERRESULTSBIOLOGICAL REF RANGEMETHOD

TOTAL PSA, Serum

<4.0 ng/ml

Collected

Reported

CLIA

Clinical Significance:

• PSA is detected in the serum of males with normal, benign hyper-plastic, and malignant prostate tissue.

0.879

- Monitoring patients with a history of prostate cancer as an early indicator of recurrence and response to treatment.
- Prostate cancer screening 4. The percentage of Free PSA (FPSA) in serum is described as being significantly higher in patients with BPH than in patients with prostate cancer. 5. Calculation of % free PSA (ie. FPSA/TPSA x 100), has been suggested as way of improving the differentiation of BPH and Prostate cancer.

Interpretation:

Increased In- Prostate diseases, Cancer, Prostatitis, Benign prostatic hyperplasia, Prostatic ischemia, Acute urinary retention, Manipulations like Prostatic massage, Cystoscopy, Needle biopsy, Transurethral resection, Digital rectal examination, Radiation therapy, Indwelling catheter, Vigorous bicycle exercise, Drugs (e.g., testosterone), Physiologic fluctuations. Also found in small amounts in other cancers (sweat and salivary glands, breast, colon, lung, ovary) and in Skene glands of female urethra and in term placenta ,Acute renal failure, Acute myocardial infarction,

Decreased In- Ejaculation within 24-48 hours, Castration, Antiandrogen drugs (e.g., finasteride), Radiation therapy, Prostatectomy, PSA falls 17% in 3 days after lying in hospital, Artifactual (e.g., improper specimen collection; very high PSA levels). Finasteride (5-α-reductase inhibitor) reduces PSA by 50% after 6 months in men without cancer.

Reflex Tests: % FREE PSA , USG Prostate

Limitations:

- tPSA values determined on patient samples by different testing procedures cannot be directly compared with one another and could be
 the cause of erroneous medical interpretations. If there is a change in the tPSA assay procedure used while monitoring therapy, then
 the tPSA values obtained upon changing over to the new procedure must be confirmed by parallelmeasurements with both methods.
 Immediate PSA testing following digital rectal examination, ejaculation, prostatic massage, indwelling catheterization,
 ultrasonography and needle biopsy of prostate is not recommended as they falsely elevate levels.
- Patients who have been regularly exposed to animals or have received immunotherapy or diagnostic procedures utilizing immunoglobulins or immunoglobulin fragments may produce antibodies, e.g. HAMA, that interferes with immunoassays.
- PSA results should be interpreted in light of the total clinical presentation of the patient, including: symptoms, clinical history, data from additional tests, and other appropriate information.
- Serum PSA concentrations should not be interpreted as absolute evidence for the presence or absence of prostate cancer.

Reference:

- Wallach's Interpretation of diagnostic tests
- Total PSA Pack insert



Anto.

Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist & Lab Director

Page 6 of 19



DIAGNOST				E
PRECISE TESTING - NEA	LTHIER LIVING			P
CID	: 2310208615			0
Name	: MR.NILESH SHAW			R
Age / Gender	: 50 Years / Male		Use a QR Code Scanner Application To Scan the Code	т
Consulting Dr.	:-	Collected	:12-Apr-2023 / 08:07	
Reg. Location	: Bhayander East (Main Centre)	Reported	:12-Apr-2023 / 14:26	

Authenticity Check

R

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***

Page 7 of 19



CID	: 2310208615
Name	: MR.NILESH SHAW
Age / Gender	: 50 Years / Male
Consulting Dr.	: -
Reg. Location	: Bhayander East (Main Centre)





R

E

P

R

Use a QR Code Scanner Application To Scan the Code

Collected Reported

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO URINE EXAMINATION REPORT

URINE EXAMINATION REPORT			
PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	7.0	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.010	1.001-1.030	Chemical Indicator
Transparency	Clear	Clear	-
Volume (ml)	40	-	-
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION	<u> </u>		
Leukocytes(Pus cells)/hpf	2-3	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	1-2		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	3-4	Less than 20/hpf	
Others	_		

Others

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein:(1+ ~25 mg/dl, 2+ ~75 mg/dl, 3+ ~ 150 mg/dl, 4+ ~ 500 mg/dl)
- Glucose:(1+ ~ 50 mg/dl, 2+ ~100 mg/dl, 3+ ~300 mg/dl,4+ ~1000 mg/dl)
- Ketone:(1+ ~5 mg/dl, 2+ ~15 mg/dl, 3+ ~ 50 mg/dl, 4+ ~ 150 mg/dl)

Reference: Pack insert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West



Bmhaskar

Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Page 8 of 19



CID	: 2310208615
Name	: MR.NILESH SHAW
Age / Gender	: 50 Years / Male
Consulting Dr.	: -
Reg. Location	: Bhayander East (Main Centre)

Authenticity Check R E P 0 R Use a QR Code Scanner Application To Scan the Code т Collected : :


*** End Of Report ***

Reported

Page 9 of 19



CID : 2310208615 Name : MR.NILESH SHAW Age / Gender : 50 Years / Male Consulting Dr. : -Reg. Location : Bhayander East (Main Centre)



 Reported
 :12-Apr-2023 / 14:22

Collected

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO BLOOD GROUPING & Rh TYPING

PARAMETER

RESULTS

ABO GROUP 0 Rh TYPING Positive

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab

*** End Of Report ***



June King

Dr.VRUSHALI SHROFF M.D.(PATH) Pathologist

Page 10 of 19



CID	: 2310208615
Name	: MR.NILESH SHAW
Age / Gender	: 50 Years / Male
Consulting Dr.	: -
Reg. Location	: Bhayander East (Main Centre)





Use a QR Code Scanner Application To Scan the Code R

E

P

0

R

т

Collected Reported

: 12-Apr-2023 / 08:07 : 12-Apr-2023 / 13:00

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO LIPID PROFILE

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	210.0	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	88.7	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	39.0	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	171.0	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	153.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	18.0	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	5.4	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	3.9	0-3.5 Ratio	Calculated

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***



Bmhaskar

Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Page 11 of 19



CID	: 2310208615
Name	: MR.NILESH SHAW
Age / Gender	:50 Years / Male
Consulting Dr.	: -
Reg. Location	: Bhayander East (Main Centre)



R

E

P

0

R

т

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO THYROID FUNCTION TESTS PARAMETER RESULTS BIOLOGICAL REF RANGE METHOD

Free T3, Serum	4.3	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	18.1	11.5-22.7 pmol/L	ECLIA
sensitiveTSH, Serum	2.56	0.35-5.5 microIU/ml	ECLIA

Page 12 of 19



Е CID :2310208615 : MR.NILESH SHAW Name Use a OR Code Scanner Age / Gender : 50 Years / Male Application To Scan the Code Consulting Dr. : -Collected :12-Apr-2023 / 08:07 :12-Apr-2023 / 12:54 Reg. Location : Bhayander East (Main Centre) Reported

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors

can give falsely high TSH.

2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation: TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation: 19.7% (with in subject variation)

Reflex Tests:Anti thyroid Antibodies,USG Thyroid ,TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours

following the last biotin administration.

2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

Reference:

1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)

2. Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357

3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition

4.Biological Variation: From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***



Bmhaskar

Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Authenticity Check

R

Page 13 of 19



CID	: 2310208615
Name	: MR.NILESH SHAW
Age / Gender	: 50 Years / Male
Consulting Dr. Reg. Location	: - : Bhayander East (Main Centre)



R

E

P

0

R

т

Use a QR Code Scanner Application To Scan the Code • 12-Apr-2023 /

Collected Reported :12-Apr-2023 / 08:07 :12-Apr-2023 / 13:00

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO LIVER FUNCTION TESTS

PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
BILIRUBIN (TOTAL), Serum	0.86	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.25	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.61	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.0	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.4	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.6	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.7	1 - 2	Calculated
SGOT (AST), Serum	41.8	5-40 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	76.8	5-45 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	24.8	3-60 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	83.8	40-130 U/L	Colorimetric

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***



Bmhaskar


Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Page 14 of 19



CID	: 2310208615
Name	: MR.NILESH SHAW
Age / Gender	: 50 Years / Male
Consulting Dr.	: -
Reg. Location	: Bhayander East (Main Centre)






Page 15 of 19




: 2310208615
: MR.NILESH SHAW
: 50 Years / Male
: -
: Bhayander East (Main Centre)








CID	: 2310208615
Name	: MR.NILESH SHAW
Age / Gender	:50 Years / Male
Consulting Dr.	: -
Reg. Location	: Bhayander East (Main Centre)






Page 17 of 19



CID	: 2310208615
Name	: MR.NILESH SHAW
Age / Gender	: 50 Years / Male
Consulting Dr.	: -
Reg. Location	: Bhayander East (Main Centre)




Use a QR Code Scanner Application To Scan the Code


Page 18 of 19



CID	: 2310208615
Name	: MR.NILESH SHAW
Age / Gender	:50 Years / Male
Consulting Dr.	: -
Reg. Location	: Bhayander East (Main Centre)



Authenticity Check



Page 19 of 19

SUBURBAN DIAGNOSTICS - BHAYANDER EAST



Patient Name: NILESH SHAW Patient ID: 2310208615 Date and Time: 12th Apr 23 8:25 AM

50 5 Age years months days Gender Male Heart Rate 76bpm aVR V4 Patient Vitals BP: NA Weight: NA NA Height: Pulse: NA Spo2: NA **V**5 Resp: NA II aVL V12 Others: Measurements III V6 aVF V3 QRSD: 102ms QT: 376ms QTcB: 423ms PR: 180ms P-R-T: 57° 60° 36° Π tricog 25.0 mm/s 10.0 mm/mV Copyright 2014-2023 Tricog Health, All Rights Re

ECG Within Normal Limits: Sinus Rhythm, Normal axis No significant ST-T changes. Please correlate clinically.

REPORTED BY



Dr. Smita Valani MBBS, D. Cardiology 2011/03/0587

Disclaimer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of other invasive and non-invasive tests and must be interpreted by a qualified physician. 2) Patient vitals are as entered by the clinician and not derived from the ECG.



R E P 0 R т

Name	: Mr . NILESH SHAW		Reg Date	: 12-Apr-2023	08:03
VID	: 2310208615		Age/Gender	: 50 Years	
Ref By	: Arcofemi Healthcare Lim	ited	Regn Centre	: Bhayander E	ast (Main Centre)
History a	and Complaints:				
NIL					
EXAMIN	ATION FINDINGS:				
Height (o	cms):	168		Weight (kg):	68
Temp (00	c):	Afebrile		Skin:	NAD
Blood Pr	ressure (mm/hg):	120/80		Nails:	NAD
Pulse:		72/min		Lymph Node:	Not Palpable
Systems					
Cardiova	ascular: S1S2-Normal				
Respirat	ory: Chest-Clear	1			
Genitour			Othe)		
GI Syste	m: NAD)		
CNS:	NAD				
				P' AAA	istre
IMPRES	SION: CNR,	Ely	sc and	mo che	~~~]
	AN WNL : , Regular . Lipe				
ADVICE	: , Reental	follow-	np	1 ic	
	1.54.0	style m	ver file		
	OMPLAINTS:	ſ			
	ertension:	No			
2) IHD	entension.	No			
3) Arrh	vthmia	No			
	etes Mellitus	No			
,	erculosis	No			
6) Asth		No			
7) Puln	nonary Disease	No			
8) Thyr	roid/ Endocrine disorders	No			
9) Nerv	ous disorders	No			
10) GI sy		No			
	ital urinary disorder	No			
	umatic joint diseases or s				
	od disease or disorder	No			
	cer/lump growth/cyst	No	10 al		
	genital disease	No Voc	11- Lit	nokipsy	done i 20.
16) Surg				1 /	
17) Mus	culoskeletal System	No			

Page:1 of 2



E P O R T

R

Name	: Mr . NILESH SHAW	Reg Date	: 12-Apr-2023 08:03
VID	: 2310208615	Age/Gender	: 50 Years
Ref By	: Arcofemi Healthcare Limited	Regn Centre	: Bhayander East (Main Centre)

PERSONAL HISTORY:

- 1) Alcohol
- 2) Smoking
- 3) Diet
- 4) Medication

Yes,Occasionally Yes,Occasionally Mixed No

SUBURBAN DIAGNOSTICS (I) PVT. LTD

Shop No. 101-A, 1st Floor, Kehilij Bullding Abovo Received, National Pospilal Mira - Dial Control (Control (Control)) Dist. Thane-4011 (Control) Phone Not 022 - 61700000

DP. ANITA CHOUDHARY

CONSUL Reg. No. 201:/12/5553



Date:- 12	104120	23		CID	: 23102	08615-		
Name:- N	lilese	Shaw		Sex	Age: So	117		
						8		
			EY	E CHEC	KUP			
Chief com	plaints:	\bigcirc						
Systemic	Diseases:							
Past histo	ry:	4						
Unaided N	/ision:							
Aided Visi	on:	1	RE 1/6	,	LE 116			
Refraction	:		16		516			
	(Right Ey	/e)			(Left Ey	e)		
	Sph	Cyl	Axis	Vn	Sph	Cyl	Axis	Vn

Remark:

Distance

SUBURBAN MUSI NUSTICS (1) PVT. LTP

R

E

P

0

R

Т

Shop No. 101	
Above Rec.	1 18: 410
Nice - Bit	- (E)
- U.S.	
Plice	0000



To, Suburban Diagnostics (India) Private Limited 301, 302 3rd Floor, Vini Eligance, Above Tanishq Jewellers, Borivali (W), Mumbai- 400092

SUBJECT- TO WHOMSOEVER IT MAY CONCERN

R

Ε

P

0

R

т

Dear Sir/ Madam,

This is to informed you that I, Myself Mr/ Mrs/ Ms. <u>Milesh Shaw</u> don't want to performed the following tests:

1)	Dental Checkup	
3)		1
4)		
5)		
6)		

CID No. & Date

Corporate/ TPA/ Insurance Client Name :

Thanking you.

Yours sincerely,

CID: 2310208615

Name : MR. NILESH SHAW

Age/Gender : 50 Years/ M

Registered : 12/04/2023

REFERRED BY:

Reported : 12/04/2023

Reg.Location : Bhayander East (Main Centre)

Printed : 12/04/2023

2D-Echocardigram & Doppler Report

Cardiac Evaluation:

DIMENSIONS:

10.6 mm
48 mm
10.6 mm
13.5 mm
28 mm
12.7 mm

LVEF

65 % (M-MODE), Visually EF-60 %

No RWMA Aorta-30 mm, LA- 34 mm

TAPSE - 26 mm IVC - 15mm, collapsing

MORPHOLOGICAL DATA

Mitral Valve	Normal
Aortic Valve	Normal
Tricuspid Valve	Normal
Pulmonary Valve	Normal
Right Ventricle	Normal
IAS / IVS	Intact
Pulmonary Artery	Normal
Aorta	Normal
Right Atrium	Normal
Left Atrium	Normal
Pericardium	Normal



DOPPLER DATA:

Mitral E velocity Mitral A velocity

Aortic V max **TR Gmax**

0.51 m/s 0.71 m/s

1.07 m/s PG 4.6 mmHg 11 mmHg

Trivial MR and AR, Trivial TR


No clot/vegetation/effusion.

IMPRESSION:

- Good LV systolic function, LVEF = 65%, Normal RV function •
- Grade 1 Diastolic Dysfunction •
- No PH. (PASP by TR jet 16 mm Hg).

End of Report -----

Ďr. ÀŜHISH MISHRA M.B.B.S., M.D., D.M. Cardiology Reg. No. 2010/03/0511 CONSULTANT CARDIOLOGIST



USG WHOLE ABDOMEN

LIVER:

The liver is normal in size (14.5 cm), shape and shows smooth margins. It shows increased and coarse parenchymal echotexture. No obvious cystic or solid lesion made out in the parenchyma. The intra hepatic biliary and portal radicals appear normal. The main portal vein appears normal.

GALL BLADDER:

The gall bladder is folded and physiologically distended. Neck region is not well visualised. Gall bladder wall appears normal. No evidence of calculus or mass lesions seen in the visualised lumen.

COMMON BILE DUCT:

The visualized common bile duct is normal in calibre. Terminal common bile duct is obscured due to bowel gas artefacts.

PANCREAS:

The pancreas appears normal. No evidence of solid or cystic mass lesion seen.

KIDNEYS:

Right kidney measures 11.7 x 4.3 cm. Left kidney measures 11.1 x 5.0 cm. Both the kidneys are normal in size, shape, position and echotexture. Corticomedullary differentiation is well maintained. Pelvicalyceal system is normal. A 9.5 mm faintly hyperechoic calculus is seen in the mid pole collecting system of the right kidney. No evidence of any calculus seen on the left side. No evidence of mass lesion or hydronephrosis seen on both sides.

SPLEEN:

The spleen is normal in size (9.5 cm) and echotexture. No evidence of focal lesion is noted.


URINARY BLADDER:

The urinary bladder is well distended and reveals no intraluminal abnormality. Bladder wall appears normal. No obvious calculus or mass lesion made out in the lumen.

PROSTATE:

The prostate is normal in size, measures 3.8 x 2.5 x 2.9 cms and weighs 16.0 gms. Parenchymal echotexture is normal. No obvious mass or calcification made out.

There is no evidence of any lymphadenopathy or ascites.



IMPRESSION:

- Grade II fatty and coarse infiltration of liver.
- Right renal calculus.

Kindly correlate clinically.

Investigations have their limitation. Solitary pathological/Radiological & other investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms & other related tests. Please interpret accordingly.

-----End of Report-----

DR.VIBHA S KAMBLE MBBS ,DMRD Reg No -65470 Consultant Radiologist

