

Name : MR.RAMACHANDRA N JAVIR

Age / Gender : 58 Years / Male

Consulting Dr. : -

Reg. Location

: Vashi (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected : 25-Mar-2022 / 09:25

Reported :25-Mar-2022 / 16:13

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

CBC (Complete Blood Count), Blood			
<u>PARAMETER</u>	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
RBC PARAMETERS			
Haemoglobin	12.2	13.0-17.0 g/dL	Spectrophotometric
RBC	6.73	4.5-5.5 mil/cmm	Elect. Impedance
PCV	38.4	40-50 %	Measured
MCV	57.1	80-100 fl	Calculated
MCH	18.1	27-32 pg	Calculated
MCHC	31.6	31.5-34.5 g/dL	Calculated
RDW	17.6	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	9410	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND ABSO	DLUTE COUNTS		
Lymphocytes	31.1	20-40 %	
Absolute Lymphocytes	2926.5	1000-3000 /cmm	Calculated
Monocytes	6.6	2-10 %	
Absolute Monocytes	621.1	200-1000 /cmm	Calculated
Neutrophils	55.6	40-80 %	
Absolute Neutrophils	5232.0	2000-7000 /cmm	Calculated
Eosinophils	5.9	1-6 %	
Absolute Eosinophils	555.2	20-500 /cmm	Calculated
Basophils	0.8	0.1-2 %	
Absolute Basophils	75.3	20-100 /cmm	Calculated
Immature Leukocytes	-		

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

Platelet Count	374000	150000-400000 /cmm	Elect. Impedance
MPV	9.2	6-11 fl	Calculated
PDW	18.3	11-18 %	Calculated

RBC MORPHOLOGY

.

Hypochromia	++
Microcytosis	+++

Page 1 of 11

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053



Name : MR.RAMACHANDRA N JAVIR

Age / Gender :58 Years / Male

Consulting Dr. Collected : 25-Mar-2022 / 09:25

Reported :25-Mar-2022 / 13:33 : Vashi (Main Centre) Reg. Location

Macrocytosis

Anisocytosis Mild Poikilocytosis Mild

Polychromasia

Target Cells

Basophilic Stippling

Normoblasts

Others **WBC MORPHOLOGY**

PLATELET MORPHOLOGY

COMMENT

Note: Features are suggestive of thalassemia trait and/or iron deficiency anemia. Advice: Hemoglobin studies by HPLC, Reticulocyte count, Iron studies & Ferritin.

Note: Collected sample received.

Result rechecked & Kindly correlate clinically

Specimen: EDTA Whole Blood

ESR, EDTA WB 2-20 mm at 1 hr. Westergren

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***







Dr. AMAR DASGUPTA, MD,PhD **Consultant Hematopathologist Director - Medical Services**

Dr. VRUSHALI SHROFF M.D.(PATH) **Pathologist**

Page 2 of 11

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code



Name : MR.RAMACHANDRA N JAVIR

Age / Gender :58 Years / Male

Consulting Dr.

Reg. Location

over the page or visit our website.

: Vashi (Main Centre)

Authenticity Check

Use a OR Code Scanner Application To Scan the Code

: 25-Mar-2022 / 11:46

Hexokinase

Hexokinase

Reported :25-Mar-2022 / 17:47

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

PARAMETER RESULTS BIOLOGICAL REF RANGE METHOD

GLUCOSE (SUGAR) FASTING. 97.3 Non-Diabetic: < 100 mg/dl Fluoride Plasma Impaired Fasting Glucose:

100-125 mg/dl

Diabetic: >/= 126 mg/dl

Collected

GLUCOSE (SUGAR) PP, Fluoride 110,1 Non-Diabetic: < 140 mg/dl

Plasma PP/R Impaired Glucose Tolerance:

140-199 mg/dl

Diabetic: >/= 200 mg/dl

Urine Sugar (Fasting) Absent Absent Urine Ketones (Fasting) Absent Absent

Urine Sugar (PP) Absent Absent Urine Ketones (PP) Absent Absent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East *** End Of Report ***



Dr.TEJASWINI DHOTE M.D. (PATH) **Pathologist**

Page 3 of 11

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com



Name : MR.RAMACHANDRA N JAVIR

Age / Gender : 58 Years / Male

Consulting Dr. : - Collected : 25-Mar-2022 / 09:25

Reg. Location: Vashi (Main Centre): Reported: 25-Mar-2022 / 14:42

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO GLYCOSYLATED HEMOGLOBIN (HbA1c)

<u>PARAMETER</u> <u>RESULTS</u> <u>BIOLOGICAL REF RANGE</u> <u>METHOD</u>

Glycosylated Hemoglobin 5.4 Non-Diabetic Level: < 5.7 % HPLC (HbA1c), EDTA WB - CC Prediabetic Level: 5.7-6.4 %

Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Estimated Average Glucose 108.3 mg/dl Calculated

(eAG), EDTA WB - CC

Intended use:

• In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year

• In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly

• For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

• HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.

• The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East
*** End Of Report ***



Dr.JYOT THAKKER M.D. (PATH), DPB Pathologist & AVP(Medical Services)

ADDRESS: 2" Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 4 of 11



Name : MR.RAMACHANDRA N JAVIR

Age / Gender : 58 Years / Male

Consulting Dr. : - Collected : 25-Mar-2022 / 09:25

Reg. Location: Vashi (Main Centre): Reported: 25-Mar-2022 / 23:06

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

PARAMETER RESULTS BIOLOGICAL REF RANGE METHOD

TOTAL PSA, Serum 0.710 0.03-3.5 ng/ml ECLIA

Clinical Significance:

- PSA is detected in the serum of males with normal, benign hyper-plastic, and malignant prostate tissue.
- · Monitoring patients with a history of prostate cancer as an early indicator of recurrence and response to treatment.
- Prostate cancer screening 4.The percentage of Free PSA (FPSA) in serum is described as being significantly higher in patients with BPH
 than in patients with prostate cancer. 5.Calculation of % free PSA (ie. FPSA/TPSA x 100), has been suggested as way of improving the
 differentiation of BPH and Prostate cancer.

Interpretation

Increased In- Prostate diseases, Cancer, Prostatitis, Benign prostatic hyperplasia, Prostatic ischemia, Acute urinary retention, Manipulations like Prostatic massage, Cystoscopy, Needle biopsy, Transurethral resection, Digital rectal examination, Radiation therapy, Indwelling catheter, Vigorous bicycle exercise, Drugs (e.g., testosterone), Physiologic fluctuations. Also found in small amounts in other cancers (sweat and salivary glands, breast, colon, lung, ovary) and in Skene glands of female urethra and in term placenta, Acute renal failure, Acute myocardial infarction.

Decreased In- Ejaculation within 24-48 hours, Castration, Antiandrogen drugs (e.g., finasteride), Radiation therapy, Prostatectomy, PSA falls 17% in 3 days after lying in hospital, Artifactual (e.g., improper specimen collection; very high PSA levels). Finasteride (5-α reductase inhibitor) reduces PSA by 50% after 6 months in men without cancer.

Reflex Tests: % FREE PSA, USG Prostate

Limitations:

tPSA values determined on patient samples by different testing procedures cannot be directly compared with one another and could be the cause of erroneous medical interpretations. If there is a change in the tPSA assay procedure used while monitoring therapy, then the tPSA values obtained upon changing over to the new procedure must be confirmed by parallelmeasurements with both methods. Immediate PSA testing following digital rectal examination, ejaculation, prostatic massage, indwelling catheterization, ultrasonography and needle biopsy of prostate is not recommended as they falsely elevate levels.

Reference:

- Wallach's Interpretation of diagnostic tests, 10th Edition
- Pack insert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***







Dr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab
Director

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

ADDRESS: 2" Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 5 of 11



Name : MR.RAMACHANDRA N JAVIR

Age / Gender :58 Years / Male

Consulting Dr. Collected : 25-Mar-2022 / 09:25

Reported Reg. Location : Vashi (Main Centre)



Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

:25-Mar-2022 / 16:15

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO **URINE EXAMINATION REPORT**

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	5.0	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.010	1.001-1.030	Chemical Indicator
Transparency	Clear	Clear	-
Volume (ml)	30	-	-
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION			
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	

Epithelial Cells / hpf 0-1

Casts Absent Absent Crystals **Absent Absent** Amorphous debris Absent Absent

Bacteria / hpf 2-3 Less than 20/hpf

Others







M. Jain **Dr.MILLU JAIN** M.D.(PATH) **Pathologist**

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 6 of 11

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report **



Name : MR.RAMACHANDRA N JAVIR

Age / Gender : 58 Years / Male

Consulting Dr. : - Collected : 25-Mar-2022 / 09:25

Reg. Location: Vashi (Main Centre) Reported: 25-Mar-2022 / 14:56



Authenticity Check

Use a QR Code Scanner Application To Scan the Code

5-Mar-2022 / 09:25

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO BLOOD GROUPING & Rh TYPING

PARAMETER RESULTS

ABO GROUP B

Rh TYPING POSITIVE

NOTE: Test performed by automated column agglutination technology (CAT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- · ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***







Dr.MEGHA SHARMA M.D. (PATH), DNB (PATH) Pathologist

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com



Name : MR.RAMACHANDRA N JAVIR

Age / Gender : 58 Years / Male

Consulting Dr. :

Reg. Location : Vashi (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected :25-Mar-2022 / 09:25

Reported :25-Mar-2022 / 13:08

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO LIPID PROFILE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	153.9	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	Enzymatic
TRIGLYCERIDES, Serum	107.9	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	Enzymatic
HDL CHOLESTEROL, Serum	31.3	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Enzymatic
NON HDL CHOLESTEROL, Serum	122.6	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/d High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated l
LDL CHOLESTEROL, Serum	101	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Colorimetric
VLDL CHOLESTEROL, Serum	22	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	4.9	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	3.2	0-3.5 Ratio	Calculated

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East *** End Of Report ***



Dr.JYOT THAKKER M.D. (PATH), DPB Pathologist & AVP(Medical Services)

ADDRESS: 2" Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

Brief Disclaimer: (1) Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics. (2) Sample may be rejected



Name : MR.RAMACHANDRA N JAVIR

Age / Gender :58 Years / Male

Consulting Dr.

Reg. Location : Vashi (Main Centre)



Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Collected

Reported

:25-Mar-2022 / 09:25 :25-Mar-2022 / 13:08

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO **KIDNEY FUNCTION TESTS**

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
BLOOD UREA, Serum	24.7	12.8-42.8 mg/dl	Kinetic
BUN, Serum	11.5	6-20 mg/dl	Calculated
CREATININE, Serum	1.09	0.67-1.17 mg/dl	Enzymatic
eGFR, Serum	74	>60 ml/min/1.73sqm	Calculated
TOTAL PROTEINS, Serum	6.8	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.4	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.4	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.8	1 - 2	Calculated
URIC ACID, Serum	8.1	3.5-7.2 mg/dl	Enzymatic
PHOSPHORUS, Serum	3.2	2.7-4.5 mg/dl	Molybdate UV
CALCIUM, Serum	9.5	8.6-10.0 mg/dl	N-BAPTA
SODIUM, Serum	136	135-148 mmol/l	ISE
POTASSIUM, Serum	4.6	3.5-5.3 mmol/l	ISE
CHLORIDE, Serum	102	98-107 mmol/l	ISE

Kindly correlate clinically.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East *** End Of Report ***



Dr.JYOT THAKKER M.D. (PATH), DPB Pathologist & AVP(Medical Services)

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053



Name : MR.RAMACHANDRA N JAVIR

Age / Gender :58 Years / Male

Consulting Dr. Collected : 25-Mar-2022 / 09:25

Reported :25-Mar-2022 / 12:57 Reg. Location : Vashi (Main Centre)

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO **THYROID FUNCTION TESTS**

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Free T3, Serum	5.6	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	18.2	11.5-22.7 pmol/L	ECLIA
sensitiveTSH, Serum	3.41	0.35-5.5 microIU/ml	ECLIA

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between 5.5 to 15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3/T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation: TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation: 19.7% (with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid ,TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations: Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4. Biological Variation: From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East *** End Of Report ***



Dr.TEJASWINI DHOTE M.D. (PATH) **Pathologist**

ADDRESS: 2" Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 10 of 11



Name : MR.RAMACHANDRA N JAVIR

Age / Gender :58 Years / Male

Consulting Dr.

Reg. Location

: Vashi (Main Centre)

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

:25-Mar-2022 / 09:25

Reported :25-Mar-2022 / 14:42

Collected

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO **LIVER FUNCTION TESTS**

<u>PARAMETER</u>	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
BILIRUBIN (TOTAL), Serum	0.81	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.33	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.48	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	6.8	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.4	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.4	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.8	1 - 2	Calculated
SGOT (AST), Serum	23.2	5-40 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	34.6	5-45 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	43.7	3-60 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	81.2	40-130 U/L	Colorimetric

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East *** End Of Report ***



Dr.JYOT THAKKER M.D. (PATH), DPB Pathologist & AVP(Medical Services)

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 11 of 11