Nar	ne	:	Ms. RITU JAISWAL				
PID	No.	:	MED111040558	Register On	:	31/03/2022 9:40 AM	
SID	No.	:	422028355	Collection On	:	31/03/2022 1:04 PM	
Age	e / Sex	:	35 Year(s) / Female	Report On	:	02/04/2022 12:00 PM	MED
Тур	e	:	OP	Printed On	:	02/04/2022 12:53 PM	
Ref	. Dr	:	MediWheel				

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
HAEMATOLOGY			
Complete Blood Count With - ESR			
Haemoglobin (EDTA Blood'Spectrophotometry)	13.2	g/dL	12.5 - 16.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood/Derived from Impedance)	41.0	%	37 - 47
RBC Count (EDTA Blood/Impedance Variation)	4.84	mill/cu.mm	4.2 - 5.4
Mean Corpuscular Volume(MCV) (EDTA Blood/Derived from Impedance)	85.0	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood/Derived from Impedance)	27.2	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood/Derived from Impedance)	32.1	g/dL	32 - 36
RDW-CV (EDTA Blood/Derived from Impedance)	15.1	%	11.5 - 16.0
RDW-SD (EDTA Blood/Derived from Impedance)	44.92	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood/Impedance Variation)	7700	cells/cu.mm	4000 - 11000
Neutrophils (EDTA Blood/Impedance Variation & Flow Cytometry)	46.8	%	40 - 75
Lymphocytes (EDTA Blood/Impedance Variation & Flow Cutametry)	37.2	%	20 - 45



Cytometry)

VERIFIED BY



DALL


APPROVED BY

Name	:	Ms. RITU JAISWAL					
PID No.	:	MED111040558	Register On	:	31/03/2022 9:40 AM	\mathbf{C}	
SID No.	:	422028355	Collection On	:	31/03/2022 1:04 PM		
Age / Sex	:	35 Year(s) / Female	Report On	:	02/04/2022 12:00 PM	MEDALL	
Туре	:	OP	Printed On	:	02/04/2022 12:53 PM		
Ref. Dr	:	MediWheel					

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Eosinophils (EDTA Blood/Impedance Variation & Flow Cytometry)	6.3	%	01 - 06
Monocytes (EDTA Blood/Impedance Variation & Flow Cytometry)	9.6	%	01 - 10
Basophils (Blood/Impedance Variation & Flow Cytometry)	0.1	%	00 - 02
Absolute Neutrophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	3.60	10^3 / µl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	2.86	10^3 / µl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood'Impedance Variation & Flow Cytometry)	0.49	10^3 / µl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.74	10^3 / µl	< 1.0
Absolute Basophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.01	10^3 / µl	< 0.2
Platelet Count (EDTA Blood/Impedance Variation)	236	10^3 / µl	150 - 450
MPV (EDTA Blood/Derived from Impedance)	11.5	fL	8.0 - 13.3
PCT (EDTA Blood/Automated Blood cell Counter)	0.27	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood/ <i>Modified Westergren</i>)	7	mm/hr	< 20



VERIFIED BY



APPROVED BY

Name	: Ms. RITU JAISWAL		
PID No.	: MED111040558	Register On : 31/03/2022 9:40 AM	\mathbf{C}
SID No.	: 422028355	Collection On : 31/03/2022 1:04 PM	
Age / Sex	: 35 Year(s) / Female	Report On : 02/04/2022 12:00 PM	MEDALL
Туре	: OP	Printed On : 02/04/2022 12:53 PM	
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
BIOCHEMISTRY			
Liver Function Test			
Bilirubin(Total) (Serum/Diazotized Sulfanilic Acid)	0.5	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.3	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.2	mg/dL	0.1 - 1.0
Total Protein (Serum/Biuret)	7.6	gm/dL	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.4	gm/dL	3.5 - 5.2
Globulin (Serum/Derived)	3.2	gm/dL	2.3 - 3.6
A : G Ratio (Serum/Derived)	1.4		1.1 - 2.2
SGOT/AST (Aspartate Aminotransferase) (Serum/IFCC Kinetic)	21	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/IFCC / Kinetic)	14	U/L	5 - 41
Alkaline Phosphatase (SAP) (Serum/IFCC Kinetic)	83	U/L	42 - 98
GGT(Gamma Glutamyl Transpeptidase) (Serum/SZASZ standarised IFCC)	15	U/L	< 38



DR SHAMIM JAVED MD PATHOLOGY KMC 88902

APPROVED BY

Name	: Ms. RITU JAISWAL		
PID No.	: MED111040558	Register On : 31/03/2022 9:40 AM	\mathbf{C}
SID No.	: 422028355	Collection On : 31/03/2022 1:04 PM	
Age / Sex	: 35 Year(s) / Female	Report On : 02/04/2022 12:00 PM	MEDALL
Туре	: OP	Printed On : 02/04/2022 12:53 PM	
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<u>Lipid Profile</u>			
Cholesterol Total (Serum/Cholesterol oxidase/Peroxidase)	171	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/Glycerol phosphate oxidase / peroxidase)	78	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the "usual" circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	61	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50
LDL Cholesterol (Serum/Calculated)	94.4	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >=190
VLDL Cholesterol (Serum/Calculated)	15.6	mg/dL	< 30
Non HDL Cholesterol (Serum/ <i>Calculated</i>)	110.0	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >=220





APPROVED BY

Name	: Ms. RITU JAISWAL			
PID No.	: MED111040558	Register On	: 31/03/2022 9:40 AM	M
SID No.	: 422028355	Collection On	: 31/03/2022 1:04 PM	
Age / Sex	: 35 Year(s) / Female	Report On	: 02/04/2022 12:00 PM	MEDALL
Туре	: OP	Printed On	: 02/04/2022 12:53 PM	
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
INTERPRETATION: 1.Non-HDL Cholesterol is now 2.It is the sum of all potentially atherogenic proteins in co-primary target for cholesterol lowering therapy.			
Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	2.8		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/ <i>Calculated</i>)	1.3		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/ <i>Calculated</i>)	1.5		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0



DR SHAMIM JAVED MD PATHOLOGY KMC 88902

APPROVED BY

Name	: Ms. RITU JAISWAL			
PID No.	: MED111040558	Register On	: 31/03/2022 9:40 AM	C
SID No.	: 422028355	Collection On	: 31/03/2022 1:04 PM	
Age / Sex	: 35 Year(s) / Female	Report On	: 02/04/2022 12:00 PM	MEDALL
Туре	: OP	Printed On	: 02/04/2022 12:53 PM	
Ref. Dr	: MediWheel			

<u>Investigation</u> <u>Glycosylated Haemoglobin (HbA1c)</u>	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval	
HbA1C (Whole Blood/ <i>HPLC</i>)	5.4	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5	
INTERPRETATION: If Diabetes - Good control : 6.1 - 7.0 %, Fair control : 7.1 - 8.0 %, Poor control >= 8.1 %				

	0000 0000000000000000000000000000000000	7.0 70 , I all control .	/.1 0.0 /0 ,1 001	•••
Estimated Average Glucose		108.28	mg/dL	

(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.



VERIFIED BY



APPROVED BY

Name	: Ms. RITU JAISWAL			
PID No.	: MED111040558	Register On	: 31/03/2022 9:40 AM	M
SID No.	: 422028355	Collection On	: 31/03/2022 1:04 PM	
Age / Sex	: 35 Year(s) / Female	Report On	: 02/04/2022 12:00 PM	MEDALL
Туре	: OP	Printed On	: 02/04/2022 12:53 PM	
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
IMMUNOASSAY			
<u>THYROID PROFILE / TFT</u>			
T3 (Triiodothyronine) - Total (Serum/ <i>CMIA</i>) INTERPRETATION: Comment : Total T3 variation can be seen in other condition like preg	1.27	ng/mL rosis etc. In such case	0.7 - 2.04 es, Free T3 is recommended as it is
Metabolically active.			4.2 - 12.0
T4 (Thyroxine) - Total (Serum/ <i>CMIA</i>)	8.97	µg/dL	4.2 - 12.0
INTERPRETATION: Comment : Total T4 variation can be seen in other condition like preg Metabolically active.	nancy, drugs, neph	rosis etc. In such case	es, Free T4 is recommended as it is
TSH (Thyroid Stimulating Hormone) (Serum/Chemiluminescent Microparticle Immunoassay(CMIA))	0.991	µIU/mL	0.35 - 5.50
INTERPRETATION: Reference range for cord blood - upto 20 1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0 (Indian Thyroid Society Guidelines) Comment : 1.TSH reference range during pregnancy depends on Iodin 2.TSH Levels are subject to circadian variation, reaching of the order of 50%,hence time of the day has influence of	peak levels betwee	n 2-4am and at a min	imum between 6-10PM. The variation can be

3. Values & amplt 0.03μ IU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.



Name	: Ms. RITU JAISWAL		
PID No.	: MED111040558	Register On : 31/03/2022 9:40 AM	C
SID No.	: 422028355	Collection On : 31/03/2022 1:04 PM	1-
Age / Sex	: 35 Year(s) / Female	Report On : 02/04/2022 12:00 PM	MEDALL
Туре	: OP	Printed On : 02/04/2022 12:53 PM	
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
CLINICAL PATHOLOGY			
PHYSICAL EXAMINATION			
Colour (Urine)	Pale Yellow		
Appearance (Urine)	Clear		Clear
Volume (Urine)	20	mL	
<u>CHEMICAL EXAMINATION(Automated-</u> <u>Urineanalyser)</u>			
pH (Urine/ <i>AUTOMATED URINANALYSER)</i>	5.0		4.5 - 8.0
Specific Gravity (Urine)	1.020		1.002 - 1.035
Ketones (Urine)	Negative		Negative
Urobilinogen (Urine/AUTOMATED URINANALYSER)	0.2		0.2 - 1.0
Blood (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Nitrite (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Bilirubin (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Protein (Urine)	Negative		Negative





APPROVED BY

Name	: Ms. RITU JAISWAL		
PID No.	: MED111040558	Register On : 31/03/2022 9:40 AM	\mathbf{C}
SID No.	: 422028355	Collection On : 31/03/2022 1:04 PM	
Age / Sex	: 35 Year(s) / Female	Report On : 02/04/2022 12:00 PM	MEDALL
Туре	: OP	Printed On : 02/04/2022 12:53 PM	
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Glucose (Urine)	Negative		Negative
Leukocytes (Urine)	Negative	leuco/uL	Negative
<u>MICROSCOPY(URINE DEPOSITS)</u>			
Pus Cells (Urine/Flow cytometry)	3-4	/hpf	3-5
Epithelial Cells (Urine)	2-3	/hpf	1-2
RBCs (Urine/Flow cytometry)	Nil	/hpf	NIL
Others (Urine)	Nil		Nil
Casts (Urine/Flow cytometry)	Nil	/hpf	0 - 1
Crystals (Urine)	Nil		NIL



VERIFIED BY



APPROVED BY

Name	:	Ms. RITU JAISWAL				
PID No.	:	MED111040558	Register On	:	31/03/2022 9:40 AM	\mathbf{C}
SID No.	:	422028355	Collection On	:	31/03/2022 1:04 PM	
Age / Sex	:	35 Year(s) / Female	Report On	:	02/04/2022 12:00 PM	MEDALL
Туре	:	OP	Printed On	:	02/04/2022 12:53 PM	
Ref. Dr	:	MediWheel				

Investigation

IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING (EDTA Blood/Agglutination)

'B' 'Positive'

Observed

<u>Value</u>

<u>Unit</u>



VERIFIED BY



Biological Reference Interval

APPROVED BY

Name	: Ms. RITU JAISWAL			
PID No.	: MED111040558	Register On	: 31/03/2022 9:40 AM	C
SID No.	: 422028355	Collection On	: 31/03/2022 1:04 PM	
Age / Sex	: 35 Year(s) / Female	Report On	: 02/04/2022 12:00 PM	MEDALL
Туре	: OP	Printed On	: 02/04/2022 12:53 PM	
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BIOCHEMISTRY			
BUN / Creatinine Ratio	16		6 - 22
Glucose Fasting (FBS) (Plasma - F/GOD - POD)	73	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose Fasting - Urine (Urine - F)	Negative	Negative
Glucose Postprandial (PPBS)	52 mg/dl	L 70 - 140
(Plasma - PP/GOD - POD)		

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Glucose Postprandial - Urine (Urine - PP)	Negative	Negative
Blood Urea Nitrogen (BUN) (Serum/Urease-GLDH)	11 mg/dL	7.0 - 21
Creatinine	0.7 mg/dL	0.6 - 1.1

(Serum/Jaffe Kinetic)

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid	5.4	mg/dL	2.6 - 6.0
(Serum/Uricase/Peroxidase)			





APPROVED BY

-- End of Report --

Name	RITU JAISWAL	ID	MED111040558	
Age & Gender	35/FeMale	Visit Date	31-03-2022 00:00:00	
Ref Doctor Name	MediWheel	-		MEDALL

<u>2 D ECHOCARDIOGRAPHIC STUDY</u>

M mode measurement:

AORTA LEFT ATRIUM			: 2.2cms : 3.1cms
AVS			:
LEFT VENTRICLE	(DIASTOLE))	: 4.1cms
(SYS	TOLE)	: 2.7cm	ns
VENTRICULAR SEPTUM	(DIASTOLE)		: 0.8cms
(SYS	TOLE)	: 1.2cm	ns
POSTERIOR WALL	(DIASTOLE)		: 0.8cms
(SYS)	TOLE)	: 1.2cm	ns
EDV			: 76ml
ESV			: 27ml
FRACTIONAL SHORTENI	NG		: 35%
EJECTION FRACTION			: 65%
EPSS			:
RVID			: 1.8cms

DOPPLER MEASUREMENTS:

MITRAL VALVE	: E' 0.67 m/s	A' 0.51 m/s	NO MR
AORTIC VALVE	: 1.03 m/s		NO AR
TRICUSPID VALVE	: E' 1.95 m/s	A' - m/s	NO TR
PULMONARY VALVE	: 0.73 m/s		NO PR

Name	RITU JAISWAL	ID	MED111040558	
Age & Gender	35/FeMale	Visit Date	31-03-2022 00:00:00	
Ref Doctor Name	MediWheel			MEDALL

2D ECHOCARDIOGRAPHY FINDINGS:

Left ventricle No regional wall motion abn	: Normal size, Normal systolic function. ormalities.
Left Atrium	: Normal.
Right Ventricle	: Normal.
Right Atrium	: Normal.
Mitral valve	: Normal, No mitral valve prolapsed.
Aortic valve	: Normal, Trileaflet.
Tricuspid valve	: Normal.
Pulmonary valve	: Normal.
IAS	: Intact.
IVS	: Intact.
Pericardium	: No pericardial effusion.

IMPRESSION:

> NORMAL SIZED CARDIAC CHAMBERS.

- > NORMAL LV SYSTOLIC FUNCTION. EF:65 %.
- > NO REGIONAL WALL MOTION ABNORMALITIES.
- > NORMAL VALVES.
- > NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

DR. K.S. SUBRAMANI. MBBS, MD, DM (CARDIOLOGY) FESC SENIOR CONSULTANT INTERVENTIONAL CARDIOLOGIST Kss/da

Name	RITU JAISWAL	ID	MED111040558	
Age & Gender	35/FeMale		31-03-2022 00:00:00	
Ref Doctor Name	MediWheel			MEDALL

- <u>Note:</u> * Report to be interpreted by qualified medical professional. * To be correlated with other clinical findings. * Parameters may be subjected to inter and intra observer variations.

Name	RITU JAISWAL	ID	MED111040558	\sim
Age & Gender	35/FeMale		31-03-2022 00:00:00	
Ref Doctor Name	MediWheel	-		MEDALL

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER shows normal in shape, size and has uniform echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER shows normal shape and has clear contents. Gall bladder wall is of normal thickness. CBD is of normal calibre.

PANCREAS has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

SPLEEN shows normal shape, size and echopattern. No demonstrable Para -aortic lymphadenopathy.

KIDNEYS move well with respiration and have normal shape, size and echopattern. Cortico- medullary differentiations are well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	9.9	1.2
Left Kidney	9.6	1.5

URINARY BLADDER shows normal shape and wall thickness. It has clear contents. No evidence of diverticula.

UTERUS is anteverted and normal in size. It has uniform myometrial echopattern. Endometrial thickness measures 10mm Uterus measures as follows: LS: 6.2cms AP: 3.8cms TS: 3.9cms.

OVARIES are normal in size, shape and echotexture. No focal lesion seen. Ovaries measure as follows: **Right ovary**: 2.3 x 1.8cms **Left ovary**: 3.5 x 1.6cms

POD & adnexae are free.

No evidence of ascites/pleural effusion.

IMPRESSION:

> NO SIGNIFICANT ABNORMALITY DETECTED.

DR. H.K. ANAND

DR. APARNA

Name	RITU JAISWAL	ID	MED111040558]
Age & Gender	35/FeMale	Visit Date	31-03-2022 00:00:00	
Ref Doctor Name	MediWheel	-		



CONSULTANT RADIOLOGISTS:

A/vp

Name	RITU JAISWAL	ID	MED111040558	
Age & Gender	35/FeMale	Visit Date	31-03-2022 00:00:00	
Ref Doctor Name	MediWheel		•	IVIEI



X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Impression: Essentially normal study.